

A Synoptic Key to the Materia Medica

(A Treatise for Homeopathic Students)



C. M. BOGER
MD

A Synoptic Key
of the
Materia Medica



By
C. M. BOGER, M.D.

B. JAIN PUBLISHERS
NEW DELHI-110029.

Publishers **B. JAIN PUBLISHERS,**
55-I, ARJUN NAGAR, NEW DELHI-110029.

Distributors **HARJEET & CO.,**
1920, CHUNA MANDI, PAHAR GANJ,
POST BOX 5752, NEW DELHI-110055

Printer : **Goyal Offset Printers, Delhi**

ACKNOWLEDGEMENT

**The publisher wishes to pay a tribute of
appreciation to :**

Dr. G.V .CHALAPATHY of ANANTAPUR,

**for kindly making available the original
book for printing.**

FOREWORD

THIS new fourth edition of the Synoptic Key is herewith submitted to all brothers in the work. Only changes of proven value in coordinating and assembling the significant features of seemingly disassociated symptom groups, have been made. Upon these depends almost wholly the final choice of the simillimum. They should reflect a speaking image, as it were, of the correctly indicated remedy. To this end rubrics from my private files have been freely drawn upon. The symptom features of many remedies have been clarified in order to increase their usefulness, especially in precisionizing differentiations. The repertory is only intended to orient the searcher.

The possibilities that inhere in the contact of the simillimum with the disordered vital force can not be foreknown. It therefore behooves every prescriber to use the utmost care in selecting the curative remedy. It will always remain true, as Paracelsus says in "Erste buch von blatern," chap. 8, 1528. "Just so, Mercury, (etc.) cures—things Mercuric" only.

The strain which runs through every pathogenetic symptom complex has been called the "genius" of the drug. To give this its proper place in the prescription should be the ideal of every prescriber. To this end is this book written.

C. M. BOGER.

Parkersburg, W. Va., December, 1931.

FOREWORD

Correct prescribing is the art of carefully fitting pathogenetic to clinical symptoms, and as such at present requires a special aptness in grasping the essential points of symptom images, great drudgery in mastering a working knowledge of our large *Materia Medica* or a most skilful use of many books of reference.

It is the aim of this book to simplify and introduce method into this work, so that the truly homœopathic curative remedy may be worked out with greater ease and certainty. For this purpose a combination of the analytic and synoptic methods has been thought best.

The spirit of the clinical symptom picture is best obtained by asking the patient to tell his own story, whenever this is possible. This account is then amplified and more accurately defined by the questioner, who should first try to elicit the evident *cause and course* of the sickness, to which he will add all the things which *now seem to interfere* with the sufferer's comfort. Especially should the natural modifiers of sickness—the *modalities*—be very definitely ascertained. The following are the most vitally important of such influences: *Time, Temperature, Open Air, Posture, Being Alone, Motion, Sleep, Eating and Drinking, Touch, Pressure, Discharges, etc.*

A consideration of the *mental state* comes next in order of importance. Here the presence of *Irritability, Sadness or Fear* is the ruling factor.

The third step concerns the estimate to be put upon the patient's own description of his sensations. This is a very vital point and in order not to be misled it is always well to ascertain whether any of the following primary sensations are present: *Burning, Cramping, Cutting, Bursting, Soreness, Throbbing and Thirst*. There may be many others, but the presence of any one of these often overshadows them, especially such as may be due to the play of the imagination; which feature is in itself of more importance than the particular thing imagined.


FOREWORD

Next in order comes the entire *objective aspect* or expression of the sickness: This should especially include the *Facial Expression, Demeanor, Nervous Excitability, Sensibility, Restlessness* or *Torpor, State of the Secretions* and any abnormal coloring that may be present.

Lastly the *part affected* must be determined; this also brings the investigation in touch with diagnosis.

By going over the above rubrics in the order named the contour of the disease picture will be pretty clearly outlined and will point fairly well toward the simillimum, and the prescriber has only to keep in mind the fact that the actual *differentiating factor* may belong to any rubric whatsoever and also that the scope of these rubrics reaches far beyond the appended synoptic text.

For ready reference the following diagram has been arranged:



FOREWORD

THE SYNOPSIS, is intended to make clear the *general expression* or *genius* of each remedy, and thereby help the prescriber correct his bearings. The scope of its contents is much enlarged by bracketing the most nearly affiliated remedies after some of the more important symptoms ; this also helps in making differentiations.

What often makes a cure hard is the laying of too much stress upon some particular factor at the expense of the disease picture as a whole, thus destroying its symmetry and forming a distorted conception of the natural image of the sickness. This does not, however, mean that all symptoms stand on the same level, for certain effects must be more prominent than others, yet be part and parcel of them. This is the sense in which we must learn to know our remedies, just as we do our friends, by their *air* or *personality* ; an ever changing, composite effect, but always reflecting the same motive.

Whenever the chosen remedy excites little or no reaction, the selection has either been faulty, or what is just as likely, one of the fundamental miasms which calls for either Psorinum, Sulfur, Medorrhinum or Syphilinum, is present.

Whenever the general benefit derived from a single dose lags, the remedy should be repeated in the next higher potency, instead of looking upon the new symptoms as indicators for some other drug ; for only the most inveterately rooted dyscrasia can, by varying its expression, resist the whole scale of an indicated remedy. Sometimes we can advantageously change to another potency scale of the same remedy, before attempting to scrutinize the remaining picture for those new developments which must point toward our next choice, nor should this successor be chosen until the new symptom picture—disease phase—takes on a fairly definite or settled form.

This new fifth edition of the Synoptic Key is herewith submitted to all brothers in the work. Only changes of proven value in co-ordinating and assembling the significant features of seemingly disassociated symptom groups, have been made. Upon these depends almost wholly the final choice of the *simillimum*. They should reflect a speaking image, as it were, of the correctly indicated remedy. To this end rubrics from my private files have been freely drawn

FOREWORD

upon. The symptom features of many remedies have been clarified in order to increase their usefulness, especially in precisionizing differentiations. The Repertory is only intended to orient the searcher.

The possibilities that inhere in the contact of the simillimum with the disordered vital force can not be fore-known. It therefore behooves every prescriber to use the utmost care in selecting the curative remedy. It will always remain true, as Paracelsus says in "Erste buch von blatern," chap. 8, 1528. "Just so, Mercury, (etc.),—cures—things Mercuric" only.

The strain which runs through every pathogenetic symptom complex has been called the "genius" of the drug. To give this its proper place in the prescription should be the ideal of every prescriber. To this end is this book written.

C. M. BOGER.

Parkersburg, W. Va.

List of Remedies in the Materia Medica Portion with their Page Numbers.

Serial No.	Name of Remedies.	Page No.	Serial No.	Name of Remedies.	Page No.
1.	Abrotanum	... 109	30.	Arum Triphyllum	... 132
2.	Aconite	... 109	31.	Asafoetida	... 132
3.	Actea Spicata	... 111	32.	Asarum	... 133
4.	Adonis	... 111	33.	Asclepias Tuberosa	... 133
5.	Æsculus	... 112	34.	Asterias Rubens	... 134
6.	Æthusa	... 112	35.	Aurum	... 134
7.	Agaricus	... 113	36.	Badiaga	... 135
8.	Agnus Castus	... 114	37.	Baptisia	... 135
9.	Ailanthus	... 114	38.	Baryta Carb.	... 136
10.	Aletris	... 115	39.	Belladonna	... 137
11.	Aloe	... 115	40.	Bellis Perennis	... 138
12.	Alumina	... 116	41.	Benzoic Acid	... 139
13.	Ambra	... 117	42.	Berberis Vulgaris	... 139
14.	Ammonium Carb.	... 118	43.	Bismuth	... 140
15.	Ammonium Mur.	... 119	44.	Borax	... 141
16.	Amyl Nit.	... 119	45.	Bovista	... 142
17.	Anacardium	... 120	46.	Bromium	... 142
18.	Anthraxin.	... 121	47.	Bryonia	... 143
19.	Antimonium Crud.	... 121	48.	Bufo	... 145
20.	Antimonium Tart.	... 122	49.	Bursa Pastoris	... 145
21.	Apis	... 123	50.	Cactus Grandiflora	... 146
22.	Apocynum	... 125	51.	Cadmium Sulfat	... 146
23.	Aralia Racemosa	... 125	52.	Caladium	... 147
24.	Aranea Diadema	... 125	53.	Calcareæ Fluorica	... 1
25.	Argentum Met.	... 126	54.	Calcareæ Hypophos.	... 148
26.	Argentum Nit.	... 126	55.	Calcareæ Ostrearum	... 148
27.	Arnica	... 128	56.	Calcareæ Phosphorica	150
28.	Arsenicum	... 129	57.	Calcareæ Sulphurica	... 151
29.	Arsenicum Iodatum	... 131	58.	Calendula	... 151

LIST OF REMEDIES IN THE MATERIA MEDICA PORTION

Serial No.	Name of Remedies.	Page No.	Serial No.	Name of Remedies.	Page No.
59.	Camphor	... 152	94.	Colchicum	... 175
60.	Cancer Fluvialis	... 152	95.	Collinsonia	... 176
61.	Cannabis	... 153	96.	Colocynth	... 177
62.	Cantharis	... 153	97.	Comocladia	... 178
63.	Capsicum	... 154	98.	Conium	... 178
64.	Carbo Animalis	... 155	99.	Copaiva	... 179
65.	Carbo Vegetabilis	... 156	100.	Corallium Rubrum	... 179
66.	Carbolic Acid	... 158	101.	Cornus	... 180
67.	Carduus Marianus	... 158	102.	Crataegus Oxy.	... 180
68.	Castoreum	... 159	103.	Crocus	... 181
69.	Caulophyllum	... 159	104.	Crotalus Horridus	... 181
70.	Causticum	... 160	105.	Croton Tiglium	... 182
71.	Ceanothus	... 161	106.	Cubeba	... 182
72.	Cedron	... 161	107.	Culex Musca	... 183
73.	Cepa	... 162	108.	Cuprum	... 183
74.	Chamomilla	... 162	109.	Cuprum Arsenicum	... 184
75.	Chelidonium	... 163	110.	Cyclamen	... 185
76.	Chenopodium	... 164	111.	Daphne Indica	... 185
77.	Chimaphila	... 164	112.	Dictamnus	... 186
78.	China	... 165	113.	Digitalis	... 186
79.	Chininum Ars.	... 166	114.	Dioscorea	... 187
80.	Chininum Sulf.	... 166	115.	Diphtherinum	... 188
81.	Chionanthus	... 166	116.	Drosera	... 188
82.	Chloral Hydrate	... 167	117.	Dulcamara	... 189
83.	Chlorum	... 167	118.	Echinacea Ang.	... 190
84.	Cicuta	... 168	119.	Elaps	... 190
85.	Cimicifuga	... 168	120.	Epiphegus	... 191
86.	Cina	... 170	121.	Equisetum	... 191
87.	Cinnabar.	... 171	122.	Erigeron	... 191
88.	Cistus	... 171	123.	Eucalyptus	... 192
89.	Clematis	... 172	124.	Euonymus	... 192
90.	Coca	... 172	125.	Eupatorium Perfol.	... 193
91.	Cocculus Indicus	... 173	126.	Eupatorium Purpur.	... 193
92.	Coccus Cacti	... 174	127.	Euphorbium	... 193
93.	Coffea	... 175	128.	Euphrasia	... 194

LIST OF REMEDIES IN THE MATERIA MEDICA PORTION

Serial No	Name of Remedies.	Page No.	Serial No.	Name of Remedies.	Page No.
129.	Fagopyrum	... 194	164.	Kali Carb.	219
130.	Ferrum	... 195	165.	Kali Chloricum	221
131.	Ferrum Phosphoricum	196	166.	Kali Iod.	221
132.	Fluoric Acid	... 197	167.	Kali Mur.	222
133.	Formica	. 198	168.	Kali Nitr.	223
134.	Fraxinus	. 198	169.	Kali Phos.	224
135.	Gambogia	.. 198	170.	Kali Sulf.	225
136.	Gelsemium	.. 199	171.	Kalmia	225
137.	Glonoin	.. 200	172.	Kobaltum	226
138.	Gnaphalium	.. 201	173.	Kreosotum	226
139.	Gossypium	.. 201	174.	Lac Caninum	227
140.	Graphites	.. 202	175.	Lac Defloratum	228
141.	Gratiola	.. 203	176.	Lachesis	229
142.	Grindelia	.. 204	177.	Lappa	230
143.	Guaiacum	.. 204	178.	Latrodectus	230
144.	Gymnocladus	.. 205	179.	Laurocerasus	231
145.	Hamamelis	... 205	180.	Ledum	232
146.	Hellebore	.. 206	181.	Leptandra	232
147.	Helonias	... 207	182.	Lilium Tigrinum	233
148.	Hepar	... 207	183.	Lithium Carb.	234
149.	Hydrastis	... 209	184.	Lobelia	234
150.	Hydrocyanic Acid	... 209	185.	Lycopodium	235
151.	Hyoscyamus	... 210	186.	Lycopus	237
152.	Hypericum	... 211	187.	Lyssin	238
153.	Ignatia	... 211	188.	Magnesia Carb.	238
154.	Iodum	... 213	189.	Magnesia Mur.	239
155.	Ipecac.	... 214	190.	Magnesia Phos.	240
156.	Iris Versicolor	... 215	191.	Magnesia Sulf.	240
157.	Jaborandi	... 216	192.	Mancinella	241
158.	Jalapa	... 216	193.	Manganum	241
159.	Jatropha	... 216	194.	Marum Verum	242
160.	Justitia	... 217	195.	Medorrhinum	242
161.	Kali Arsenicum	... 217	196.	Mellilotus	244
162.	Kali Bichromicum	... 217	197.	Menyanthes	244
163.	Kali Brom.	... 219	198.	Mephitis	245

LIST OF REMEDIES IN THE MATERIA MEDICA PORTION

Serial No.	Name of Remedies	Page No.	Serial No.	Name of Remedies.	Page No.
199.	Mercurius	... 245	234.	Petroleum	... 270
200.	Mercurius Corrosivus	247	235.	Phellandrium	... 271
201.	Mercurius Cyanatus	... 248	236.	Phosphoric Acid	... 271
202.	Mercurius Dulcis	... 248	237.	Phosphorus	... 272
203.	Mercurius Iod. Flav.	... 249	238.	Physostigma	... 275
204.	Mercurius Iod. Rub.	... 249	239.	Phytolacca	... 276
205.	Mercurius Precip. Rub.	250	240.	Picric Acid	... 277
206.	Mezerium	... 250	241.	Plantago	... 277
207.	Millefolium	... 251	242.	Platinum	... 278
208.	Moschus	... 251	243.	Plumbum	... 279
209.	Murex	... 252	244.	Podophyllum	... 280
210.	Muriatic Acid	... 252	245.	Polygonum Sag.	... 281
211.	Mygale	... 253	246.	Prunus Spinosa	... 281
212.	Myrica Cerifera	... 253	247.	Psorinum	... 281
213.	Naja	... 254	248.	Pulsatilla	... 283
214.	Natrum Carb.	... 255	249.	Pyrogen	... 285
215.	Natrum Mur.	... 256	250.	Radium	... 285
216.	Natrum Phos.	... 257	251.	Ranunculus Bulbosus	286
217.	Natrum Sulph.	... 258	252.	Ranunculus Scleratus	287
218.	Nitric Acid	... 259	253.	Raphanus	... 287
219.	Nux Moschata	... 261	254.	Ratanhia	... 287
220.	Nux Vomica	... 262	255.	Rheum	... 288
221.	Ocimum Canum	... 264	256.	Rhododendron	... 288
222.	Oenanthe Crocata	... 264	257.	Rhus Tox.	... 289
223.	Oleander	... 264	258.	Robinia	... 291
224.	Oleum Animale	... 265	259.	Rumex	... 291
225.	Oleum Jecoris	... 266	260.	Ruta	... 292
226.	Onosmodium	... 266	261.	Sabadilla	... 293
227.	Opium	... 267	262.	Sabal Serr.	... 293
228.	Osmium	... 268	263.	Sabina	... 294
229.	Oxalic Acid	... 268	264.	Sambucus	... 294
230.	Paeonia	... 268	265.	Sanguinaria	... 295
231.	Palladium	... 269	266.	Sanicula	... 296
232.	Pareira Brava	... 269	267.	Sarsaparilla	... 296
233.	Paris Quod.	... 269	268.	Scoparius	... 297

LIST OF REMEDIES IN THE MATERIA MEDICA PORTION

Serial No.	Name of Remedies	Serial No.	Name of Remedies.	Page No.
269.	Scutellaria ...	297.	Terebinthina	320
270.	Secale ...	298.	Theridion	321
271.	Selenium ...	299.	Thuja	322
272.	Senecio ...	300.	Thyroidin	323
273.	Senega ...	301.	Tilia	324
274.	Sepia ...	302.	Trillium	324
275.	Silica ...	303.	Tuberculinum	325
276.	Solidago ..	304.	Urtica Urens	326
277.	Spigelia .	305.	Ustilago	326
278.	Spongia ..	306.	Valeriana	327
279.	Squilla ..	307.	Variolinum	328
280.	Stannum ..	308.	Veratrum Album	328
281.	Staphysagria ..	309.	Veratrum Viridi	329
282.	Sticta ..	310.	Verbascum	330
283.	Stramonium ..	311.	Viburnum	331
284.	Strontium Carb. .	312.	Vinca Minor	331
285.	Strophanthus .	313.	Viola Odorata	331
286.	Sulphur .	314.	Viola Tricolor	332
287.	Sulphuric Acid .	315.	Vipera	332
288.	Sulphur Iod. .	316.	Viscum Album	332
289.	Sumbul .	317.	Xanthoxylum	333
290.	Symphytum .	318.	Zincum	333
291.	Syphilinum .	319.	Zinc Arsenite	334
292.	Tabacum	320.	Zinc Chromate	334
293.	Taraxacum	321.	Zinc Iodide	335
294.	Tarentula	322.	Zinc Phos	335
295.	Tarentula Cubensis	323.	Zinc Valerianate	335
296.	Tellurium			

Part One

ANALYSIS

A Short Repertory Containing :—

- (a) The periods of aggravation.
- (b) Conditions of aggravation and amelioration.
- (c) Generalities i.e. consideration of drug affinities for the entire organism.
- (d) Regional Repertory.

TIME

PERIODICALLY, in general,
 Agg. :—Aran. ARS. Cact.
 Ced. CHIN. Chi-s. Eup-p.
 Gel. Hep. Ip. Kali-c. Lyc.
 NAT-M. Nux-v. Pul. Rhus-t.
 Sul.

daily, Agg. :—Aran. Ars.
 Ip. Nux-v. Pul.

at same hour, Agg. :—Ant-c.
 Aran. Ars. Bov. Ced. Chin-s.
 Cina. Ign. Lyc. Nat-m. Saba.

alternate days, on, Agg. :—
 Ars. Canth. CHIN. Ip. Lyc.
 Nat-m. Nux-v. Pul. Rhus-t.

every 4th. day, Agg. :—Ars.
 Lyc. Pul. Saba.

every 10th. day, Agg. :—Lach.
 Pho.

weekly, Agg. :—Ars. Canth.
 Chin. Gel. Iris. Lac-d. Lyc.
 Pho. Sang. Sil. Sul.

fourteen days, Agg. :—Ars.
 Con. Lach. Nic. Sang. Sul.

every 3rd. week, Agg. :—Aur.
 Mag-c.

every 4th. week, Agg. :—Nux-v.
 Sep.

every 6th. week, Agg. :—Mag-m.
 yearly, Agg. :—Am-c. Ars.
 Crot-h. Echi. Elap. Lach. Lyc.
 Naj. Nat-n. Rhus-t. Tarn.
 Thu.

MORNING, Agg. :—Am-m. Ant-t.
 Aur. Bor. Bov. Bry. Calc-c.
 Cann. Carb-v. Castr. Chel.
 Con. Croc. Echi. Elap. Hep.
 Kali-bi. Kali-c. Kali-n. Lach.
 Naj. Nat-m. Nat-n. Nat-s.
 Nit-ac. NUX-V. Pho. Pod.
 Rhod. Rhus-t. Saba. Scil.
 Sep. Sul. Verb.

in bed, Agg. :—Alo. Amb.
 Am-m. Bry. Con. Kali-c. Lyc.
 Nux-v. Pho. Sep. Sul.

and evening, Agg. :—Alu. Bov.
 Calc-c. Caus. Coc-c. Grap.
 Kali-c. Lach. Lyc. PHO.
 Psor. Rhus-t. Sang. SEP.
 Stram. Stro. Thu. Ver-a.

6 A. M. :—Alo. Alu. Arn. Bov.

- Fer. Hep. Lyc. Nux-v. Sil.
Sul. VER-A.
- 7 A. M. :—Eup-p. Hep. Nat-c.
Nux-v. POD. Sep.
- 8 A. M. :—Eup-p. Nux-v.
- 9 A. M. :—Bry. Eup-p. Kali-bi.
Kali-c. Lac-c. Nat-m. Nux-v.
Sep. Sul-ac. Verb.
- 10 A. M. :—Ars. Bor. Chin.
Chi-s. Eup-p. GEL. Iod.
Med. NAT-M. Petr. Pho.
Rhus-t. Sep. Sil. Stan. Sul.
Thu.
- 10 A. M. to 3 P. M. :—Tub.
- 11 A. M. :—Ars. Asaf. Bap. Cact.
Chi-s. Coccl. Gel. Hyds. Hyo.
Ip. Lach. Mag-p. Nat-c.
NAT-M. Nat-p. Nux-v. Pho.
Pul. Rhus-t. Sep. Stan. SUL.
Zin.
- 12 Noon :—Ant-c. Arg-m. Chel.
Chin. Elap. Eup-p. Gel.
Kali-c. Lach. Nat-m. Nux-m.
Nux-v. Pho. Polyp. Sil. Spi.
Stram. Sul. Val. Verb.
- AFTERNOON. Agg. :—Alu. Ang.
Ap. Asaf. BELL. Chin.
Colch. Dig. Hell. Ign. Kali-n.
Lyc. Pul. Rhus-t. Sep. Sil.
Sul. Thu. Zin.
- 1 P. M. :—Ars. Cact. Chel.
Chin. Grat. Kali-c. Lach.
Pho. Pul.
- 2 P. M. :—Ars. Chel. Eup-p.
Fer. Gel. Lach. Mag-p.
Nit-ac. Pul.
- 3 P. M. :—Ang. Ant-t. Ap. Ars.
Asaf. BELL. Ced. Chel.
Chi-s. Con. Nat-n. Samb.
Sang. Stap. Thu.
- 4 P. M. :—Æsc. Anac. Ap. Ars.
Cact. Caus. Ced. Chel. Chi-s.
Colo. Gel. Hep. Ip. LYC.
Mang. Nat-m. Nat-s. Nit-ac.
Nux-v. Pul. Rhus-t. Sul.
Verb.
- 4 to 8 P. M. :—Colo. Hell. Lyc.
Nux-m. Saba. Zin.
- 5 P. M. :—Alu. Bov. Caus. Ced.
Chin. Colo. Con. Gel. Hep.
Hypr. Kali-c. Lyc. Nat-m.
Nux-v. Pul. Rhus-t. Sul.
THU. Tub. Val.
- EVENING, Agg. :—Aco. Amb.
Am-c. Ant-c. Ant-t. Arg-n.
Arn. Ars. Bell. Bry. Caps.
Caus. Cep. Colch. Cye.
Euphr. Flu-ac. Hell. Hyo.
Kali-n. Kali-s. LYC. Mag-c.
Men. Merc. Mez. Nit-ac.
Pho. Plat. Plb. PUL. Ran-ac.
Rum. Sep. Stan. Stro. Sul.
Sul-ac. Syph. Val. Zin.
- 6 P. M. :—Ant-t. Ced. Hep.
Kali-c. Nat-m. NUX-V. Petr.
Pul. Rhus-t. Sep. Sil.
- 7 P. M. :—Alu. Bov. Ced. Chi-s.
Fer. Gamb. Gel. Hep. Ip.
Lyc. Nat-m. Nat-s. Nux-v.
Petr. Pul. Pyro. Rhus-t. Sep.
Sul. Tarn.
- 8 P. M. :—Alu. Bov. Caus. Cof.
Elap. Hep. Mag-c. Merc.
Pho. Rhus-t. SUL.
- NIGHT, Agg. :—Aco. Arn. Ars.
Bell. Cham. Chin. Cimi. Cof.
Colch. Con. Dule. Fer. Grap.
Hep. Hyo. Iod. Jal. Kali-io.
Mag-c. Mag-m. Mang.
Mep. MhR. Nit-ac. Pho.
Plb. Psor. Pul. Rhus-t. Sil.
Stro. Sul. Syph. Zin.
- 9 P. M. :—Ars. Bov. BRY. Gel.
Merc.
- 10 P. M. :—Ars. Bov. CHI-S.
Grap. Ign. Lach. Petr.
- 11 P. M. :—Aral. Ars. Bell.
CACT. Calc-c. Carb-a. Sul.
- 12 Midnight :—Aco. Arg-n. Ars.
Calc-c. Calad. Canth. Caus.
Chin. Dig. Dros. Fer. Kali-c.
Lach. Lyc. Mag-m. Mur-ac.
Nat-m. Nux-m. Nux-v. Op.

Pho. Rhus-t. Samb. Stram.
Sul. Ver-a.

1 A. M. :—ARS. Carb-v. Mag-m.
Pul.

2 A. M. :—ARS. Benz-ac. Canth.
Caus. Como. Dros. Fer. Grap.
Hep. Iris. Kali-ar. KALI-BI.
Kali-c. Lach. Lachn. Lyc.
Mag-c. Mez. Nat-m. Nat-s.
Nit-ac. Ptel. Pul. Rum. Sars.
Sil. Spi. Sul.

3 A. M. :—Am-c. Am-m. Ant-t.
Ars. Bry. Calc-c. Canth. Ced.
Chin. Fer. Iris. KALI-C.
Kali-n. Mag-c. Nat-m. Nux-v.
Pod. Psor. Rhus-t. Sele. Sep.
Sil. Sul. Thu.

4 A. M. :—Alu. Am-m. Anac.
Ap. Arn. Bor. Caus. CED.
Chel. Colo. Con. Fer. Ign.
Kali-c. Lyc. Mur-ac. Nat-c.
Nit-ac. NUX-V. Pod. Pul.
Radm. Sep. Sil. Stan. Sul.
Ver-a.

5 A. M. :—Alo. Ap. CHIN.
Dros. Kali-c. Kali-io. Nat-m.
Nat-p. Pho-ac. Rum. Sep.
Sil. Sul.

CONDITIONS OF AGGRAVATION AND AMELIORATION.

AIR, cold, dry, Agg., see Dry
draft, Agg., see Wind.

inspiring cold, Agg. :—Am-c.
Æsc. Ars. CAUS. Cimi. Cist.
Hep. Hyds. Hys. Ign. Merc.
Nux-v. Psor. Rum. Saba.
Seneg. Sep. Syph.

night or evening, Agg. :—Aco.
Am-c. Carb-v. MERC. Nat-s.
Nit-ac. Sul.

open, cool, Agg. :—Aco. Am-c.
Aran. Calc-c. Calc-p. Cam.
Caps. Caus. Cham. Chin. Cist.
Coccl. Col. Colch. Cyc. Dul.
Guaj. Hep. Ign. Kali-bi.

Kali-c. Mag-p. Merc. Nat-c.
Nit-ac. Nux-m. NUX-V. Petr.
Pho. Rum. Seneg. SIL. Sul.

open, cool, Amel. :—Bap.
Nit-ac.

and in house, both Agg. :—
Ars. Aur. Iod. Mez.

Amel., in Room, Agg., Air
Hunger, etc. :—Alu. Ap. Arg-n.
Ars. Aur. Cann. Carb-v. Croc.
Glo. Iod. Kali-io. Lach. Lil-t.
Lyc. Mag-c. Op. PUL. Rhus-t.
Saba. Sabi. Sul. Tub.

ANTICIPATIONS, Agg. :—Arg-n.
Ars. Carb-v. Gel. Lyc. Med.
Plb. Pho-ac. Sil.

ASCENDING, Agg. :—Ars. Aur.
Bry. CALO-C. Merc. Nat-m.
Nux-v. Pho. Pul. Sep. Spo.

BATHING, Cold applications,
Amel. see Cold, becoming.

BED. getting out of, Agg. :—
Am-m. Bry. Calc-c. CARB-V.
Cimi. Coccl. Con. Ign. Lach.
Pho. Pul. Rhus-t. Sul.

Amel. :—Aur. Dul. Ign. Pul.
Sep.

BENDING, Agg. see Stretch-
ing.

Amel. see Lying Bent.

Bending or doubling up, Amel. :—
Aco. Calc-c. Caps. Caus. Cham.
Chin. Cimi. Colo. Grap. Kali-c.
Lyc. Mag-m. Mag-p. Merc-c.
Par-b. Plat. Pul. Rhe. Rhus-t.
Sec-c. Sep. Sul. Thu.

BITING OR CHEWING, Agg. :—
AM-C. Am-m. Bry. Chin. Hep.
Men. Merc. Mez. Nat-m. Nit-
ac. Pul. RHUS-I. Sep. Stap.
Verb.

BLEEDING, Amel. :—Ars. Buf.
Calad. Card-m. Fer. Ham.
Lach. Meil. Sars.

COND. OF AGGRAVATION AND AMELIORATION

BLOWING NOSE, Agg.:—Arn.
 Aur. Calc-c. CHEL. Grap.
 HEP. Iod. Kali-bi. Merc. Pul.
 Spi. SUL. Zin.

BORING INTO PART, Amel.:—
 Aru-t. Nat-c.

BREAKFAST, Agg.:—Carb-v.
 Cham. Nat-m. Nat-s. Nux-v.
 PHO. Sep. Thu. Zin.

BREATHING DEEPLY, Agg.:—
 Aco. Arn. Bor. BRY. Calc-c.
 Caus. Kali-c. Pho. Ran-b.
 Rhus-t. Rum. Sabi. Sang. Scil.
 Spi. Sul.
 out. see Exhalation.

CELLARS. see Dampness.

CHANGE of Position, Amel.:—
 Agar. Ars. Cham. IGN. Melll.
 Nat-s. Pho-ac. Pul. RHUS-T.
 Sep. Val. Zin.

of Temperature, weather, seasons, oncoming storms, etc.,
 Agg.:—Ars. Calc-p. Dul. Gel.
 Hyper. Lach. Mez. Nat-c.
 Nux-m. Petr. Pho. Psor. Ran-b.
 Rhod. RHUS-T. Rum. Sep.
 Sil. Verb.

CHILLED, becoming. see Cold.

CLUTCHING, grasping, Agg. see
 Fingers.

CLOTHES, pressure of, Agg.:—Bov.
 Bry. Calc-c. Carb-v. Caus. Con.
 Glo. Hep. LACH. Lil-t. LYC.
 Nit-ac. Nux-v. Sep. Sul.

COITION, Agg.:—AGAR. Buf.
 Calad. Calc-c. Chin. Grap.
 KALI-C. Kali-p. Kre. Lyc.
 Nat-m. Sele. Sep. Sil.
 Amel.:—Stap.

COLD, Agg.: easily chilled, lacks heat:—Agar. Am-c. Ant-t.
 Aran. ARS. Aur. Bar-c.
 CAL-C. Calc-p. Cam. Caps.
 CAUS. Chin. Cimi. Clst.
 Coccl. Colch. Dul. Eup-p. Fer.
 Grap. Hell. Hep. Hyper.

Kali-bi. KALI-C. Lac-d. Lyc.
 Mag-c. Mag-p. Merc. Mez.
 MOS. Nit-ac. Nux-m.
 NUX-V. Pho. Pho-ac. Psor.
 Pyro. Ran-b. Rhod. RHUS-T.
 Rum. SABA. Sep. SIL. Spi.
 Stan. STRO. Sul. Ver-a.

Amel.; he feels too hot, etc.:—
 Aco. Alo. Ant-t. AP. Arg-n.
 Bell. Bry. Carb-v. Cham.
 Coc-c. Cyc. Dros. Euphor.
 Flu-ac. GEL. Glo. Guai.
 IOD. Kali-io. Kali-m. LACH.
 Led. Lil-t. Lyc. Med. Merc.
 Nat-c. NAT-M. Nat-s. Op.
 Pul. Sabi. Sang. Sec-c. Sul.

becoming, Agg.: uncovering or undressing, Agg.: warmth of beds, wraps or external heat,
 Amel.:—Ars. Bell. BRY.
 Caus. Cham. Chin. Clem.
 Coccl. Dros. GRAP. HEP.
 Hyo. Kali-bi. KALI-C. Led.
 Lyc. Mag-c. Mag-p. MERC.
 Nat-c. Nux-m. NUX-V. Rhod.
 RHUS-T. Rum. Samb. Scil.
 Sep. SIL. STRO. SUL. Zin.

of single parts; as hands in cold water, of head, feet, etc.
 Agg.:—Agar. Am-c. Bell.
 Calc-c. HEP. Nux-v. Pho.
 Psor. RHUS-T. Sep. SIL.
 Tarn. Thu. Zin.

Amel.; uncovering or cold bathing or applications, Amel.
 —Heat of bed, wraps, etc.,
 Agg.:—Aco. Ap. Arg-n. Asar.
 Aur. Calc-c. Cham. Dros. Fer.
 Flu-ac. Guai. IOD. Led. LYC.
 Merc. Mur-ac. Op. Psor. PUL.
 Rhus-r. Sabi. Sec-c. SUL.
 Syph. Tab.

by entering, Agg.:—Ars. Bell.
 Ip. Nux-v. Ran-b.

by sitting or lying on ground or a moist floor, Agg.:—Ars.
 Calc-c. Caus. Dul. Nux-v.
 Rhod. Sil.

COLD, becoming chilled, etc.,
 Agg. :—ACO. Ars. Bell. Bry.
 Cham. Clem. Cof. Colch. Dul.
 Hyo. IP. MERC. NUX-V.
 PHO. Pul. RHUS-T. Sep.
 Sil. Spi. Sul. Ver-a.

while hot, sweating, by ices,
 uncovering a part, as hand,
 etc., Agg. :—Aco. Ars. Bell.
 Bels. Bry. Dul. Fer-p. Hep.
 Kali-s. Merc-i-f. Nux-v. Pho.
 Psor. Pul. Rhod. RHUS-T.
 Sep. SIL. Zin.

AND HEAT, Agg. :—Ant-c. Calc-c.
 Caus. Fer. Flu-ac. Grap. Hell.
 Kali-c. Lach. MERC. Nat-m.
 Pho-ac. Sep. Sil. Sul. Sul-ac.
 Syph.

nights with hot days, Agg. :—
 Aco. Dul. Merc-c. Rum.

COMPANY, crowds, etc., Agg. :—
 Aco. Aur. BAR-C. Bell. Carb-a.
 Oham. Cie. Gel. IGN. Lyc.
 Nat-c. Nat-m. Nux-v. SEP.
 Thu.

Amel., desire for, etc. :—Arg-n.
 Ars. Bis. Dros. Hep. Hyo.
 Kali-c. Lac-c. Lyc. Pho.
 STRAM.

COUGHING, Agg. :—Aco. Ars.
 Bell. BRY. Calc-c. Carb-v.
 Dros. Ip. NUX-V. Pho. Pul.
 Rhus-t. Sep. Sul.

COVERS, averse to :—Aco. Cam.
 Iod. Pul. Sec-c. Sul.

DAMPNESS, Agg. ; getting wet,
 wet weather, bathing, working
 in water, damp rooms, etc.,
 Agg. :—Alu. Am-c. Ant-c.
 Ant-t. Ars. Bry. CALC-C.
 Card-m. Cimi. Clem. DUL.
 Kalm. Lyc. Nat-s. Nux-m.
 Phyt. Pul. Rhod. RHUS-T.
 Sep. Sil. Sul.

Comp. Room.

cold, Agg. :—Bar-c. CALC-C.
 Carb-v. Cimi. DUL. Lach.

Merc. Nat-s. Nux-m. Rhod.
 RHUS-T. Ver-a. Zing.

feet to, bathed of or wet feet,
 Agg. :—Cep. Cham. Cup. Dul.
 Merc. Nat-c. Nat-m. Nit-ac.
 Nux-m. Pho. PUL. Rhus-t.
 Sep. SIL.

night, Agg. :—Merc. Phyt.
 Rhus-t.

DENTITION, Agg. see Teeth.

DESCENDING, Agg. :—Bor. Gel.
 RUT. STAN.

DISCHARGES, etc., Amel. :—Ars.
 Bry. Calc-c. Cam. Ip. LACH.
 Lyc. Nux-v. Pho-ac. PUL.
 Rhus-t. Sep. Sil. SUL. Ver-a.
 Zin.

loss of vital fluids, etc.
 Agg. :—Aco. Agar. Calc-c.
 Carb-v. CHIN. Cimi. Ip.
 Kali-c. Pho. PHO-AC. Stap.
 Ver-a.

DRINKING, Agg. :—Arg-n. Ars.
 Bell. Calc-c. Canth. Chin.
 Coccl. Crot-t. Fer. Lach.
 Merc-c. NUX-V. Pho. Phyt.
 Pul. Rhus-r. (warm).
 RHUS-T. Sil. Stram. Sul-ac.
 VER-A.

Amel. :—Bis. Bry. CAUS.
 Cist. Coc-c. Cup. Lob. Nux-
 v. Pho. Sep. Spo.

rapidly, Agg. :—Ars. Nit-ac.
 Nux-v. Sil.

DRINKS, cold, Agg. :—Lyc.

DRY, Clear or Cold Weather,
 Agg. :—ACO. Ars-io. Asar.
 Bry. CAUS. Hep. Ip. Kali-c.
 Med. NUX-V. Sep. Spo.

DUST, feathers, etc., Agg. :—
 Am-c. Ars. Bell. CALC-C.
 Chel. Chin. DROS. Hep.
 Ign. Lyc. Pho-ac. Pul.
 Rum. Sil. Sul.

Comp. Vapor.

EATING, Agg.:—Alo. Anac.
ARS. Bell. Bry. CALC-C.
CARB-A. CARB-V. CAUS.
Chin. Colo. CON. Fer. Hep.
Ign. KALI-BI. KALI-C.
Lach. Lyc. Merc. Nat-c.
NAT-M. NIT-AC. NUX-V.
Petr. Pho. Pul. Rum. SEP.
SIL. SUL. Ver-a. Vio-t.
Zin.

EATING, Amel.:—Anac. Bov.
Cham. Chel. Con. Flu-ac. Ign.
IOD. Kali-bi. NAT-C. Nat-
m. PHO. Plb. Rhod. Sep.
Zin.

before, Agg.:—fasting, Agg.:—
Calc-c. Croc. Flu-ac. IOD.
Laur. Nat-c. Pho. Stap. Sul.

Amel.:—Cham. Con. Nat-m.
breakfast, Agg.:—Cham.
Nux-v. Pho.

dinner, Agg.:—Alo. Bry. Grat.
Sul-ac. Zin.

a little, Agg.:—Bry. Carb-a.
Chin. Con. Kali-c. LYC.
Nat-p. Nux-v. Petr. Pho. Pul.
Sul.

long after, Agg.:—Anac. Carb-
v. Fer. Kali-bi. Nat-m. PHO.
PUL. Sul. Zin.

over-eating, Agg.:—Æth. ANT-
C. Calc-c. Carb-v. Lyc. NUX-
V. Sul.

EMOTIONS, mental excitement,
etc., Agg.:—ACO. Amb.
Amy-n. Arg-n. Aur. Bell.
Bry. Caus. Cham. Cob.
Cof. COLO. Con. Fer. Gel.
Hyo. IGN. Kali-c. Lach.
Nat-m. NUX-V. Op. Pho.
PHO-AC. Plat. Psor. PUL.
Sep. Sil. STAP. Stram.
Ver-a.

Comp. Nervous Effects:

**mortification, chagrin, vexa-
tion, etc.,** Agg.:—Aco. Alu. Bell.
Bry. Cham. Colo. Ign. Lyc.

NAT-M. Nux-v. Op. Petr.
Pho-ac. Plat. Stap. Zin.

ERUCTIONS, Agg.:—Bry.
Carb-a. CHAM. Nux-v. Pho.

**Amel.:—Ant-t. Arg-n. CARB-
V. Grap. Ign. KALI-C. LYC.**
Nux-v. Pul. Sang.

EXERTION, Agg.:—ARN. A:s.
Berb. BRY. Calc-c. Coccl.
Con. Dig. Fer. Nat-m. Nit-
ac. RHUS-T. Stap. Sul.

Comp. Sprains.

Amel.:—Bur-p. Flu-ac. Ign.
Kali-bro. Lil-t. RHUS-T.
SEP.

mental, Agg. seq Mental Ex-
ertion.

EXHALATION, Agg.:—Ant-t.
Arg-m. Ars. Caus.
CHLOR. Colch. Dros.
Med. Meph. Pul. Samb. Spi.
Vio-o,

Amel.:—Aco. Bry. Rhus-t.
Sabi.

EYES, opening, Amel.:—Bry.
Ther.

FANNING, Amel.:—Ant-t. Ap.
Arg-n. Bap. CARB-V. Chin.
Crot-h. Fer. Kali-n. Lach.
Med. Sec-c.

FEATHERBED, Agg.:—Mang.

FEMALES, Agg.:—Aco. Ap.
BELL. Calc-c. Caps. Cham.
Chin. Cimi. Coccl. Con. Croc.
Mos. PUL. SABI. SEP. Val.
Vip.

Comp. Female Organs.

FINGERS OR HANDS, using, as
in writing, sewing, piano-
playing, grasping, etc., Agg.:—
Calc-c. CAUS. Cham. Cimi.
Gel. KALI-C. NAT-M. Pho.
Pic-ac. Plat. Sep. Sil. Stan.
Val. ZIN.

FLATUS, emission of, Amel.:

—CARB-V. Lyc. Nat-s. Nux-v.
Pul. Stap. Sul.

FOODS, DRINK, alcoholic drinks,
Agg. :—Ars. Calc-c. Carb-v.
Cmil. Hyo. Kali-bl. Lach.
NUX-V. Op. Pho. Pul. Ran-b.
Stram. Sul. Sul-ac. Zin.

beer, Agg. :—Kali-bl. Nux-v.

bread, Agg. :—Bry. Nux-v. Pul.
Sul.

and butter, Agg. :—Pul.

butter, Agg. :—Carb-v. Pul.

cabbage, Agg. :—Bry. Lyc. Petr.

cheese, bad, Agg. :—Bry.

coffee, Agg. :—Ars. Canth.
CAUS. Cham. Colo. IGN. Merc.
NUX-V. Pul.

Amel. :—Cham. Colo. Ign.

Odor of, Agg. :—Flu-ac. Lach.

Nat-m. Osm. Sul-ac. Tub.

cold, Agg. :—ARS. Bell. Calc-c.
Canth. Cham. Chel. Fer. Hep.
Lyc. Merc-i-r. NUX-V. Rhus-t.
Saba. Sep. Sil. Ver-a.

Amel. :—Ap. Bell. Bry.
CAUS. Cup. Ign. LACH.
Merc-i-f. Pho. Phyt. Pul.
Sang. Sep.

condiments, drugs, etc., Agg. :
—Nux-v.

dry, Agg. :—Calc-c.

eggs, Agg. :—Calc-c. Pul.

farinaceous, Agg. :—Lyc. Nat-s.

fat, Agg. :—Ars. CARB-V. Chin.
CYC. Fer. Grap. PUL. Tarx.

fish, Agg. :—Plb. Pul.

frozen, ices, etc., Agg. :—Arg-n.
Ars. Pul.

fruit, Agg. :—Ars. Bry. Chin.
Colo. Nat-s. Pul. VER-A.

juicy, Agg. :—Ant-c. Calc-
c. Iod. Pul. Sul.

hot cakes, Agg. :—Pul.

indigestible foods, Agg. :—Iod.

legumes, Agg. :—Bry. Lyc.

liquid, Agg. :—ARS. Chin.
Coccl. Colo. Crot-t. Fer. Ign.
Lach. Nat-m. PHO. Rhus-t.
Sil. Ver-a.

meat, Agg. :—Arg-n. Ars. Caus.
Carb-v. Chin. Colch. Fer.
Merc. Pul.

milk, Agg. :—ÆTH. Bry.
CALC-C. Chin. Lac-d. Mag-m.
Nit-ac. Ol-j. Pho. Pul. Sep. Sul.

Amel. :—Chel.

pork, Agg. :—CARB-V. Cyc.
Grap. PUL. Sep.

potatoes, Agg. :—Alu. Pul.
Ver-a.

raw, Agg. :—Pul. Rut. Ver-a.

rich, Agg. :—Carb-v. Pul.

sausage, Agg. :—Ars. Bell. Bry.

sour, Agg. :—Ant-c. Carb-v.
Pul. Sep.

sourkraut, Agg. :—Bry. Petr.

strawberries, Agg. :—Sep.

sweets, Agg. :—Arg-n. Ign.
Merc. Nat-p.

tea, Agg. :—Fer. Sele. Thu.

tobacco, Agg. :—Ars. Cam. Gel.
Ign. Nux-v. Pul. Sele. Spi.
Spo. Stap.

Amel. :—Aran. Hep. Naj.
Plat. Sep. Stro. Tarn.

veal, Agg. :—Ip. Kali-n.

vegetables, Agg. :—Ars. Bry.
Nat-s.

vinegar, Agg. :—Ant-c. Ars. Sul.

Amel. :—Asar. Pul.

warm, Amel. :—Lyc.

wine, Agg. :—LED. Nux-v.
Rho. Zin.

FROST, frost air, hoar frost, etc.,
Agg. :—Agar. Calc-c. Caus.

CON. Lyc. Nux-v. Pho-ac.
Pul. Rhus-t. SEP. Sil. Sul.
Syph.

Comp. Frostbite.

GRASPING, see Fingers.

HAIR, combing or brushing, Agg.:
—Form. Glo. Tarn.

cutting, Agg.:—Bell. Glo. Pho.
Sep.

touching, Agg.:—Ap. Ars. Bell.
Chin. Fer. Lach. Nux-v. Pul.
SELE. Sep. Ver-a. Zin.

HEAT of fire, sun, becoming
heated or overheating, etc.,
Agg.:—Aco. Ant-c. BELL.
Bry. Carb-v. Gel. GLO.
Kali-c. Lach. Lys. Merc.
Nat-c. Op. Pul. Sele. Ther.
Ver-v.

Amel.:—Ars. Ign.

Comp. Sun.

HICCUGH, Agg.:—Am-m.

HOLDING or being held,
Amel.:—Ars. Bry. Carb-a.
Dros. Eup-p. Gel. Glo.
Lach. Lil-t. Murx. Nat-s.
Sang. Sep. Sil. Stram. Sul-ac.
Sul.

HOT APPLICATIONS, Amel.:—
Anac. Ars. Hep. Kali-c.
Mag-p. Radm. Rhus-t. Sil.

HUMID, warm, damp weather,
Agg.:—Alo. Brom. Bry.
Carb-s. Carb-v. Gel. Ip.
Kali-bi. LACH. Nat-s. Pul.
Rhus-t. Sil. Ver-a.

INATTENTION, Agg.:—Gel. Hell.

JARRING, shaking, stepping hard,
riding, etc., Agg.:—ARN.
BELL. Bry. Chin. Cic. Coccl.
Cof. Con. GLO. Hep. Nit-ac.
Nux-v. RHUS-T. SEP. SIL.
Ther.

Comp. Sensitive.

KINDNESS, sympathy, etc.,

Agg.:—Ars. Bell. Calc-c.
IGN. Nat-m. Plat. Sep. Sil.

LAUGHING, Agg.:—Aco. Arg-m.
Ars. Aur. Bell. BOR. Cann.
Carb-v. Chin. Kali-c. Mang.
PHO. Plb. STAN. Sul.

LEAD, effects of, Agg.:—Alu.
Op. Plb.

LIFTING, Agg. see Sprained.

LIGHT, Agg.:—Aco. Arg-n. Ars.
BELL. CALC-C. Con. Dros.
EUPHR. Glo. Grap. Hep.
Lyc. Merc. Merc-c. Nat-s.
Nux-v. Pho. Pho-ac. Pul.
Rhus-t. Sang. SEP. Sil.
Stram. Sul.

Comp. Twilight.

Amel., darkness, Agg.:—Am-m.
Calc-c. Cann. Carb-a. Carb-v.
Gel. Lyc. Plb. STRAM. Stro.
Val.

artificial, firelight, etc., Agg.:—
Bell. Calc-c. Con. Dros. Euphr.
Glo. Lyc. MERC. Nat-m. Pho.
Sep. Stram.

Comp. Sensitive.

bright, bright objects, etc.,
Agg.:—Bell. Stram.

LOOKING AT running water, or
moving objects, Agg.:—Bell.
Con. Fer.

LYING, Agg.:—Amb. Ant-t. Ap.
ARS. AUR. Caps. Cham.
Con. Dros. Dul. Euphor. Fer.
Hyo. Lyc. Men. Merc. Nat-s.
Pho. Plat. PUL. RHUS-T.
Rum. Samb. Sang. Sep. Stro.
Tarx. Verb.

Amel.:—BRY. Calc-c. Cham.
Colo. Ign. NUX-V. Pul.
Rhus-t. Sep.

on abdomen, Amel.:—BELL.
Calc-p. Chel. Cina. COLO.
Elap. Eup-p. Lach. Lept.
MED. Nit-ac. Par. Pho. Pod.
Psor. Sep. Stan.

on back, Agg.:—Aco. Am-m.
Arg-m. Ars. Caus. Cham.
Colch. Colo. Cup. IGN. Iod.
Kali-n. Nat-s. NUX-V. Op.
PHO. Pul. Rhus-t. Sep. Sil.
Spi. Sul.

Amel.:—BRY. CALC-C. Dig.
Merc-c. Pul. Rhus-t.

in bed, Agg.:—Amb. Calc-c.
Chel. Dros. Fer. Hell. Hep.
Iod. Kali-c. Lach. Lyc. Merc.
Nit-ac. Phos. PUL. Rum.
Sang. Sep. Sil. Sul.

Amel.:—Am-m. BRY. Cic.
Coccl. Hep. NUX-V. Scil.
Stan.

bent or doubled up, Amel.:—
see Bending or Doubling up.

Agg. see Stretching.

down, Agg., see Inactive.

on hands and knees, Amel.:—
Con. Eup-p. Euphor. Lach.
Med. Par-b. Sep. Tarn.

with head low, Agg.:—Ant-t.
Arg-m. Ars. Bell. Caps. Chin.
Colch. Gel. Hep. KALI-N.
Lach. Pul. Sang. Spi. Spo.

horizontal position, Amel.:
—Ap. Arn. Bell. Psor. Spo.
Tab. Ver-v.

on side, Agg.:—ACO. ANAC.
Arg-n. Bar-c. BRY. Calad.
CALC-C. CARB-A. Cina.
Con. Fer. Ign. Ip. KALI-C.
Kre. Lyc. Merc. Merc-c.
Nat-s. Par. PHO. Pho-ac.
PUL. Rhus-t. Seneg. SIL.
STAN. Sul. Thu.

Amel.:—Coccl. Nux-v.

on side, right, Agg.:—Alu.
Am-m. Benz-ac. Bor. Caus.
Iris. Kali-c. Lycps. Mag-m.
MERC. Nux-v. Pho. Rum.
Spo. Stan.

left, Agg.:—Aco. Am-c. Ap.
Arg-n. Bar-c. Bry. Cact.

Carb-a. Colch. Ip. Lil-t. Lyc.
Naj. Nat-c. Nat-m. Nat-s.
Par. Petr. PHO. PUL. Sep.
Sil. Sul. Thu.

painful or affected part. see
Pressure.

painless, Agg.:—BRY. Cham.
Colo. Flu-ac. Ign. Nat-s.
PUL. Rhus-t. Sec-c. Sep.

on wet surface, floor, etc.
see Cold.

MENSES, before, Agg.:—Calc-c.
Cimi. Coccl. Cup. KALI-C.
LACH. Lyc. Nat-m. PUL.
Sep. Stan. SUL. Ver-a. Vib.
Zin.

before and after, Agg.:—Bor.
Calc-c. Fer. Kali-m. Grap.
Lac-c. Kre. Lach.
Nat-m. Thu.

at start of, Agg.:—Aco. Hyo.
Lach.

during, Agg.:—AM-C. Arg-n.
Castr. Caus. Cham. Cimi.
GRAP. HYO. Ign. Mag-c.
MAG-M. Nux-m. Nux-v.
PUL. Sep. Stap. Sul. Zin.

after, Agg.:—BOR. GRAP.
Kre. Lach. Lyc. Nux-v. Sep.
suppressed, Agg.:—Aco. Bry.
Lyc. Pul. Sul.

MENTALEXERTION, Agg.:—Agar.
Anac. Arg-n. Aur. CALC-C.
Ign. Lach. Nat-c. Nat-m.
NUX-V. Pho. Pho-ac. Pic-ac.
Pul. Rhus-t. Sep. Sil. Sul.

MERCURY, Agg.:—Aur. Bry.
Carb-v. HEP. Lach. NIT-AC.
Stap. Sul.

MESMERISM, see Rubbing.

MOON PHASES, full moon, etc.
Agg.:—ALU. Bry. Calc-c.
Cina. Cup. Lyc. Nux-v. Pho.
SIL. Sul.

MOONLIGHT, Agg.:—Ant-c. Sep.
Sul. Thu.

MOTION, Agg. :—Arn. BELL.
BRY. Calc-c. Chin. Colch.
Kali-c. Led. Nat-m. Nux-v.
Sil. Str. Sul.

Amel., activity, walking, Amel.
rest, Agg. :—Ant-t. Arg-n.
Ars. Aur. Caps. Con. Cyc.
Dul. Euphor. Fer. Flu-ac. Iod.
Kali-c. Kali-io. Kre. Lyc.
Mag-c. Mag-m. Merc-c. PUL.
Rhod. Rhus-t. Saba. Samb.
Sep. Sul. Tarx. Val. Zin.
Comp. Restlessness.

after, Agg. :—Agar. ARS. Cann.
Pul. RHUS-T. SEP. Stan.
Sul-ac. Val.

arms, of, Agg. :—Led. Ran-b.
Rhus-t. Spi.

Behind him, Agg. :—Ign. Mar.
Pul. Sanic. Sep.

raising, Agg. see Position.

beginning, Agg., continued,
Amel. :—Amb. Calc-f. Caps.
Con. Euphor. Fer. Lyc. Pho.
Pul. RHUS-T. Sep. Syph.

rapid, violent, etc., Agg. :—Ars.
Bry. Sil. Sul.

Amel., running, dancing,
etc. :—Ars. Bro. Bur-p.
Flu-ac. Grap. Nit-ac. Sep.
Sul-ac. Tarn.

slow, gentle, etc., Amel. :—
Agar. Alu. Amb. Aur. Colo.
FER. Glo. Kali-p. Mag-m.
PUL. Tarn.

MOUTH, opening the, Agg. :—
Ang. Aru-t. Bry. Caus. Coccl.
Lach. Merc. Merc-c. Nux-v.
Pho. Saba. Spi.

MUSIC, Agg. :—Calc-c. Grap.
Lyc. Nat-c. NUX-V. Pho-ac.
SEP. Vio-o.

Amel. :—Aur. Tarn.

NARCOTICS, Agg. :—Am-c. Bell.
Carb-v. Cham. Cof. Lach.
Merc NUX-V. Pul.

NOISE, Agg. see Sensitive.
penetrating, Agg. :—Asar. Cop.
Fer. Lept. Manc. Ther.
rattling, Agg. :—Nit-ac.
sudden, Agg., reports, etc. :—
Bor.

ODORS, smells, etc., Agg. :—Ars.
Aur. Bell. Cof. COLCH.
Eup-p. Grap. Ign. Lyc.
Mere-i-f. Nux-v. Pho. Sang.
SEP. Stan. Sul.

Comp. Sensitive.

ONANISM, Agg. :—Calc-c. Carb-v.
Chin. Con. Lyc. Merc. Nat-m.
Nux-v. Pho. PHO-AC. Plat.
Pul. Sep. Stap. Sul. Ust.

Comp. Discharges.

ORDEALS, Agg. see Fearsome.

PAIN, Agg., during :—Ars. Colo.
Rhus-t. Sep.

POSITION, bending backward.
see Lying.

crossing limbs, Agg. :—Agar.
Asa' Bell. Dig. Lyc. Pho.
Rhus-t. Val.

Amel. :—Ant-t. SEP.

hanging down limb, Agg. :—
Bar-c. BELL. Calc-c. CARB-
V Con. Pul. Vip.

Amel. :—Aco. Arn. Asar.
Berb. CON. Lyc. Mag-c.
Mag-m. Mang. Mar. Pho.
Rat. Rhus-t.

leaning against a support,
Amel. :—Fer.

rising from a seat, Agg. :—
Berb. BRY. Caps. Con. Lyc.
Nat-s. Pho. Pul. Rhus-t. Spi.
Sul.

sitting, Agg. :—Agar. Am-m.
Ap. Ars. Asaf. Caps. Con.
Cyc. Dul. Euphor. Fer. Kob.
Lyc. Mag-m. Mur-ac. Nux-v.
Pho. PLAT. PUL. Rhus-t.

Sep. Sul. Tarx. Val. Verb.
Vio-t. ZIN.

Amel. :—BRY. COLCH.
Cup. Nux-v. Sep.

down, Amel. :—Caps. Con.
erect, Agg. :—Kali-c. Nat-m.

Amel. :—Ant-t. Ars. Dig.
Hyo. Kali-bi. Nat-m. Nat-s.

standing, Agg. :—Alo. Bry.
Coccl. Con. Oyc. Ign. Lil-t.
Nat-m. Nat-s. Pul. Rhus-t.
Sep. SUL. Val.

Amel. :—Ars. BELL. Colch.
Led. Pho. Ran-b. Scil.

stooping, Agg. :—Am-c. Bell.
BRY. Calc-c. Caus. Lyc. Mang.
Nux-v. Pul. Sep. Sil. Spi. Sul.
Val.

Amel. :—Colch. Hyo. Iris.

stretching, extending limbs,
Agg. :—Calc-c. CHAM. COL-
CH. Iod. Merc-c. PLAT.
PUL. Ran-b. RHE. RHUS-T.
Sep. STAP. Sul. Thu.

Amel. see Bending double.
turning head, Agg. :—Calc-c.
Cic. Kali-c. Pul. Spi. Spo.

over in bed, Agg. :—Bell.
Cact. Calad. Carb-v. Con.
NUX-V. Pul. Sang. Stap.
SUL. Zin.

walking bent forward, Amel. :
—Pho. Sul.

PRESSURE, Agg. :—lying on
painful or affected side, etc.,
Agg. :—Aco. Agar. Ap. Ars.
Bar-c. Bry. Calad. Calc-c.
Carb-v. Cina. Hep. IOD.
LACH. Lyc. Nux-v. SIL.

Amel., lying on affected part,
etc., Amel. :—Am-c. Arg-n.
BRY. Chin. COLO. Con.
Dros. IGN. Mag-m. Mag-p.
Men. Nat-c. Plb. Pul. Rhus-t.
Sep. STAN.

of clothes, Agg. see Clothes,
about neck, Agg. :—Agar. Ap.
Chel. Con. Glo. Kali-c.
LACH. Merc-c. Sep.

over a hard edge, etc., Amel. :—
Bell. Chin. COLO. Con. Ign.
Lach. Samb. Sang. Stan. Zin.

spine, on, Agg. :—Agar. Arn.
Bell. Chin. Kali-c. Phys. Sep.
SIL. Ther.

QUININE, Agg. :—Arn. Ars.
Carb-v. Fer. Ip. Nat-m.
Nux-v. Pul. Sul. Ver-a.

RAISING ARMS, Agg. :—Ap.
Arg-n. Bar-c. Berb. Bry.
Coccl. CON. Dig. Fer. Grap.
Led. Mag-c. Nit-ac. Ran-b.
Rhus-t. Sang. Spi. Sul.

up, Agg. :—Aco. Bell. BRY.
Cad-s. Cham. Coccl. Fer.
Ign. Merc-i-f. Nat-m. Nux-v.
Op. Pho. Phyt. Pul. Rhus-t.
Sil. Sul. Ver-v. Vib.

Amel. :—Am-c. Ant-t. ARS.
Calc-c. Dig. Glo. Samb. Sep.

READING, Agg., eyestrain, Agg. :
—Calc-c. Cina. Con. NAT-M.
Onos. Pho. Rhus-t. RUT.
Seneg. Sep. Sil. Sul.

RIDING ON HORSEBACK, Agg. :—
Ars. Bell. Bor. Bry. Grap.
Lil-t. Mag-m. Nat-c. Rut.
SEP. Sil. Spi. Sul-ac. Val.

Comp. Swaying.

RISING FROM SITTING, Agg. :—
Æsc. Bry. Calc-c. Caps. Caus.
Con. Kali-bi. Led. Lyc. Nat-s.
PHO. Pul. Rhus-t. Sep. Spi.
Stap. SUL.

ROOM, IN, Agg. see Air, Open,
Amel.

RUBBING, stroking, etc., Agg. :—
Anac. Con. Pul. Sep. Stro. Sul.

Amel. :—Calc-c. Canth. Cina.
Cup. Dros. Mag-p. Merc.

NAT-C. Pall. PHO. PLB.
Pod. Rhus-t. Rut. Sep. Sil.
Tarn. Thu. Zin.

abdomen, Amel. :—Nat-s. Pall.
Pod.

RUNNING, see Motion.

SCRATCHING, Agg. :—Anac. Ars.
Asar. Caps. Kali-c. Lach.
Old. PUL. RHUS-T. SUL.

Amel. :—Asaf Calc-c. Cycl.
Mur-ac. Nat-c. Pho. Rut. Sul.

SEA, Agg. :—Ars. Brö. Mag-m.
Nat-m. Nat-s. Rhus-t. Sep.

SEASONS, Spring, melting snow,
etc., Agg. :—Amb. Bell. Bry.
Calc-c. Calc-p. Carb-v. Cep.
Crot-h. Gel. Kali-bi. LACH.
Rhus-t. Sars. Ver-a.

Summer, hot weather, etc.,
Agg. :—Æth. Ant-c. Bell.
Bry. Carb-v. Flu-ac. Gel. Iris.
Kali-bi. Lach. Nat-c. Nat-m.
POD. Sele. Ver-v.

Autumn, Agg. :—Chin. Colch.
Dul. Merc. Merc-c. RHUS-T.
Ver-a.

Winter, Agg. :—Ars. Aur. Dul.
Kalm. Nux-v. Petr. Psor.
RHUS-T.

SEDENTARY LIVING, Agg. :—
NUX-V. Sul.

SHAVING, Agg. :—Carb-a. Ox-ac.
Phos-ac. PUL.

SINGING, Agg. :—Arg-m. Aru-t.
Carb-v. Nux-v. PHO. Sele.
Stan.

SLEEP, before, Agg. :—Ars. BRY.
CALC-C. Carb-v. Lyc. Merc.
Pho. PUL. Rhus-t. Sep. Sul.

half asleep, when, Agg. :—Cam.
Nit-ac. Saba. Val.

falling to or first, Agg. :—Aral-
r. Ars. Bell. Bry. Carb-v.
Grind. LACH. Op. Pul. Sep.
Sul.

during, Agg. :—Aco. Ars. Bell.
Bor., Bry. Cham. Cina. Con.
Hep. Hyo. LACH. Merc. OP.
Pul. Sil. Stram. Sul. Zin.

Amel.; loss of, Agg. :—Ars.
Coccl. Cof. Colch. Merc. Nux-v.
Pall. PHO. Pul. Sang. Sep.
Zin.

waking from, after, Agg. :—
Ap. Ars. Bell. Chin. LACH.
Lyc. Lycps. Nux-v. Op. Pho.
Pul. Sele. Spo. Stram. Sul.

SMOKE, Agg. :—Ars. Chin. Kali-
bi. Lyc. Sep. Spi.

SNEEZING, Agg. :—Ars. Bell.
Lyc. Rhus-t. SUL.

Amel. :—Ohi-hy. Lach. Mag-m.
Naj. Thu.

SNOW AIR, Agg. :—Calc-c. Con.
Form. Lyc. Pho. Pho-ac. Pul.
Rhus-t. Sep. Sil. Sul. Urt-ur.
Vib.

SPEAKING, talking, etc., Agg. :—
Aco. Alu. Anac. Arg-m. Arn.
Ars. Aru-t. Calc-c. Cann. Chin.
COCCL. Dros. Ign. Iod. Mang.
Nat-c. Nat-m. Nux-v. PHO.
Pho-ac. Rhus-t. Sele. Sep. Sil.
Spo. Stan. SUL.

SPRAINED, dislocated, etc., lifting
etc., Agg. :—ARN. Bry. Calc-c.
Caus. Led. Nat-c. Psor. Pul.
RHUS-T. Sep. Sil. Stro. Sul.
Val.

Comp. Exertion.

Standing, Agg. :—Ars.

STONECUTTERS, see Dust.

STORMS, Agg. see Change of
Temperature.

thunderstorms, Agg. :—Nat-c.
Pho.

STRETCHING, bending backwards,
etc., Amel. :—Alet. Alu. ANT-
T. Arn. Bell. Calc-c. Dio. Guai.

Hep. Ign. Lyc. Nux-v. Pul.
Rhus-t. Sibi. Sec-c.

SUN, exposure to, Agg. see Heat.
Amel. :—Con. Crot-h. Iod. Kali-
m. Plat. Stro.

SWALLOWING, Agg., also painful
s. :—Ap. Bar-c. Bell. Bry.
Canth. Gel. Hep. Hyo. Kali-c.
Lac-c. LACH. Merc. Nit-ac.
Phyt. Rhus-t. Stram. Sul.

Amel. :—Amb. Arn. Caps. IGN.
Lach. Léd. Mez. Rhus-t. Spo.
Zin.

empty, Agg. :—Bar-c. Bell. Bry.
Coccl. Hep. Kali-c. LACH.
Merc. Merc-c. Merc-f-r. Rhus-
t. Sul.

hasty, Agg. :—Nit-ac. Sil.

Liquids, drinking, etc., Agg. :
—Arg-n. Ars. Bell. Canth.
Crot-t. LACH. Merc. Merc-c.
Nux-v. Pho. Stram. Ver-a.

solids, Amel. :—Fer. Hyo. Ign.
Lach. Merc-cy. Rhus-t.

SWAYING, swinging, Agg. : car
or seasickness, etc. :—Ars.
COCCL. Colch. Glo. PETR.
Sele. Sep. Tab. Ther.

Comp. Riding.

SWEAT, Agg., also sweats without
relief. :—Ars. BELL. Caus.
Cham. Chin. Form. MERC.
Nux-v. Op. Pho-ac. Rhus-t. Sep.
Stram. Sul. Til. Ver-a.

Comp. Discharges.

TALK, HEARING OTHERS, Agg. :
—Am-c. ARS. Caet. Chin.
Hyo. Mang. Mez. Nat-c. Nux-v.
Rhus-t. Sep. Sil. Stram. Ver-a.
Zin.

THINKING OF IT, Agg. :—Amb.
Aur. Bar-c. Caus. Nit-ac. Ox-
ac. Saba.

Amel. :—Cic.

TONGUE, protruding, Agg. :—
Coccl. Kali-bi. Phyt.

TOUCH, Agg. see Sensitive.
Amel. :—Asaf. Bis. Calc-c. Cyc.
Mur-ac. Thu.

slight, Agg. :—Aco. Ap. Bell.
Chin. Ign. LACH. Merc. Nit-
ac. Nux-v.

TWILIGHT, Agg. :—Ars. CALC-C.
Caus. Pho. Plat. PUL. Rhus-t.

Amel. :—Bry. Men. Pho. Seneg.
Tab.

UNCOVERING, Agg. see Wind.

Amel., cold applications, Amel.,
warm wraps. Agg. :—Aco. Ap.
Calc-c. Iod. Kali-io. Kali-s. Led.
LYC. Op. Pul. Sec-c. Spi. Sul.

URINATING, Amel. :—Chi-s. Gel.
Ign. LYC. Pho-ac. Sang. Sil.
Ver-a.

URINATION, at close of, Agg. :—
Canth. Equi. Merc-c. Mez.
Nat-c. Sars.

VACCINATION, Agg. :—Ant-t. Sil.
Thu. Variol.

VAULTS, Agg. see Dampness.

VERTIGO, during, Agg. :—Aco.
Cal-c. GEL. NUX-V. Pho.
Pul. Stram.

VOMITING, Agg. : — Æth.
Ars. CUP. Ip. Pul. Sul.

Amel. :—Ant-t. Coc-c. Eup-p.
Kali-bi. Sang.

WALKING, Agg. see Motion.

WARMTH, in general, Agg. :—
AP. Bell. Bry. Carb-v. Gel.
IOD. LACH. Led. Lil-t.
Lyc. Merc. Nat-m. PUL.
Sabi. Sec-c. Sul.

* warmth, covers etc., Amel. :—Hep.
Ign. Mag-c. NUX-V. Pul.
Rhus-t. Samb. Scil. Sil. Stra.

WASHING, bathing, wet, etc.,
Agg. see Dampness.

WEATHER, temperature, etc., change. see **Change**.

dry, clear, Agg. see **Dry**.

frosty, Agg. see **Frost**.

hot, Agg. see **Seasons**.

humid, heavy; foggy, etc., Agg. see **Humid**.

wet, Agg. see **Dampness**.

Amel. see **Dry**.

and warm, Agg. see **Humid**.

WEeping, Agg. :—Arn. Bell. Hep.

Amel. :—Grap. Lach. Pul.

WIND, draft, etc., Agg. :—
Aco. Ars. BELL. Calc-c.
Calc-p. Caps. Cham. Chin.
Colch. Colo. Hep. Kali-c.
Lach. Lyc. Nux-v. Pho.
Pho-ac. Pul. Rhod. Rhus-t.
Samb. Sele. SIL. Stro. Squil.
SUL.

Comp. **Change**.

north wind, Agg. :—Ars. Asar.
Carb-v. Caus. Hep. Nux-v.
Sep. Spo. Zin.

Amel. :—Iod.

WIPING, Agg. :—Alo. Grap.
Mur-ac.

Amel. (Eyes) :—Calc-c. Cina.
Cyc. Euphr. Nat-c.

WOOLENS, Agg. :—Merc. Psor.
Pul. Rhus-t. Sul.

WRITING, Agg. see **Fingers**.

YAWNING, Agg. :—Cina.
IGN. Kre. NUX-V. Rhus-t.
Sars.

GENERALITIES.

ACHING :—Agar. Arn. Bap. Bry.
Carb-v. Chin. Cimi. Dul.
Eup-p. Gel. Hyo. Ign. Lach.
Merc-i-t. Nux-v. Phyt. Rhus-t.
Ver-v.

ACRIDITY, excoriations, etc. :—

ARS. Ars-jo. Aru-t. Bro.
Caus. Cepa. Cham. Grap. Hep.
Iod. Kre. Lyc. MERC. Merc-c.
Nit-ac. Pho. Rhus-t. Sep. Sil.
SUL.

ADHESIVE, adherent, torn loose,
etc. :—Berb. Bry. Calc-c.
Colo. Hep. Kali-bi. Kali-io.
Nux-v. Pho. Plb. Pul.
RHUS-T. SEP. Stan.

ALBUMINOUS, glairy discharges :
—Alu. Am-m. Berb. BOR.
Coc-c. Jat. NAT-M. Pall.
Petr. Seneg. Sep. Stan.

Comp. **Gelatinous**.

ALIVE SENSATION :—Cann.
Coccl. CROC. Cyc. Ign. Op.
Pul. Sabi. Sil. Sul. THU.

Comp. **Formication**.

ALTERNATING effects, states,
sides, etc. :—Agar. Bell. Cimi.
Coccl. Croc. Glo. Ign. LAC-C.
Lach. LYC. Pho. Pul. SUL.

Comp. **Periodicity, Waves**.

AMMONIACAL ODOR :—Am-c.
Asaf. Aur. Benz-ac. Iod.
Lac-c. Lach. Mos. Nit-ac. Pho.
Stro.

ANÆMIA, chlorosis, etc. :—Ars.
Calc-c. Calc-p. CHIN. FER.
Kali-c. Nat-m. Nit-ac. Nux-v.
Pho. Pul. Sul.

ANEURISM :—Aur. Bar-c. Carb-
v. Lach. Lyc. Pul. Sul. Thu.

APOPLEXY :—Aco. Arn. Bell.
Coccl. Gel. Glo. Hyd-ac.
Kali-m. Lach. Lyc. Nux-v.
Op. Pul.

ARTHRITIC, see **Joints**.

ASLE&P, see **Numbness**.

ASSOCIATED effects :—Ars. Cham.
Merc. Nux-v. Pho. PUL. Sep.
Sul.

Attacks, recurrent :—Aco. Ars.

Bell. Chin. Cup. Dio. Mag-p.
Nat-m. Psor. Val. Verb.

ATHEROMA. see *Calculi*.

ATTITUDES, bizarre:—Cina. Coccl.
Colo. Gamb. Lyc. Merc. Nux-v.
Plb. Zin.

AWKWARDNESS:—Ap. Bov. Caps.
Ign. Nat-m.

BALL, lump, knot, etc.:—Arn.
Asaf. Bry. Cham. Con. Gel.
Ign. Kali-c. Lac-c. LACH.
Nat-m. Nat-s. Nit-ac. Nux-m.
Nux-v. Pho. Pul. Rhus-t.
SEP. Val. Zin.

Comp. Plug.

BAND. see *Constriction*.

BEARING DOWN. see *Pressing*.

BEATEN. see *Soreness*.

Loose from bones, as if:—Ap.
Bry. Lach. Rhus-t.

BENDING. see *lying Bent*.
backward. see *Stretching*.

BILIOUSNESS. see *Yellow*.

BITING. see *Rawness*.

BLACK, dark, etc.:—Ant-t. ARS.
Bap. Carb-v. Chin. Crot-h.
Cyc. Elaps. Gel. Hell. Kre.
Lach. Merc. Merc-o. Nux-v.
Op. Pho. Plb. Sec-c. Stap.
Ver-a.

BLOOD. see *Heart, Circulation*,
etc.

BLOODVESSELS. see *Heart*.

BLOWS, shocks, thrusts, crash,
explosion, etc.:—Alo. Ap. Arg.
Bell. CANN. Chin. Cic. Croc.
Dig. Glo. Naj. Nat-m. Pho.
Spi. Sul-ac. Tab. Tarn. Zin.

Comp. Injury

BLUISH, purple, etc.:—Aco. Arn.
Ars. Bap. Cam. Carb-v. Crot-h.
CUP. DIG. Fer-p. Kre.
LACH. Nux-v. Op. Sil. Tarn-c.
Thu. Ver-a. VER-V.

BONES:—Arg-n. ASAF. Aur.
Calc-c. Calc-f. CALC-P. Chin.
Coccl. Cup. Eup-p. Flu-ac.
Hep. Kali-io. Lyc. MERC.
Mez. Nit-ac. Pho. PHO-AC.
PUL. Rhod. Rhus-t. Rut.
SIL. Stap. SUL.

brittle, breaking, fractures,
etc.:—Asaf. Buf. Calc-c.
Calc-p. Lyc. Merc. Pho-ac.
Rut. SIL. Sul. Symp. Thu.
Comp. Breaking.

caries:—Calc-f. Pho. Sil.

cartilages:—Calc-p. Sul. Symp.

condyles, prominences, etc.:—
Cyc. Rhus-v. Sang.

curvature, soft, etc.:—Asaf.
Calc-c. Calc-p. Lyc. Merc.
Pho. Sil. Sul.

cutting:—Anac. Aur. Dig.
Kali-m. Osm. Saba.

exostoses:—Aur. Calc-f. Hekla.
Merc. Pho. Pho-ac. Sil.

itching:—Caus. Coccl. Cyc.
Kali-m. Pho. Ver-a.

marrow:—Am-c. Kali-c. Lyc.
Mag-m. Naj. Ol-an. Op. Stro.
Sul.

periosteum:—Asar. Flu-ac.
Kali-bi. Kali-io. Mang. Merc.
Mez. Pho. Pho-ac. Phyt.
Rhod. Rut. Sil.

BORING, grinding:—ARG-N.
Asaf. Aur. Bell. Bis. Coloc.
Dios. Hep. Lach. Merc. Mez.
Plat. Plb. Pul. Ran-sc. Spi.
Zin.

BREAKING, broken, brittle, etc.:
—Arn. BELL. Calc-c. Calc-p.
Coccl. EUP-P. Grap. Guai.
Lyc. Merc. Nat-m. Nux-v.
Pho. Rhus-t. Rut. Sil. Sul.
Thu. Val.

Comp. Shattered.

BROWNISH, rusty, etc.:—ARS.
Bap. Berb. Bry. Carb-v. Chel.

GENERALITIES

- Hyo. Iod. Lyc. Nit-ac. Op.
Pho. Rhus-t. Sec-c. SEP. Stap.
Sul. Thu. Ver-a.
- BRUISED.** see Soreness.
- Bubbling** :—Berb.
Comp. Gurgling.
- BURNING.** see Heat.
painful :—Aco. ARS. Canth.
Carb-v. Caus. Merc. Pho. Sul.
- STINGING** :—Ant-c. AP. Ars.
Berb. Con. Dul. Glo. Iris. Lyc.
Mez. Nux-v. Pho. Pho-ac.
Rhus-t. Sil. Urt-u.
- BURNS** :—Ars. CANTH. Carb-v.
Caus. Kre.
- BURNT**, scalded, as if :—ARS.
Canth. Cyc. Hyds. Hyo. IRIS.
Lyc. Mag-m. Phyt. Plat. PUL.
Sang. Sep. Ver-a. Ver-v.
- BURROWING**, digging. see Boring.
- BURSÆ.** see Ganglion.
- BURSTING**, splitting, etc. :—
BELL. BRY. Calc-c. Chin.
Glo. Ign. Merc. NAT-M. Nux-v.
Sep. Sil. Spi. Stau. Sul.
'Comp. Shattered.
- CALCULI**, atheroma, etc. :—Bell.
Benz-ac. Berb. Bry. Calc-c.
Chin. Coloc. Dios. Hyds. Lach.
LYC. Merc. Nux-v. Oci-c.
Pari. Pod. Sars.
- CANCER** :—Ars. Calc-c. Carb-a.
Clem. Con. Grap. Iod. Kre.
Nit-ac. Pho. Sep. Sil. Sul.
Thu.
- Sarcoma.** see Fungus.
- Scirrhus** type :—Bels. Clem.
Con. Petr. Sep. Sil. Sul.
- CAP.** see Compression.
- CAPILLARIES.** see Heart, Circu-
lation, etc.
- CARBUNCLE** :—Ars. Lach.
- CARPHOLOGY**, picks at imagi-
nary objects :—Ars. Bell. Hyo.
Lyc. Mur-ac. Op. Pho-ac.
Rhus-t. Stram.
- one spot, lips, fingers, etc. :—
Ars. Arn-t. Cham. Con. Kali-
bro. Lach. Tarn. Thu.
- CARRIED**, wants to be :—Ant-t.
Ben-ac. CHAM. Cina.
- fast** :—Aco. Ars. Bro. Ver-a.
- over shoulder** :—Cina. Pod.
Stan.
- sitting up** :—Ant-t.
- slowly** :—Pul.
- CARSICKNESS.** see Swaying.
- CELLARS.** see Dampness.
- CHANGING.** see Wandering.
- CHILDREN**, infants, etc. :—
Aco. Ant-c. Ant-t. Bell.
Bor. CALC-C. Calc-p. Cham.
Cina. Cof. Ip. Merc. Phyt.
Pod. Pul. Rhe. Sep. SIL.
SUL.
- CHILLY**, cold :—Aco. Arn. ARS.
Bell. Bry. Calc-c. Cam. Caps.
Chin. Eup-p. Fer. Gel. Hep.
Ign. Ip. Lyc. Merc. Nat-m.
NUX-V. PUL. RHUS-T.
Saba. Sep. Sil. VER-A.
- CHRONICITY** :—Alu. Arg-n. Ars.
Calc-c. Caus. Con. Kali-bi.
Lyc. Mang. Pho. Plb. Sep.
Sul. Tub.
- CLEAR.** see Dry.
- CLIMAXIS** :—Aco. Amy-n. Cimi.
Con. Fer. LACH. Murx.
Pul. Sang. Sep. Sul. Sul-ac.
Xanth.
- CLUTCHING.** see Cramp.
- COATED OR FURRED**, as if :—
Alu. Caus. Chin. Coccl. Colch.
Dig. Dros. Iris. Kali-c. Merc.
Nux-m. PHO. Pho-ac. PUL.
Rhod. Ver-a.

COBWEB. see **Formication.**

COLD, taking :—Aco. Ars-10.
CALC-C. Carb-v. Cham. Dul.
Kali-c. Nat-m. Nit-ac. NUX-V.
Pho. Rhus-t. Sep. SIL. Sul.
Tub.

COLLAPSE, sudden prostration,
etc. :—Aco. Æth. Am-c. Arn.
Ars. Cam. Carb-v. Cup. Hyd-
ac. Ip. Laur. Merc-cy. Naj.
Pho. Sec-c. Sep. Tab. VER-A.

Comp. Faint.

COMPRESSION, squeezing, pin-
ching, as of a vise, cap, etc. :—
Alu. Anac. Ant-t. Asar. Berb.
Cact. Carb-v. Coccl. COLO.
Grap. Ign. Men. Merc. Nat-m.
Nit-ac. Old. PLAT. Rut. Thu.
Val. Verb. Zin.

Comp. Bursting.

CONCUSSIONS :—Arn. Bry. Cic.
Con. Rhus-t. Sul.

CONDYLOMATA. see **Fungoid**
Growth.

CONGESTION :—Aco. Ap. Arn.
Aur. BELL. Bry. Cact. Calc-
c. Chin. Cup. Fer-p. Gel.
Glo. Lach. Nux-v. Op. Pho.
Pul. Rhus-t. Sep. SUL.
VER-V.

CONSTRICTION, band, gathered
together, etc. :—Anac. Arg-n.
Ars. BELL. CACT. Carb-ac.
Carb-v. Chel. Chin. Hyo.
Ign. Lach. Lyc. NIT-AC.
Nux-v. Plat. Pib. Pul. Rhus-t.
Sil. Sul.

Comp. Cramp.

glands, in :—Ign. Iod.

joints, in :—Anac. Aur. Grap.
Nat-m. Nit-ac.

Comp. Band, Squeezing.

CONSUMPTION, tuberculosis :—
Ars. Calc-c. Calc-p. Hep. Iod.
Kali-c. Lach. Lyc. Pho. Pul.

Sang. Sep. Sil. Spo. Stan. Sul.
Tub.

Comp. Scrofula.

CONTORTIONS, distortions, etc. :
—Bell. Cic. Hyo. Plat. Stram.

CONTRACTIONS :—Am-m. Calc-c.
Caus. Colo. Grap. Lyc.
Nat-m. Sec-c.

CONTRACTURES, stricture, etc. :—
Cic. Clem. Guai. Merc. Nux-v.
Rhus-t.

Comp. Distortions.

CONVULSIONS. see **Spasmodic.**
bending backwards :—Ang.
Ign.

choreiform :—Bell. Caus. Cup.
Ign. Lach. Nux-v.

consciousness, with :—Cina.
Ign. Stram.

unconsciousness, with :—Calc-
c. Canth. Cic. Hyo. Pib.

internal :—Caus. Coccl. Hyo.
Ign. Ip. Mag-m. Nux-v. Pul.
Stan.

menses, during :—Cup. Plat.

tonic :—Bell. Cam. Cic. Ign.
Ip. Op. Sec-c.

COPPERY COLOR :—Carb-a.
Merc. Mez. Nit-ac. Rhus-t.

CRACKING IN JOINTS :—Benz-
ac. Cann. Caps. Caus. Led.
Nit-ac. PETR. Rhus-t. Sul.
Thu.

CRACKLING, like tinsel :—Aco.
Calc-c. Cof. Hep. Rhe. Sep.

CRACKS, fissures, chaps, etc. :—
Ant-c. Aru-t. Calc-c. Fer.
GRAP. Ign. Lyc. Merc.
Nat-m., NIT-AC. PETR. Pho.
Rhus-t. Sep. Sil. Sul.

***CRAMP,** colic, etc. :—Bell. Cact.
CALC-C. Caus. Cham. Coccl.
COLO. CUP. Dio. Grap. Ign.
Lach. Lyc. Mag-m. Nit-ac.

NUX-V. Plat. Pib. Sil. SUL.
Ver-a. Vib.

Comp. Constriction.

joints, in :—Ang. Calc-c. Pho-
ac. Plat. Sul.

muscles, in :—Anac. Ang. Bell.
Calc-c. Cina. Con. CUP. Lyc.
Merc. NUX-V. Plat. Sep.
Tab.

Comp. Compression.

CRAWLING. see Formication.

CREEPING or running, as of a
little animal :—Bell. Calc-c.
Lyc. Pho. Rhod. Stap. Sul.

Comp. Formication.

CRUSHING. see Compression.

CRUSTS, scabs. see Skin.

CUTTING :—Aco. BELL. Bry.
Calc-c. Calc-p. Calc-s. Canth.
COLO. Con. Dio. KALI-C.
Lyc. Nat-m. Nit-ac. Nux-v.
Pul. Sul.

CYSTS :—Ap. Ars. BAR-C.
CALC-C. GRAP. Lyc. Nit-ac.
PHO. Sabi. SIL. Sul. Thu.

DARK, dusky, see Black.

DEAD FEELING. see Numbness.

DEADNESS :—Aco. Agar. Bar-c.
Rhus-t. Sec-c.

DEATH, apparent :—Aco. Ant-t.
Carb-v. Cof. Op.

DELICATE, tender, sickly, easily
enervated :—Ars. Calc-c. Caus.
Con. Croc. Cup. Ign. Lyc.
Nat-c. Sil. Stro. Sul. Ver-a.

Comp. Nerves.

DELIRIUM. see Perception,
Changed.

DELUSIONS. see Perception,
Changed.

DESQUAMATION, branny, scaly,
hair falls, etc. :—Am-c. Ars.
Bell. Calc-c. Canth. Dul.

Grap. Hep. KALI-C. Merc.
Mez. Nat-m. Nit-ac. PHO.
Pul. Rhus-t. Sele. Sep. Stap.
SUL.

Comp. Crusts.

DIGESTION :—Æth. Ant-c. Arg-
n. Ars. Bry. Calc-c. CHIN.
Fer. Merc. NUX-V. Old. Pho.
PUL.

DIRECTION :—ASCENDING SEN-
SATIONS :—Aco. ASAF. Bell.
Calc-c. Con. Gel. Glo. IGN.
LACH. Led. Naj. PHO. Pul.
Saba. SANG. SEP. SIL. Sul.
Zin.

BACKWARD :—Bell. Bry. Chel.
Con. Cup. Gel. Kali-bi. Kali-c.
Lil-t. Merc. Nat-m. Par. Pho.
Pru-sp. Pul. Sep. Spi. SUL.

CROSSWISE, across, etc. :—Bell.
Berb. Calc-c. Chel. Chin.
Fer. Hell. Kali-bi. Lac-c. Sep.
Sil. Sul. Val. Ver-a.

Comp. Alternating.

DIAGONAL :—Agar. Alu. Amb.
Ap. Bor. Kali-io. Kalm. Lach.
Lyc. Mang. Murx. Nat-c.
Nux-v. Pho. RHUS-T. Stict.
Sul-ac. Tarx.

DOWNWARD :—Alo. Arn. Aur.
Bar-c. Berb. Bry. Caps.
Cof. KALM. Lach. Lyc.
Pul. Rhus-t. Sele. Zin.

FORWARD :—Berb. Bry. Carb-v.
Gel. Lac-c. Sabi. Sang. Sep.
Sil. SPI.

OUTWARD :—Asaf. Bell. Berb.
Bry. Chin. Kali-m. Lith-c.
Pru-sp. Sep. Sil. Val. Zin.

RADIATING :—Agar. Arg-n. Ars.
Bap. Berb. Caus. Cimi. Colo.
Cup. Dio. Kalm. Mag-p. Merc.
Mez. Pib. Sil. Spi.

UP AND DOWN, falling and
rising, etc. :—Ars. Bap. Bry.
Calc-c. Cimi. Eup-p. Gel.

Glo. Kali-c. Lach. Lil-t.
Lyc. Pho. Plb. Pod. Sul.
Ver-a.

DISCHARGES, vicarious :—Bry.
Con. Dig. Fer. Ham. Lach.
Lycps. Mill. Nux-v. PHO.
Pul. Sec-c. Senec. Sep. Sul.

DISLOCATED, sprained, as if, etc.
—Asaf. Arn. Ign. Pho. Nat-
m. Petr. Pul. RHUS-T. Sul.
Thu.

Comp. Sprains.

DISLOCATION, spontaneous :—
Calc-c. Rhus-t.

DOUBLING UP. see Lying Bent.

DRAFT. see Wind.

DRAGGING. see Falling.

DRAWING :—Arn. Bry. Carb-v.
Caus. Cham. Chel. Chin. Cimi.
Kali-bi. Kali-c. Lach. Lyc.
Merc. Nux-v. Pul. Rhod.
RHUS-T. Sep. Sul. Val.

DRAWN or gathered together, as
if :—Carb-v. Chin. Nux-v.
Rhus-t. Sele. Sul.

Comp. Constriction.

DROPSY, cedema, etc. :—Ant-c.
Ap. Ars. Bell. Bry. Canth. Chin.
Colch. Dig. Grap. Hell. Kali-c.
Lyc. Merc. Old. Op. Pul.
Rhus-t. Scil. Sul. Zin.

after exanthema :—Ars. Hell.
Rhus-t. Sul.

DRUGS, abuse of :—Ars. Cam.
Cham. Hep. Hyds. Kali-io.
Nat-m. Nit-ac. NUX-V. Pul.
Sul.

DRYNESS :—Aco. Ars. BELL. Bry.
Iod. Lach. Lyc. Nat-m. NUX-
M. Pho. Pul. Rhus-t. Sec-c.
Sul.

DUALITY, in pieces, separated,
as if some one else, etc. :—
Anac. Arg-n. BAP. Calc-p.
Cann. GEL. Nux-m. PETR.

Pho. Pyro. Sil. Stram. Thu.
Tril. Xanth.

DUSKY COLOR :—Ail. Ant-t. Ars.
BAP. Crot-h. Gel. Hell. Lach.
Nit-ac. Nux-v. OP. Sec-c.

Comp. Bluish.

DUST, feathers, etc., as of :—Ars.
Bell. CALC-C. Chel. Chin.
DROS. Hep. Ign. Lyc. Pho-ac.
Pul. Rum. Sul.

Comp. Vapor.

DWARFISH. :—Amb. Bar-c. Con.
Med. Op. Syph.

EARTHY. see Yellow.

EBULLITION. see Waves.

ELONGATED, as if :—Alu. Hypr.
Kali-c. Lac-c. Pho. Stram. Tab.

EMACIATION, atrophy, etc. :—
Arg. ARS. Bar-c. Calc-c.
CALC-P. Caus. Chin. Fer.
Grap. IOD. Lyc. Nat-m. Nit-ac.
Nux-v. Op. Pho. PLB. Sars.
Sil. Sul. Tub.

glands, of : Con. Iod.

infantile, marasmus :—Abro.
Aur. Calc-c. Chin. Lyc. Sul.
Tub.

partial :—Bry. Calc-c. Grap.
Mez. Pho. Plb. Pul. Sec-c. Sele.
Sul.

senile :—Bar-c. Chin. Iod. Lyc.
Op.

EMOTIONS :—Aco. Ant-c. ARS.
Aur. Bell. Cham. Cina. Cof.
Colo. Gel. Hyo. IGN. Lach.
Lyc. Nat-m. Nit-ac. NUX-V.
Pho. Pho-ac. Plat. Psor. PUL.
Stap. Stram. Sul. Sumb. Ver-a.

EMPTY, hollow, sinking, etc. :—
Chin. Coccl. Dig. Hyds. IGN.
PHO. Pod. SEP. Stan. Sul.
Tell.

ENLARGED. see Swelled.

ERYSIPELAS :—Aco. AP. Arn.

Bell. Canth. Crot-h. Euphrb.
Grap. Lach. Merc. Pul. RHUS-
T. Sul.

EXCITEMENT, mental, nervous,
etc. :—ACO. Bell. COF. Gel.
Hyo. Lach. Mar. NUX-V. Op.
Stram. Val. Ver-a.

Comp. Nerves.

EXCORIATION. see Rawness.

EXPLOSIONS. see Shattered.

FAINT, faints, etc. :—Aco. ARS.
Bry. Cam. Carb-v. Cham. Chin.
Crot-h. Dig. Hep. Ign. LACH.
Mos. Nux-m. NUX-V. Op. Pul.
SEP. Sul. Ver-a.

Comp. Collapse, Empty,
Raising Up.

FALLING :—Alo. Aur. Bell. Bor.
Calc-c. Gel. Helo. Ign. Kali-cy.
Lach. Lil-t. Merc. Mur-ac.
Nat-m. Nux-v. Pho. Pul.
Rhus-t. Sep. Stan. Sul.

FALLING, as if :—Bell. Thu.

FASTING :—Ars. Bry. Chin. Pul.
Ver-a.

FEATHERS. see Dust.

FIBROUS TISSUE :—Bry. Calc-c.
Calc-f. Colch. FLU-AC. Grap.
GUAL. Kali-m. Lyc. Phyt.
Rhod. RHUS-T. Rut. Sabi.
Sec-c. Sil.

FINE PAINS; needle, splinter,
thread or hair, like a :—Alu.
Ap. ARG-N. Ars. Caps. Cep.
HEP. Kali-bi. Kali-c. Nat-m.
NIT-AC. Rhus-t. SIL. Sul.
Syph. Val.

FISTULÆ :—Berb. CALC-C.
Calc-f. Caus. Flu-ac. Lyc. Petr.
Pho. Pul. SIL. Sul.

FLOATING, flying, etc., as if :—
Aco. Arg-n. Asar. Cann. Hy-
per. LAC-C. Lach. Nat-m.
Nux-m. Op. Pho. Spi. Stict.
Thu. Val.

Comp. Vertigo.

FLOWING. see Trickling.

FLUSHES. see Waves.

FLYING TO PIECES. see Shattered.

FOAMY, frothy :—Arn. Ap. Asclp.
Chel. Elat. Grati. Ip. Kali-bl.
Kali-io. Mag-c. Merc. Cenan.
Pod. Rhe. VER-A.

FORCED, through a narrow open-
ing, as if :—BAR-C. Bell. Bufo.
Carb-a. Coc-c. Coccl. Dig. Glo.
Lach. Op. Fib. Pul. Sul. Tab.
Thu. Val.

FORMICATION, crawling, etc. :—
Aco. Agar. Arn. Calc-c. Colch.
Lyc. Merc. Nux-v. Pho. Plat.
Rhus-t. SEC-C. Sep. Sul. Zin.

Comp. Alive.

FROSTBITE :—AGAR. Ars. Carb-
v. Nit-ac. Nux-v. Petr. Pul. Sul.

FULNESS. see Bursting, Conges-
tion.

FUMES. see Vapor.

FUNGOID GROWTH. see Skin.

GAIT, stooped, bent, etc. :—Arg-
n. Carb-v. Coccl. Colo. Mang.
Pho. Sul. Ver-a.

GANGLION, Bursæ :—Am-c.
Benz-ac. Pho. Rut. Sil. Sul.

GATHERED TOGETHER. see Cons-
triction and Drawn Together.

GELATINOUS :—Alo. Arg-n. Berb.
COLCH. Colo. Dig. HELL.
Kali-bl. Pod. Rhus-t. Sabi.
Sele. Sep.

Comp. Albuminous.

GLAIRY. see Albuminous.

GLANDS :—Ap. Ars. Aru-t. Aur.
BAR-C. Bell. Bry. CALC-C.
Carb-a. Chin. Clem. Con.
Hep. Iod. Lach. Lyc. MERC.
Nit-ac. Pho. Phyt. PUL.
Rhod. Rhus-t. SIL. Spo. Stap.
Sul.

- flaccid** :—Cham. Con. Iod.
- hard** :—Calc-c. Calc-f. Carb-a. Con. Phyt. Sil.
- inflamed** :—Aco. Bell. Bry. Merc.
- itching** :—Con. Sil.
- swelled** :—Bell. Dul. Merc. Phyt. Sul-io.
- GLISTENING** :—Aco. AP. Aur. Bell. Bry. Carb-ac. Caus. Cist. Euphr. Glo. Kali-bi. LAC-C. Lach. Mang. Nat-m. Pho. Rhus-t. Sil. Terb.
- GNAWING**, eating, festering, pains :—Ag-c. Am-m. Berb. Bry. Cham. Colo. Grap. Ign. Kre. Lach. Lye. Mag-m. Old. Pho. Plat. PUL. Ran-sc. Rhus-t. Sep. SIL. Stap. Sul. Thu. Ver-a.
- GONORRHEA** :—Arg-n. Cann. Merc. Pul. Sep. Sul.
- GRANULAR appearance** :—Carb-v. Grap. Hep. Nat-m. Pho-ac.
- GRASPED AND RELAXED** alternately. see **Opening and Shuttling**.
- GRASPING**. see **Fingers, Conditions**.
- GRAYISH**, dirty, etc. :—Arg-m. Ars. Berb. Calc-c. Caus. Chel. Cup. Dig. KALI-O. Kali-m. Lach. Lye. Merc. PHO. Sil. Sul.
- GREASY**, oily, fatty :—Bry. CAUS. Iod. Iris. MAG-C. Malan. Merc. Nat-m. Pho. Psor. Pul. Sele. Thu.
- GREENISH** :—Aco. ARS. Carb-v. Cham. Con. Ip. Kali-io. Lye. Mag-c. MERC. Nat-s. Pho. PUL. Sep. Stan. Sul. Yer-a.
- GRINDING**. see **Boring**.
- GRIPING**. see **Cramp**.
- GRIPPE**. see **Influenza**.
- GRITTY FEELING**, in joints :—Con.
- GROWTH**, affected :—Bar-c. Calc-c. Calc-p. Pho. Pho-ac. Sil.
- GROWTHS**, new :—Aut-c. Ars. Bell. Calc-c. Carb-a. Carb-v. Caus. Clem. Grap. Lye. Nit-ac. Ran-b. Sil. Stap. Sul. Thu.
- fleshy** :—Merc. Nit-ac. Stap. Thu.
- grapes, like** :—Calc-c.
- horny** :—Ant-c. Ran-b. Sil. Sul.
- rapid** :—Iod.
- CURGLING** :—Agar. ALO. Cic. Cina. Crot-t. Cup. Gamb. Hyd-ac. Jat. LAUR. Lye. Pod. Pul. Sul. Thu.
- Comp. **Bubbling, Rattling**.
- GUSHING** :—Ars. Bell. Bry. CROT-T. Elat. Gamb. Grat. Jat. Nat-c. Nat-m. Nat-s. Pho. Pod. Thu. Ver-a.
- Comp. **Swashing**.
- HACKING**, like a hatchet :—Am-c. Ars. Aur. Clem. Kali-n. Lye. Pho-ac. Rut. Stap. Thu.
- HAIR**, thread, etc. see **Fine**.
- HANGING DOWN**, loose, suspended, etc., as if :—Alu. Aur. Bar-c. Ign. Ip. LACH. PHO. Saba. Sul. Val.
- Comp. **Fine, Loose, etc**.
- HARD BED**, sensation :—Arn. Bap. Con. Dros. Gel. Kali-c. Nux-v. Pho. Plat. Pyro. Rhus-t. Sil.
- HARDNESS**, induration :—Alu. Ant-c. Ars. Bar-c. Bell. Bry. Calc-c. Calc-f. Carb-a. Cist. Clem. Con. Grap. Iod. Kali-m. Lye. Merc. Pho. Phyt. Pib. Rhus-t. Sep. SIL. Sul. Tarn.
- HEAVINESS**, load, etc. :—Alo. Alu. Ap. Arg-n. Bry. Calc-c.

Con. GEL. Lach. Lyc. Nat-m.
 NUX-V. Pho. Pho-ac. Pic-ac.
 PUL. Rhus-t. Sep. Sul.

HÆMORRHAGE, bloody discharges,
 etc. :—Aco. ARN. Ars. BELL.
 Bur-p. Cact. CALC-C. Canth.
 Carb-v. CHIN. Croc. Crot-h.
 FER. Ham. Hyds. Ip. Kre.
 Lach. Led. Lyc. MERC. Merc-c.
 MILL. NIT-AC. Nux-v. PHO.
 PUL. Rhus-t. Sabi. Sec-c. Sep.
 Sul. Sul-ac. Terb. Tril. Vib.

acute :—Aco. Bell. Croc. Fer.
 Hyo. Mill. Pul.

altered blood, of :—Crot-h. Pul.
 Sec-c.

bright :—Aco. Bell. Dul. Fer.
 Hyo. Ip. Led. Mill. Sabi.

with dark clots :—Fer. Sabi.

clotted. see Lumpy Effects.

dark :—Carb-v. Cham. Croc.
 Nux-m. Sec-c.

gushing :—Aco. Bell. Ip. Sec-c.

hot :—Bell.

offensive :—Bell. Bry. Carb-v.
 Sabi.

passive, oozing, etc. :—Carb-v.
 Chin. Crot-h. Fer-p. Ham.
 Pho-ac. Sec-c.

slight, causes great aggrava-
 tion :—Buf. Carb-a. Chin.
 Ham. Hyds. Sec-c.

streaked :—Ars. Asaf. Bry.
 Chin. Fer. Hep. Ip. Merc. Pho.
 Sil. Sul. Zin.

stringy :—Croc. Merc. Naj.

thick :—Agar. Bov. Croc. Cup.
 Nux-m. Plat.

watery, thin :—Carb-v.

HERE AND THERE :—Aco. Agar.
 Am-c. Aur. Bar-c. Calc-c. Chel.
 Chin. Cina. COCC. Grap.

IGN. Lyc. Pho-ac. Rhus-t.
 Stan. Stap. Sul. Thu. Val. Zin.

Comp. Wandering.

HOLLOW. see Empty.

HORSE-BACK. see Riding.

HUMMING, buzzing, whizzing,
 purring :—Caus. Nux-m. Old.
 Pul. Spi. Sul.

Comp. Vibrating.

HYDROPHOBIA :—Bell. Canth.
 Hyo. Stram.

HYPERTROPHY :—Ant-c. Ars. Calc-
 c. Clem. Dul. Grap. Ran-b. Rhus-
 t. Sep. Sil. Sul.

HYSTERIA :—Cham. Coccl. Ign.
 Mos. Nux-m. Nux-v.

ILL OR SICK FEELING :—Aco.
 Ars. Bap. Chel. Nux-v. Pod.
 Pul. Stro.

INACTIVE, apathetic, lies down,
 lethargic :—Ail. Ant-t. Arn.
 Ars. Calc-c. Carb-v. Caus.
 Chin. Gel. Hell. Nux-v. Old.
 OP. PHO. PHO-AC. Psor.
 SEP. Stram. Sul. Zin.

Comp. Reaction, Relaxation.

INCONTINENCE, stool, urine,
 sexual, etc. :—Alo. Arn. Ars.
 BELL. CAUS. Chin. Con.
 Dio. Gel. Hyo. Mur-ac. Nat-m.
 Pho. PHO-AC. Pod. Pul. Sele.
 Sep. Stap. Sul.

INCREASING AND DECREASING
 gradually, sun-pains, etc. :—
 Arg-n. Ars. Gel. Glo. Kali-bi.
 Kalm. Lach. Nat-m. Pho.
 PLAT. Pul. Sang. Spi. STAN.
 Stro. Sul. Syph.

quickly. see Shooting.

INDIFFERENT. see Placid.

INDURATION. see Hardness.

INFLAMMATION :—Aco. Ap. Ars.
 Bell. Bry. Calc-c. Cann. Canth.
 Cham. Fer-p. Gel. Hep. Hyo.

GENERALITIES

Iod. Kali-c. Merc. Nux-v. Pho.
Pul. Rhus-t. Sep. Sil. Stap.
Sul. Ver-v.

INFLUENZA :—Bap. Bry. Cam.
Caus. Cup. Eup-p. Fer-p. Gel.
Merc. Nux-v. Rhus-t.

INJURIES, shocks, wounds, bruises,
etc. :—ARN. Calen. Cic.
Con. Glo. Ham. Hypr. Lach.
Led. Lith-c. Nat-s. Nit-ac.
Pul. Rhus-t. Rut. Stap. Stro.
Sul-ac.

Comp. Sprained.

bones, to :—Arn. Calc-c. Iod.
Petr. Pho. Pho-ac. Pul. RUT.
Stap.

crushing :—Arn. Con. Stap.

head, to :—Arn. Cle. Glo. Hypr.
Nat-s.

incisions, stabs, etc. :—Arn.
Lach. Pho. Pul. Stap. Sul-ac.

muscles to :—Rhus-t.

pains; returning :—Glo. Nat-m.
Nit-ac. Nux-v.

punctured, shot-gun, etc. :—Arn.
Hypr. Led. Nit-ac. Sul-ac.

reopening of old :—Carb-v. Crot-
h. Flu-ac. Lach. Nat-m. Pho.
Sil.

INSENSIBILITY. see Numbness.

INTERMITTENCY :—ARS. Calc-c.
Chin. Ip. Lach. NAT-M. Nit-
ac. Nux-v. Pho-ac. Pul. Sec-c.
Sul.

Comp. Paroxysms, Periodicity.

INTERNAL AFFECTIONS :—Calc-c.
Canth. Nux-v. Pho.

IRREGULAR, inco-ordinate effects :
—Agar. Cimi. Ign. Nux-v.

JERKING PAIN :—Asaf. Bell.
Calc-c. Caus. Chin. Ign. Kali-c.
Men. Nat-m. Nux-v. Pul. Rhus-
t. Sil. Tarx.

JERKS :—Bell. Calc-c. Cic. Colch.
Lyc. Plat. Pul. Sep. Spi. Stan.
Sul. Sul-ac.
local :—Thu.

Comp. Spasmodic,

JOINTS :—Arn. Bell. Benz-ac.
BRY. Calc-c. Caus. Cham. Cimi.
COLCH. Dros. Dul. Grap.
Guai. Kali-bi. Kalm. Led. Lith-
c. Lyc. MERC. Nux-v. Phyt.
Pul. RHUS-T. Rut. Saba. Sil.
Stap. SUL.

dryness in :—Canth. Lyc. Nux-
v. Pul.

small :—Caul. Colch. Kali-bi.
Lith-c. Rhod.

swelling, pale, (white swelling),
etc. :—Ant-c. Ars. Colo. Iod.
Kre. Merc. Rhus-t. Sil. Sul.

ulcerated :—Colo. Hep. Pho-ac.
Sep. Sil.

water in :—Sul.

weak :—Calc-c. Sep.

KNOT. see Ball.

LABORLIKE. see Pressing Down.

LASSITUDE. see Inactive.

LETHARGY. see Inactive.

LIE DOWN. see Inactive.

LIFTING. see Sprains.

LIGAMENTS. see Fibrous Tissue.

LIGHT. see Sensitive.

LIGHTNING. see Shooting.

LIMPING :—Colo. Rhus-t.

LIVID. see Black.

LOOKING INTENTLY. see Reading.

LOOSE, as if :—Am-c. Par-c.
Carb-a. Caus. Chin. Croc. Hyo.
Kali-c. Laur. Nat-s. NUX-M.
Nux-v. RHUS-T. Sul-ac.

Comp. Rolling, Swashing,
Hanging Down.

LUMPY EFFECTS, discharges, etc. :
—Æth. Alo. Ant-c. Calc-s.

Cham. Chin. Coc-c. Croc. Grap.
KALI-BI. Kr. LYC. Merc.
 Merc-i-f. PLAT. Rhus-t. Sep.
 Sil. Stan.

LYING DOWN. see Inactive.

MAPPED. see Mottled.

MEASLES, measly :—ACO. Ars.
 Bry. Cam. Cof. Dros. Euphr.
 Fer-p. Kali-bi. Pho. PUL. Stict.

receding :—Bry. Pho. Pul.
 Rhus-t.

MEDICINE, sensitive to :—Nux-v.
 Pul.

Comp. Reaction.

MEMBRANE, as of a. see Coated.

MEMBRANES, mucous :—Aco.
 Ant-t. Ap. Arg-n. Ars. Bell.
 Bor. Bry. Caps. Cep. Cham.
 Dul. Euphr. Hep. Hyds. Ip.
 Kali-bi. Kali-c. Merc. Nux-v.
 Pho. Pul. Seneg. Stan. Sul.

Comp. Moistness.

serous :—Aco. Ap. Bry. Canth.
 Hell. Kali-c. Kan-b. Scil. Sul.

sulci of :—Kali-bi.

MOISTNESS, fluidity in general,
 discharges increased, etc. :—
 Ant-t. Ars. CALC-C. Carb-v.
 Cham. Chin. Dul. Fer. Hep.
 Lyc. MERC. Nux-v. Op.
 Pho. Pho-ac. Pul. Rhus-t.
 Samb. Sele. SEP. Sil. Stan.
 SUL. Thu. Ver-a.

MOTION, absent :—Bry. Coccl.
 Gel. Hell. Rhus-t.

agility :—Cof. Stram.

automatic :—Bell. Lyc. Stram.

averse to :—Aco. Bry. Calad.
 Caps. Guai. Lach. Nat-m.
 Nux-v. Sul.

difficult :—Bell. Bry. Caus.
 Lyc. Petr. Rhus-t. Sep.

stepping backwards :—Stram.

fastination :—Mang. Syph.

high.—Agar. Rhus-t.

MOTTLED, patchy, etc. :—AIL.
 Ars. Bap. Bell. Carb-v. Con.
 CROT-H. Glo. Kali-bi. LACH.
 Nat-m. Nux-v. Ox-ac. Pho.
 Rhus-t. Thu. Ver-v.

Comp. Spots.

MUCOUS SECRETIONS, altered :—
 Ant-t. Arg-m. Arg-n. Ars.
 CALC-C. Calc-s. Caus. Cham.
 Grap. Hep. Hyds. KALI-BI.
 Lye. Merc. NAT-M. Nit-ac.
 Nux-v. Pho. PUL. SEP. Sil.
 Stan. Sul.

MUSCLES :—Agar. Anac. Arn.
 Ars. BELL. Bry. Calc-c.
 CAUS. Cimi. Coccl. Con.
 Eup-p. Gel. Hell. Hyo. Kali-c.
 Mur-ac. Nux-v. RHUS-T.
 Ver-a. Zin.

lax, flabby :—Æth. Ant-t.
 Calc-c. Caps. Carb-ac. Chin.
 Coccl. Gel. Lyc. Mur-ac.
 Pho-ac. Stram. Sul.

short. see Contraction.

tense :—Aco. Lach. Nit-ac.
 Nux-v. Pho. Sep.

undeveloped :—Nat-m.

NEEDLES. see Fine.

NERVE PAIN, neuralgia, etc. :—
 ACO. ARS. BELL. Bry.
 Caus. Cham. Chin. Cimi. Cof.
 COLO. Dios. Gel. Hypr. IGN.
 Iris. Kali-bi. Lach. Lyc. Mag-p.
 Merc. Nat-m. Nux-v. Pho.
 Psor. Pul. RHUS-T. Sang.
 Spl. Sul. Ver-a. Verb.

NERVES, nervous patients, etc. :—
 Aco. Arg-n. Asaf. Aur. Bell.
 Carb-v. Caus. Cham. Chin.
 Cimi. Coccl. Cof. Con. Cup.
 IGN. Hyo. Iod. Kali-p. LACH.
 Lil-t. Mag-m. Merc. Mos.
 Nat-m. Nit-ac. Nux-m.
 NUX-V. Pho. Pic-ac. PUL.

Sep. SIL. Stram. Sul. Tarn.
Ther. Vib.

Comp. Mind.

NETTED CAPILLARIES :— see
Nævi.

NODES :—Ant-c. CALC-C. Carb-
a. Caul. Caus. Dul. Grap.
Iod. Lach. Lyc. Mez. Pul.
Rhod. Rhus-t. Sars. Sil. Stap.
Sul.

Comp. Growths.

NOISE. see Sensitive.

NUMBNESS, insusceptibility, ab-
sence of or benumbing pain,
etc. :—ACO. Ap. Ars. Carb-v.
Caus. Cham. COCCL. Con.
Crot-h. Gel. Glo. GRAP.
Kali-c. LYC. Nux-m. Nux-v.
Old. Op. Pho. Pho-ac. Plat.
Plb. PUL. RHUS-T. Sec-c.
Stram. Thu. Zin.

OBESITY :—Am-c. Ant-c. Bell.
Buf. CALC-C. Caps. Fer.
Grap. Kali-bi. Phyt. Pul. Sul.

OFFENSIVENESS, fetor :— Arn.
Ars. Bap. Bry. Carb-ac. CARB-
V. Hep. Kali-p. LACH. Nit-ac.
Pod. PSOR. Rhus-t. Sec-c.
Sep. SIL. Sul. Tel. Thu.

OLD AGE, senility :—Amb. Ant-
c. Ars. Aur. BAR-C. Carb-a.
Carb-v. Chin. Con. Flu-ac.
Gins. Hyds. LACH. Lyc. Nit-ac.
Op. Pho. Sec-c. Sul. Ver-a.

OPENING AND SHUTTING or con-
tracted, then relaxed alter-
nately :—Cact. Calc-c. CANN.
Cimi. COCCL. Glo. Lil-t. Sep.

Comp. Alternating.

ORGASMS. see Waves.

ORIFICES :—Æsc. Alo. Bell. Caus.
Grap. Ign. Kali-c. Lach. Lyc.
Merc. Mur-ac. Nat-m. NIT-AC.
NUX-V. Pho. Pod. Rat. Sep.
SIL. SUL.

PAIN. see Sensitive.

PAINLESSNESS. see Numbness.

PARALYSIS, paralytic pains, etc. :
—Ant-t. Arn. Ars. Bell. Carb-v.
CAUS. Chin. Coccl. Colch.
Con. Dul. Gel. Hell. Hyo.
Lach. Lyc. NUX-V. Op. PLB.
RHUS-T. Sec-c. Sil. Stap.
Sul.

apoplexy, after :—Arn. Bell.
Nux-v. Stan. Zin.

emotions, from :—Gel. Lach.
Nat-m. Stan. Stram.

joints, in :—Aur. Caps. Euphor.
Pul. Stap. Val.

limbs :—Caus. Coccl. Nux-v.
Rhus-t. Rut. Sec-c. Sil.

organs (single) :—Ant-t. Bar-c.
Bell. Caus. Dul. Gel. Hyo.
Nux-v. Op. Pho. Pul. Sec-c.
Sil. Sul.

painless :—Coccl. Con. Lyc.
Rhus-t.

paraplegia :—Ars. Bap. Nat-m.
Nux-v. Rut. Sul.

rheumatism, after :—Bar-c.
Chin. Fer. Rut.

sense of (internal) —Lyc.

spasms, after :—Coccl. Cup.
Elap. Sec-c.

suppression, after :—Caus. Lach.
Sul.

unilateral :—Caus. Coccl. Lach.

PAROXYSMS, repeated :—Agar.
Ars. Bell. Calc-c. Caus. CHAM.
Chin. COCCL. COLO. Cup.
Dios. Gel. Ign. Lach. MAG-P.
NUX-V. Plat. Plb. Pul. SEP.
Stan. Sul.

Comp. Spasmodic.

PATCHY. see Mottled.

***PECKING**, hacking :—Chin. Rut.

PERCEPTION, changed (mental
or visual) :—ACO. Arg-n. Ars.

Bar-c. BELL. Calc-c. Cann.
HYO. Kali-bro. Lac-c. Lach.
Merc. Nux-m. Op. Pho. Pho-
ac. Plat. STRAM. Sul. Ver-a.

PEMIDICITY :—Aran. ARS. Cact.
Ced. CHIN. Eup-p. Gel. Hep.
Ip. Kali-c. Lyc. NAT-M.
Nux-v. Pul. Rhus-t. Spi. Sul.

Comp. Intermittency.

PHAGEDENA, slough, etc. :—ARS.
Carb-v. Caus. Chel. Crot-h.
Hep. Lyc. Merc. Merc-c. Mez.
NIT-AC. Petr. SIL. Sul.

Comp. Gnawing.

PINCHING. see Compression.

PLETHORA, full-blooded, etc. :—
Aco. Bell. Fer. Nux-v. Pho.
Pul. Sul.

Comp. Obesity.

PLUG, nail, wedge, clavus, etc. :—
Agar. Anac. Arn. Asaf. Col.
Hep. IGN. Plat. Ran-sc. Spo.
Sul. Sul-ac. THU.

Comp. Ball.

POISONED FEELING :—Caj. Lach.
Naj. Vip.

POLYPL see Fungoid Growth.

PREGNANCY, childbed, etc. :—
Aco. Arn. Bell. Bry. Calc-c.
Caul. Cham. Cimi. Coccl. Con.
Gel. Ign. Ip. Kali-c. Kre.
Nux-m. NUX-V. Plat. PUL.
Pyro. Rhus-t. Sabi. Sec-c.
SEP. Sul. Ver-a. Vib.

PRESSING OR BEARING DOWN,
straining, tenesmus, etc. :—
Agar. Ap. Bell. GANTH.
Cimi. Con. LIL-T. MERC-C.
Nat-m. Nux-v. Plat. Pul. SEP.
Sul.

PRICKLING :—Aco. Ap. Lyc. Nat-
m. Plat. Ran-sc. Rhus-t. Sul.
Urt-u.

PRÓLAPSE. see Falling.

PROTRUSION, also sense of ; of
internal parts, as eyes, hernia,
etc. :—Aco. Aur. Bell. Coccl.
Fer. Glo. Hyo. Iod. LACH.
Lyc. Lycps. NUX-V. Op.
Spi. Stram. Sul-ac.

PUBERTY AND YOUTH :—Bell.
Calc-p. Fer-p. Hell. Kali-bro.
Kali-c. Lach. Nat-m. PHO.
Pho-ac. PUL. Senec.

PUFFINESS :—AP. ARS. Bov.
CALC-C. Caps. Fer. Kali-c.
Lith-c. Med. Nat-c. Nux-v.
Op. Pho. RHUS-T. Rum.
Rut.

Comp. Swelling.

PULSATION. see Throbbing.

QUIVERING :—Asaf. Kali-c. Mez.
Nat-c.

Comp. Trembling, Vibrating.

RADIATING. see Direction.

RATTLING :—Am-m. ANT-T.
Cact. Calc-s. Chin. Cup. HEP.
IP. Kali-s. Lye. Op. Scil. Sul.
Ver-a.

Comp. Gurgling.

RAWNESS, smarting, etc. :—
ARG-M. Aru-t. Calc-c. Canth.
Carb-v. CAUS. Grap. Hep.
Hyds. Ign. Lach. Lye. Merc.
NUX-V. Pho. Pul. Ran-sc.
Sep. Stan. Sul. Sul-ac.

REACTION, poor :—Amb. Caps.
Carb-v. Cup. Fer. Mos. Op.
PSOR. SUL. Syph. Val. Zin.

Comp. Inactive.

violent :—Bell. Cup. Nux-v.
Zin

REDNESS :—ACO. Ap. Arg-n. Ars.
BELL. Bry. Cham. Chin. Fer.
Lach. Melil. Merc. Nux-v. Op.
Pho. Rhus-t. Sang. Sep. SUL.

REELING, tottering, staggering,
etc. :—Ars. Bell. Bry. Caus.
Gel. Ign. Lach. Nux-v. Op.

Rhus-t. Stram. Sul. Ver-a.
Ver-v.

RELAXATION :—Æth. Alo. Ant-t.
Ars. Calc-c. Caps. CAUS.
Chin. Coccl. Coleh. GEL. Hell.
Hyo. LYC. Merc-cy. MUR-
AC. Nat-c. Nat-m. Op. PHO-
AC. Ver-a.

Comp. Inactive.

REMITTENCY :—Gel.

RESTLESSNESS :—ACO. Ap.
ARS. Bell. Cham. Cimi. Cina.
Fer. Hyo. Merc. Pho. RHUS-
T. Sep. Stram. Sul. Tarn. Zin.

RETRACTION, drawn back, etc. :
—Astr. Cic. Clem. Crot-t. Cup.
Hyds. Lach. Merc. Nat-m.
Nux-v. Op. Par. Phyt. PLB.
Sars. Sil. Thu. Zin.

RICKETS :—Calc-c. Calc-p. Pho.
Sil.

RIISING THEN FALLING SENSATION :—Bar-c. Lach.

ROLLING or turning over :—
BELL. Cact. Crot-h. Cup.
Gel. Grap. Kali-c. LACH. Lyc.
Pul. Rhus-t. Saba. SEP. Tarn.

Comp. Loose, Ball, etc.

ROUGH, scratchy ; as of a rough
body, etc. :—Æsc. Alu. Amb.
Berb. Carb-v. Kali-bi. Naj.
Nat-m. Nux-v. Pho. Phyt. Sul.

Comp. Smarting.

RUNNING. see Creeping.

SALTINESS :—Ars. Calc-c. Carb-
v. Kali-jo. Lyc. MERC. Merc-c.
Nat-c. Nat-m. Pho. Pul. Sele.
SEP. Tell.

SAWING, as if :—Æsc. Hypr.
Pho. Spi. Sul. Syph. Tarn.

SCORBUTIC SYMPTOMS :—Am-c.
Carb-v. Merc. Mur-ac. Nux-v.
Stap. Sul.

SCROFULA :—Bar-c. Calc-c. Calc-p.

Cist. Hep. Iod. Lyc. Merc. Sil.
Sul.

Comp. Consumption.

SEASICKNESS. see Swaying.

SECRETIONS, discharges, expecto-
ration, etc. :

bland :—Euphr. Kali-m. Hep.
Merc. PUL. Sil. Sul.

bloody. see Hæmorrhage.

briny odor :—Bell. Grap. Ol-an.
Sanic. Sele. Tell. Thu.

burning :—Ars. Calc-c. Cep.
Kali-jo. Kre. Merc. Merc-c.
Pul. Sinap. Sul.

curdy :—Bor. Helo. Merc.

hair, destroying :—Bels. Lyc.
Merc. Rhus-t.

hot :—Aco. Bell. Iod. Pul. Sabi.
increased. see Moistness.

itching, causing :—Calc-c. Flu-
ac. Led. Mang. Med. Par.
Rhod. Rhus-t. Sul. Tarn.

milky :—Calc-c. Kali-m. PHO-
AC. Pul.

musty, mouldy :—Bor. Carb-v.
Colo. Crot-h. Merc. Nux-v.
Pho. Pul. Rhus-t. Stan.

scanty, bringing great amello-
ration :—Ap. Arg-m. Lach.
Scil.

slimy :—Bor. Calc-c. Chin. KaH-
bi. Lyc. Mag-c. Nat-m. Par.
Pho. Pul.

stain, indelibly :—Bur-p. Merc.
Sil.

tarry :—Lept. Mag-c. Nux-m.
Plat.

urinous odor :—Canth. Colo.
Nit-ac. Urt-u.

watery, thin :—Ars. Asaf. Caus.
Cham. Crot-h. Cup. Gamb.
Grap. Grat. Iris. Merc. Nat-s.

Pho. Pod. Rhus-t. Sabi. Sec-c.
Sil. Sul. Ver-a.

Comp. Moistness.

SENSES, SPECIAL, DULLED:—

Bell. Calc-c. Caus. Gel. Hyo.
Lyc. Merc. Nat-m. Nit-ac.
Pho. PUL. Sil. Sul.

Comp. Numbness.

SENSITIVE, also to noise, light,
odors, pain, touch, trifles, etc.:
—Aco. Amb. Arn. Ars. Asaf.
Aur. BELL. Cham. CHIN.
Cof. Colch. Cup. Fer. Hep. Ign.
LACH. Mag-c. Mar. Merc.
Nit-ac. NUX-V. Pho. Sep.
Sil. Ther. Zin.

Comp. Jarring.

SEPARATED, as if:—Arg-n. Calc-
p. Dul. Psor. Sep. Tril.

SEPSIS. see Blood, Heart, Circula-
tion and Pulse.

SEVERE PAIN. see Tearing.

SEXUAL DISTURBANCES:—Ag-
c. Bar-c. Calc-c. CANTH.
Chin. Con. Grap. Lil-t. LYC.
Nux-v. PHO. Pho-ac. Pic-ac.
Plat. Sele. Stap. Stram. Sul.

SEWING. see Fingers.

SHAKING. see Spasmodic.

SHATTERED or flying into pieces,
explosions, etc., as if:—Æth.
Ars. Bell. Bry. Carb-a. Cof.
Dig. Glo. Mur-ac. Nit-ac. Nux-
v. PUL. RHUS-T. Sil. Stan.
Stap. Sul. Ver-a.

Comp. Bursting.

SHOCKS through body:—Amb.
Arg-m. Ars. Bell. Cic. Coccl.
Colch. Cup. Kre. Lyc. Nux-v.
Op. Thu. Ran-b. Sul. Ver-a.
Zin.

SHOOTING, darting, like lightn-
ing, quick pains, etc.:—Aco.
Agar. Alu. Arg-n. Ars. BELL.
Berb. Ciml. Colo. Dios. Fer.

Kali-c. Kalm. Lyc. Mag-p.
Nit-ac. Nux-v. Ox-ac. Pru-a.
Rhus-t. Sep. Spi. SUL. Zin.

SHORT, as if too:—Alu. Am-c.
Caus. Colo. Dios. Grap. Guai.
Lach. Nat-m. Nux-v. Rhus-t.
Sep. Syph.

Comp. Lying Bent.

SHUDDERING, nervous:—Aco.
Am-m. ARN. Bell. Ciml. Cina.
Coccl. Gel. Glo. Ign. Led.
Mez. Nat-m. NUX-V. Pul.
Rhus-t. Sep. Sil. Spi.

SIDE, lain on, pain goes to:—Ars.
Bry. Calc-c. Kali-c. Merc. Pho-
ac. PUL. Sep. Sil.

not lain on, pain goes to:—Bry.
Cup. Flu-ac. Grap. Ign. Kali-
bi. Pul. Rhus-t.

right:—Ap. BELL. Bry.
CALC-C. Canth. Chel. Colo.
Gel. Iris. LYC. Nux-v. Pul.
Rum. Sang. Sil. Tarn.

to left:—Aco. Amb. Am-c.
Ap. Bell. Calc-p. Caus. Chel.
Cup. Lil-t. LYC. Merc-i-f.
Pho. Rum. Sab. Sang.
Sul-ac. Ver-a.

left:—ASAF. Calc-f. Cina.
Clem. Euphor. LACH. Lil-t.
Mez. Pho. Rhus-t. Scil. SEP.
Spi. Stan. SUL. Thu.

to right:—Brom. Calc-c. Cep.
Fer. LACH. Merc-i-r. Nux-
m. Pul. Rhus-t. Saba. Stan.
Tarr.

SINKING. see Empty.

down. see Falling.

sensation:—Alu. Bry. Dul. Glo.
Kali-c. Lach. Lyc. Nat-m.
Pho. Rhus-t. Tab. Xanth.

through floor:—Hyo. Pho.

SIT, inclines to:—Chin. Con.
Grap. Nux-v. Pho. Soil.

as of a. see Valve, and Coated.

SLIDES DOWN IN BED :—Ars. Bap. Colch. Mur-ac.

SORENESS, bruised smarting, etc. :—Ap. ARN. Aur. Bap. Bell. BRY. Canth. Carb-v. Caus. Chin. Cimi. Con. EUP-P. Gel. Hep. Lach. Nit-ac. NUX-V. Pho. Phyt. Pul. Pyro. Ran-b. RHUS-T. RUT. SIL. Sul.

Comp. Rawness.

glands :—Con.

internally :—Bels. Cann. Pul.

joints :—Arg-m. Aur. Pul. Sul.

pains, after :—Chin. Gel. Glo. Grap. Plat. Sele.

SOURNESS :—CALC-C. Chin. Hep. Lye. Mag-c. Merc. Nat-c. Nat-m. Nat-p. NUX-V. Pho. Pul. Rhe. Sep. Sil. SUL. Sul-ac.

SPASMODIC OR CONVULSIVE EFFECTS, twitchings, jerks, etc. :—Agar. Amb. Ars. BELL. Calc-c. Cam. Caus. Cham. Chin. Cie. Cimi. Cina. CUP. HYO. Ign. Ip. KALI-C. LACH. Mez. Nux-v. Op. Plat. Plb. Pul. Sil. STAN. STRAM. Sul. Thu. Ver-v. ZIN.

Comp. Paroxysms.

during sleep :—Ars. BELL. Kali-c. Sep. Sil. Sul.

SPEECH, affected :—Bell. Caus. Crot-c. Gel. Glo. Hyo. Kali-bro. LACH. Lye. Merc. Nat-c. Nat-m. Nux-m. Nux-v. Pho. Stan. STRAM.

SPLASHING. see Swashing.

SPLINTER. see Fine.

SPOTS, pain etc., in :—Agar. Alu. Arg-m. Ars. Berb. Buf.

Calc-p. Caus. Cist. Colch. Con. Flu-ac. Hep. Ign. KALI-BI. LACH. Lil-t. Nat-m. Nux-m. Ol-an. Ox-ac. Pho. Rhus-t. Sele. Sep. Sil. SUL. Thu. Zin. Comp. Mottled.

SPRAINED. see p. 11.

SQUEEZING. see Constriction.

STARTS. see Spasmodic.

STICKING, fine, splinter-like. see Fine.

STICKY, stringy, etc. :—Arg-n. Bov. Bry. Caus. Croc. Grap. Hyds. KALI-BI. Kali-c. Kali-m. Lach. Lye. Myr. Nat-m. Pho. Pul. Rum. Stan. Sul-ac. Thu. Ver-a.

Comp. Adhesive.

STIFFENING OUT (of body) :—Ang. Cam. Cina. Cup. Ign. Ip. Stram.

STIFFNESS :—Ap. Bell. Bry. Lach. Led. Lye. Nux-v. Caus. Chel. Dul. Kalm. RHUS-T. Sep. Sil. Sul.

STINGING :—Aco. AP. Ars. Berb. Kali-c. Lye. Nit-ac. Pho. Pul. Sep. SIL. Sul.

Comp. Burning Stinging.

STITCHES :—Aco. Ars. Bell. Berb. Bor. BRY. Caus. Colch. KALI-C. Merc. Nit-ac. Pul. Ran-b. Rhus-t. Sep. Sil. Spl. SUL.

burning, in muscles :—Ap. Asaf. Coccl. Glo. Mez. Nux-v. Rhus-t. Stap. Sul-ac. Thu.

crawling :—Arn.

glands, in :—Ign. Merc. Pul.

jerky :—Cina. Nux-v.

joints, in :—Ap. Colch. Hell. Kali-c. Mang. Merc. Rhus-t. Sil. Tarx. Thu.

needles, splinters, etc., as from. see Fine.

pressive, in muscles :—Sars.
tensive :—Spi.

STRANGLING, stifling pain :—
Sul.

STRETCH, impulse to :—Alu. Ars.
Bry. Carb-v. CAUS. Cham.
Grap. Lyc. NUX-V. Pul.
Rhus-t. Rut. Scil. Zin.

STRETCHES, twists, turns :—Alu.
Bell. Calc-c. Chel. Cina. Ign.
Nux-v. Rhus-t. Sul.
Comp. Stiffening Out.

STRINGY. see Sticky.

SUN OR RADIATED HEAT. see
Heat.

SUPPRESSIONS. see Discharges.

SUPPURATION.—Arn. Ars-io.
Calc-c. Calc-s. Calen. HEP.
Kali-s. Lach. Lyc. MERC.
Pho. Pyro. SIL. Sul. Tarn.

bones :—Pul. Sil.

fibrinous parts of :—Mez.

glands :—Bell. Carb-a. Dul.
Hep. Lyc. Merc. Nit-ac. Rhus-t.
Sil. Sul.

pus, excessive :—Asaf. Hep.
Merc. Pul. Sep. Sul.

scanty :—Hep. Lach. Sil.

tenacious :—Con. Kali-bi.

thin :—Asaf. Caus. Merc.
Sil. Sul.

unhealthy :—Asaf. Hep. Merc.
Pho. Sil.

watery :—Asaf. Merc. Sil.

SWASHING, splashing, etc., as
of water :—Ars. Bell. Carb-ac.
Carb-a. Chin. Cro-t. Dig. Glo.
Hep. Hyo. Kali-c. Pho-ac.
Rhus-t. Spi.

Comp. Gushing, Loose.

SWELLED, enlarged, as if :—Aco.
Alu. ARAN. ARG-N. Bap.
Bell. Coccl. Gel. Glo. Ign.

Nux-v. Par. Pul. Ran-b.
Rhus-t. Spi.

SWELLING :—Aco. Ap. Ars. Bar-c.
Bell. Bry. Calc-c. Cham. Grap.
Hep. Lach. Led. Lyc. MERC.
Nit-ac. Pho. Pul. Rhus-t.
SIL. SUL.

cold :—Asaf. Coccl. Dul. Merc.
Sul.

cord, like :—Dul. Iod. Rhus-t.
glands :—Calc-c. Merc. Sil. Sul.
hard :—Tarn.

pale :—Bar-c. Bry. Lach. Lyc.
Rhus-t. Sul.

saccular :—Kali-c. Rhus-t.

SYCOSIS :—Ap. Ars. Calc-c.
Grap. Med. Nat-s. Nit-ac.
Pho-ac. Sabi. Sele. Sep. Thu.

Comp. Fungus Growth.

SYPHILIS :—Am-c. Carb-a. Cin-
nab. Merc. Thu.

TEARING, very severe pain :—
Aco. Anac. Arn. Ars. Bell.
Bry. Calc-c. Caps. Carb-v.
Caus. Cham. Chin. Colch. Con.
Kali-c. Lyc. Merc. Nat-c.
Nit-ac. Nux-v. Plat. Pul. Rhod.
RHUS-T. Sep. Sil. Stap. Stro.
Xanth. Zin.

Comp. Drawing.

glands, in :—Chin.

joints, in :—Arn. Chin. Fer.
Guai. Hell. Hep. Merc. Old.
Pul. RHUS-T. Stro.

paralytic :—Carb-v. Chin. Kali-
c. Stap.

pressive :—Carb-v. Stan.

stitching, prickling :—Anac.
Calc-c. Colch. Guai. Led.
Mang. Merc. Pul. Stap. Thu.
Zin.

twitching, jerking :—Chin. Pul.

TEMPERATURE, high, hyper-
pyrexia :—Bap. Chin-ars. Iod.
Pho.

TENDONS. see *Fibrous Tissue.*

TENESMUS. see *Pressing.*

TENSION, tightness :—Bry. Caus. Lyc.
Lyc. Nat-m. Nux-v. PHO.
PUL. RHUS-T. Sul. Vio-o.

glands, in :—Pho.

joints, in :—Bry. Caus. Lyc.
Nat-m. Pul. Seneg. Sep. Sul.

THICK, discharges, etc. :—Arg-m.
Ars. Calc-c. Calc-s. Carb-v.
Con. Croc. Dul. Hyds. Kali-bi.
Merc. PUL. Sil. Sul.

THROBBING, pulsating :—Aco.
BELL. Bry. Calc-c. Chin. Fer.
GLO. Lach. Nat-m. Pho.
PUL. Sep. Sil. Sul.

blood-vessels, in :—Bell. Glo.

glands, in :—Con. Merc.

painful :—Aco. Am-m. Bell. Fer.
Ign. Sep.

universal, all over :—Alu. Ant-t.
Bell. Calc-c. Carb-v. Fer. GLO.
Grap. Kali-c. Kre. Lach. Nat-
m. PHO. PUL. Sang. Sep. Sil.
Zin.

THINNESS, spare habit :—Arg-n.
Calc-p. Nux-v. Pho. Sec-c.
Sul.

THRUSTS, stings, etc. :—Ap. Arn.
Cina. Plat. Rut. Sul-ac. Thu.

TICKLING, (itching) internal :—
Amb. Caus. Cham. Con. Fer.
Hyo. IOD. Ip. Kali-c. Lach.
Nat-m. NUX-V. PHO. Rum.
Sang. Sep. Stan. Sul.

TINGLING. see *Itching.*

TORN loose. see *Adhesive.*

to pieces. see *Shattered.*

out feeling :—Alu. Bry. Calc-c.
Elaps. Pru-s. Rhus-t.

TORPID :—Asaf. Dros. Led.

TOUCH. see *Sensitive.*

TOUGH. see *Sticky.*

TREMBLING :—Agar. Arg-n. Ars.
Calc-c. Cic. Cimi. Crot-h.
Gel. Grap. Iod. Lil-t. Merc.
NUX-V. Op. Pul. Rhus-t.
Stap. Stram. Stro. Sul-ac. Zin.

TRICKLING, dropping or flowing,
as of water :—Arg-n. Cann.
Caus. Glo. Kali-bi. Nat-m.
Rhus-t. Sep. Stan. Tarn. Thu.
Ver-a.

TRIFLES. see *Sensitive.*

TUGGING, pulling, etc. see
Drawing.

TURNING OVER. see *Rolling
Over.*

TWINGES, nips, etc. :—Am-m.
Laur. Mos. Plb.

TWISTING :—Ars. Bell. Calc-c.
Cina. Coloc. DIOS. Ign. Nux-
v. Rhus-t. Sil. VER-A.

TWITCHING. see *Spasmodic.*

TYPHOID STATES. see *Blood and
Sepsis.*

ULCERATION :—ARS. Asaf. Calc-c.
Carb-v. Caus. Hep. Kali-bi.
Lach. Lyc. MERC. Nit-ac.
PUL. Rhus-t. Sep. SIL. Sul.

areola, edge, etc. :—Ars. Asaf.
Hep. Lach. Lyc. Merc. Pul.
SIL

elevated :—Ars. Merc. SIL.

eruptions, pimples, etc., in :—
Carb-v. Hep. Lach.

hard :—Flu-ac. Grap. Sil.

atonic :—Ars. Lach. Sil. Sul.

bedsores :—Arn. Flu-ac. Sul-ac.

deep, perforating, etc. :—
Calc-c. Kali-bi. Kali-c. Nit-ac.
Pul. Sil.

dirty :—Lach. Merc. Nit-ac.

pain, as of. see *Gnawing.*

painful :—Ars. Carb-v. Grap.
Hep. Sabi. Sil.

painless, indolent :—Carb-v. Op.
Pho-ac. Sul.

shallow, flat :—Ars. Lach. Lyc.
Merc. Nit-ac. Thu.

swelled :—Merc. Rhus-t. Sep.
Sil.

VALVE, leaf, skin, as of a :—
Alu. Ant-t. Bar-c. Ferr. Iod.
Kali-c. Kali-io. Lach. Mang.
Pho. Saba. Spo. Thu.

Comp. Opening and
Shutting, and Plug.

VAPOR, smoke, fumes, etc., as
of :—Ap. ARS. Bar-c. Brom.
Chin. Ign. Lyc. Pul. Ver-a.

Comp. Dust.

VENOSITY :—Carb-v. Pul. Sul.

VIBRATION, fluttering, etc. :—
Am-c. Bell. Carb-v. Cimi. Glo.
Melil. Sang. Sep. Sul.

Comp. Humming, Quivering.

VICARIOUS. see Discharges.

VIGOR, sense of :—Op. Pho. Psor.

VIOLENT EFFECTS :—Aco. Alu.
Anac. Ars. BELL. Bry. Canth.
Carb-v. CHAM. Cup. Glo.
Hep. Hyo. Ign. Iod. Lach.
Merc. NUX-V. STRAM. Sul.
Tarn. Ver-a.

WALK, impulse to :—Aco. Arg-n.
Ars. Bur-p. Fer. Flu-ac. Kali-
io. Lil-t. Lyc. Mag-c. Merc.
Pho. Sep. Thu.

Comp. Motion, Amel.

learns to, tardily :—Calc-c. Sil.
Sul.

WANDERING, shifting pains :—
Arn. Berb. Caul. Cimi. Colch.
KALI-BI. Kali-s. Kalm. Lac-c.
Led. Mag-p. Nux-m. PUL.
Rhod. Sil.

Comp. Here and There.

WARM WET. see Humid.

WARMTH, sense of :—Cann. Cof.
Sul-ac.

WASHING, averse to :—Am-c.
Ant-c. Calc-c. Clem. Nit-ac.
Rhus-t. Sep. Spi. Sul.

WATER. see Dampness.

WATERY. see Moistness.

WAVES, flushes, orgasms, fluctu-
ations, etc. :—Amy-n. Aur.
Bell. Calc-c. Fer. Gel. Glo.
LACH. MELIL. Nux-v. Pho.
Sang. SEP. Stro. Sul. Sul-ac.

Comp. Alternations, As-
cending and Floating.

WEAK, feeble, etc. :—Aco. Alu.
Ant-t. Arn. ARS. Bap. Bar-c.
Bry. Calc-c. Calc-p. CARB-V.
Caus. Chin. Coccl. Cup. Fer.
GEL. Grap. Hep. Ign. Iod.
Ip. Kali-c. Kali-p. Lyc. Nat-c.
Nat-m. Nit-ac. Nux-v. PHO.
Pho-ac. Rhus-t. Sele. Sep. Sil.
Stan. Stap. Sul. VER-A.

in acute diseases :—Æth. Ant-t.
Ap. Ars. Gel. Merc-cy. Mur-
ac. Ver-a.

in A. M. :—Carb-v. Lach. Lyc.
Sep. Stap.

11 A. M. :—Pho. Sep. SUL.

internally. see Empty.

joints :—Aco. Arn. Calc-c.
Kali-c. Lyc. Merc. Rhus-t.
Sep. Sul.

paralytic :—Chin. Fer. Sul.

sickness, after ; debility, etc. :
—Chin. Psor. Ver-a.

suddenly. see Collapse.

WEARINESS :—Cann. Croc. Pul.

WEIGHT, as of a heavy :—Aco.
Ars. Bar-c. Bell. BKY. Cact.
Diss. Lach. Nux-m. NUX-V.
Petr. PHO. Pul. Sep. Zin.

WELL, unusually, then Agg. :—
Bry. Nux-v. Pho. Psor. Sep.

WHITENESS :—Ant-t. Ars. CALC.
C. Carb-v. Chel. Chin. Cina.
Dig. Fer. Grap. Kali-m.
LAC-C. MERC. Nat-m. Pho.
Pho-ac. Pul. Sep. Sul. Ver-a.

WIND, DRAFT, AIR BLOWING on
part, through a hole, etc., as
of :—Aur. Cam. Chel. Coral.
Culex. FLU-AC. Helod. HEP.
Lac-d. Lil-t. Sul.

WRITING. see *Fingers*.

YELLOW :—Aco. Ars. Bry. Calc-c.
Cham. CHEL. Chin. Con.
Crot-h. Eup-p. Fer. Hyds.
Iris. Kali-bi. Kali-c. Lach.
LYC. MERC. Nit-ac. Nux-v.
Pho. Plb. Pod. PUL. SEP.
Sul.

golden, bright or orange :—
Æth. Alo. Alu. Card-m.
CHEL. Cina. Colch. Kali-c.
Kali-p. Merc. NUX-M. Pho.
Sang. SUL-AC.

INTELLECT.

ACO. Anac. Aur. Bapt. BAR-C.
BELL. Cann. Coccl. HELL.
HYO. Ign. LACH. Laur. LYC.
Merc. Nat-c. Nux-v. OP. PHO.
PHO-AC. Plat. Pul. Rhus-t.
SEP. STRAM. Sul. VER-A.

MIND.

MIND :—Aco. Ars. Aur. BELL.
Bry. Calc-c. Cham. Chin.
HYO. Ign. LACH. Lil-t. Lyc.
Nat-c. Nat-m. NUX-V. Op.
Pho. Pho-ac. Plat. PUL. Sep.
STRAM. Sul. Ver-a.

ABSENCE OF, abstracted, etc. :—
Aco. Ap. Asar. CAUS. CHAM.
Laur. Old. Plat. PUL. SEP.
Sul.

ABUSIVE, scolding, quarrel-
some :—Aur. CHAM. Hyo.
Ign. LYC. NUX-V. Ran-b.

ACTIVE, acute :—COF. OP.

ALTERNATIONS :—Alu. Aur. Bell.
Croc. Con. Fer. IGN. NUX-
M. Plat. Stram. Sul-ac. Val.
Ver-a. Zin.

mental with physical :—Ign.
Lil-t. Plat.

nervous with physical :—Saba.
Comp. Changing.

AMATIVE, erotic, amorous, etc. :
—Ag-c. Cauth. HYO. Lach.
Lyc. Pho. Plat. Ver-a.

ANGER, irritability, fretfulness,
bad temper, vexation, etc. :—
Aco. Ant-c. Aru-t. Aur. Bry.
Calc-c. CHAM. Cina. Colo. Ign.
Iod. LYC. Nat-m. Nit-ac.
NUX-V. Pho. Sep. Stap. Sul.

Comp. Emotions.

ANGUISH :—Aco. ARS. Aur. Dig.
Lach. Stram. Ver-a.

ANIMATION, vivacity, cheerfulness,
exaltation :—Aur. Bell.
CANN. COF. Croc. Hyo.
Nat-c. Op. Plat. Spo. Stram.

ANSWERS, slow :—Gel. Pho-ac.
Thu. Zin.

ANTHROPOPHOBIA, bashful, shy,
etc. :—Amb. Anac. BAR-C.
Coccl. Hyo. Kali-p. Lyc. Nat-
m. PUL. Sil.

Comp. Company, Cowardly.

ANTICIPATIONS :—Arg-n. Ars.
Carb-v. Gel. Lyc. Med. Plb.
Pho-ac. Sil.

ANXIETY. see *Fearsome*.

APATHY. see *Inactive*.

APPROACHED. see *Touched*.

AVARICIOUS, greedy, miserly :—
Lyc. Pul. Sul.

AVERSION to his own :—Crot-h.
Flu-ac. Lyc. Pho. Sep.

AWAKING, Agg.:—Calc-c. LACH.
Lyc. STRAM. Zin.

Comp. Sleep, Waking.

BAD PART, takes everything in :
—Nux-v. Pul.

BESIDE HIMSELF, frantic, mad-
ness from pain, etc.:—ACO.
Ars. CHAM. Cof. Lyc. Nux-v.

Comp. Sensations.

BEWILDERED, dazed, things
look strange, loss of sense
of location, etc.:—Arg-n. Bap.
Bry. Calc-c. Cann. Coccl.
Crot-h. Flu-ac. GLO. Grap.
Hell. Hyo. Nux-m. Op. Petr.
Plat. Sep. Sil. Stram. Tub.
Val.

Comp. Confusion.

BITE, impulse to :—Bell. Phyt.
Pod.

BOLDNESS, daring :—Ign. Op.

CARE AND WORRY:—Con. Pho-
ac. Pul.

CAUTION:—Ign. Nux-v. PUL.
Ver-a.

CHANGING MOODS, erratic, fit-
ful, moody, capricious :—Aco.
ALU. Amb. Croc. FER. Grap.
IGN. LACH. Nux-m. PLAT.
PUL. Stram. SUL-AC. Tarn.
Val. ZIN.

Comp. Alternations.

CLAIRVOYANCE:—Aco. Nux-m.
Pho.

COMPLAINING, lamenting :—Cof.
Ver-a.

CONFUSION, incoherence, muddl-
ed, etc.:—BELL. Bry. CALC-
C. Caps. Gel. HYO. Lye.
Nux-v. PHO. PHO-AC.
RHUS-T. Sep. Stram. Ver-a.

Comp. Bewildered.

CONTRADICTION, Agg.:—Asar.
Fer. Ign. Lyc. Nux-v. Sep.

CONTRARINESS:—Anac. Ant-c.
Ant-t. Ars. Bry. CHAM.
Kali-c. Nux-v.

Comp. Discontent.

COWARDLY:—Bar-c. Gel. Pul.
Sil. STRAM.

Comp. Anthropophobia.

CRITICAL, exacting :—Ars. Lyc.
Sil. Sul.

CRUELTY:—Kali-io.

DEATH, fears :—ACO. Ars. Gel.
Plat.

wants :—Aur. Lac-c. Lach. Sep.

DECEIT, duplicity, lying, tricky,
etc.:—Buf. Merc. Op. Plb.
Tarn. Ver-a.

DELIRIUM:—Aco. Agar. BELL.
Cup. Dul. HYO. Lach. Nux-v.
Op. STRAM. VER-A.

anxious :—Aco. Ap. Stram.

foolish :—Bell. Stram. Sul.

frightful visions, with :—Bell.
Calc-c. Stram.

maniacal, furibund, wild,
raving :—Aco. Ars. BELL.
Bry. HYO. Stram. VER-A.

tremens :—Cimi. Hyo. Op.
Stram.

Comp. Perception, Changed.

DELUSIONS. see Perception,
Changed.

DESPAIR, hopelessness :—Aco.
Ars. Aur. Calc-c. Ign. Lyc.
PSOK. Ver-a.

DISEASE, fears :—Arn. Ca c-c.
Kali-c. Lac-c. Lil-t. Nux-v.
Pho. Sele.

DISCONTENT:—Bism. Cham. PUL.
Sul. Tub.

DISTRACTION, can't collect

ideas ; scattered thoughts :—
Aco. Alu. Am-c. Anac. Ang.
Coccl. Hell. Lach. Nat-c. Old.
Pho-ac. Sul. Zin.

DULL, dim, dazed, beclouded,
stupefied, difficult, compre-
hension :—Ail. Ant-t. Arn.
Bap. Bar-c. BELL. Bry.
CALC-C. GEL. Glo. Hell.
HYO. LAUR. LYC. NAT-C.
Nux-m. NUX-V. Old. OP.
Petr. PHO-AC. Pul. RHUS-
T. SEP. SIL. STRAM. Sul.
Ver-a.

Comp. Indifference.

ECSTATIC. see *Reverie*.

ESCAPE, impulse to :— Bell.
Bry. Cup. Hyo. Nux-v. Op.

EXCITEMENT. see *Nerves*.

FATIGUE, mental :—Bell. Calc-c.
Lach. Nat-c. Nux-v. Psor. Pul.
Sul.

FEARSOME, anxious, fright,
etc. —ACO Arg-n. ARS. Bor.
Bry. Calc-c. Carb-v. Gel.
Grap. Hyo. Ign. Lyc. Nat-m.
Nit-ac. Nux-v. Op. i HO. Pul.
Rhus-t. Spo. Stram. Sul.
Ver-a.

animals, dogs, etc. :—Tub.

crowds :—Aco. Arg-n. Aur.
Gel. Nat-m. Pul.

dark :—Cam. Cann. STRAM.
Val.

falling :—Bor. Gel.

frightened or startled easily :—
Aco. Arn. Coccl. IGN. Lyc.
Nat-m. Petr. Pho. Stram.

future, death, misfortune, evil
forebodings, presentiments,
etc., dread of :—ACO. ARS.
CALC-C. Caus. Cham. Chi-s.
Cimi. Dig. Grap. Lil-t. Merc.
Nat-m. Nux-v. Pho. Plat.
PSOR. PUL. Thu. Ver-a.

ghosts, of :—Carb-v. Pho.
Stram.

glistening objects :—Stram.

ordeals, dread of :—Arg-n. Arn.
Gel.

robbers :—Ars. Nat-m.

thunder :—Nat-c. Pho.

FOOLISH, childish, silly, imbe-
cile :—ANAC. BAR-C. BELL.
Buf. HYO. NAT-C. PHO-AC.

FORSAKEN, lonely :—Aur. Bar-
c. Calc-c. Men. Plat.

GENTLE. see *Timid*.

GRIEF :—Caus. IGN. Lach. Lyc.
Nat-m. Pho-ac. Pul. Stap.

HOMESICK :—Bry. OAPS. Carb-a.
Hyo. IGN. Merc. Pho-ac. Sil.

HOWLING :—Aco. Arn. Bell.
Cham. Cic.

HURRY, impatience :—Alu. Ap.
Arg-n. ARS. BELL. Cham.
HEP. Hyo. IGN. Ip. Lach.
Lil-t. Med. Mere. Nat-m. NUX-
V. Stram. Sul. Sul-ac. Tarn.
Ver-a.

Comp. Motion, Rapid, Amel.

HYPOCHONDRIA :—Ars. AUR.
Con. Ign. Nat-c. Nat-m.
NUX-V. Plat. PUL. Sep. Stan.
Sul. Val.

HYSTERIA :—Asaf. Aur. Con.
IGN. Mos. Nux-m. Nux-v.
Pul. Sul. Val.

IMAGINATIONS, illusions, fancies,
etc. :—Aco. Anac. BELL.
Calc-c. Cann. COCCL. Hyo.
Ign. Lac-c. Op. PHO-AC.
Plat. SABA. STRAM. SUL.
Thu.

sensory :—Rhus-t. Thu.

voices, of :—Aco. Chlor-hydr.
Stram.

IMPULSES, horrid :—Alu. Ars.
Caus. Iod. Lach. Merc.

IMPULSIVE, emotional :—Croc.
Cup. IGN. PUL.

INDIFFERENCE :—Ap. Arn. Ars.
Bapt. CALC-C. Carb-v. Chin.
Con. Gel. HELL. Ign. Nat-c.
Nat-m. Op. PHO. PHO-AC.
Plat. PUL. SEP. Sul.

Comp. Dull and Inactive,

Placid.

INDOLENT, sluggish, slovenly,
dirty :—Bor. Caps. Chel. Grap.
Lach. Merc. Nux-v. Pho.
Psor. Sep. SUL.

Comp. Slowness and Motion.

INSANITY :—BELL. Cup. HYO.
Op. STRAM. VER-A.

dreads :—Alu. Calc-c. Cann.
Cimi. Kali-br. Lil-t.

females, of :—Aco. Bell. Plat.
Pul. Stram. Ver-a.

INSENSIBLE, unconscious, etc. :—
Ars. Bapt. BELL. Cup. HYO.
Nat-m. OP. PHO-AC.
STRAM.

Comp. Numbness.

INTOXICATION :—Caps. Gel. Lach.
NUX-V. Op. Ran-b.

INTROSPECTIVE :—Pul.

JEALOUSY :—Ap. HYO. Lach.

JESTS, jokes :—Caps. Hyo.

JOYOUS :—Aco. Col. Croc. Op.

LAUGHTER :—Bell. Croc. Hyo.
Stram.

LAZINESS :—Ars. Caps. Chin.
Lach. Nat-c. Nat-m. Nux-v.
Sep. Sul.

LEARNS, with difficulty :—Ag-c.
Anac. Ars. Bar-c. Calc-c. Calc-
p. Caus. Con. Nat-m. Old. Pho.
Pho-ac.

easily :—Cam. Col. Lac. Pho.
Piat.

LOOKED AT, Agg. :—ANT-C.
Ant-t. Ars. Cham. Cina. Nat-
m. Pul.

LOQUACITY :—Agar. Cimi. Hyo.
LACH. Pod. Pyro. Stram.
Ver-a.

LOVE pangs :—Am-c. Hyo. Ign.
Pho-ac.

MALICE, hatred :—ANAC. Cham.
Cup. Lyc. Nat-m. Nit-ac.
NUX-V. Tarn.

MANIA. see Delirium.

MELANCHOLY :—Ars. Grap. Pul.
Lach.

MEMORIES, disagreeable, recur :—
Amb. Am-c. Calc-c. Cham.
Hep. Hyo. Lyc. Nat-m. Nit-ac.
Pho. Psor. Sep. Sul. Thu.

MEMORY :—ANAC. Arn. Aur.
Bar-c. Bell. Calc-c. Cann. Con.
Hell. HYO. Lach. LYC. Merc.
NAT-M. NUX-M. Op. Pho-ac.
Stap. Sul.

active :—BELL.

bad :—Aco. Ag-c. ANAC. Arg-m.
Arg-n. Ars. Bar-c. BELL.
CALC-C. Con. Guai. Hyo.
Kali-br. Kali-p. Lach. Laur.
Lyc. Merc. Nux-m. Petr. Pho.
Sep. Stap. VER-A. Zin.

lost :—BELL. HYO. VER-A.

MENSES, Agg. :—Nat-m. Stan.
Stram.

MISTAKES, of speech, etc. :—Alu.
Calc-c. Chin. Grap. Hep. Lac-
c. LYC. Nat-c. Nat-m. Nux-v.
Sep. Thu.

MOANING, groaning :—Bry. Cham.
Grap.

MORAL PERVERSIONS :—Anac.
BELL. Buf. HYO. Nux-v.
Op. Pho-ac. Plat. STRAM.
Tarn. VER-A

MOROSE AND SULLEN :—NUX-
V. Pul. Sang. Sil.

- MUTTERING** :—Hyo. Mur-ac. **SADNESS**, low spirits, melancholy, etc. :—Aco. Ars. AUR. Carb-a. Chin. Grap. IGN. Lach. Lyc. Nat-c. NAT-M. Nit-ac. Psor. PUL. Stan. Sul. Syph.
- STRAM.**
- NOISY** :—BELL.
- OBTUSE**. see Dull.
- OFFENSE**, takes :—Ars. Calc-c. Lyc. Nux-v. Plat. Pul. Stap.
- PEEVISH** :—Aco. Ant-c. Calc-c. Cham. CIN. A. Lyc. Sul.
- PERSECUTED**, as if :—Chin. Dros.
- PERSEVERE**, can't :—Alu. Lac-c. Lach. Nux-v. Sil. Sul.
- PLACID**, tranquil :—Ap. Arn. Chin. Hell. Op. Pho. PHO-AC. SEP. Stap. Sul.
- POISON**, fears :—Hyo. Kali-br. Lach. Rhus-t.
- POMPOUS**, important :—Bell. Cup. Lyc. Pho. PLAT. Ver-a.
- PRAYING** :—Stram.
- PRIDE**, arrogance :—Lil-t. PLAT. Sul. Ver-a.
- PROFANITY** :—ANAC. Lil-t. Lyc. Nit-ac. Stram. Tarn. Ver-a.
- ELIGICUS IDEAS** :—Hyo. Lach. Lyc. Pul. Stram. Sul. VER-A.
- REMORSE**, sense of guilt :—Ars. Chel. Coccl. Croc. Dig. Hyo. Med. VER-A.
- REPROACHES** :—Aco. ARS. NUX-V.
- REPUGNANCE** to everything :—Ant-c. Merc. Pul.
- RESTLESSNESS**, anxious :—ARS. Calc-c. Cimi. Iod. Merc. Pho. Tarn.
- Comp. Generalities.
- REVENGEFUL**, spiteful :—Calc-c. Lach. Nit-ac. Nux-v.
- REVERIE**, ecstasy, dreaminess :—CO. Agar. Amb. Ant-c. Cann. Lach. Nux-m. Old. OP. PHO. Sep. Ver-a.
- SENSITIVE**. see Generalities.
- SHRIEKS**, cries, screams :—AP. BELL. Bor. Calc-c. Cham. Cic. Cina. Cup. Glo. Ign. Ly Mag-p. Pho. Plat. Pul. Stram. Syph. Ver-a. Ver-v. Zin.
- cough, Agg. :—Arn. Bell. Cina.
- SIGHS**, groans, takes deep breaths, etc. :—Arg-n. Cimi. IGN.
- SINGING** :—Hyo. Spo. STRAM.
- SLOWNESS** :—BAR-C. Bry. Carb-v. Con. HELL. Pho-ac. Pul. SUL.
- Comp. Indolent.
- SORROW** :—Aco. IGN. Nat-m. Pho-ac. Pul. Stap.
- SPEECH**. see Generalities.
- STARTLED EASILY**. see sensitive.
- STRANGE**. see Bewildered.
- STUBBORN**, obstinate :—Alu. Bell. BRY. Calc-c. Cham. Chin. Kre. NUX-V. Sil.
- SUICIDAL IMPULSES**, weary of life, etc. :—ARS. AUR. Chin. Dros. Lach. Merc. Nat-s. Nit-ac. Nux-v. Psor. Pul. Thu. Tub.
- SUSPICIOUS**, distrustful :—Aco. Anac. Ars. BAR-C. CAUS. CIC. Cimi. Hyo. Lach. LYC. Merc. Nux-v. PUL. Stram. Sul.
- Comp. Fearsome.
- TACITURN**, silent, reticent :—Ars. Bell. Bry. Hell. Ign.

MUR-AC. PHO-AC. Pul.
Stan. Thu. Ver-a. ZIN.

THINKING, difficult :—Anac.
Bapt. Con. Gel. Lyc. Nat-c.
NUX-M. NUX-V. Old. Op.
Pho. PHO-AC. Pic-ac. Sep.
Zin.

fixed ideas :—Anac. Chin.
Saba. Sul. Thu.

strange ideas :—Arg-n.

TIMID, shy, wild :—Bar-c. Coccl.
Grap. Ign. Kali-n. Kali-p. Lyc.
Nat-c. Petr. PUL. Sil. Sul.

TOUCHED, or approached, averse
to or fears being :—ANT-C.
Arn. CHAM. Cina. Con. Cup.
Ign. Lyc.

TRIFLES, seem important :—
Ars. Calc-c. Caus. Grap. Hep.
Ign. Nat-m. Nux-v. Sil. Thu.

Agg. :—Ars. CHAM. Cina.
Hep. Ign. Nit-ac. NUX-V.
SIL.

VACILLATING, wavering :—Ars.
Bar-c. Ign. Lyc. Nux-m. PUL.

WEAK, exhausted, relaxed, brain-
fag :—Anac. Bar-c. Lyc. Pho.
PHO-AC. Pic-ac. Plb. Stap.
Sul.

WEeping :—Æth. Ap. Aur.
Bell. CACT. Calc-c. Caus.
Cham. Grap. Ign. Lyc. Nat-m.
NUX-M. Plat. PUL. Rhus-t.
Sep. Sul. VER-A.

WHINING, whimpering :—Ant-t.
Carb-a. Cham. Cic. Cina.

WILD FEELING :—Amb. Cimi.
Lil-t.

WORD HUNTING :—Pho-ac. Plb.
Thu.

WORK, dread or dislike for :—
Arg-n. Carb-v. Chin. CON.
GRAP. Lach. NAT-M. Nux-v.
Ph o. Pul. Rhus-t. Sul.

Comp. Indolent.

VERTIGO.

Aco. BELL. BRY. Calc-c.
Chel. Coccl. Con. Fer. Gel.
Nat-m. NUX-V. Petr. PHO.
PUL. Rhus-t. Sil. Sul. Tab.

intoxicated, as if :—Gel. NUX-
V. Pul.

reeling :—Bell. Nux-v. Rhus-t.

whirling :—Nux-v.

ASCENDING, Agg. :—Calc-c.

DESCENDING, Agg. :—Bor. Gel.

FELT in forehead :—Pho. Sul.

vertex :—Calc-c. Chel. Scrop.

occiput :—Carb-v. Gel. Petr.
Sil. Zin.

LYING, Agg. :—Ap. Con. Pul.

RAISING UP, Agg. :—Aco. BRY.
Merc-i-f. Phyt. Ver-v. Vib.

SITTING, Agg. :—Ap. Pho. Pul.
Sul.

HEAD.

BELL. Bry. Calc-c. Carb-v.
Chin. Gel. Glo. Lach. Lyc.
Nat-m. Nux-v. Pho. Pul. Sep.
Sil. Spi. Sul.

MENINGES :—Bell. Bry. Canth.
Lyc. Zin.

DEEP IN :—Aco. Arg-n. Bov.
Calc-c. Dul. Lach. Nux-v. Pho
Sul. Tub.

CEREBRO-SPINAL AXIS :—Agar.
Arg-n. Chin. Coccl. Gel. Ign.
Nux-v. Pho

FOREHEAD :—Aco. Am-c. Arn.
Ars. BELL. Bry. Chin. Ign.
Lach. Lyc. Merc. Nat-m.
NUX-V. Pho. Phyt. Pms.
Pul. Sep. Sil. Spi. Sul. Thu.

upper :—Colo.

eyes, over :—Arn. Ars. Bai-c. Bell. Bism. Bry. Carb-v. Ced. Chel. Chi-s. Gel. Iris. Kali-bi. Lach. Lil-t. Lyc. Naj. Nat-m. Nux-v. Pho. Pul. Sang. Sil. Spi. Zin.

right :—Bell. Ced. Chel. Lyc. Nat-m. Pul. Sang. Sep. Syph.

left :—Ars. Bry. Fer. Kali-c. Nux-m. Sep. Spi.

arch, orbital :—Asaf. Aur. Cinn. Kali-bi. Merc. Mez.

root of nose :—Aco. Aru-t. Cup. Hyo. Ign. Kali-bi. Kali-io. Lach. Pul. Sang. Stap. Stict. Sul. Zin.

TEMPLES :—Anac. Arg-m. BELL. CHIN. Cyc. Glo. Kali-c. Kre. Nux-m. Par. Pho-ac. Plat. Pul. Rhus-t. Sabi. Thu. Verb. Zin.

ONE SIDED SYMPTOMS :—Alu. Anac. Arg-n. Ars. Asaf. Calc-c. Chin. Chi-s. Cof. Colo. Con. IRIS. Kali-c. Kali-io. NUX-V. Pho-ac. Plat. PSOR. Pul. SANG. Sars. Sep. Spi. Sul-ac. Verb. Zin.

begins on one, goes to and is Agg. on other :—Arg-n. Fer. Iris. Lac-c. LYC. Mang. Nat-m. Tub.

right :—BELL. Cact. Calc-c. Carb-v. Chel. IGN. Iris. Kalm. Lyc. Nat-c. Plat. Plb. Pru-s. Pul. Rhus-t. Saba. SANG. Sars. Sil.

left :—Arn. Ars. Asaf. Brom. Chi-s. Colo. Ip. Kali-c. Lach. Lil-t. Merc. Mur-ac. Naj. Nit-ac. Nux-m. Nux-v. Onos. Rhod. Sele. Sep. SPI. Sul.

alternating :—Agar. (O). Arg-n. (S). Bism. Hell. Hyper. (T). Iris. (F). Kali-c. (O). Lil-t. (F).

Lyc. (T). Nit-ac. Pho. (F). PSOR. Sep. (O). Sil. Sul. (T).

ears, over :—Merc. Pul.

VERTEX :—Cact. Calc-c. Calc-p. Carb-a. Caus. Cimi. Glo. Hypr. Lach. Lyc. Men. Nit-ac. Pho. Pho-ac. RAN-SC. SIL. SUL. VER-A.

across (ear to ear) :—Chel. Naj. Nit-ac. Pall. Phys. Sil.

OCCIPUT, nape and neck :—Bell. Bry. Calc-c. Carb-v. Chin. CIMI. GEL. Ign. Nux-v. Onos. Petr. Phyt. Sep. SIL. Sul. Zin.

right :—Bell. Chel. Sang.

left :—Kali-bi. Nat-m. Onos.

alternating sides :—Sep.

ascending through :—Arg-n. Bell. Calc-c. Carb-v. Cimi. GEL. Glo. Kali-bi. Lac-c. Lach. Lil-t. Onos. Par. Petr. Pho. Saba. SANG. Sars. Sep. SIL. Spi. Sul. Ver-v.

FONTANELLES OPEN :—Calc-c. Calc-p. Sil.

PAINS, EXTENDING, backward :—Arn. BELL. BISM. BRY. Cimi. Glo. Kali-bi. Lac-def. Lach. Lyc. Med. Mur-ac. Nat-m. Nit-ac. Par. Pru-s. Rut. Sep. Thu. Tub. Verb. Zin.

downward to nose, face, neck, etc. :—Agar. Ant-t. Bism. Calc-c. Cham. Chin. Dul. Ign. IP. Lach. Led. Med. Men. Mez. NUX-V. Pho. Pic-ac. Plat. Pul. Rhus-t. Sep. Stap. Stro. VERB. Zin.

into eyes :—Carb-v. Chin. Cimi. Ign. LACH. Lith-c. Mang. Nat-c. NIT-AC. PHO. Pho-ac. Pul. SIL. SPI. Sul. Val. Zin.

neck, to :—Bry. Cimi. Coccl. Kali-c. Lach. Nux-m. Nux-v.

forward :—Aco. Alu. Arg-n. Bell. Canth. Carb-v. Chel. (L). Chin. Cimi. Con. GEL. Kali-c. (R). Laur. Lyc. Mur-ac. Pho-ac. Rhus-t. Saba. Sabi. (L). SANG. (R). SIL (R). SPI. (L). Thu. (L). Verb.

inward :—Agar. Anac. Arn. Ars. Calc-c. Canth. Hep. Ign. Nit-ac. Stan. Thu.

outward :—Aco. Arn. Asaf. BELL. Bism. Bry. Canth. Cham. Chin. Con. Dul. Ign. Lach. Lyc. Mez. Nat-c. Rhus-t. Sep. Sil. Spi. Sul. Val.

Comp. Bursting.

upward, ascending :—Aco. BELL. Bry. Calc-c. Canth. Chel. Chin. Cimi. Gamb. Gel. Glo. Lach. (F). Mang. MEN. Merc. Nat-m. Pho. SANG. Sep. SIL. SPI. Zin. (F).

right :—Alo. Bell. Gel. Ign. Men. Nat-m. Nux-v. Pho. SANG.

left :—Arg-n. Chel. Cimi. Colch. Lac-c. Lil-t. Par. Petr. Sabi. SIL SPI.

HALL, in (F) :—Carb-ac. Stap.

HAND, constriction, etc. :—Anac. Ant-t. Carb-v. Carb-ac. Caus. Coca. Coccol. Gel. Glo. Grap. Merc. Nit-ac. Sul.

BLOW, shock, thrust, etc., as of a :—Ap. Cann. Croc. Glo. Ign. Naj. Nat-m. Nux-v. Spi. Sul-ac. Tarn.

BORING, digging :—Arg-n. Caus. Colo. Hep. Ign. Spi. Sep.

BROWN (F) :—Kali-p. Sep.

BRUISED, crushed, etc. :—Chin. Ign. Ip. Nux-v.

BURSTING, distended, etc. :—Aco. Arn. Bell. BRY. Chin. Fer.

Glo. Melil. Merc. Nat-m. Nux-v. Spi.

CATARRHAL :—Kali-bi. Merc. NUX-V.

CHRONIC :—Arg-n. Ars. Calc-c. Nat-c. Nat-m. Psor. Sep. SIL Zin.

COLD APPLICATIONS, Amel. :—Ars. Glo.

COLDNESS :—Agar. Bell. Calc-c. Calc-p. Cann. Chel. Cup. Dul. Hyper. Laur. Nat-m. Pho. Sep. Sil. Tarn. VER-A. Ver-v.

COMPRESSION, squeezing, etc. :—Ag-c. Arg-n. Bry. Ign. Lach. Men. Merc. Plat. Pul.

vise-like :—Nit-ac. Pul.

CONGESTION :—Aco. Amy-n. Ap. Arn. BELL. Bry. Calc-c. FER. Gel. GLO. Hyo. Lach. Melil. NUX-V. Op. Pho. Pul. Psor. Rhus-t. Sang. STREAM. Sul. VER-V.

COUGH, Agg. :—BRY. Caps. Carb-v. Iris. Nat-m. Nux-v. Sul.

CRAMP :—Aco. Ign. Plat.

CRASH or explosion in :—Dig.

CRAWLING, formication, etc. :—Aco. Arg. Colch. Cup. Hyo. Pho. Plat. Pul. Rhus-t. Sul.

CUTTING or sharp shooting pains, etc. :—Arn. Bell. Calc-c. Lach. Sep. (L). Spi. (R). Tub.

DIARRHOEA, alternating with :—Alo. Pod.

DIURESIS, with :—Aco. Glo. Lac-d. Phys. Vib.

DRAWING :—Carb-v. Cham. Chin.

DULL, or heavy aching :—Aco. Agar. Alo. Am-c. Ars. Bell. Bism. Bry. Cact. Calc-c. Carb-v. Chel. Chin. Gel. Glo. Men. NAT-M. Nux-v. Petr.

- Pho. Pho-ac. Pul. Rhus-t. Sep.
Sil. Sul. Thu. Zin.
- EATING**, Amel. :— Elap. Lyc.
Mag-c. Pho.
- EMPTY** :—Coccl. Pho. Pul.
- ENLARGED**, as if :—Arg-n. Bell.
Gels. Glo. Nux-v.
- EYE** or visual symptoms, with :—
Bar-c. Bell. Bry. Coccl. Gel.
Hyo. Lach. Pul. Sep. Sil.
Stram.
- EYESTRAIN**, Agg. :—Gel. Nat-m.
Onos. Rut.
- FLY OFF**, as if to (V) :—Bapt.
Cann. Cimi. Iris. Syph. Xanth.
- FULNESS** :—Aco. Bry. Glo. Merc.
Sul.
- HAIRCUT**, Agg. :—Bell. Glo. Pho.
Sep.
- HAMMERING** :—Calc-c. Fer. Lach.
Nat-m. Psor. Sul.
- HEAT**, Burning :—Aco. Bell. Bor.
Bry. Frax. Grap. Lach. Merc.
Merc-i-r. Nat-c. Pho. Pic-ac.
SUL.
- HEATED**, if, Agg. :—Aco. Bell.
Bry. Carb-v. Glo. Ver-v.
- HEAVINESS** (O) :—Bell. Carb-v.
Chel. Mur-ac. Nat-m. Petr.
- HOT**, with cold limbs :—Aco. Arn.
BELL. Calc-c. Chin. Fer.
- JERKS** :—Bell. Bry. Caus. Chin.
Pul. Sep.
- LOOSE**, brain feels :—Aco. Bar-c.
Bell. Chin. Glo. Kali-c. Nux-v.
Rhus-t. Spi. Sul.
- LYING**. Amel. :—Con. Nat-m.
Nux-v. Sang. Sele.
- LYING ON** (O), Agg. :—Bry. Cact.
COCC. Kali-p. PETR. Pho.
Sep. Spi.
- MADDENING PAIN** (shrieks
with) :—Aco. Ap. Ars. Bell.
- Cham. Colo. Cup. Melil. Sep.
Stram.
- MENTAL EXERTION**, Agg. :—
Anac. Iris. Kali-br. Nat-c.
Pic-ac. Sep. Sil. Zin.
- MENINGITIS** :—Ap. Arn. Bell.
Bry. Cup. Gel. Hell. Merc-d.
Stram. Sul. Zin.
- NAIL**, clavus, plug :—Cof. Ign.
Nux-v. Thu.
- NOISES** in :—Chin. Kali-c. Lyc.
Phel. Plat. Sul.
- NUMB** :—Grap. Kali-br. Petr.
Plat.
- OPENING AND SHUTTING**, as
if :—Calc-c. Cann. Cimi. Coccl.
Glo. Sep. Sul.
- PRESSURE** :—Bry. Chin. Ign.
Nux-v. Saba. Stan. Sul.
Agg. (V) :—Chin. Lach. Phys.
Ther.
- Amel. :—Arg-n. Bry. Cact. Men.
Nat-m. Pul. Stan. Ver-a.
- REVERBERATION**, buzzing, roar-
ing, clang, etc. :—Ars. Aur.
Phel. PUL. Stap. Sul. Zin.
- SCHOOL GIRLS**, Agg. :—Calc-p.
Nat-m.
- SEPARATED** from body, as if :—
Alo. Ant-t. Daph. Nat-c.
Nav-m. Nux-m. Psor. Ther.
- SHATTERED**, as if :—Æth. Arg-
m. Bar-c. Bell. Bry. Chin.
Cimi. Ign. Iris. Merc. Nux-v.
Pho. Sil. Sul.
- SORE**, bruised :—Chin. Gel. Ip.
Nux-v.
- SPOT**, in a :—Cann. Colch. Ign.
Kali-bi.
- STITCHES**, stinging, etc. :—Arn.
Bry. Caus. Kali-c. Nat-m. Pul.
Sul.
- STOOPING**, Amel. :—Ign. Mez.

STUPEFYING PAIN:—Bell. Calc-c.
Coccl. Gel. Hyo. Nux-v. Pho-ac.
Verb.

SUNSHINE, Agg.:—Lach. Val.

SWEAT, on:—CALC-C. Cham.
Chin. Merc. Pul. Sil.

cold (F):—Ant-t. Carb-v.
Cina. Merc-c. Op. VER-A.

TALKING, Agg.:—Aco. Chin.
Nat-m. Sil. Sul.

TEARING, rending:—Chin. Lyc.
Merc. Nux-v. Pul. Sul.

Comp. Shattering.

THROBBING:—Aco. BELL. Bry.
Cact. Calc-c. Chin. Coccl. Fer.
GLO. LACH. Laur. Lyc.
Melil. Nat-m. Sep. Sil. Stap.
Sul.

vertex:—Bry. Caus. Coccl.
Lach. Sil.

occiput:—Cann. Pho. Sep.

TIGHTNESS:—Nit-ac. Nux-v.

TOUCH, Agg.:—Aur. Chin. Hep.
Lyc. Mez. Nit-ac. Nux-v.

TWINGING:—Bell. Bry. Chin.
Pul. Sul.

UNCOVERING, Agg.:—Ars. Aur.
Bell. Calc-p. Colch. Con. Hep.
Hyo. Kali-bi. Lach. Mag-c.
Mag-p. Nux-m. Nux-v. Psor.
Rhus-t. Samb. SIL. Stro.

URINATION, Amel.:—Gel. Ign.
Melil. Sang. Sil.

WAKED by pain:—Aco. Chin.
Sil. Sul.

WIND thru:—Aur.

WOBBLING ABOUT:—Abrot.
Æth. Bell. Calc-p. Cham. Dig.
Hyo.

WRAPPING, Agg.:—Led. Lyc.

WRINKLED (F):—Hell. Lyc. Sep.
Stram.

EXTERNAL HEAD; BONES AND SCALP.

Aco. Ap. Arn. Ars. Aur. Bar-c.
Bell. CALC-C. CALC-P. Caps.
Chin. Clem. Hep. Lyc. Merc.
Mez. Nit-ac. Nux-v. Old. Pho.
Pho-ac. RHUS-T. Rut. Sil.
Stap. Sul. Vio-t.

right:—Calc-c. Canth. Con.
Mez. Sil.

left:—Clem. Rut. Thu.

FRONT:—Hep. Led. Pho-ac. Sul.
bregma:—Ars. Merc.

SIDES:—Zin.

TEMPLES:—Nat-m.

EARS, behind:—Bar-c. Caus.
Grap. Petr. Sil. Stap.

OCCIPUT:—Carb-a. Carb-v. Petr.
Sil.

VERTEX:—Carb-v. Grap.

BURNING in vertex:—Grap.
Lach. Sul.

DANDRUFF:—Ars. Grap. Pho.
Stap. Thu.

ERUPTION:—ARS. Bar-c. Calc-c.
Grap. HEP. Lyc. Merc. Mez.
OLD. Petr. RHUS-T. Sul.

HAIR, affected:—Bell. Bor. Calc-c.
Carb-a. Carb-v. Con. Grap.
Hep. Kali-c. Lyc. Merc. Nat-m.
Nit-ac. Sul.

blond:—Brom. Calc-c. Caps.
Coccl. Hyo. Pul. Sele. Seneg.
Sil.

bristling erect:—Aco. Bar-c.
Cham. Chel. Glo. Laur. Mur-
ac. Sul-io. Ver-a. Zin.

dark:—Aco. Cina. Iod. Nit-ac.
Nux-v. Pho. Pho-ac. Plat. Sep.

dry:—Kali-c.

falling:—Ars. Ars-s-fl. Aur.
Calc-c. GRAP. Hep. Kali-c.
Lach. Lyc. NAT-M. PHO.
Sep. SUL. Thu.

- bregma** :—Ars. Nat-m. Pho.
temples :—Kali-c. Nat-m.
sides :—Grap. Pho.
occiput :—Carb-v. Pho.
vertex :—Bar-c. Grap. Lyc.
 Sep. Zin.
eyebrows :—Kali-c.
headaches, **after** :—Hep.
 Nit-ac.
spots, in :—Alu. Grap. Hep.
 Lyc. Nat-m. Pho.
margins, of :—Mez. Nat-m.
 Petr. Sep.
matted :—Grap. Lyc. Vio-t.
painful :—Ars. Chin. Nux-v.
pulls her :—Ars. Bell. Cup.
 Tarn. Tub.
tangled :—Bor. Lyc. Mez. Pho-
 ac.
ITCHING :—Grap. Lyc. Nat-m.
 Old. Pho. Sep. Sul.
MOTION OF :—Alu. Bell. Cam.
 Cic. Cina. Cup. Hyo. Ign.
 Sep. Spo. Stram.
ROLLING OF :—Agar. Ap. Bell.
 Cina. Hell. Lyc. Nux-m. POD.
 Tarn. Ver-v. Zin.
SENSITIVE, painful :—Ars. Bell.
 Chin. Kali-io. Merc. Nit-ac.
 Nux-v. Sil. Spi. Tub.
TENSION :—Merc.
- m. Nit-ac. Petr. Pho. Piat.**
Rhus-t. Seneg. Sil.
LEFT :—Ap. Ars. Asar. Bry.
 Chel. Chin. Hep. Laur. Mez.
 Nux-v. Plb. Scil. Spi. Spo.
 Stan. Sul. Tarx. Thu.
ALTERNATING BETWEEN :—Aco.
 Agar. Ang. Ars. Bell. Chin.
 Cup. Lyc. Pul. Ran-b. Seneg.
 Sil.
BACKWARD (drawing, etc.) :—
 Bry. Crot-t. Grap. Grind. Hep.
 Lach. Par. Pho. Pru-s. Rhus-t.
 Sil. Spi.
EYEBALL :—Aco. Bell. Calc-c.
 Cimi. Euphr. Hep. Lyc. Phyt.
 Pru-s. Spi. Sul.
behind :—Bad. Bry. Chel. Cimi.
 Gel. Lac-f. Lach. Lith-c. Merc.
 Pod. Pul. RHUS-T. Sep. Ther.
falling out, as if :—Bro. Hell.
 Lyc. Sep. Tril.
motions of :—Agar. Bell. Cham.
 Cup. Hyo. Stram.
oscillation :—Agar. Coccl. Cup.
 Gel. Zin.
sore, aching, bruised, as if :—
 Arn. Bap. Bry. Cimi. EUP-P.
 Gel. Merc. Onos. Pho. Phyt.
 Rhus-t. Sang.
CONJUNCTIVA :—Aco. Ap. ARG-
 N. Ars. Bell. Cepa. EUPHR.
 Merc. PUL. Rhus-t. Sul.
granular :—Ap. Arg-n. Ars.
 Kali-bi.
inflamed :—Aco. Arg-n. Ars. Bell.
 Euphr. Pul. Rhus-t. Sul.
phlyctenæ :—Ars. Grap.
saccular :—Ap. Ars.
SCLEROTIC :—Aco. Rut. Sul.
CORNEA :—CALC-C. Cann. Con.
 Euphr. Hep. Merc. Pul. Sul.
opacity :—Arg-n. Calc-c. Cann.
 Lach. Pul. Sil. Sul. Zin-s.
- EYES.**
 Aco. Agar. Ap. Arg-n. Ars.
 BELL. CALC-C. Caus. Euphr.
 Gel. Grap. Lyc. MERC. NAT-
 M. Nux-v. Pho. PUL. Rhus-t.
 Rut. Sep. SUL. Ver-a. Zin.
RIGHT :—Am-c. Bell. Calc-c.
 Cann. Colo. Euphr. Lyc. Nat-

IRIS :—Bell. Merc. Merc-c. Nit-ac. Sul.

LENS :—Euphr. Pul. Sil. Sul.

cataract :— Calc-c. Calc-p. Caus. Euphr. Pho. Sec-c. Sil. Sul.

PUPILS **adherent** :—Nit-ac.

contracted :—Aco. Chel. Coccl. Sep. Sil. Sul. Ver-a.

dilated :— BELL. CALC-C. Hep. Hyo. Op. Spi. Stram.

fixed :—Bell. Cup. Op.

irregular :—Merc. Sul.

BROWS :—Bell. Caus. Kali-c. Par. Sele.

outward along :—Cinb. Kali-bi. Mez.

ORBITS :—Ap. Merc-i-f. Rhus-t. Spi. Syph. Val.

CANTHI :—Agar. Calc-c. Carb-v. Nat-m. Nux-v. Pho. Pul. Sil. SUL.

inner :—Agar. Bell. Stap. Zin.

outer :—Calc-c. Ran-b. Sul.

gum in :—Agar. Ant-c. Calc-c. Grap. Lyc. Stap.

inflamed :—Ant-c. Arg-n. Euphr. Grap.

red :—Ap. (pale). Rhus-t. (dark).

LIDS :—Aco. Agar. Ap. Bell. Calc-c. Caus. Hep. Merc. Rhus-t. Sep. Spi. Sul.

upper :—Caus. GEL. Kalm. Sep. Spi.

lower :—Calc-c. Pho-ac. Rut. Seneg.

edges, tarsi :—Bor. Merc. PUL. Stap. Sul. Val.

inflamed :—Grap. Pul. Sul.

red :—Ars. Euphr. Grap. Merc. Pul. SUL.

scaly :—Ars. Grap. Merc. Sep. thick, swelled :—Calc-c. Euphr. Grap. Hep. Merc. Pul.

inner surfaces :—Arg-n. Ars. Rhus-t.

agglutinated, suppuration :—Caus. Euphr. Lyc. Nux-v. Pho. Pul. Rhus-t. Sep. Sul.

closed, drawn, shut :—Colo.

closed tightly, spasm :—Ars. Bell. Cham. Hyo. Kali-c. Merc. Stram.

Agg. by :—Bry. Lach. Sep. Ther.

dry :—Rhus-t. Ver-a.

heavy, falling, drooping, paralysis, etc. :—Caus. Cham. Coccl. Con. GEL. KALI-P. Nux-v. Rhus-t. Sep. Spi. Ver-a.

inflamed :—Aco. Ars. Bell. Lyc. Pul. Stap. Sul.

gonorrhœal :—Aco. Pul. Sul. Thu.

nodes :—Grap. Stap.

open, half open, etc. :—Bap. Bell. Cup. Hell. Lyc. Op. Pod. Samb. Stram.

one :—Ant-t. Chin. Ign. Ver-a.

red :—Aco. Lyc.

styes :—Grap. Pul. Stap. Sul.

swelled, upper :—Kali-c. Sep.

lower :—Ap. Ars. Pho.

BURNING :—ARS. BELL. Bro. Bry. Grap. Merc-c. Pho. Sul. Zin.

COLONESS :—Calc-c. Croc. Flu-ac.

CROSSED, as if :—Bell. Calc-c. Con. Op. Pod. Pul. Zin.

DRAWN TOGETHER, as if :—Lach. Lyc. Merc. Nat-m. Zin.

DRY :—Aco. Alu. Bell. Lye.
NUX-M. Pul. **SUL.**

DULL :—Op.

FORWARD, PRESSURE :—Bry.
 Kali-m. Merc-c. Nux-v. Pru-s.
 Sang. Spi.

GLAUCOMA :—Pho.

INJECTED :—Aco. Ap. Arg-n.
 Arn. **BELL.** Cepa. Glo. Led.
 Merc. Nat-m. Nux-v.

ITCHING :—Calc-c. Pul. Sul.

LACHRYMATION :—Ars. Bell.
 Calc-c. Cep. Euphr. Kre. Merc.
 Nat-m. Pul. Rhus-t. Rut.
 Saba. Sil. Stap. Stram. Sul.

LIGHT, Agg. :—Bell. Calc-c.
 Nat-s. Rhus-t.

LIPPITUDE :—Aco. Euphr. Merc.
 Pul. Rhus-t. Stram.

PROTRUDING :—Aco. Bell. Chlor.
 Guai. Hyo. Iod.

RADIATING PAIN :—Mez. Spi.

RAW :—Arg-n. Kali-io. Lye.

RED :—Asar. Bell. Merc. Rhus-t.
 Spi.

RUBBING, Amel. :—Cina. Croc.
 Pul.

SPARKLING :—Bell. Stram.

SQUINT :—Alu. **BELL.** Calc-c.
 Cic. Con. Cup. Cycl. **HYO.**
 Nat-m.

STARING :—Bell. Cic. Hell. Hyo.
 Ign. Op. Stram.

SUNKEN :—Abro. Ant-c Ant-t.
 Ars. Cam. Chin. Cina. Fer.
 Pho-ac. Sec-c. Stap. Sul.
 Ver-a.

SWELLED, as if :—Como. Guai.
 Mez. Nat-m. Par. Pru-s.
 Rhus-t. Seneg. Spi. Spo.

TOUCH, Agg. :—Aur.

TWISTING or revolving, as if :—
 Pho. Phys. Pop-c.

VISION.

Arg-n. Aur. **BELL.** Con. Cyc.
 Gel. Hyo. Lye. **NAT-M.** Nux-v.
 Pho. Pul. Rut. Sep. Sil. Stram.
SUL.

ACUTE :—Hyo.

AFFECTED, glittering, motes,
 dim, etc., then headache :—
 Gel. Glo. Grap. Iris. **KALI-BL.**
 Lach. Nat-m. Pho. Pod.
PSOR. Sep. Sul. Ther. Tub.

BLACK, suddenly, blind spells,
 etc. :—**BELL.** Cic. Con. Glo.
 Hyo. Merc. Nat-m. Old. Pho.
 Pul. Sil. Stram.

BLINDNESS :—Con. Hyo. Op.
 Pul. Sil. Stram.

DAZZLED :—Kali-c. Sil.

DIM, blurred, etc. :—Calc-c.
 Cann. Caus. Con. Euphr. Gel.
 Hep. Pho. Pul. Sil.

FARSIGHT :—Calc-c. Nat-m. **SEP.**
SIL.

FLICKERING, flames, red, etc. :—
BELL. Cyc. Grap. Hyo. Kali-c.
 Pho. Sep. Spi.

GLIMMERINGS :—Grap. Iod. Nux-v.

ILLUSIONS OF :—Bry. Hyo. Spi.
 Stram. Ver-a.

animals, bugs, etc. :—Cimi.
 Hyo. Stram.

bright objects :—Hyo. Val.

co'ors :—Bell. Pho.

black :—Pho. Sil. Stram.

blue :—Crot-c. Lye. Zin-ar.

dark, rich, etc. :—Stram.

green :—Pho.

rainbow :—Pho-ac.

red :—**BELL.** Pho. Sul.

striped :—Sep.

yellow :—Dig. Sep.

diplopia :—Aur. Bell. Cic. GEL.
Hyo. Nat-m. Nit-ac. Pul. Sul.
Ver-a. Ver-v.

fantastic, apparitions, etc. :—
Bell. Stram. Ver-a.

fiery, bright, etc. :—Bell. Hyo.
Kali-c. Pho. Spi.

Comp. Red.

flies, musca volitantes, etc. :—
Agar. Sil. Stram.

right :—Chi-s. Cimi. Sele.
Sil.

left :—Agar. Calc-c. Caus.
Merc. Sul.

halos :—Lach. PHO. Pul. Sul.

hemipia :—Lyc. NAT-M.

imaginary, on closing eyes :—
Bell. Bry. Calc-c. Thu.

large, as if too :—Pho.

letters running together :—
Bur-p. Nat-m. Sil.

lightnings :—Spi.

mist :—Calc-c. Caus. Croc. Pho.

near, too :—Bov.

small, as if too :—Plat.

spotted :—Am-m. Kali-c. Pho.
Sil.

vell, as of a :—Pho.

**IMAGES, retina retains, too
long** :—Gel. Jab. Lac-c. Nat-
m. Tab. Tub.

LIGHT, aversion to :—Hyo.
desires :—Gel. Stram.

EARSIGHT :—Con. Nit-ac. Pho.
Pho-ac. Pul.

PALE :—Sil.

PARALYSIS OF OPTIC NERVE :—
Bell. Caus. Con. Gel. Hyo.
Pho. Pul. Sec-c. Sil. Stram. Sul.

WEAK :—Anac. Bell. Chin. Nat-m.

EARS.

Aur. Bell. Calc-c. Cham.
FER-P. Grap. Hep. Lyc.
MERC. Petr. Pho. Pic-ac.
Psor. PUL. SIL. SUL. Tell.

RIGHT :—Bell. Flu-ac. Iod.
Kali-c. Kali-n. Nit-ac. Nux-v.
Plat. Sil. Spo.

LEFT :—Anac. Asaf. Bor. Grap.
Guai. Ign. Old. Vio-o.

LEFT TO RIGHT :—Grap. Mur-ac.

ALTERNATING SIDES :—Bry.
Caps. Caus. Chel. Coccl. Fer-p.
Glo. Kali-c. Mag-m. Med. Mos.
Nit-ac. Sul.

EXTERNAL :—Alu. Kali-c. Kre.
Merc. Pho-ac. Sep. Spl.

red :—Aco. Pul. Sul.

left :—Ant-c. Carb-v. Kre.

INTERNAL :—Calc-c. Caus.
Grap. Kali-c. Mang. Nux-v.
Pho. Psor. Pul. Sep. Spi.

BEHIND, (also mastoids) :—Bar-c.
Calc-c. Canth. Caps. Caus.
Grap. Lyc. Old. Petr. Pho.
Sil. Stap.

moisture :—Grap. Lyc.

BELOW :—Bell.

LOBULES :—Bar-c. Caus. Chin.
Kre.

GLANDS :—Bell. Cham. Con.
Merc. Rhus-t.

ACHING :—Cham. Fer-p. Nux-v.
Pul.

CRACKED, behind :—Grap.

DISCHARGE :—Calc-c. Con. Lyc.
Merc. Psor. Pul. Sil.

suppressed :—PUL.

DRUM, perforated :—Sil.

DRYNESS :—Grap. Lach.

EXCORIATED, raw :—Ars. Cep.
Kali-bi. Merc. PSOR. Sul.
Tell.

FETOR :—Calc-c. Carb-v. Caus.
Hep. Kali-p. Nat-c. PSOR.
Sil. Sul. Thu.

INFLAMED :—FER-P.

PUS, from :—Calc-c. Con. Hep.
Merc. Pho. Pul. Sil.

STITCHES IN :—Bell. Cham. Con.
Kali-c. Merc. Nux-v. Pul.
Sul.

STOPPED, as if :—Con. Kali-m.
Lyc. Merc. Pul. Sil.

URINARY SYMPTOMS, with :—
Vio-o.

HEARING.

BAD :—Aur. Bell. Calc-c. Caus.
Chi-s. Cic. Con. Hyo. Kali-n.
Led. Lyc. MERC-D. Nit-ac.
Op. Petr. Pho. Pho-ac. Pul.
Sec-c. Sep. SIL. Sul.

for the human voice :—
Cheno. Pho.

ILLUSORY SOUNDS :—Bell. Calc-
c. Caus. Chin. Chi-s. Grap.
Kali-io. Pul. Spo. Sul.

crashings, cracking, explosions :

—Alo. Bar-c. Dig. Mos. Rhus-t.
Saba. Zin.

echoing :—Caus. Pho.

fluttering :—Spi.

humming, buzzing :—Calc-c.
Caus. Chin. Pul. Sul.

pulsating :—Bell. Calc-c. Cann.
Fer-p. Nit-ac. Pho. Pul.

ringing :—Calc-c. Cann. Chin.
Nux-v. Pul.

roaring, rumbling, etc. :—Aur.
Bell. Caus. Grap. Nux-v. Pul.
Stap. Sul.

rushing. :—Petr. Pho.

NOISE, Agg. :—Aco. BELL. Cof.
Nux-v. Op. Spi. Ther.

PARALYSIS, auditory :—Bell.
Hyo. Pul. Sil.

SENSITIVE :—Aco. Aur. Bell.
Cham. Chin. COF. Lyc. Nux-
v. Sep. Sil. Spi. Ther.

NOSE AND ACCESSORY CAVITIES.

Aco. Æsc. Alu. Ars. Aur. Calc-
c. Grap. Hep. Hyds. Ign. Iod.
KALI-BI. Kali-io. Lyc. Merc.
Merc-i-f. Nat-m. Nit-ac. Nux-
v. Pho. PUL. Sep. SIL. Spi.
Sul.

ONE SIDE OF :—Am-m. Hep.
Ign. Nux-v. Pho. Phyt. Saba.
Sinap. Sil.

right :—Con. Mar. Spi.

left :—Carb-v. Nat-m. Rhod.
Sep.

alternating between :—Kali-io.
Lac-c. Lach. Mez. Nux-v.
Pho. Rhod. Sinap.

EXTERNAL :—Aur. Carb-v. Caus.
Kali-c. Merc. Nat-c. Pho-ac.
Pul. Rhus-t. Sep. Spi. Sul.

INTERNAL :—Ars. Ars-io. Aur.
Bell. Calc-c. Cep. Euphr.
Grap. Kali-bi. Kali-io. Mar.
Saba. Sil. Spi. Stict.

posterior :—Hyds. Lyc. Merc.
Merc-i-r. Nat-c. Nat-m. Pho.
Sep. Spi. Stap. Sul.

ROOT and above :—Aco. Ars.
Calc-c. Gel. Hep. Hyo. Ign.
Kali-bi. Kali-io. Merc. Pho.
Pul. Sang. Sul. Zin.

BONES :—Aur. Merc. Pho.

BRIDGE :—Pho-ac. Sep. Thu.

- TIP** :—Carb-a. Carb-v. Caus. Kali-io. Nit-ac. Nux-v. Pho.
Sep. Saba. Sul. Tab.
- WINGS** :—Lyc. Thu.
- AIR**, inspired, Agg. see Con-
ditions.
open, Amel. :—Aco. Cep. Hyds.
Iod. Nux-v. Pul. Tell.
- ALÆ**, motions :—Ant-t. Ars.
Brom. Chel. Cup. LYC. PHO.
Pyro. Spo. Sul-ac. Zin.
- BORING** into, with fingers, pick-
ing at, itching :—Aru-t. Carb-
v. Caus. CINA. Lyc. Merc.
Nat-m. Pho. Pho-ac. Sil. Spi.
Sul. Zin.
- CORYZA** (fluent discharges) :—
Aco. ARS. Cam. Cep. Cham.
Euphr. Fer-p. GEL. Hep.
Kali-io. Lach. Merc. Merc-c.
NUX-V. Pul. Rhus-t. Sele.
Sul.
- annual** (hay fever) :—Ars. Am-
bro. Gel. Kali-io. Kali-p. Nux-
v. Pho. Psor. Senec. Sep. Sil.
Sul.
- chronic** :—Hep. Kali-bi. Sil.
Sul.
- coughing**, Agg. :—Agar. Lach.
Nit-ac. Scil. Sul. Thu.
- menses**, at; menstrual colds :—
Am-c. Grap. Kali-c. Lach. Mag-
c. Pho. Zin.
- stopped** :—Ars. Aru-t. Brom.
Calc-c. LACH. Lyc. Mar.
Nit-ac. NUX-V.
- CRUSTS**, scabs :—Alu. Aur. Grap.
Kali-bi. Merc. Nit-ac. Sep.
Stict. Sul. Thu.
- DARK**, sooty nostrils :—Ant-t.
Crot-h. Hell. Hyo.
- DILATED ALÆ** :—Cup.
- DRIPPING** :—Ars. Aru-t. Calc-c.
Cep. Eup-p. Euphr. Grap.
- DRY** :—Bell. Bry. GRAP. Lyc.
Nat-m. Pho. Sep. Sil. Sinap.
Stict. Sul.
- EPISTAXIS** :—Fer-p. (recurrent)
HAM.
from coughing :—Bell. Dros.
Lach. Nux-v. Pho.
Comp. Hæmorrhage.
- EXCORIATED** :—ARS. Ars-io.
Aru-t. Cep. Gel. Iod. Kali-io.
Merc. Merc-c. Nit-ac. Nux-v.
Pho. Sinap.
- FETOR** :—Aur. Calc-c. Grap.
Hep. Kali-bi. Merc. Nit-ac.
Nux-v. Pul. Sul.
- GLUTINOUS** discharge :—Hep.
KALI-BI. Merc-c.
- GREEN** discharge :—Kali-io.
Merc. Nit-ac. PUL. Sep.
- GUSHES**, fluid :—Dul. Flu-ac.
Hyds. Kali-bi. Lach. Nat-c.
NAT-M. Pho. Sele. Thu.
- LUMPY** discharge :—Alu. KALI-
BI. Sele. Sep. Sil.
- PAINFUL** :—Hep. Merc.
- POLYPI** :—CALC-C. Mar. Merc-i-r.
Pho. Sang. Thu.
- PUS**, from :—Aur. Calc-c. Con.
Hep. LACH. Merc. Pul.
- RAW**, sore posteriorly :—Aco.
CARB-V. Kali-n. Sep.
- RED** :—ALU. Ap. Aur. Bell.
Calc-c. Cann. Chel. Merc.
Pho. Rhus-t. SUL.
- SADDLE** across, brown :—Carb-a.
Lyc. Op. Sanic. SEP. Sul.
- SMELL** :—Aur. BELL. Calc-c.
Celch. Grap. Hep. Lyc. Nat-
m. NUX-V. PHO. Pul. Sep.
Sil. SUL.
- acute** :—Ars. Aur. Bell. Carb-

ac. Chin. Cof. Colch. Grap.
Lyc. Nux-v. Pho. Sep. Sul.

Comp. Odors, Agg.

illusory :—Bell. Calc-c. Par.
Sul.

catarrh, as of :—Pul. Sul.

earth, as of :—Ver-a.

foul :—Bell. Par. Pul.

sulphur, as of :—Nux-v.

weak :—Bell. Calc-c. Hyo.
Nat-m. Plb. Pul. Sep. Sil.

SNEEZING :—Ars. Ars-io. Carb-v.
Cep. Cina. Gel. Kali-io. Nat-
m. NUX-V. Pul. Rhus-t.
Saba. 'Sil.' Sul.

abortive :—Carb-v. Sil.

cough, with :—Agar. Bell. Psor.
Seil.

violent :—Nux-v. Saba.

SWELLED :—Bell. Caus. Kali-c.
Merc. Nat-c. Pho-ac. Pul.
Rhus-t. Sep.

TWITCHING :—Amb. Am-c. Aur.
Calc-c. Chel. Con. Hyo. Kali-bl.
Nat-m. Plat.

ULCERS :—Ars. Merc. Pul.

WEATHER, changing, Agg. :—
Ars.

WINTER, Agg. :—Amc. Am-c.
Ars.

FACE.

Aco. Ant-c. Ap. Ars. Bell.
Bry. Caus. Cham. Chin. Fer.
Hyo. Lyc. Mag-p. Merc. Nux-
v. Op. Rhus-t. Stram. Sul.
Ver-a.

RIGHT :—Ap. Bell. Cact. Calc-c.
Canth. Chel. Kalm. Lyc. Nat-
c. Nux-v. Sang. Zin.

to left :—Grap.

LEFT :—Aco. Colo. Con. Lach.
Rhus-t. Sep. Spl. Stap.

ALTERNATING SIDES :—Chin.
Lyc. Pho.

TEMPLES :—Ang. Bell. Lyc.

ZYGOMÆ :—Aur. Kali-bl. Old.
Stan. Stap. Verb.

CHEEKS :—Bell. Caus. Rhus-t.
Stap.

EYEBROWS :—Nat-m.

EYES, around :—Asaf. Cinb. Hep.
Ign. Kali-bl. Merc.

Comp. Orbits.

JAW-BONES :—Pho. Sil.

UPPER JAW :—Am-c. Carb-v.
Chin. Kre. Pho. Zin.

MAXILLARY JOINT :—Bell. Ign.
Merc. Rhus-t. Thu.

LOWER JAW :—Bell. Caus.
Cham. Laur. Nat-c. Plb. Stap.
Zin.

ABOUT MOUTH :—Ars. Bry. Kre.
Nat-m. Rhus-t. Sep. Stap.
Sul.

LIPS :—Ars. Aru-t. Bell. Bry.
Nat-m. Rhus-t. Sep. Sil. Sul.
upper :—Bar-c. Carb-v. Kali-c.
Sul. Zin.

lower :—Bry. Ign. Pul. Sep.

corners :—Ant-c. Bell. Merc.
Pho.

black :—ARS. Chin. Merc. Pho-
ac. Ver-a.

blue :—Cam. Cup. Dig. Lyc.
Nux-v. Ver-a.

cracked :—Ars. Aru-t. Bry.
Grap. Ign. Merc. Nat-m.
Pul.

corners :—Aru-t. Cund. Grap.
Nit-ac.

middle :—Cham. Hep. Nat-m.
Pho. Pul. Sep.

- crusty** :—Ars. Mur-ac. Nat-m.
 Pho-ac. Rhus-t. Sep. Sil. Stap.
drawn up :—Ang. Ant-t. Cam.
 Phyt.
numb :—Aco. Nat-m.
peeling :—Aru-t. Cham. Con.
 Kali-c. Lac-c. Nat-m. Nux-v.
 Pul.
red :—Alo. Ars. Bell. Calc-c.
 (up). Merc-c. Nat-m. (up).
 Sep. (low). SUL.
swelled :—Ars. Bell. Merc-c.
 upper :—Calc-c. Hep. Nat-m.
 Nit-ac. Psor.
 lower :—Asaf. Lach. Merc.
 Sep. Sul.
twitching, trembling :—Carb-v.
 (up). Cham.
vesicles, cold sores, etc. :—Ars.
 NAT-M. Pho. Rhus-t. Sep.
CHIN :—Caus. Plat. Sil.

BESOTTED, stupefied :—Arn.
 Bap. Bry. Croc-h. Gel. Hyo.
 Op. Stram.
BLUISH :—Aco. Ars. Bell. CUP.
 Ip. Lach. Op. Ver-a. Ver-v.
about eyes :—Ant-t. Ars. Chin.
 Ip. Old. Rhus-t. Sec-c. Stap.
 Ver-a.
about mouth :—Cina. Cup.
 Ver-a.
 Comp. Color in General.
BORING :—Aur. Hep. Mag-c.
 Mez. Plat.
CHANGING COLOR :—Aco. Bell.
 Fer. Ign. Pho. Plat.
CHEWING MOTIONS :—Aco. Bell.
 BRY. Calc-c. Cham. Hell.
 Lach. Lyc. Ver-v.
COLD :—Ant-t. Ars. Cam. Carb-v.
 Cina. Coleh. Lyc. VER-A.
CONGESTED :—Aco. Bell. Hyo.
 Nux-v. Op. Stram.
CRAMP :—Colo. Mez. Plat. Verb.
DEATHLY, pinched, collapsed,
 etc. :—Ars. Ver-a.
 Comp. Collapse.
DISTORTED :—Ars. Bell. Coccl.
 Hyo. Ip. Lyc. Op. Stram.
DUSKY, dark, sooty :—Ant-t.
 Bap. Hell. Op. Pho.
EARTHY, dirty brown, etc. :—
 Ars. Calc-p. Chin. Fer. Iod.
 Lyc. Merc. Nat-m. Nux-v. Op.
EATING, Amel. :—Rhod.
EMACIATED, thin :—Alu. Ars.
 Calc-c. Fer. Iod. Nat-m. Sele.
 Stap.
ERUPTION :—Ant-c. Kre. Led.
 Rhus-t. Sep.
about lips :—Ars. Nat-m.
 Rhus-t.
eczematous :—Ars. Bor. Calc-
 c. Cic. Grap. Merc. Mez.
 Rhus-t. Sars. Vio-t.
eyebrows, eyes about, etc. :—
 Ant-c. Ap. Ars. Bar-c. Caus.
 Hep. Merc. Sil. Sul.
menses at :—Grap.
pimples :—Carb-v.
EXPRESSION, changed :—Aco.
 Ap. Arg-n. ARS. Bell. Cam.
 Gel. Hyo. Lyc. Mang. Op.
 Pho. Pho-ac. Sec-c. STRAM.
 Ver-a.
FRECKLES :—Ant-c. Calc-c. Lyc.
 Nat-c. Pul. Sul.
FRIGHTENED LOOK :—Aco. Cup.
 Stram.
FROWNING :—Hell. Hyo. LYC.
 Sep. Stram.
HECTIC SPOTS :—Aco. Ars. Calc-
 c. Chin. Fer. Iod. Kali-c. Kre.
 Lyc. Pho. Pho-ac. Pul. Sang.
 Sil. Stan. Sul. Tub.

HOT :—Bell. Calc-c. Cham. Fer.
Nux-v.

ITCHING :—Calc-c.

LOCKJAW, mouth clenched,
etc. :—Ang. Bell. Cam. Cann.
Cic. Hypr. Ign. Merc. Nux-v.
Op. Sec-c. Ver-a.

NUMB :—Aco. Asaf. Gel. Kalm.
Mez. PLAT. Verb.

OLD LOOK :—Arg-n. Bar-c.
Calc-c. Lyc. OP. Sul.

PAIN, neuralgia, migraine, prosop-
algia, etc. :—Ars. Bry. Caus.
Chin. Colo. Kalm. Mag-p. Mez.
Nux-v. Pho. Pru-s. Sep. Spi.
Verb.

radiating :—Sang. Spi.

PALE, hot and :—Cina. Croc.
Hyo. Op.

linea nasalis :—Æth. Ant-t.
Carb-ac. Cina. Ip. Merc-cy.
Pho. Stram. Tarn.

rising, on :—Aco. Ver-a.

PUFFY, bloated :—Aco. AP. Ars.
Bry. Calc-c. Croc-h. Lach.
Laur. Lyc. Merc. Pho.

pale :—Ap. Ars. Calc-c. Grap.
Lyc.

red :—Aco. Chin. Lach. Op.
Stram.

RED, cheeks :—Aco. Arn. Bell.
CHAM. Chin. Fer. Ign. Lyc.
Mos. Nux-v. Pho. Pul. Sul.

eyes, around :—Ap. Bor. Chi-ar.
Elap. Lapp. MALAND. Pul.
Rum. Sil.

one side :—Aco. Arn. Bar-c.
Bell. CHAM. Chel. Ign. Lac-c.
Merc. Mos. Nux-v. Pho. Pul.
Ran-b. Spi. Sul.

right :—Ars. Calc-c. Lachn.
Merc. Mos. Nat-c. Sang.
Sul-ac. Tab.

left :—Acet-ac. Agar. Am-c.

Ap. Bor. Cham. Lyc. Nat-m.
PHO. Rhus-t. Stram. Sul.
Thu. Ver-a.

alternating :—Chel. Lach.
Nat-p. Pho.

REDDISH YELLOW :—Chel. Gel.
Lach. NUX-V.

SICKLY :—Chin. Nux-v.

SPOTTED, blotched :—Aco. Ars.
Carb-a. Kali-bi. Lach. Rhus-t.
Sil. Sul.

SUNKEN :—Ars. Cam. Chin. Op.
Rhus-t. Sec-c. Ver-a.

SWEAT on :—Lyc.

cold :—Ant-t. Ars. Carb-v. Cina.
Merc-c. Tab. VER-A.

SWOLLEN, turgid :—Am-m. Ap.
ARS. BELL. Bry. Cham.
Kali-c. Lyc. Merc. Nux-v. Op.
Pho. Rhus-t. Stram.

cheeks :—Arn. Cham. Merc.

eyes, under :—Ap. Ars. Pho.
between and brows :—Kali-c.

one side :—Arn. Bell. Bry.
Cham. Merc. Merc-c. Sep. Spi.

veins of temples :—Ars. Glo.

TENSION :—Pul. Verb. Vio-o.

TWITCHING, trembling, etc. :—
Agar. Ars. BELL. Cham. Gel.
Ign. Myg. Op. STRAM. Thu.

lower jaw :—Ant-t. Carb-v.
Gel. Pho.

WHITE about nose and mouth :—
Carb-ac. Pho.

WRINKLED :—Alu. Calc-c. Lyc.

YELLOW :—Ars. Bry. Chel. Chin.
Fer. Lyc. Merc. NUX-V. Pib.
Pod. SEP.

about eyes :—Collin. Mag-c.
Nit-ac. Nux-v. Spi.

across, nose :—SEP.

TEETH.

ACO. Ant-c. Bell. Bry. Calc-e.
Calc-p. Caus. CHAM. Chin.
Cof. Kre. Lach. MERC. Mez.
Nux-v. Pod. PUL. Rhus-t.
SEP. Sil. Spi. STAP. Sul.

RIGHT :—Bell. Flu-ac. Stap.

LEFT :—Caus. Cham. Clem.
Euphor. Mez. Sep. Sul. Thu.

ALTERNATING SIDES :—Amb.
Am-m. Caps. Chel. Iod. Kali-
n. Lye. Psor. Pul. Stram.
Sul. Zin.

between upper and lower :—
Aco. Laur. Nat-m. Pul. Rat.
Rhod.

CHANGING ABOUT :—Bry. Cyc.
Grap. Hyo. Hyper. Kali-bi.
Kali-c. Mag-c. Mang. Nat-m.
Nux-m. Pru-s. Pul. Rhod. Sil.
Thu.

RADIATING :—MERC.

HOW, in a whole :—Ars. Aur.
Carb-v. Glo. Lach. Mag-c.
Mag-p. Merc. Nat-m. Nux-v.
Psor. Sep. Spi. Stap. Zin.

UPPER :—Am-c. Bell. Carb-v.
Chin. Kre.

LOWER :—Bell. Canth. Cham.
Nat-c. Plb. Stap.

CANINE :—Calc-c. Nux-y. Sep.
Sul-ac.

INCISORS :—Coleh. Sul.
behind :—Pho.

MOLARS :—Bry. Kre. Stap. Zin.

ROOTS :—Mag-c.

COLD, Amel. :—Cof. Fer.

DENTITION. see Teeth.

EATING, Amel. :—Rhod.

EDGE, on :—Iris.

EXTENDING to ears, head or face,

pain :—Ant-c. Cham. Lach.
Merc. Mez. Plant. Pul. Rhod.

GRINDING, clenching :—Ars.
BELL. Cina. Hyo. Lye. Phyt.
Pod.

in sleep :—Ars. Calc-c. Cann.
CINA. Ign.

HOLLOW, early decay, soft,
brittle, etc. :—Ant-c. Bell. Bor.
Calc-e. Cham. Euphor. Kre.
Lach. Merc. Mez. Nat-c. Plb.
Sep. Stap.

JERKING :—Merc. Pul. Rhod.

LOOSE :—Bry. Caus. Hyo. Merc.
Merc-c. Nit-ac. Nux-v.

MENSES, Agg. :—Bar-c. Calc-c.
Carb-v. Cham. Lach. Sep.
Stap.

NUMB :—Chin. Dul. Pho. Plat.
Rhus-t.

RADIATING PAIN :—Kali-bi.
MERC. Mez. Nux-v. Stap.

SORDES, slimy :—Rhus-t.

TOOTHACHE. see Teeth.

GUMS.

Bor. Carb-v. Kre. Merc. Nux-v.
Stap.

UPPER :—Calc-c. Rut.

LOWER :—Sars.

INNER :—Pho. Stap.

ALTERNATING SIDES :—Æth.

BLEEDING :—Pho-ac. Stap.

BORING :—Merc.

EXCORIATED :—Carb-v. Sep.

RECEDING :—Carb-v. Merc.

SORE :—Carb-v. Merc.

SUPPURATING, pyorrhoea :—Calc-
c. Carb-v. Cist. Hep. Merc.
Pho. PUL. Sil. Stap.

GUMS—PALATE—TONGUE

SWELLED :—Merc. Nux-v. Sep.
Stap. Sul.

PALATE.

Aur. Bell. Merc. Nux-v. Pho.
HARD :—Bell. Nit-ac. Nux-v. Pho.

SOFT :—Ap. (uvula). Merc.
Merc-c. (uvula). Merc-i-f.
(rim),

DRY :—Pho-ac.

SORE :—Aru-t. Bell. Caus. Iris.
Lach. Merc. NIT-AC. Nux-v.
Pho. Phyt.

SWELLED :—Ap. (uvula). Arg-m.
Lach.

TONGUE.

Bell. Hyo. Merc. Mur-ac. Nux-
v. Pho. Plb. Pul.

ACROSS :—Acet-ac. Asar. Kali-p.
Kob. LACH. Merc.

DIAGONALLY :—Rhus-t.

DOWN CENTER (stripe) :—Ant-t.
Arn. Ars. Bap. Caus. Lach.
Pho. Pyro. Rhus-t. VER-V.

EDGES :—Ap. Nat-m. Phyt.

SIDE, one—Bell. Calc-c. Lob.
Mez. Nat-m. RHUS-T. Sang.
Sil. Thu.

TIP :—Rhus-t. Sul.

ROOT :—Kali-bi. Kali-io. Lach.
Phyt.

STITCHING :—Merc.

TEARING :—Merc.

APHTHÆ :—Bor. Carb-v. Kali-
ch. Mur-ac. Sul.

BLuish :—Ars. Dig. Gym.

BURNT, scalded, as if :—Ars. Bell.
Hyds. Iris. Plat. Ptel. Pul.
Saba. Sang. Ver-v.

CLEAN :—Cina. Dig. Hyo. Ip.
Mag-p. Sec-c.

COATED :—Bell. Bry. Chin. Merc.
Nux-v. Pho. Pul.

white :—Ant-c. Ars. Bell. Chin.
Kali-m. Pul. Sul.

yellow :—Bry. Chin. Merc-i-f.
(base).

CRACKS, fissures :—Aru-t. Bell.
Hyo. Kali-bi. Kali-i. Nit-ac.
Pho. RHUS-T. Sul.

DRY :—Ars. BELL. Bry. Calc-c.
Nux-m. Pho. RHUS-T. Sul.

half of :—Bell. Sang.

FOAM, beads (edge) :—Am-c. Ap.
Iod. Nat-m. Pho.

GLISTENING :—Ap. Ars. Cist.
Kali-bi. Lach. Pho. Terb.

HEAVY :—Bell. Gel. Lach. Mur-ac.
Nat-m. Nux-m. Nux-v.

INDENTED :—Ars. Chel. Hyds.
Kali-io. Mag-m. MERC. Pod.
Pul. Rhus-t. Stram.

INFLAMED :—Aco. Ap. Bell.
Crot-h. Merc. Merc-c.

NUMB :—Aco. Gel. Nat-m. Nux-
m. Pul.

PAPILLÆ, showing :—Arg-n.
Ars. Bell. Caus. Kali-bi.

PARALYSIS :—Bar-c. CAUS. Gel.
Hyo. Lach. Op. Plb.

PATCHY, mapped, spots, etc. :—
Ars. Dul. Hyds. Kali-bi. Lach.
Merc. Merc-c. NAT-M. Nit-ac.
Ran-sc. Rhus-t. Sep. Tarx.

PROTRUDING, Agg. :—Coccol. Cist.
Kali-bi. Phyt. Syph.

RANULA :—Thu.

RED :—AP. Ars. Bell. Hyo. Kali-bi.
Lach. Merc. Pho. Rhus-t.

edges :—Ars. Bell. Chel. Merc.
at tip :—Ars. Merc-i-r. Phyt.
Rhus-t.

ROUGH :—Aru-t.

SORE, painful :—Agar. Calc-c.
Carb-v. Ign. Nit-ac. Saba. Sep.

tip :—Calc-p. Kali-c. Lyc.
RHUS-T. Sep. Thu.

spot :—Agar. Ant-c. Sil. Tarx.

STIFF :—Ap. Lyc. Nat-m.

SWELLED :—Aco. Ap. Ars. Bell.
Crot-h. Merc.

THICK :—Gel.

TREMULOUS :—Agar. Ap. Cam.
Gel. Lach. Merc. Pho.

VESICLES on :—Am-c. (edge).
Ap. (tip). Nat-m. (edge). Pho.
(edge.)

MOUTH AND THROAT.

Ap. Arg-n. Aru-t. Bar-c. BELL.
Caus. Gel. Hep. Kali-bi. Lac-c.
LACH. Lyc. MERC. Merc-c.
Merc-cy. Merc-i-f. Merc-i-r.
Nit-ac. Nux-v. Pho. Phyt. Pul.
Rhus-t. Sul.

RIGHT :—Agar. Am-c. Ap. Bell.
Bry. Carb-ac. Ign. Kali-m.
Kra. LYC. Merc. Merc-d.
Merc-i-f. Phyt. Sang. Stan.
Sul. Tarn.

to left :—Ap. BELL. Caus. LYC.
MERC-I-F. Pho. Saba. Sang.
Sul-ac.

LEFT :—Calc-c. Caus. Crot-h.
Diph. Fer. Hep. Kali-c. Lac-c.
LACH. Mar. Merc-i-r. Naj.
Petr. Pho-ac. Rhus-t. Saba.
Sep. Sil.

to right :—Calc-c. LACH. Merc-
i-r. RHUS-T. Stan.

ALTERNATING SIDES :—Aju. Arn.
Coccl. Colo. LAC-C. Pod. Sul.

BACK OF :—Aco. Coccl. Kali-c.
Merc. Nit-ac. Rhus-t.

TONSILS :—Bar-c. Bell. Guai.

Lach. Merc. Merc-i-f. Merc-i-r.
Nit-ac. Phyt.

enlarged :—Bar-c. Calc-fl. Calc-
io. Calc-p. Lyc. Merc. Merc-i-f.
Merc-i-r. Nit-ac. Stap. Tub.

suppurating :—Bell. Hep. Lach.
Lyc. Merc. SIL. Tarn.

ADENOIDS :—Agrap. Calc-c. Calc-
p. Merc. Tub.

EUSTACHIAN TUBE :—Fag. Hyds.
(R). Kali-m. Merc-d. Sang. (1).

UVULA :—Ap. Kali-bi. Merc.
Merc-c. Phyt.

ANGINA, simple sore throat :—
Aco. Bell. Merc. Merc-i-f. Pho.
Sep.

BURNING :—Aco. ARS. Aru-t.
Bell. Bor. Canth. Caps. Iris.
Lach. MERC-C. Mez. Petr.
Pho. Phyt. Sang. Sul. Ver-a.

CHEESY LUMPS FROM :—Agar.
Hep. Kali-bi. KALI-M. Kali-p.
Mag-c. Merc-i-f. PSOR. SIL.

CHOKING, constriction, spasms,
narrow, as if :—Arg-m. Bap.
Bell. Canth. Caus. Oham. Hyo.
Ign. Lach. Laur. Lyc. Merc-c.
Merc-i-r. NAJ. Nux-v. Pho.
Plb. Spo. Stram. Sul. Ver-a.

COATED FEELING :—Carb-v. Pul.

COLD, Agg. :—Ars. Hep. LYC.
Merc-i-r. Rhus-t. Saba. Sil.

Amel. (heat Agg.) :—Ap. Ign.
Lach. Merc-i-f. Phyt. Sang.

taking, Agg. :—Bell. Dul. Lach.
Merc. Nux-v.

CUTTING :—Merc-cy. Nit-ac.

DARK :—Æsc. Ail. Arg-n. Bap.
Crot-h. Lach. Phyt.

DIPHThERIA, TONSILITIS, etc. :—
AP. Ars. Kali-i. Lac-c. LACH.
Lyc. MERC-CY. Merc-i-f.

- Merc-i-r. Mur-ac. Phyt. Rhus-t.
Sul-ac.
- laryngeal :—Brom. Iod. Kali-bi. Lac-c. Lach. Merc-cy.
- nasal :—Kali-bi. Manc.
- DRIPPING from uvula :—Aral-r.
Cep. Cup. Kali-bi. Merc-c.
- DRY, in general :—Aco. Æsc.
BELL. Bry. Lyc. Merc. Pho.
Pho-ac. Sep. Stram. Sul.
Ver-a.
- with increased saliva :—Alu.
Aral-r. Kali-c. Lyc. Mag-m.
Merc. Nat-m. Plb.
- but no thirst :—Ap. Bry. Coccl.
Kali-c. Lyc. NUX-M. Nux-v.
Pul. Spi.
- EAR, extending to :—Hep. Kali-bi.
Kali-m. Lach. MERC.
Merc-d. Phyt.
- FISSURES, cracks :—Aru-t. Bell.
Kali-bi.
- FOAM, from :—Bell. Hyo. Ign.
Stram.
- GLISTENING :—Ap. Kali-bi. Lac-c.
Petr. Pho. Stram.
- HANGING loose, as if, in :—Alu.
Iod. Lach. Pho. Plat. Saba.
Sul. Val.
- Comp. Fine.
- HAWKING (mucus) :—Arg-n.
Caus. Con. Kali-bi. Kali-c.
Lach. Lyc. Nat-c. Nat-m. Pho.
Pul. Rhus-t. Sep.
- posterior nares, from :—
Hyds. Kali-bi. Nat-m. Nit-ac.
Nux-v. Spi. Sul.
- sticky :—Arg-n. Coc-c. KALI-BI.
Lach. Mag-m. Phyt.
- INFLAMED :—Aco. Bap. Bell.
Hyds. Merc-c. Nit-ac. Nux-v.
Sul-ac.
- ITCHING :—Ap. Caus. Con. Nux-v.
- LIFTING, Agg. :—Caus. Sil.
- LUMP, plug, globus, etc. :—Asaf.
Hep. IGN. Lach. Lyc. Nat-m.
Pul. Sep.
- descends and rises, as she swallows :—Alo. Asaf. Bar-c.
Calc-c. Chel. Kali-c. Lac-c.
Lach. Lil-t. Plb. Rum.
- NOSE, ascending into :—Brom.
Lac-c. Merc. Sep.
- ODOR from, bad breath :—Ars.
Ars. Aur. Bap. Carb-v. Cham.
Lach. Merc. Nit-ac. Nux-v.
Pul. Sul. Ver-v.
- OPEN MOUTH :—Ail. Ars. Bar-c.
Colch. Hell. Hyo. Lach. LYC.
Mur-ac. Op. Rhus-t. Zin.
- PARALYSIS, noisy swallowing, etc. :—Caus. Cup. Gel. (palate).
Hyd-ac. Lach. Laur. Pho.
Thu.
- RAW :—ARU-T. Carb-v. Nit-ac.
NUX-V. Pho.
- REGURGITATION :—Ant-c. Asaf.
Bry. Carb-v. Fer-p. Lach.
Merc. NUX-V. PHO. Pul. Sul.
Sul-ac.
- SLIMY :—Bell. Caps. Chel. Lach.
Merc. Petr. PUL.
- SPLINTER, etc., as of a :—Arg-n.
Hep. Nit-ac.
- SPOT, dry, sore, etc. :—Ap. Cimi.
Cist. Con. Crot-h. Hep. Hyo.
Lac-c. LACH. Lith-c. Merc-cy.
Nat-m. Nit-ac. Pho. Phyt. SIL.
- STICKY, clammy, pasty :—Æsc.
Bap. Chel. KALI-BI. Lach.
Myr. Pho-ac. Pul. Sec-c.
Sul-ac.
- SWALLOWING, food lodges :—
Arg-n. Ars. Bar-c. Caus. Chin.
Grap. Ign. Kali-c. Lyc. Nat-m.
PUL. Sul.
- returns through nose :—Aru-t.
Coccl. Gel. Kali-per. Lach.
Lyc. Merc. Pho. Sul-ac.

urging to :—Bell. Caus. Lach.
Merc.

won't go down :—Bar-c. Calc-c.
Grap. Lyc. Sep.

SWELLED :—Ap. Lach. Merc.
Nux-v. Pul. (as if).

ULCERS, Aphthæ, etc. :—Ars.
Bor. Kali-bi. Lach. Merc.
Merc-c. Mur-ac. Nit-ac. Nux-v.
Rhus-t. Sul-ac. THU.

UPWARD through or from :—Aco.
Ars. BROM. Calc-c. Carb-v.
Fer. Kali-bi. Kali-c. Lac-c.
Lyc. Merc. Nat-m. Nux-v.
Pho. Sep.

VALVE. see Generalities.

SALIVA.

Merc. Sul.

ACRID :—Aru-t. Kre. Merc-c.
Nit-ac.

BLOODY :—Merc. Nit-ac. Pho.
Rhus-t.

DIMINISHED :—Bell. Kali-bi.
Nux-v. Pho. Stram. Sul.
Ver-a.

FOUL :—Lach. MERC. Nit-ac.
Petr.

FROTHY, snowy, cottony, etc. :—
Ap. Bell. Berb. Dul. Caul. Ign.
Kali-bi. Lach. Nux-m. Ol-an.
Pho. Pho-ac. Pic-ac. Pul. Sabi.
Spi.

GUSHES of :—Carb-v. Nat-m.

INCREASED :—Dig. Dul. Merc.
Nit-ac. Nux-v. Pho. Pul.
Rhus-t. Stram. Ver-a.

cough, with :—Am-m. Lach.
Ver-a.

headache, with :—Epiph. Merc.

pregnancy, in :—Krè. Lob.
Zin-s.

sleep, Agg. :—Bar-c. Ign. Ip.

Lac-c. Lach. Nit-ac. MERC.
Pho. Rhus-t. Syph.

SWEET :—Cham. Iris. Pho. Plb.
PUL.

TASTE.

ACUTE :—Chin. Cof

AFTERTASTE, of food eaten
—Ant-c. Caus. Dios. Nat-m.
Pho. Pho-ac. Pul. Sil.

ALTERED, in general :—Chin.
Pul. Rhus-t.

ASTRINGENT :—Alu. Arg-n. Ars.
Chio. Grap. Merc-c. Pho.

BAD, foul, nauseous, repulsive,
etc. :—Arn. Merc. Nux-v. Pul.
Rhus-t. Stap.

in the morning :—Bry. Nat-s.
Nux-v. Pul.

to water :—Aco. Ap. Ars. Bur-
p. Fer. Kali-bi. Nat-m. Sil.

BITTER :—Aco. Ant-c. Ars. Bry.
Cham. Chin. Lyc. Merc.
Nux-v. Pul. Sep. Sul. Ver-a.

to food :—Chin. Pul.

BLOODY :—Ip.

DULLED, flat, watery, etc. :—
Bry. Chin. Ign. Pul. Stap.

EARTHY :—Pul.

GREASY, fatty :—Alu. Asaf. Caus.
Iris.

HERBY :—Nux-v.

LOST :—Anac. Bell. Cyc. Hyo.
Nat-m. Pul. Sil.

METALLIC :—Coccl. Cup. Merc.
Nux-v. Rhus-t.

PEPPERY :—Hyds. Lach. Mez.
Sul. Xanth.

RANCID, also of eructation :—Alu.
Carb-v. Thu. Val.

SALTY :—Ars. Kali-io. Lyc. Merc.
Pho. Pul. Sep.

SLIMY :—Kali-bi. Pul.

SOUR :—Arg-n. Bell. Calc-c.
Chin. Lyc. Mag-c. Nux-v. Pho.
Pul. Sul.

SWEET :—Pho. Plb. Pul. Saba.
Scil. Stan.

APPETITE.

AFFECTED, changed, in general :
—Ant-c. Ars. Calc-c. CHIN.
Cina. Grap. Iod. Lyc. Nat-m.
NUX-V. Petr. Pho. PUL. Sil.
SUL. Ver-a.

CRAVES, coarse, raw food, chalk,
etc. :—Alu. Calc-c. Cic. Nit-ac.
Nux-v. Psor. SIL. Tarn.

condiments, spices :—Ars. Chel.
Chin. Flu-ac. Hep. Pho. Pul.
Sang. Sul.

HUNGER :—Calc-c. Chin. Cina.
Grap. Pho. Pul. Sep. Stan.

11 A. M.—Pho. SUL.

attacks of sickness, before :
—Bry. Nux-v. Pho. Psor. Sep.

eating, after :—Cina. Lyc.

headache, with :—Pho. Psor.

ravenous :—Calc-c. Chin. Cina.
Iod. Lyc. Nux-v. Pho. Psor.
Saba. Sil. Sul. Ver-a.

relish, without :—Nat-m. Op.
Rhus-t.

NIBBLING :—Æth. Calc-c. Mag-
m. Nat-c. Petr. Rhus-t.

VARIABLE, capricious :—Calc-c.
Cina. Coc-c. Gran. Iod. Lach.
Nat-m. Petr. Pho. Syph.

AVERSIONS.

TO FOOD, etc. :—Ars. Nux-v. Pul.
loathing, disgust, etc. with :—
Ant-c. Arn. Ars. Cham. Coleh.

Ip. Kali-c. Nux-v. Op. Pul.

acids :—Sul.

beer :—Chin.

bread :—Kali-c. Nat-m. Pul.
Sul.

coffee :—Nux-v.

eggs :—Fer.

fats :—Nat-m. Petr. Pul.

meat :—Grap. Mur-ac. Petr.
Pul. Sep. Sil. Sul.

milk :—Ign. Sep. Sil.

sweets :—Caus. Sul.

tobacco :—Calc-c. Ign. Nux-v.

wine :—Lach. Merc.

THIRST.

Aco. Arn. Ars. Bell. Bry. Calc-c.
Caps. Cham. Chin. Cina. Croc.
Dig. Lyc. Merc. Nat-m. Pho.
Rhus-t. Sep. Sil. Stram. Sul.
Ver-a.

with aversion to drinks :
Hell. Stram.

with the chill :—Bry. Caps.
Ign. Nat-m.

ABSENT, aversion to water,
fluids, etc. :—Æth. Ap. Bell.
Canth. Chin. Fer. Gel. Hell.
Hyo. Ign. Ip. Nux-m. PUL.
Saba. Sep. Stram.

during the heat :—Ap. Carb-v.
Gel. Hell. Ign. Ip. Nux-m.
Pul. Saba. Sep.

COLD DRINKS, for :—Aco. ARS.
Bis. Bry. Chin. Merc-c. PHO.
Rhus-t. VER-A.

LITTLE AND OFTEN, for :—Aco.
Ant-t. Ap. ARS. Bell. Chin.
Hyo. Lyc. Rhus-t.

MUCH AT A TIME :—Bry.

VIOLENT, burning :—Aco. Ars.
Bry. Colo. Cup. Merc. Nux-v.
Saba. VER-A.

CRAVINGS AND DESIRES.

BEER :—Stro. Sul.

BITTERS :—Dig. Nat-m.

CABBAGE :—Cic.

COFFEE :—Bry. Nux-v.

FATS, etc. :—Calc-p. Nit-ac.
Nux-v.

HOT THINGS :—Ars. Bry. Chel.
Fer. Lac-c.

JUICY FOODS, fruit :—Pho-ac.
Stap. Ver-a.

LIQUIDS :—Stap. Sul.

MILK :—Rhus-t. Saba.

PREGNANCY, during :— Sep.

REFRESHING THINGS :—Pul.

SALTY THINGS :—Carb-v. Caus.
NAT-M. Pho. Ver-a.

SOUR THINGS :—Aco. Arn. Ars.
Bell. Cham. Hep. Pul. Sul.
Ver-a.

SPIRITS, alcoholic :—Arn. Ars.
Calc-c. Lach. Nux-v. Op. Stap.
Sul. Syph.

**THINGS that are refused, when
offered** :—Bry. Cham. Pho.
Stap.

SWEETS AND DAINTIES :— g-n.
Chin. Kali-c. Lyc. Saba.

WINE :—Calc-c.

WATERBRASH.

(Also raising mucus.)

Ars. Bry. Calc-c. Carb-v.
Mez. Nat-m. Nux-v. Par. Pho.
Saba. Sep. Sil. Stap. Sul.

HEARTBURN.

Calc-c. Carb-v. Con. Croc.
Nux-v.

QUALMISHNESS.

Ars. Caus. Nat-s. Sul.

HICCOUGH.

Am-m. Cic. Cina. Cyo. Hyo.
IGN. Mag-p. Mar. NUX-V.
Pul. Ran-b. Rut. Tab.

NAUSEA.

Æth. Ant-c. Ant-t. Ars. Bry.
Carb-v. Cham. Coccl. Colch.
Cup. Dig. Hep. Ign. Ip. Lyc.
Nit-ac. Nux-v. Pho. Pul.
Rhus-t. Sep. Sil. Sul. Ver-a.

CONTINUOUS :—Ip. Iris. Nux-v.
Sil.

DEATHLY, anxious :— Ant-t.

MORNING :—Cimi. Nux-v. Pul.
Sep.

ODORS (cooking, etc.), Agg. :—
Ars. Coccl. COLCH. Dig. Ip.
Merc-i-f. Sep. Stan.

STOMACH, felt in :—Ver-a.

THROAT, in :—Cyc. Pho-ac. Stan.
Val.

REGURGITATION.

Æth. Ant-t. Arn. Bry. Nux-v.

PHO. Pul. Sars. Sul. Sul-ac.

ingesta, of :—Bry. Pho. Pul.

RETCHING AND GAGGING.

Bell. Bry. Cham. Colch. Dros.
Eup-p. IP. Nux-v. Pod. Pul.
Rhus-t. Sul. Tab. Ver-a.

VOMITING.

Ant-t. Apo. Arn. Ars. Bry.
Cham. Cina. Cup. Fer. IP.
Kre. Nux-v. Op. Pul. Sil.
Sul. Ver-a.

AT ONCE :—Apoc. ARS. Cad-s.
Zin.

BLACK :—Ars. Nux-v.

CURDS :—Æth. Calc-c.

DELAYED, after a while :—Bism.
PHO.

FECAL :—Op. Rhus-t.

FLUIDS only :—Ars.

after they become warm :—
PHO.

FROTHY :—Æth. Arg-n.

HEADACHE, with :—Bry. Coccl.
Ip. Iris. Nux-v. Pul. Sang.
Sep. Ver-a.

INGESTA :—Ars. Bry. Cina. Fer.
Ign. Nux-v. Pul. Sil. Sul.

MILK :—Æth. Calc-c.

MUCUS :—Dros. Ip. Pul.

OFFENSIVE :—Ars. Nux-v. Sep.

PAINFUL :—Ver-a.

PREGNANCY, Agg. :—Anac.
Coccl. Ign. Ip. Kre. LOB.
MED. Nux-v. Sep. Sul.

PURGING, with :—Æth. Ant-t.
ARS. Cam. Colch. Cup. Ip.
Iris. Pho. Pod. Sec-c. Sul.
VER-A. Ver-v.

VIOLENT :—Ant-t. Ars. Cup.
Kali-bi. Nux-v. Phyt. Ver-a.

WATERY :—Ars. Bry. Caus. Dros.
Tab. Ver-a.

WORMS :—Cina.

ERUCTATIONS.

Arg-n. Asar. Bell. Bry. Carb-v.
Coccl. Con. Lye. Merc. Nat-m.
Nux-v. Saba. Sep. Sul. Ver-a.

ABORTIVE :—Ars. Con. Grap.

ACRID :—Merc.

COUGHING, when :—Amb. Kali-
bi. Sang. Sul-ac. Ver-a.

EGGS, like bad :—Arn.

EMPTY :—Bry. Calc-c. Carb-v.
Con. Grap. Pho. Sep. Sul.

FROTHY :—Kre.

INGESTA, tasting of :—Ant-c.
Bry. Pul.

LOUD, noisy :—Arg-n. Asaf.
Kali-bi. Petr. Pho.

NAUSEOUS, foul :—Asaf. Carb-v.
Pul. Sul.

RANCID :—Asaf. Carb-v.

RELIEF, without :—Chin. Lye.

SOUR :—Calc-c. Chin. Lye. Mag-
c. Nat-m. Nat-p. Nux-v. Pul.
Sul.

EPIGASTRIUM.

ARS. Calc-c. Chel. Colo. Ign.
Ip. KALI-C. Lach. Lob. Lye.
Nat-m. NUX-V. Pho. Pul. Sep.
Sul. Tab.

ABOVE :—PHO.

ACHING :—Sil.

ANXIETY at :—Ars. Lye. Nux-v.
Pul.

BURNING :—Ars. Nux-v. Sep.
Sil.

COUGH, from :—Bry. Nit-ac. Pho.
Pho-ac.

CRAMP, pinching, etc. :—Sil.
Ver-a.

LUMP ABOVE, as of :—Nat-c.
Nat-m. Pho. Pul.

PAIN in :—Ars. Nux-v. Ver-a.

PRESSURE :—Cup. Nux-v. Pho.
Pul. Ver-a.

SENSITIVE :—Bry. Calc-c. Carb-

v. Chin. Hyo. Kali-c. Lach.
Lyc. Nux-v. Ver-a.

STICKING :—Arn. Bry. Nit-ac.
Rhus-t. Sep. Sul.

SWELLED :—Calc-c. Nux-v.

THROBBING :—Asaf. Kali-c. Pul.
Rhus-t. Sep.

UPWARD (up throat, etc.) :—
Aco. Ars. Calc-c. Carb-v.
Fer. Kali-bi. Kali-c. Lyc.
Nat-m. Nux-v. Pho.

STOMACH AND ABDOMEN.

Æth. Arg-n. ARS. Bry. Calc-c.
Carb-v. Chin. Colo. Ip. Lach.
LYC. NUX-V. PHO. PUL.
Sep. Sil. Sul. Ver-a.

BEHIND STOMACH :—Arn. Cact.
Ham. Kali-c. Stram.

UPPER ABDOMEN :—Caus. Cham.
Chin. Coccl. Nux-v. Pul.

NAVEL (about) :—Bry. Colo.
Dios. Ip. Kre. Nux-v. Pho-ac.
Rhus-t. Ver-a. Verb.
suppurating :—Pho.

ILEO-CÆCAL REGION :—Ars.
Bap. Bell. BRY. Carb-v. Chin.
COLO. LACH. Lyc. Merc-c.
Mur-ac. Nux-v. Pho. Pho-ac.
Plb. RHUS-T. Sep. Sul. Thu.

SIDES :—Asaf. Carb-v. Chin. Ign.

Right :—Ars. Lach. Lyc. Rhus-t.
to left :—Sep.

Left :—Alu. Arg-m. Asaf. Brom.
Dul. Flu-ac. Hep. Plb. Rhe. Sil.
Sul. Tarx.

to right :—Nux-v.

Alternating :—Arn. Pul. Sul.

LOINS (Flanks) :—Canth. Rhe.
Thu. Zin.

LOWER :—Bell. Bry. Carb-v. Lyc.
Merc. Ran-b. Scil. Sep.

backward, Right :—Caus. Pho.
Sep. Ust.

Left :—Aco. Carb-v.

UPWARD, Right :—Aco. Kali-c.
Mag-m. Murx. Seneg. Sep.

Left :—Alu. Ign. Naj. Nat-s.
Spo. Zin.

Diagonally :—Lach.

ANXIETY, emotions felt in, etc. :—
Ars. Aur. Carb-v. Cham. Cup.
Kali-c. Nux-v. Pho. Ver-a.

BACKWARD, pain goes :—Arn.
ARS. BELL. Bor. Carb-v.
Chel. Con. Cup. Fer. Kali-p.
Lyc. Nux-v. PHO. Plb. Pul.
Sep. Sul. Tab.

BORING IN :—Plb. Stan.

BURNING IN :—Ars. Canth. Carb-
v. Cic. Merc-c. Pho. Ran-b.
Sec-c. Sep. Sul. Ver-a.

Navel :—ACO. Bov. Kali-io.
Lach. Lyc. Phyt. Plb. Sep.

CANCER :—Lyc. Pho.

CHANGING, about in :—Dio.
Nux-v.

COLDNESS :—Amb. Ars. Calc-c.
Colch. Kali-c. Men. Pho. Sec-c.
Sul-ac. Ver-a. Zin.

COUGHING, Agg. :—Bry. Dros.
Nux-v.

CRAMP :—Bell. Cham. COLO.
Cup. Dios. Ign. Mag-m. Nux-v.
Ver-a.

CUTTING :—Bell. Bry. Chin. Colo.
Ip. Merc. Nit-ac. Nux-v. Pul.
Rhe. Sul. Ver-a.

DIARRHŒA, sense of :—Dul.
Nux-v. Pul.

DIGESTION DISORDERED :—Ant-
c. Arg-n. Ip. Nat-c. Nux-v. Pul.

DISTENDED, tympanitic, inflated,
swelled, etc. :—Aco. Arg-n. Ars.
CALC-C. CARB-V. Chin.
Colch. Grap. Kali-c. Lyc. Merc.

- Nat-c. Nat-m. (side). Nux-m.
 NUX-V. Pho. Rhus-t. Stram.
 Sul. Terb. Ver-a.
- DRAWING** :—Pul.
- DRINKING** (water), Agg. :—Ars.
 Pho. Zing. (bad).
- EATING**, Amel. :—Anac. Ign.
 Lach. Zin.
- too much, Agg. :—Ant-c. Cof.
 Ip. Pul.
- EMPTY**, hollow, weak, sinking,
 etc. :—Carb-a. Dig. Hyds. Ign.
 Ip. Nux-v. Pho. Pod. Sep.
 Stan. Stap. Sul. Tab. Zin.
- not Amel. by eating :—Cina.
 Lach. Lyc. Mur-ac. Pho. Sep.
 Ver-a.
- Comp. Generalities.
- FATS**, Agg. :—Carb-v. Pul.
- FERMENTATION** in :—Chin.
- FOOD SPOILED**, Agg. :—Ars.
- FORWARD** into :—Thu.
- FULNESS** :—Carb-v. Chin. Kali-c.
 Lyc. Nux-v. Sul.
- GNAWING**, eating, ulcerative
 pain :—Carb-v. Pho. Sep.
- GURGLING** in :—Alo. Crot-t.
 Gamb. Pod. Sul.
- then gushing stools :—Alo. Crot-
 t. GAMB. Iris. Jat. Nat-s.
 Pho. Pod. Sec-c. Sul. Thu.
 Ver-a.
- HARD** :—Grap. Merc. Sil.
- HEAVY** :—Alo. Am-m. Grap.
 Kali-c. Nux-v. Pul. Sep.
- HOLDS THE** :—Ag-c. Sep.
- ILEUS** :—Nux-v. Op. Plb. Rhus-t.
 Thu.
- INFLAMED** :—Aco. Ant-t. Ars.
 Bry. Ip. Nux-v. Pho. Pul.
- LUMP**, ball, stone, etc. :—Nux-v.
 Rhus-t. Sul.
- PAIN**, dull, aching, indefinite,
 etc. :—Ars. Colo. Cup. Nux-v.
 Plb. Pul. Sep. Ver-a.
- PRESSURE**, load, etc. :—Agar.
 Arn. Ars. Bry. Calc-c. Cham.
 Chin. Hyo. Lyc. Nux-v. Pho-
 ac. (lower). Pul. Sep. Sil. Sul.
- Agg. :—Ars. Bry. Calc-c. Chin.
 Merc-c.
- Amel. :—Arg-n. Castor. COLO.
 Stan.
- RAWNESS** :—Ars. Bell. Canth.
 Nux-v. Ran-b.
- RUBBING**, Amel. :—Pod.
- SORE SPOT** in :—Arg-n. Bar-c.
 Bis. Kali-bl.
- SPASMODIC PAIN** :—Caus.
- STOOL**, Amel. :—Colch. Colo.
 Gamb. Mag-c. NUX-V. Ver-a.
- SUNKEN** :—Ap. Calc-p. Cup.
 Hyds. PLB. Ver-a. Zin.
- TEARING**, shooting :—Cham.
- TENSION** :—Arn. Caps. Carb-v.
 Chin. Colo. Sil.
- THROBBING** :—Nux-v. Pul. Sele.
 Sep.
- ULCER** and ulcerative feeling :
 —Kali-bl. Pho. Ran-b.
- UPWARD**, extending :—Aco. Ars.
 Calc-c. Carb-v. Kali-bl. Kali-c.
 Lact-ac. Saba.
- WARM** (foods), Amel. :—Lyc.
 Mag-p. Nux-v. Sul-ac.
- WEAK**, sinking, hanging, etc. :
 —Ign. Pho.

EXTERNAL ABDOMEN.

Ap. Bry. Merc. Nux-v. Plb.
 Pul. Sele.

BRUISED, sore :—Aco. Ap. Ars.
 Bell. Bry. Chin. Lach. Lyc.

Merc-c. NUX-V. Stan. Sul.
Terb.

PENDULOUS, enlarged, pot-
bellied :—Calc-c. Caus. Sep.
Sul.

HYPOCHONDRIÆ.

Aco. Chin. Ran-b.

RIGHT, liver and gall-ducts,
etc. :—Aco. Alo. Am-c. Am-m.
Ars. Aur. Bar-c. Bell. Berb.
Bry. Chel. Chin. Coccl. Colch.
Dios. Gel. Hyds. Iris. Kali-c.
Lach. Lyc. Mag-m. Merc. Nat-
s. Nux-v. Pho. Pod. Rhe. Sep.

posterior :—Calc-c. Kali-bi.
Lept. Rhus-t.

LEFT, spleen and pancreas :—
Alu. Arn. Asaf. Carb-v. Chin.
Con. Flu-ac. Ign. Iris. Naj.
Nat-m. Nat-s. Nit-ac. Ran-b.
Sul. Ther.

ABSCESS :—Lach.

AROUND :—Ran-b.

BACKWARD (to scapula) ; (r) :—
Aco. Esc. Bor. Calc-c. CHEL.
Dios. Grap. Hyds. Kali-bi. Lyc.
Mag-m. Nat-m.

BURNING, heat, etc., L. :—Alo.
Aur. Lach. Lept. Merc. Myr.

COUGHING, Agg. :—Dros. Eup-p.
Kali-c. Nat-s.

CRAMP :—Merc. (r).

GALL-BLADDER, gall-stones,
etc. :—Berb. Bry. Calc-c.
Card-m. Chel. CHIN. Euon.
Lach. Lept. Lyc. Mag-p.
MERC. Nux-v. Pho. Pod. Sang.

INDURATION :—Grap. (liver).

INFLAMMATION (liver) :—Lach.
(gall-bladder). Mag-m. Pho
(gall-bladder).

LIVER AND RIGHT ARM :—Bry.
Iris.

with lung symptoms :—Card-m.
Chel. Hyds.

lying on left side, Agg. :—Arn.
Card-m. Mag-m. Nat-s. Ptel.

pressure, Agg. :—Bell. Bry.
Carb-v. Card-m. Lach. Lyc.
Merc. Pho.

scapula, left, to :—Dios. Dul.
Lept. Myr.

urticaria, with :—Canc-f. Myr.

PAIN (liver) :—Bry.

PRESSURE (L) :—Mag-m.

STICKING :—Ign. (S). Sil.

TENSION :—Aco. Lyc.

FLATULENCE.

Arg-n. Arn. Asaf. CARB-V.
Cham. CHIN. Coccl. Grap. Ign.
Kali-c. LYC. Nit-ac. NUX-V.
Pho. Pul. Sil. Sul.

Right :—Bis. CALC-C. Grap.
Lil-t. Nat-s. Ox-ac. Pho. Thu.

Left :—Am-m. Aur. Carb-v.
CON. Crot-t. Dios. Euphor.
Lyc. Nat-m. Pho-ac. Seneg.
Stap. SUL.

DISCHARGE of :—Carb-v. Chin.
Grap. Kali-c. Old.

FERMENTING, as if :—Rhus-t.

FOUL, putrid :—Ars. Asaf.
Carb-v. Coccl. Pul. Scil. Sul.

GENERATION OF :—Carb-v.
Kali-c. Mar.

NOISY, rumbling, growling,
etc. :—Ant-c. Carb-v. Caus.
Chin. Hell. Lyc. Nat-m. Nat-s.
Nux-v. Pho. Pho-ac. Pul. Sep.
Sil. Sul. Ver-a.

OBSTRUCTED, retained :—Ant-t.
Aur. (l). Carb-v. Cham. Chin.
Coccl. Grap. Ign. Lyc. Nat-c.
Nit-ac. Nux-v. Plb. Pul. Raph.
Stap.

PAINFUL, wind colic :—Carb-v.
Cham. Chin. Lyc. Nat-s.
Nux-v. Pul. Rhod. Stap. Ver-a.

PRESSING, on bladder :—Carb-v.
Ign. Kali-c.
on rectum :—Calc-c. Ign. Nat-s.
upward :—Arg-n. Carb-v. Grap.
Thu.

SOUR :—Nat-c.

UP AND DOWN, passing, Amel. :—
Arg-n. Grap. Kali-c. SANG.
Ver-a.

GROINS.

Alo. Am-m. Coccl. Gran. Guai.

RIGHT :—Calc-c. Cham. Kali-c.
Lach. Lyc. Nux-v. Pul. Rhod.
Rhus-t. Sul-ac. Thu.

LEFT :—Euphor. Mag-c. Zin.

INTERNAL RING :—Am-m. Aur.
Lyc. Nux-v. Sul-ac.

EXTERNAL RING :—Ars. Merc.

GLANDS :—Calc-c. Hep. Merc.
Nit-ac. Thu.

HERNIA :—Am-m. Aur. Cham.
Lyc. Nux-v. Sul. Sul-ac. Ver-a.

incarcerated or protruding :—
Nux-v. Ver-a.

MONS VENERIS :—Rhus-t.

ANUS AND RECTUM.

ANUS :—Æsc. Carb-v. Grap.
Kali-c. Mur-ac. Nit-ac. Nux-v.
Pho. Sep. Sul.

RECTUM :—Æsc. Alo. Calc-c. Ign.
Lyc. Merc-c. Nat-m. Nux-v.
Pho. Pod. Rat. Sep. Sul.

BURNING :—Ars. Caps. Carb-v.
Iris. Kali-c. Lyc. Merc. Sul.

DRAWING :—Lach.

EXCORIATION :—Sul.

FISSURE :—Alu. Caus. Grap. Ign.
Nat-m. Nit-ac. Pæo. Rat.
Syph. Thu.

HÆMORRHOIDS :—Æsc. Alo.
Caus. Collin. Grap. Ham.
Kali-c. Lach. Mur-ac. Nit-ac.
NUX-V. SUL.

blind :—Nux-v.

painful :—Mur-ac. Nit-ac. Pæo.
Stap.

protruding :—Alo. Calc-c. Mur-
ac. Sul.

INACTIVE, powerless, open,
etc. :—Alo. Alu. Ap. Ign. Kali-c.
Pho. Sec-c.

ITCHING :—Caus. Lyc. Nit-ac.
Sul.

LUMP, plug, etc. :—Anac. Cann
Crot-t. Kali-bi. Lach. Lil-t
Nat-m. Plat. SEP. Sul-ac.

MOISTURE at :—Caps. Carb-a
Caus. Pho. Sil. Sul.

PAINFUL, long after stool :—
Æsc. Agar. Alo. Calc-c. Ign.
Mur-ac. Pæo. Rat. Sul.

PRESSURE, fulness, etc. :—Æsc.
Nit-ac. Sul.

PROLAPSE :—Ign. Lyc. Merc.
Pod. Sep.

SHOOTING :—Ign.

SORE, sensitive, smarting, pain-
ful :—Bell. Carb-v. Grap.
Mur-ac. Nit-ac. Pul. Sul.

UPWARD, pain goes :—Grap. Ign.
Lach. Sep. Sul.

URGING :—Caus. Merc. Sul.

abortive :—Nux-v.

absence of :—Bry. Op.

ineffectual (tenesmus) :—Capo.
Merc. MERC-O. Rhe. Rhus-t.
• Sul.

irresistible :—Alo.

passes flatus only :—Alo.

Carb-v. Mag-m. Nat-c. Pho.
Rut. Sep.

PERINEUM.

Ag-c. Alu. Carb-a. Carb-v. Oyc.
Sul.

PROSTATE GLAND:—Bar-c. Chin.
CON. Dig. Lyc. Pho. PUL.
Sabal. Sele. Sep. Stap. Sul.
THU.

Enlarged:—Can-i. Chim. Sabal.
Sil.

STOOL.

ACRID:—Ars. Carb-v. Chin.
Colch. Gamb. Ign. Iris. Merc.
Pul. Sul.

AGGRAVATION from:—Dios.
Merc. Merc-c.

AMELIORATION from:—Colo.
Gamb. Nux-v.

BAD ODOR:—Ars. Asaf. Bap.
Carb-v. Nux-v. Pod. Psor. Pul.
Sul.

BLACK:—Ars. Lept. Stram.
Ver-a.

tarry:—Chio. Lept.

BLOODY:—Canth. Ham.
Merc. Merc-c. Nux-v. Pu
Rhus-t. (water). Sep. Sul.
(streaked).

CHANGEABLE:—Cham. Dul. Pul.

CHILL, with:—Ars. Colo. Lac-c.
Merc. Pul. Sul. Ver-a.

CONSTIPATED:—Bry. Calc-c.
Coccl. Grap. Lach. Lyc. Nux-v.
Op. Plb. Psor. Sanic. Sil. Stap.
Sul.

alternate days, on:—Calc-c.
Coccl. Kali-c. Lyc. Nat-m.

chronic:—Bry. Grap. Nux-v.
Op. Plb. Sul. Ver-a.

hard faeces, from:—Bry. Mag-
m. Nux-v. Op. Plb. Verb.

inactivity, from:—Alu. Hep.
Kali-c. Nat-m. Nux-v.

CONSTIPATION, of infants:—Plb.

CRUMBLING:—Mag-m. Nat-m.

DARK, brown, etc.:—Ars. Bry.
Grap. Nux-v. Psor.

DIARRHOEA:—Alo. Ars. Cham.
Chin. Cina. Colo. Con. Crot-t.
Gamb. Iris. Merc. Nat-s. Pho.
Pho-ac. Pod. Psor. Pul. Rhe.
Rhus-t. Sul. Ver-a.

chronic:—Ars. Calc-c. Pho.
Sul.

constipation, alternating with:
—Ant-c. Calc-c. Chel. Lyc.
Nat-s. Nux-v. Pho. Pod. Pul.

drinking, Agg.:—Arg-n. Ars.
Crot-t.

eating, Agg.:—Alo. Ars. Chin.
Colo. Crot-t. Fer. Nux-v. Pod.

menses, Agg.:—Bov. Caus. Lach.
Nat-s. Pul. Ver-a. Vib.

morning:—Alo. Bry. Kali-bl.
Lil-t. Nat-s. Pod. Rum. SUL.

nervous; emotions, Agg.:—
Aco. ARG-N. Cham. Col. GEL.
Hyo. Ign. Op. Pod. Pul. Ver-a.

nightly:—Fer.

painful:—Ars. Bry. Cham. Colo.
Merc. Merc-c. Rhe. Rhus-t.
Sul.

painless:—Ars. Chin. Fer.
Hyo. Lyc. Pho. Pho-ac. Pod.
Pul. Stram. Sul. Ver-a.

weather, hot, Agg.:—Bry. Pod.

DIFFICULT:—Bry. Chin. Mag-m.
Nat-m. Nux-v.

although soft:—Alu. Chin. Hep.
Nux-m. Psor. Pul. Sep. Sil.
Stap.

DRY:—Bry. Nat-m.

- DYSENTERIC** :— Canth. Caps.
Colo. Ip. MERC-C. Nux-v.
Rhus-t. Sul.
- EGGS, LIKE BAD** :—Cham.
- FLATULENT** :—Agar. Alo. Arg-n.
Crot-t. Fer. Ign. Nat-s.
- FREQUENT** :—Aco. Calc-c. Cham.
Merc-c. Nux-v. Pod. Ver-a.
- GELATINOUS** :—Alo.
- GRANULAR, sandy, etc.** :—Arg-m.
Bell. Hyds. Mang. Mez. Pho.
- GRASS GREEN** :—Aco. Ant-t.
ARG-N. Cham. Ip. Iris. Merc.
Merc-d.
- GUSHING, pouring** :—Alo. Bry.
Crot-t. Gamb. Jat. Pod. Sang.
Sec-c. Ver-a.
- HACKED, Chopped** :—Aco. Cham.
Sul-ac.
- HARD** :—Alu. Bry. Grap. Mag-m.
Nat-m. Nit-ac. Plb. Sil. Sul.
- HOT** :—Alo. ARS. Ascl. Bell.
Caps. Cham. Gamb. IRIS.
Merc-c. Pic-ac. Pod. Sul.
- INSUFFICIENT** :—Arn. Caps.
Cham. Lyc. Mag-m. Merc-c.
Nat-c. Nux-v. Sul.
- INVOLUNTARY, hurried, etc.** :—
Alo. Ap. Arn. Bar-c. Gel. Hyo.
Pho. Pho-ac. Pod. Sul. Ver-a.
although solid :—Alo. Ars. Caus.
Colo. Hyo.
- KNOTTY, lumpy, like sheep dung,
of little balls** :—Alu. Bell.
(chalky). Calc-c. (chalky).
Grap. Hyds. Mag-c. (tallow).
Mag-m. Merc. Op. Plb. Sep.
Sil. Sul. Verb.
- LARGE CALIBER** :—Bry. Grap.
Kali-c. Lyc. Sanic. Ver-a.
- MEAT WATER, like** :—Canth.
Pho. Pod. Rhus-t.
- MUCUS** :—Arg-n. Ars. Asar. Bor.
Caps. Cham. Colch. Grap. Hell.
- Ip. Kali-m. Merc. Merc-c.
Nux-v. Pho. Pul. Rhus-t. Sul.
bloody :—Merc. Merc-c.
coated :—Am-m. Cham. Grap.
Hyds. Pul.
- lumps, of** :—Alo. Spi.
- NOISY** :—Arg-n. Nat-s. Thu.
- PASTY, sticky** :—Chel. Kali-bi.
Merc. Plat. Rhe. Sul.
- PROSTRATING** :—Ars. Ver-a.
not :—Ap. Pho-ac.
- RED** :—Lyc. Merc. Rhus-t.
- RETAINED** :—Coec. Sil. Stram.
- RICE WATER** :—Cam. Ver-a.†
- SCANTY, BUT FREQUENT** :—Ars.
Merc-c. Nux-v.
- SCUM, floating on** :—Asclp. Bry.
Grat. MAG-C. Sal-ac. Sanic.
- SHREDDY** :—Arg-n. Canth.
Merc-c.
- SLENDER** :—Caus. Pho.
- SOFT, mushy, etc.** :—Chin. Nit-ac.
Pho. Pul. Sul.
- SOUR** :—Calc-c. Hep. Mag-c. Merc.
Nat-p. Rhe. Sul.
- STANDING, Amel.** :—Caus.
- UNDIGESTED** :—Ars. Calc-c. Chin.
Fer. Old. Pho-ac.
- WHEYEY** :—Cup. Iod.
- WHITE, gray, etc.** :—Ars. Calc-c.
Chel. Dig. Kali-c. Lach. Merc.
Op. Pho. Pho-ac. Pod.
- WORMS** :—Aco. Calc-c. Chin. Cina.
Ign. Merc. Nat-p. Saba. Sil.
Spi. Sul.
- pinworms** :—Calc-c. Chin. Fer.
Ign. Mar. Sul.
- tapeworm** :—Calc-c. Grap.
Plat. Pul. Saba. Sil. Sul.
- YELLOW** :—Ars. Crot-t. Merc. Pod.
bright :—Æth. Alo. Chel. Colch.

CONCOMITANTS—MICTURITION—URINE

Gel. Kali-p. Nux-m. Pho. Pod.
Sul-ac.

CONCOMITANTS.

BEFORE STOOL :—Calc-c. Merc.
Nux-v. Ver-a.

DURING STOOL :—Ars. Cham.
Merc. Pul. Sul. Ver-a.

AFTER STOOL :—Caus. Merc-c.
Nux-v. Pho. Pod. Sele.

MICTURITION.

CRYING, before :—Bor. Lyc. Nux-
v. Sars.

DESIRE, urging, etc. :—Ant-t.
Bry. Canth. Caus. Merc-c.
Nux-v. Pho-ac. Pul. Sabi.
Sars. Scil. Stap. Sul.

diarrhoea, during :—Ap. Arn.
Canth. Merc-c.

fruitless :—Ars. Canth. Dig.
Merc-c. Nux-v. Sars.

**DIFFICULT, painful, drop by
drop, strangury, etc.** :—Cann.
Canth. Cham. Merc-c. Nux-v.
Pul. Stap. Sul.

in presence of others :—Amb.
Hep. Mur-ac. Nat-m. Tarn.

DRIBBLING :—Canth. Pul. Sul.

FEEBLE, slow, weak, etc. :—
Alu. Arn. Hep. Lyc. Mur-ac.
Sars. Sep.

drops vertically :—Arg-n. Caus.
Gel. Hep.

FREQUENT :—Arg-m. Bar-c.
Caus. Guai. Kali-n. Lyc.
Mang. Merc. Merc-c. Nux-v.
Rhus-t. Scil. Stap. Sul.

HURRIED, irresistible :—Bry. Kre.
Pho. Pul. Sul.

INFREQUENT :—Ap. Canth.

**INTERRUPTED, intermittent,
etc.** :—Agar. Ant-c. Carb-a.
Caus. Clem. Con. Gel. Kali-c.
Led. Lyc. Op. Sars. Sul. Thu.

INVOLUNTARY :—Caus. Fer. Pul.
Rhus-t.

in bed, bed-wetting :—Bell.
Calc-c. Caus. Cina. Merc. Pul.
Rhus-t. Sil. Sul. Syph. Tub.

during first sleep :—Caus.
Sep.

coughing, on :—Caus. Pho.

NIGHTLY :—Lyc. Rhus-t.

**RETENTION, suppression, tardy,
etc.** :—Aco. Ap. Arn. Ars.
Cam. Canth. Hep. Kali-bi.
Lyc. Op. Pul. Stram. Terb.

Comp. Discharges and
Feeble.

SCANTY :—Ap. Canth. Colch. Dig.
Grap. Hell. Op. Rut. Stap.

URINE.

ALTERED IN GENERAL :—Pul.
Sep. Sul.

ACRID :—Hep. Merc. Pul.

ALBUMINOUS :—Ap. Ars. Canth.
Fer. MERC-C. Pho. Pib.
Rhus-t. Sul. Terb.

BLACK :—Ap. Colch. Lach. Terb.

BLOODY :—Terb.

CLOUDY :—Cina. Con. Merc. Pho.
Saba.

turning :—Bry. Cham. Pho-ac.

DARK :—Aco. Ant-t. Bell. Bry.
Colch. Merc. Sep. Ver-a.

FLOCCULENT :—Canth. Mez.

FROTHY :—Chel. Lach. Spo.

GREENISH :—Cam. Ver-a.

HOT, burning :—Aco. Ars. Bell.
Cann. Canth. Hep. Merc.
Merc-c.

MILKY :—Cina. Pho-ac.

ODOR, ammoniacal, strong :—
Asaf. Benz-ac. Nit-ac. Pho.

foul, repulsive :—Benz-ac. Dul.
Pul. Sep.

PALE :—Con. Kali-c. Pho-ac.

PELLICLE on :—Par. Pho. Psor.
Pul. Sep.

PROFUSE :—Arg-m. Lyc. Mur-ac.
Pho. Pho-ac. Rhus-t. Scil. Spi.
Verb.

VISCID :—Colo.

WATERY :—Scil.

SEDIMENT.

Canth. Colo. Lyc. Pho-ac. Pul.
Sep. Val. Zin.

ADHERENT :—Ap. Colo. Fer.
Pho. Pul. SEP.

BLOODY :—Canth. Pho-ac. Pul.
Sep.

CLAYEY, earthy :—Zin.

CLOUDY :—Pho-ac.

FLAKY :—Canth. Mez. Zin.

MUCOUS :—Berb. Pul. Terb.

RED, brickdust, etc. :—Bry.
Canth. Chin. Lyc. Nat-m. Pul.
Sep. Val.

SANDY :—Lyc. Sars.

WHITE :—Pho. Rhus-t.

YELLOW :—Zin.

CONCOMITANTS.

Cann. Merc. Pul.

BEFORE URINATION :—Bor. Colo.
Nux-v. Pul.

AT START OF URINATION :—
Merc.

DURING URINATION :—Cann.

Canth. Hep. Lyc. Merc. Pho-
ac. Pul. Sep. Thu.

AFTER URINATION :—Canth.
Colo. Hep. Merc-c. Nat-m.
Thu.

URINARY ORGANS.

AP. Ars. Bell. Berb. Cann.
CANTH. Caus. Fer. Hep.
Lyc. Merc. Merc-c. Nat-m.
Nit-ac. Nux-v. Pho. Pho-ac.
PUL. Rhus-t. Sars. Sul. Terb.
Thu.

KIDNEYS :—Ap. Ars. Berb.
Canth. Merc-c. Rhus-t. Stro.
Terb.

Right :—Berb. Coc-c. Lyc.
Nux-v. Oci. Sars.

Left :—Chin. Colo. Merc. Par-b.
Zin.

URETERS :—Ap. Bell. Berb. Canth.
Lyc. Oci. Polyg. Sars. Sep.

BLADDER :—Canth. Caus. Dul.
Hyo. Lyc. Merc-c. Nux-v. Pul.
Rut. Sul.

burning :—Berb. **CANTH.** Caps.
Merc-c. Terb.

painful, sore :—Canth. Equi.
Terb.

paralysis of :—Ars. Gel. Hyo.
Nux-v.

tenesmus :—Bell. Cann. **Canth.**
Dig. Dul. Merc-c. Sul.

URETHRA :—Arg-n. Cann. **Canth.**
Caps. Clem. Lyc. Merc. Pho.
Pul. Sul. Thu.

caruncle :—Ars. Cann. Hep.

cramp :—Clem.

discharge, fetid :—Carb-v. Sil.

painless :—Fer. Nat-s. Thu.

thin :—Lyc. Nat-m. Nit-ac.
Pho. Psor. Sul.

itching :—Merc-c. Nux-v. Sul.
 stricture :—Clem. Petr.
 urinating, Amel., while :—Stap.

GENITALS.

Ag-c. Arn. Calad. Merc. Nit-ac. Pul. Rhus-t. Sep. Sul.

RIGHT :—Ap. Calc-c. Caus. Clem. Hep. Lyc. Merc. Nux-v. Pall. Spo. Sul-ac. Ver-a.

LEFT :—Lach. Naj. Pul. Rhod. Thu.

Alternating between :—Cimi. Colo. Lac-c. Lycop. Ol-an. Onos. Rhod.

MALE ORGANS.

Ag-c. Arg-n. Aur. Cann. Canth. Cinnab. CLEM. Con. Grap. Lyc. MERC. NIT-AC. Nux-v. Plat. PUL. Rhod. Rhus-t. Spo. Stap. Sul. Thu.

PENIS :—Arn. Cann. Canth. Clem. Dul. Merc. Thu.

GLANS :—Merc. Nit-ac. Rhus-t. Thu.

PREPUCE :—Ap. Calad. Jaca-c. Merc. Rhus-t.

SPERMATIC CORD :—Berb. Pul. Spo.

TESTES :—Arn. Aur. Clem. Merc. Nux-v. Pul. Rhus-t. Sep. Spo.

hanging low :—Calc-c. Clem. Pul.

indurated :—Aur. Clem. Con. Iod. Rhod. Spo.

orchitis :—Aco. PUL.

swelled :—Clem. Pul.

SCROTUM :—Arn. Crot-t. Petr. Rhus-t. Sul.

COLDNESS :—Ag-c. Caus. Gel. Lyc. Sabal. Sul.

EJACULATION, premature :—Carb-a. Chin. Grap. Lyc. Pho. Zin.

EMISSION :—Chin. Con. Fer. Gel. Pho. Pho-ac. Sele.

ERUPTION :—Crot-t. Grap. Petr. Rhus-t.

FUMBLING, grasp :—Aco. Bell. Buf. Canth. YO. Merc. Stram. Zin.

FEMALE ORGANS.

Amb. Ap. BELL. Calc-c. Cham. Cimi. Con. Grap. Kali-c. Kre. Lach. Lil-t. Lyc. Nat-m. Nux-v. Pho. Plat. PUL. Sabi. Sec-c. SEP. Sul. Thu. Vib.

external :—Sep. Thu.

OVARIES :—Ap. Bell. Canth. Guai. Lach. Lyc. Pul. Stap. Thu.

VAGINA :—Calc-c. Kali-c. Lyc. Merc. Pul. Sep. Sul.

UTERUS :—Bell. Cham. Kali-c. Plat. Pul. Sabi. Sec-c. Sep.

painful :—Ign.

tilted to left :—Sep.

to right :—Murex. Pul.

ABORTUS :—Ap. Bell. Cham. Croc. Ip. Sabi. Sec-c. Sep. Vib.

habitual :—Ap. Fer. Lyc. Pib. Sil. Syph. Thu.

ABSCESS, labial, pus tubes, etc. :—Lach. Merc. Pul. Sep.

ADHERENT PLACENTA :—Pul. Sec-c.

AFTER-PAINS :—Arn. Cham. Cimi. Pul. Rhus-t. Sabi.

BACKWARD PAINS :—Bell. Lil-t.
Sep.

BURNING :—Ars. Berb. Canth.
Carb-a. Kre. Sec-c. Sul.

COITION, Agg. :— Ap. Arg-n.
Kre. Nat-m. Pul. Sep.

DRYNESS :— Berb. Lyc. Nat-m.
Sep.

ITCHING :—Calad. Calc-c. Carb-v.
Con. Nat-m. Sep. Sul. Tarn.

LABOUR-LIKE, or bearing down
pains :—Bell. Cham. Gel. Lil-t.
Nux-v. Plat. PUL. Sabi. Sec-c.
Sep. Vib.

LABOUR PAINS, ceasing, weak,
etc. :—Bell. Gel. Kali-c. Op.
Pul. Sec-c.

false :—Pul.

inefficient :—Caul. Cof. Nux-v.

too painful, laborious or violent,
etc. :—Cham. Pul. Sec-c. Sep.

spasms, with :—Cham. Hyo. Ign.
Pul.

LYING, Agg. :—Fer. Kre. Murx.
Pul.

MOTION, Agg., bleeding :—Croc.
Sec-c.

PUERPERAL INFECTION, septic
uterus :—Ars. Bell. Lyc. Op.
Pyro. Rhus-t. Sec-c. Sul.

SORE, sensitive, painful :—Ap.
Canth. Cof. Con. Kre. Lach.
Lil-t. Plat. Stap. Sul. Thu.

STOOLING, Agg. :— Amb. Pod.
Stan.

SWELLED :— Ap. Bell. Canth.
Kre. Nit-ac. Nux-v. Pul.

UPWARD GOING :— Alu. Cact.
Calc-p. Coc-c. Elap. Lach. Lil-t.
Nit-ac. Pul. Sabi. Sep.

Right :—Alu. Ap. Croc. Lach.
Lys. Murx.

Left :— Brom. Caul. Cimi.

Kali-c. Lac-c. LACH. LIL-T.
NAJ. Sul.

SEXUAL IMPULSE.

DECREASED :— Bar-c. Caus.
Grap. (F). Lyc. Nat-m. (F).
Onos. Pho-ac. Sul.

ERECTIONS :— Canth. Grap.
Merc. Nat-c. Nat-m. Nux-v.
Pho. Pic-ac. Plat. Pul. Thu.

deficient, falling :— Arg-n.
Bar-c. Con. Lyc. Sul.

painful :—Canth. Merc. Nux-v.

IMPOTENCY, sexual weakness :—
Ag-c. Calad. Con. Lyc. Sele.

INCREASED :— Canth. Carb-v.
Chin. Nux-v. Pho. Plat. Pul.
Sil. Stram. Ver-a.

with physical weakness :—
Calc-c. Kali-c. Pho.

NYMPHOMANIA :— Ag-c. Hyo.
Plat.

STERILITY :—Aur. Bor. Merc.
Nat-m. Pho.

MENSTRUATION.

Aco. Bell. Nux-m. Plat. Pul.
Sep. Sul.

MENSES, early :—Amb. Bell. Bor.
Bov. Calc-c. Carb-v. Caul.
Cham. Coccl. Fer. Ip.
Mang. Nux-v. Pho. Plat.
Rhus-t. Sabi.

green :— Grap. Lac-c. Med.
Pul. Sep.

interrupted, reappearing, etc. :
—Kre. Lach. Nux-v. Pho. Pul.

irregular :— Cimi. Coccl. Ign.
Iod. Nux-m. Sec-c. Senec.

late :—Caus. Con. Cup. Dul.
Grap. Kali-c. Lach. Lyc.

Mag-c. Nat-m. Pul. Sep. Sil.
Sul. Vib.

too long :—Calc-c. Cup. Lyc.
Nat-m. Nux-v. Plat. Sec-c.

painful :—Calc-c. Cham. Cimi.
Coccl. Con. Cup. Grap. Lyc.
Med. Nux-m. Plat. Pul. Sep.
Sul. Tub. Ver-a. Vib.

profuse, excessive :—Ars. Bell.
Calc-c. Chin. Croc. Fer. Ip.
Mil. Nat-m. Nux-m. Nux-v.
Pho. Plat. Sabl. Sec-c. Stram.

scanty :—Am-c. Con. Dul.
Grap. Kali-c. Lach. Mag-c.
Pul. Sul.

Comp. Discharges.

short :—Am-c. Pul. Sul.

suppressed :—Hell. Lyc. Pho.
Sil. Sul.

Comp. Discharges.

tardy at puberty :—Pul. Senec.
Sul.

vicarious :—Bry. Fer. Grap.
LACH. Pho. Pul. Sec-c. Senec.
Sul.

MENSTRUAL BLOOD. see Hæmorrhage.

LEUCORRHOEA.

Aln. Calc-c. Kre. Merc. Nat-m.
Pul. Sep.

MENSES, before and after :—
Grap.

URINATING, when :—Sil.

CONCOMITANTS.

Kre. Merc. Nat-m. Sep.

RESPIRATION.

Aco. Ant-t. Ap. ARS. Bell. Bry.
Carb-v. Cup. Dig. Dros.

Grind. Hep. IP. Kali-c. LACH.
Lob. Lyc. Nat-s. OP. PHO.
PUL. Samb. SPO. Stan. SUL.
Tarn. Vib.

ANXIOUS :—Aco. Ip. Pho. Pul.
Scil. Stan.

ASTHMATIC :—Aco. ARS. Ip.
Kali-c. Lach. Lob. Nux-v. Pul.
Samb. Sil. SPO. Stan.

constitutionally :—Calc-c. Iod.
Sul.

BREATHE AGAIN, can't :—Ap.
Bell. Coca. Helo. Rum.

COLD BREATH :—Carb-v. Ver-a.

DEEP :—Bry. Calc-c. Caps. Carb-v.
Ign. Ip. Lach. Lil-t. Op. Plat.
Sele. Sil. Sul.

Comp. Sighing.

breath, wants :—Cup. Hyd-ac.
Ign. Lach. Mos. Op.

DIFFICULT, suffocating, choking,
etc. :—Aco. Ant-t. Ars. Brom.
Bry. Chlor. Cup. Hep. Ign.
Iod. Ip. Kali-bi. Kali-c. Kali-io.
Lach. Op. Pho. Pul. Samb.
SPO. Sul.

on falling to sleep :—Bap. Dig.
Grap. Grind. Lach. Op.

DUST, Agg. :—Ars-io. Brom. Dul.
Sil.

HOT :—Bell. Cham. Cof. Zin.

IRREGULAR :—Ang. Bell. Cup.
Op.

LIGHT, shallow :—Bell. Pho.

LOUD, noisy :—Cham. Chin.
Samb. SPO.

LYING, Amel. :—Chel. Psor.

MOTION, Agg. :—Calc-c.

Amel. :—Arg-n. Aur. Brom.
Fer. Lob. Pho. Pul. Samb.

OPPRESSED :—Aco. Ars. Bell.
Bry. Carb-v. Cup. Ign. Ip.
Nux-v. Op. Pho. Pul. Sep.
Sul. Ver-a.

PAINS, during the :—Ars. Carb-v.
Coccl. Nat-m. Pul. Sep. Sil.

PALPITATION, with :—Aur. Pul
Spi. Ver-a.

PANTING :— Bry. Calad. Ip.
Stram.

PARALYSIS :— Ant-t. Grind.
Lach.

QUICK :—Aco. Bell. Carb-v. Cup.
Ip. Lyc. Pho. Sep. Sul.

RATTLING :—Am-c. Ant-t. Carb-
v. Cup. Hep. Ip. Kali-s. Lyc.
Scil. Seneg. Stan.

Comp. Cough, Loose.

SHORT :—Aco. Ars. Bry. Carb-v.
Con. Cup. Ip. Kali-bi. Merc.
Nat-m. Rhus-t. Sep. Sil. Sul.

SIGHING, takes deep breaths :—
Ign. Lach. Sil.

SLOW :—Bell. Hyd-ac. Op.

SMOKE, vapour, fumes, etc., as
of :—Ars. Bar-c. Brom. Chin.
Ign. Lach. Lyc. Pul.

SNORING :—Hyo. Merc-c. Op.

TIGHT. see Chest.

WET WEATHER, Agg. :—Aran.
Nat-s.

WHISTLING, hissing, etc. :
Chin. Hep. Samb. Spo.

CONCOMITANTS.

Ars. Bell. Cup. Ip. Pho. Pul.
Sep.

COUGH.

Aco. Ars. Bell. Bry. Carb-v.
Caus. Cham. Chin. Cina.
Coc-c. Con. DROS. HEP. Hyo.
Ign. Ip. Kali-c. Lach. Lyc.
Merc. Nat-m. NUX-V. PHO.
PUL. Rum. Sang. SEP. Spo.
Stan. Sul.

COLD DRINKS, Agg. :—Calc-c.
Hep. Sil. Sul. Ver-a.

Amel. :— Caus. Coc-c. Cup.
Tab.

CONVULSIONS, with :— Cina.
Cup. Lach. Meph. Stram.

DEEP :— Dros. Hep. Spo. Stan.
Ver-a. Verb.

DRY, expectoration, without :—
Aco. Ip. Nux-v. Pho. Spo.
Sul.

EXHAUSTING :— Carb-v. Pho.
Ver-a.

EXPECTORATION, Amel. :—Ant-t.
Ap. Aral. Coc-c. Grind. Kali-
bi. Sep. Stan. Zin.

FLATUS PASSING, Amel. :—Sang.

Foul AIR, coughs up :— Calc-c.
Caps. Culx. Lach. Mez. Sang.
Sep. Sul.

INCESSANT :—Aco. ALU. Caus.
Cham. Chin. Col. Cup. DROS.
HYO. Ip. Kali-c. Lach. Nux-v.
Pho-ac. Pul. Rhus-t. RUM.
Scil. Sep. SPO.

LARYNX, pressure on, Agg. :—
Cina.

LOOSE; Expectoration, with :—
Ars. Calc-c. Led. Lyc. Pho.
Pul. Sep. Stan.

in morning :— Carb-v. Hep.
Par. Pho. Pul. Scil. Sep. Sul-
ac.

by day :— Ars. Calc-c. Cham.
Hep. Merc. Pul. Sil.

difficult :—Ant-t. Caus. Kali-bi.
easy :—Arg-m. Stan.

flies from mouth :— Arg-n.
Bad. Chel. Kali-c. Kali-m.
Mang. Mez.

excessive :—Coc-c.

night, at :—Sep.

swallowed, must be :—Caus.
Lach.

taste of. see Taste in General.

LYING, Agg. :—Ars. Hyo. Pul.

PAINFUL :—Aco. Bell. BRY.

Caps. Caus. Dros. Kali-c. Nat-m. NUX-V. Pho. Rhus-t. Scil. Seneg. Spo. Stan. Sul.

SHORT :—Aco. Caus. Merc. Rhus-t.

SPASMODIC, VIOLENT, WHOOPING, etc. :—Bell. Carb-v. Cina. Coc-c. Cor-r. Cup. Dros. Ip. Jus. Meph. Nux-v. Pul. Stram. Ver-a.

catarrhal phase :—Aco. Dul. Ip. Nux-v. Pul.

spasmodic phase :—Carb-v. Cina. Coc-c. Dros. Kali-c. Nux-v. Pul. Ver-a.

deservescent stage :—Ant-t. Pho. Pul.

STOMACH, epigastrium or abdomen, from :—Ant-c. Bell. BRY. Ign. Kalt-m. Lach. Nat-m. Nit-ac. Pul. Rum. Sang. SEP.

SUFFOCATING, choking :—Ant-t. Brom. Carb-v. Cup. Dros. Ip. Mep. Op. Spo. Stram. Sul.

THROAT OR LARYNX, from :—Aco. Ainb. Calc-c. CHAM. Con. Hep. IP. Kali-c. Lach. Nat-m. Nux-v. Pho. Rum. Sang. Sep.

TICKLING :—Aco. Arn. Cham. DROS. Hyo. Iod. Ip. Lach. Nux-v. PHO. Pho-ac. Rhus-t. RUM. Sang. Sep. Stan. Sul.

VOMITING, with :—Alu. Ant-t. Bry. Carb-v. Coc-c. Cor-r. Dros. Fer. Ip. Nux-v. Pul.

WALKING fast, Agg. :—Sep.

TIME, morning :—Lyc.

and evening :—Aco. Bor. Calc-c. Carb-v. Caus. Cina.

Fer. Ign. Lyc. Merc. Nat-m. Pho. Rhus-t. Sep. Sil. Stram. Ver-a.

evening :—Bry. Calc-c. Nux-v. Rhus-t. Sep.

night :—Bar-c. Bell. Calc-c. Con. Hyo. (dry). Nux-v. Pho. Pul.

at same hour :—Lyc. Saba.

LARYNX AND TRACHEA.

Aco. Bell. Brom. Caus. Cep. Dros. Hep. Iod. Kali-bi. LACH. Mang. Nux-v. PHO. Pul. Rum. Spo. Stan. Sul.

RIGHT :—Agar. Kali-n. Pul. Stan. Stict.

LEFT :—Caus. Crot-h. Hep. Lach. Rhus-t. Sul-ac. Thu. Tili.

BACKWARD BENDING, Amel. :—Hep.

CONSTRICTION, spasm, etc. :—Bell. Cup. Ign. Lach. Mos. Ver-a.

COUGHING, Agg. :—Aco. Aru-t. Bell. Cep. Pho.

CUTTING :—Manc. Nit-ac.

DRY SPOT. see Throat.

GRASPS THE :—Aco. Aru-t. Cep. Dros. Iod. Naj. Pho.

MUCUS in :—Lyc. Pho. Seneg.

RATTLING in :—Ant-t. Hep. Ip.

ROUGH, raw, etc. :—Caus. Mang. Nux-v. Pho. Pul. Stan. Sul.

TALKING, Amel. :—Rhus-t. Sele.

TICKLING in :—Aco. Ap. Brom. Caps. Cham. Con. Ign. Kali-bi. Lach. Lyc. Nat-m. Nux-v. Op. Pho. Psor. Pul. Rhus-t. RUM. Sang. Sep. Sil. Stan.

TOUCH, Agg. :—Lach. Pho. Spo.

TUBERCULOSIS of :—Carb-v. Dros. Spo.

WEAK :—Alu. Bar-c. Caus. Gel.
Plb. Sul.

VOICE AND SPEECH.

Aco. Bell. Brom. Canth. Carb-v.
Caus. DROS. Hep. Iod. Mang.
Merc. PHO. Pul. SPO. Stan.
Stram. Ver-a.

BARKING :—Bell. Canth. Lyc.
Spo. Stram.

BROKEN, cracked :—Aru-t. Spo.

CROAKING :—Aco.

DEEP :—Dros.

DIFFICULT :—Stram.

HASTY :—Bell. Lach.

HOARSENESS :—Aco. Arg-n. Bell.
Brom. Calc-c. CARB-V. (P.M.)
Caus. (A.M.) Dros. Hep. Iod.
Kali-bi. Kali-m. Lach. Mang.
(A.M.) PHO. Spo. Sul. (A.M.)

HOLLOW :—Bell. Spo. Ver-a.

HUSKY :—Merc.

INDISTINCT :—Caus. Lyc.

LOST :—Am-cau. Ant-c. Carb-v.
Caus. Pho.

LOW :—Ang. Canth. Hep. Ver-a.

NASAL :—Bell. Lyc. Pho-ac. Stap.

OVERUSE, Agg. :—Aru-t. Fer-p.
Grap. Rhus-t. Sele.

ROUGH :—Pho.

SHRILL :—Aco. Spo. Stram.

SLOW :—Ars. Pho. Thu.

STAMMERING :—Bell. Stram.

TONELESS, loss of timbre :—
Dros.

TREMULOUS :—Merc.

WEAK :—Ver-a.

EXTERNAL THROAT.

Bell. Lyc.

RIGHT :—Caus. Flu-ac. Lyc. Merc.
Nat-c. Nat-m. Nit-ac. Sil.

LEFT :—Asaf. Calc-c. Con. Sul.

ALTERNATING SIDES :—Am-m.
Calc-p.

GLANDS OF (Goitre, etc.) :—
Am-m. Ars. (r). Bar-c. Bell.
Brom. Calc-c. Calc-f. Calc-io.
Calc-p. Cham. Grap. Ign. Iod.
Kali-c. (r). Lach. Lyc. Merc.
(r). Nat-m. Nit-ac. (r). Rhus-
t. Sil. (r). Spo. Stap. Sul.

PAROTITIS :—Merc. Phyt. Rhus-t.

SENSITIVE to touch, pressure,
clothes, etc. :—Ant-t. Ap. Lac-
c. LACH. Merc-c. Nux-v.

NECK (Nape).

Aco. Bar-c. Calc-c. Cimi. Gel.
Nux-v. Phyt. Pul. Rhus-t.
Sep. Sil. Stap. Tub.

ACHING (neckache) :—Bry. Cimi.
Kalm. Lach. Lil-t. Onos. Par.
Phyt.

CONstriction, as of a band :—
Glo. Lach. Sep.

CRACKING :—Coccl. Nat-c. Petr.
Sul.

CRAMP :—Calc-p. Cic. Cimi.
Phyt. Plat. Ver-v.

EMACIATION :—Mag-c. Nat-m.
Sars.

SHOOTING :—Nat-m.

STIFF :—Bar-c. Bell. Bry. Calc-c.
Caus. Cimi. Ign. Kali-c. Lach.
Lyc. Mag-c. Nit-ac. Nux-v.
Pho. Rhus-t. Sep. Sil. Stict.
Sul.

SWEAT :—Lach. Mang. Pho-ac.
Stan. Sul.

WEAKNESS :—Calc-p. Coccl. Plat.
Ver-a. Zin.

CHEST AND LUNGS.

ACO. ANT-T. Arn. ARS. BRY.
Calc-c. Chel. Chin. Dul. Fer-p.
Iod. Ip. Kali-c. Lyc. Op. PHO.
PUL. Ran-b. Rhus-t. Sang.
Scil. Seneg. Spi. Stan. Sul.
Ver-v.

RIGHT :—Arn. Ars. Bell. Bry.
Carb-a. Chel. Colch. Colo. Iod.
Kali-c. Lach. Lyc. Mur-ac.
Psor. Pul. Sil.

into right arm :—Hyds. Kre.
Lob. Pho. Phyt. Plb. Sang.

to left :—Aco. Lach. Petr.

LEFT :—Am-m. Arg-m. Arg-n.
(last rib). Calc-c. Con. Euphor.
Flu-ac. Kali-c. Kali-n. Laur.
Lyc. Nat-s. Nit-ac. Nux-v.
Pho. Rhus-t. Seneg. Stan. Sul.

to right :—Ap. Calc-c. Grap.
Kre. Pho. Plb. Zin.

CHANGING ABOUT in :—Aco.
Alu. Arg-n. Bell. Cact. Caus.
Colch. Fer. Lyc. Mag-m. Merc.
Nat-c. Pho. Pul. Seneg.

ALTERNATING SIDES :—Agar.
Ap. Ars. Calc-c. Cimi. Dul.
Grap. Hypr. Lyc. Mang. Mos.
PHO. Plb. Ran-b. Rum. Thu.

UPPER :—Calc-c. Iod. Mang. Pul.
Stan.

MIDDLE :—Calc-c. Dul. Kali-bi.
Phel. Sep.

BACKWARD, EXTENDING :—Ars.
Bry. Calc-c. Caps. Carb-v.
Chel. Con. Cup. Kali-bi. Lil-t.
Merc. Nat-m. Pho. Sep. Spi.
Sul. Ther.

Right :—Ars. Carb-v. Chel.
Merc. Sep.

Left :—Lil-t. Lyc. Nat-m.
Spi. Ther.

intercostal :—Amy-n. Cimi. Sil.

DOWNWARD :—Ag-c. Kali-bi

right :—Dul. Nit-ac. Sang. Sep.

left :—Kali-c. Laur. Pho. Pul.
Scil. Zin.

FORWARD :—Berb. Bor. BRY.
Castr. Kali-c. Kali-n. Psor.
Rat. Sep. Sul.

right :—Aco. Colo. Merc.

left :—Agar. Bar-c. Bry. Lac-c.
Naj. Pho. Sul. Thu. Zin.

UPWARD :—Ars. Calc-c. Caus.
Lach. Mang. Mur-ac. Thu.

right :—Arn. Plat. Thu.

to left :—Petr.

left :—Am-m. Bov. Coc-c.
Kali-c. Laur. Med. Scil. Spi.
Stan. Zin.

to right :—Calc-c. Carb-v.
Grap. Ign. Lil-t.

TRANSVERSELY :—Caus. Thu.
arms, to :—Alu.

ANXIETY in :—Bry.

BURNING :—Aco. Ap. ARS.
Canth. CARB-V. Lyc. Pho.
Sang. Spo. Sul.

COLDNESS :—Ars. Bry. Carb-a.
Kali-c. Nat-c. Old. Sul.

CONGESTION :—Aco. Cact. Fer.
Fer-p. Pho. Seneg. Sul. Ver-v.

CONstriction, cramp in :—Cact.
Fer. Mos. Nux-v. Sul. Tab.

FULNESS :—Glo. Pho. Sul.

HOLD, must :—Bry. Dros. Eup-p.
Nat-s.

HOLLOW, empty, as if :—Coccl.
Pho. Stan.

LUMP, plug, etc., as of :—Amb.
Am-m. Anac. Bur-p. Cup.
Kali-c. Lach. Lil-t. Nat-c.
Nux-m. PHO. Ran-sc. Stict.
Sul. Tarx. Zin.

MORNING, Agg. :—Calc-c. Carb-v.

PARALYSIS (of lungs) :—Ant-t.
Ars. Bar-c. Op. Pho.

PLEURISY :—Aco. Bry. Kali-c. Sul.

PNEUMONIA & BRONCHITIS :—
Aco. Ant-t. Bry. Kali-bi. Lyc.
Merc. Pho. Rhus-t. Sul. Ver-v.

Capillary :—ANT-T. Fer-p. Ip.

Senile :—Am-c. Ant-c. Ant-t.
Ars. Kre.

PRESSURE (heavy) :— Aur. Fer.
Lach. Nux-v. Pho.

Amel. :—Bry.

PULSATION :—Asaf. Cact. Sul.

Right :—Asar. Crot-t. Dig. Ign.
Ind. Pæo. Pho.

Left :—Am-m. Cann. Glo. Men.

SORENESS :—Pho. Stan.

SPOTS in :—Agar. Nat-m. Seneg.
Thu.

STICKING :— Aco. Bry. Kali-c.
Pho. Rhus-t. Scil. Sul.

STRINGY :—Kali-bi.

TIGHTNESS :— Ars. Aur. Caus.
Ip. Nat-m. Nux-v. PHO. Pul.
Sul.

Right :—Am-m. Coccl. Sul.

Left :—Grap. Lyc. Sul-ac.

WEAKNESS :— Calc-c. Carb-v.
Kali-c. Nit-ac. Stan. Sul.

EXTERNAL CHEST.

Arn. Bry. Calc-p. Pho. Ran-b.
Ran-sc. Sil. Spi. Sul.

AXILLÆ.

Carb-a. Carb-v. Hep. Pho. Sep.
Sil. Sul.

ERUPTION in :—Lyc. Sep.

EXCORIATION :—Carb-v. Mez.

GLANDS, engorged :—Sul.

ITCHING :—Pho.

SWEAT :— Calc-c. Nat-m. Petr.
Sil. Sul.

MAMMÆ.

Bell. Bry. Carb-a. Cham. Con.
Hyds. Iod. Lac-c. Pho. Phyt.
Sil.

RIGHT :—Kali-bi. Sil.

LEFT :— Bor. Bov. Lil-t. Lyc.
Phel.

ALTERNATING SIDES :—Pul.

BACKWARD :— CROT-T. Form.
(1) Laur. Lil-t. Tili.

BELOW, L. :—Ap. Bry. Bur-p.

BELOW, R. :—Carb-a. Caus. Chel.
CIMI. Grap. Laur. Lil-t. Pho.
Sul. Ust.

LACTATION :—Bell. Cham. Merc.
Pul. Sep. Sil.

MILK in breasts (of non-preg-
nant) :— Asaf. Bur-p. Cyc.
Merc. Pul.

altered :—Bell. Merc.

escaping :—Calc-c.

flowing, as if :— Dict. Kre.
Nux-v. Pul.

increased :— Bell. Bry. Phyt.
Pul.

scant, absent, etc. :— Ag-c.
Bry. Calc-c. Dul. Lac-c. Lact-v.
Pul. Urt-u. Zin.

spoiled :— Æth. Calc-c. Cham.
Sil.

MENSES, before, Agg. :—Bry.
Calc-c. Con. KALI-M. LAC-
C. Phyt. Pul.

SORE, painful :— Arn. Calc-c.
Con. Lac-c. Phyt.

SWELLED :—Bell. Bry. Con. Pho.
Phyt. Pul. Sil.

NIPPLES.

- Arn. Cham. Grap. Lyc. Pul.
Sul.
- BLEEDING :—Sep. Sil. Sul.
- CRACKED :—Caus. Grap. Phyt.
Sul.
- EXCORIATED :—Arn. Flu-ac.
Phyt. Sul.
- OUTWARD going pains :—Berb.
Bry. Gel. Lapp. Lyc. Mez.
Ol-an. Spi.
- RETRACTED :—Con. Hyds. Lach.
Nat-s. Sars. Sil. Thu.

HEART, CIRCULATION
AND PULSE.

- ACO. Ars. Bell. Bry. Buf.
CACT. Calc-c. Carb-v. Chin.
DIG. Fer-p. Glo. Iod. Kali-c.
Kalm. Lach. LIL-T. LYCPS.
Naj. Nat-m. PHO. PUL. Sep.
SPI. Spo. SUL. Ver-a. Ver-v.
- BLOOD, sepsis, etc. :—Ail. Am-c.
Arn. ARS. Bap. Bell. Bry.
Calc-c. Carb-v. Chin. Crot-h.
Elap. Fer. Kali-c. Kre. LACH.
Merc. Mur-ac. Nat-m. Nit-ac.
Nux-v. Pho. Pul. Pyro. Rhus-t.
Sec-c. Sul. Sul-ac. Zin.
- BLOODVESSELS :—Aco. Amy-n.
Ap. ARN. Bell. CARB-V. Fer.
Flu-ac. Gel. Glo. Ham. Hyo.
Lach. Lyc. Nat-m. Pho. PUL.
Sang. Sec-c. Sep. Sul. Thu.
Vip. Zin.
- distended, visible, varicose,
etc. :—Arn. Ars. Bell. Carb-v.
Flu-ac. Ham. Plat. Pul. Sep.
Sul.
- ANXIETY, with :—ACO. Arn.
Ars. Aur. Calc-c. Carb-v. Dig.
Pho. Plat. Pul. Spi. Sul. Ver-a.

- APEX (Region) :—Ap. Sul.
- ARMS, to :—Alu. Bar-c. Cact.
Carb-v. Dios. Glo. Kali-n.
Kalm. Lat-m. Lyc. Spi.
- left, to :—Aco. Cact. Cimi. Dig.
Kalm. Lach. Pho. RHUS-T.
SPI. Tab. TARN. Thy.
- to right :—Kre. Pho. Phyt. Plb.
- BACKWARD (1 scapula) :—Agar.
Alo. Cimi. Kali-c. Kalm. Laur.
LIL-t. Mez. Naj. Rhus-t. Rum.
SPI. Sul. Tab. Thu.
- BURNING :—Aco. Ars. Aur. Br.
Calc-c. Hyo. Op. Pho.
Rhus-t. Sul. Syph. Ver-v.
- COLDNESS in :—ACO. Ars.
Rhus-t. Ver-a.
- CONGESTION. see Generalities.
- CONSTRICTION, grasped, squeez-
ed, etc. :—Cact. Iod. Lach.
Lil-t.
- CUTTING :—Colch.
- DRINKING, Agg. :—Con.
- EMPTY, hollow, as if :—Croc.
Grap. Med. Sul.
- EXERTION, Agg. :—Cact. Dig.
Nit-ac. Stap.
- FLUTTERING, trembling, etc. :
—Calc-c. Chin. Cimi. Dig.
Lil-t. Nat-m. Nux-v. Rhus-t.
Spi.
- HANGING by a thread, as if :—
Aur. Kali-c. Lach. Nux-m.
- HEAD, alternating with :—Amy-n.
Glo. Nux-m. Strop. Tab.
- HEART-BEAT AND PULSE,
audible :—Ang. Bism. Pul.
Saba. Spi. Sul.
- body, over whole :—Bell. Fer.
Glo. Kali-c. Lach. Nat-m.
- ceasing, as if :—Aur. Cic. Cimi.
Conv. DIG. Gel. Lob. Rum.
Vib.

HEART, CIRCULATION AND PULSE

full :—Ant-t. Bell. Bry. Calc-c.
Canth. Colo. Fer. FER-P. Gel.
Glo. Grap. Hep. Hyo. Merc.
Mez. Nux-v. Pho. Ran-ac. Spo.
Stram. Sul. VER-V.

strong, and :—Aco. Bell. Bry.

weak, and :—Fer-p. Gel.
Ver-a.

hard :—Aco. Am-c. Bell. Bry.
Canth. Chin. Colch. Colo. Fer.
Grap. Hep. Hyo. Ign. Iod.
Mez. Nit-ac. Nux-v. Pho. Pib.
Sil. Stram. Sul.

single beats :—Aur. Cact.
Lach. Lil-t. Zin.

intermittent :—Ars. Carb-v.
Dig. Kali-c. Mur-ac. Nat-m.
Pho-ac. Ver-a.

every 3rd. beat :—Nat-m.
Nit-ac.

irregular :—Ant-c. Ars. Cact.
Cann. Dig. Fer. Glo. Kali-c.
Lach. Nat-m. Op. Spi. Stram.
Ver-a.

large :—Aco. Fer-p. Pho. Ver-v.

palpitation :—Aco. Ars. Aur.
Cact. Calc-c. Cham. Chin.
Crat. Dig. Iod. Kali-bi. Lyc.
Merc. Nat-m. Nit-ac. Nux-v.
Pho. Pul. Rhus-t. Sep. Spi.
Sul. Thu. Ver-a.

anxious, nervous, etc. :—
Aco. Ars. Aur. Cof. Crat.
Dig. Lach. Nat-m. Pho-ac.
Pul. Spi. Val. Ver-a.

continuous :—Calc-c. Carb-v.
Crat. Sul.

exertion, from slight :—Ars.
Calc-c. Con. Rhus-t.

faintness, with :—Lach. Lil-t.
Pul. Ver-a.

sitting, when :—Mag-m. Spi.
violent :—Crat. Lycps. Pul.

quick :—Aco. Ant-t. Ars. Bell.
Glo. Lach. Nux-v. Pho. Rhus-t.
Spo. Sul. Ver-a.

shaking the body :—Nat-m.
Rhus-t.

Comp. Visible.

slow :—Cic. DIG. Gel. Kalm.
Myr. Op. Sep. Stram. Ver-v.

small :—Aco. Ars. Cam. Carb-v.
Cup. Hell. Rhus-t. Ver-a.

tremulous :—Ant-t. Calc-c. Spi.

unequal :—Agar. Ign. Op.

visible :—Ars. Iber. Kalm.
Lach. Spi. Sul. Ver-a.

Comp. Shaking.

weak :—Aco. Ant-t. Ars. Carb-
v. Colch. Kali-c. Lach. Merc.
Mur-ac. Naj. Pho-ac. Rhus-t.
Ver-a.

HEAVINESS :—Lil-t. Pul. Spi.

INFLAMED, phlebitis, etc. :—Aco.
Ars. Chin. Kali-c. Ham. Lach.
PUL. Spi. Sul. Vip.

LIVER SYMPTOMS, with :—Agar.
Aur. Cact. Calc-c. Dig. Mag-
m. Myr.

LOOSE, as if :—Aur. Crot-h.

MOTION, Agg. :—Con.

Amel. :—Gel.

RIGHT SIDE, as if on :—Bor.
Ox-ac. Phyt.

SHOCKS at :—Calc-c. Lith-c.
Nux-v.

SITTING, Agg. :—Mag-m.

SORE, bruised :—AP. ARN.
BAR-C. Cact. Cimi. Flu-ac.
Lach. Lith-c. Nat-m. Spi.

STAGNATED sensation :—Lyc.
Saba. Zin.

STOOLING, Agg. :—Con.

SWELLED, full, etc., as if :—Asaf.
Glo. Lach. Pyro. Sul. Sep.

TIRED FEELING :—Nux-v. Pyro.
Rhus-t.

TWITCHING :—Æsc. Arg-m. Cam.

VALVES :—Bar-c. Calc-c. Kali-c.
Lach. Laur. Pho. Pul. Strop.
Tarn.

WATER, as if in :—Bov. Buf.

BACK, SPINE AND CORD.

AGAR. Ars. Aur. Bell. CALC-
C. Chi-s. Cimi. Coccl. Gel.
Hypr. Kali-c. Lach. Nat-m.
Nat-s. Nux-v. PHO. Pho-ac.
Ple-ac. Rhus-t. Sec-c. SIL.
Sul. Zin.

RIGHT :—Calc-c. Cic. Flu-ac.
Sul. Zin.

to left :—Calc-p. Coccl. Kali-
p. Sul. Tel.

LEFT :—Dros. Glo. Sil.

to right :—Bell. Cund. Nat-c.
Ox-ac.

ALTERNATING SIDES :—Agar.
Bell. Berb. Calc-p. Kali-bi.
Kalm.

with headache :—Aco. Alu.
Bro. Ign. Melil. Sep.

CATCHING IN :—Dio.

CHANGING HERE AND THERE :—
Berb. Cimi. Kali-bi.

CHEST, into :—Aco. (r). Arn.
Bar-c. (l). Berb. Bry. (l)
Calc-p. (r). Cam. Kali-c. (r).
Kali-n. Laur. Lyc. (r). Merc.
(r). Mez. (l). Petr. Plat. (l).
Samb. Sars. Sep. (r). Zin. (l).

UPWARD :—Gel. Lach. Lil-t.
Nit-ac. Pho. Sul.

BLOW or sudden shock :—Bell.
Cic. Sep. Stan.

BROKEN, as if :—Arn. Bell. Ham.
Kali-c. Lyc. Nat-m. Pho.

BURNING, heat :—Agar. Alu.
Ars. Bap. Carb-a. Kali-bi. (s).

Lyc. (s). Pho. (s). Sec-c. Sil.
Sul.

upward in :—Bap. Pho.

COLDNESS :—Merc. Nux-v. Pul.
Sil. Sul. Ver-a.

down :—Canth. Eup-p. Lac-c.
Stram.

spine (interscapular) :—Agar.
Am-m. Arg-n. Caps. Helo.
Hyo. Lachn. Med. Petr. Polyp.
Rhus-t. Sec-c.

CRAMP :—Caus. Chin.

FORWARD, scapular region :—
Bry. Sul. (l). Zin. (l).

lumbar region :—Berb. Cham.
Kali-c. Kre. SABI.

around pelvis :—Sabi. Sep.
Vib.

MOTION, Agg. :—Kali-c.

NUMBNESS :—Aco. Agar. Berb.
Bry. Kali-bi. Ox-ac. Plat. Sep.

PLUG, lump, etc., as of a :—Arn.
Berb. Carb-v. Pho.

PRESSURE, Agg. :—Agar. Bell.
Chi-s. Cimi. Pho.

Amel. :—Bry. Dul. KALI-C.
Nat-m. Rhus-t. Rut. Sep.

SHARP, darting, shooting :—
Kali-c. Nat-m. Ox-ac.

SHORT, as if :—Agar. Aur. Hyo.
Lyc. Sul.

SITTING, Agg. :—Zin.

SPOTS, Agg. in :—Agar. Alu.
Caus. Chel. Chin. Kali-bi.
Lach. Nit-ac. Ox-ac. Pho.
Pho-ac. Plb. Rhus-t. Thu. Zin.

STIFF :—Berb. Caus. Dul. Kali-c.
Led. Nux-v. Pul. Rhus-t.
Sep. Sil. Sul.

SWALLOWING, Agg. :—Caus.
Kali-c. Rhus-t.

THROBBING :—Bar-c. Bell. Lyc.
Nat-m. Pho. Sep. Sil. Thu.

WEAK :—Ars. Bar-c. Calc-c.
Coccl. Grap. Kali-c. Nat-m.
Nux-v. Pho. Pho-ac. Sele.
Sep. Sil. Zin.

SCAPULAR REGION.

Chin. Dul. Kali-c. Kre. Merc.
Rhus-t. Sep.

BETWEEN :—Am-m. Ars. Calc-c.
Calc-p. Helo. Pho.

UNDERNEATH :—Calc-c. Gel.
Merc.

DORSAL REGION.

Arn. Ars. Bell. Calc-c. Caus.
Chin. Coccl. Gel. Ign. Lyc.
Nat-m. Nux-v. Pho. Pic-ac.
Pul. Rhus-t. Rut. Sep. Sil. Sul.

CURVATURE :—Aur. Calc-c. Lyc.
Merc. Pul. Sul.

EMACIATED :—Nux-v.

SENSITIVE, spine :—Agar. Bell.
Chi-s. Cimi. Hypr. Ign. Nux-v.
Pho. Zin.

STIFF :—Caus. Rhus-t.

WEAK :—Pic-ac.

interscapular :—Agar. Alu. Bur-p.
Radm. Sars.

LUMBAR REGION.

Æsc. Alu. Ant-t. Ars. Berb.
Calc-c. Caus. Cimi. Kali-c.
Nux-m. NUX-V. Pul. RHUS-T.
Sep. Sul. Variol.

CHEST, to :—Berb. Sul.

CHILL, starts in :—Gel. Hyo.
Lach. Nat-m. Stro. Sul.

COLD :—Bry. Canth. Eup-p. Gel.
Lach. Merc-c. Rhus-t. Sul.

FORWARD in :—Berb. Cham.
Kali-c. Kre. SABI.

around pelvis :—Sabi. Sep. Vib.

LUMBAGO :—Ant-t. Bell. Kali-bi.
Nux-v. Ox-ac. Rhus-t. Sec-c.

STITCHES :—Berb. Bry. Colo.
Kali-c. Lyc. Pul.

SACRUM.

Grap. Hep. Hypr. Rhus-t.

UPPER LIMBS.

Am-m. Ars. Bell. Calc-c. Caus.
Coccl. Fer. Kali-c. Lyc. Merc.
Nux-v. Pho. Pul. RHUS-T.
Sep. Sil. SUL.

RIGHT :—Bell. Bism. Bry. Calc-c.
Caus. Colo. Grap. Nat-c. Ran-
sc. Sars. Sec-c. Sil. Stro.

LEFT :—Anac. Arn. Asaf. Cact.
Cimi. Kali-c. Nit-ac. Rhus-t.
Sabi. Soil. Stan. Stram. Sul.

ALTERNATING BETWEEN :—Aco.
Alu. Calc-c. Caus. Cham.
Chin. COCCL. Colch. Lac-c.
Lyc. Mag-m. Plat. Sep. Zin.

upper and lower limbs :—
Coccl. Fag. Kali-bi. Nat-c.
Sil. Val.

SHOULDER :—Aco. Bry. Fer.
Kali-c. Kalm. Mag-c. Pul.
Rhus-t. Sang.

right :—Fer. Kalm. Sang. Stro.

left :—Fer. Fer-p. Led. Mag-c.
Nux-m. Sul.

to right :—Lyc.

alternating :—Lyc.

heaviness, load, etc. :—Anac.
Lach. Pho. Pul. Rhus-t. Stap.
Sul.

UPPER ARM :—Coccl. Fer. Nat-m.

FOREARM :—Calc-c. Caus. Merc.
Rhus-t. Stap.

HANDS :— Calc-c. Caul. Lyc.
Nux-v. Pho. Sul.

backs of :—Kre. Nat-c. Rhus-t.
Sep.

palms :— Anac. Grap. Petr.
Ran-b. Sele. Spi.

coldness of one :— Chin. Dig.
Lyc. Pul. Rhus-t. Sul.

heat, burning, etc. :— Agar.
Asar. Carb-v. Lach. Mur-ac.
Petr. PHO. Sang. Sep. Spi.
Stan. Sul.

veins swelled :—Am-c. Arn.
Ham. Laur. Nux-v. Op. Pho.
PUL.

FINGERS :—Am-m. Lyc. Rhus-t.
Sil. Sul. Thu.

between :— Grap. Sele.

clenched thumbs :—Hyo. Merc.

convulsions, spasms of :—Agar.
Chel. Cup. Sec-c.

felon, runround, etc. :—Ap.
Anthx. Ars. Flu-ac. Hep.
Lach. Merc. Nat-s. Sil. Sul.
Tarn-c. Thu.

deep :—Calc-c. Merc-c. Sil.
Sul.

nails :— Ant-c. Grap. Merc.
Sil. Sul. Thu.

brittle, crumbling, etc. :—
Clem. Grap. Merc. Sil. Sul.

deformed, thickened :—Grap.
Sep. Sil. Sul.

discolored :—Grap. Nit-ac.

hangnails :— Calc-c. Nat-m.
Nat-s. Rhus-t. Sul.

ingrown :— Mag-p-au. Sul.

painful :— Caus. Grap. Merc.
Nit-ac. Sil. Sul.

around :— Calc-p. Kali-bi.
Lith-c.

ulceration :—Grap. Pul. Sil.

tips :— Am-m. Calc-p. Lach.
Mar. Pho. Thu.

cracked :— Aur-m. Bar-c.
Bell. Cund. Grap. Merc.
Petr. Sars. Sil.

sensitive :— Berb. Calc-p.
Cist. Lac-c. Nat-c. Sars. Sul.

sweat on :—Carb-a. Carb-v.
Sep.

JOINTS :— Calc-c. Caus. Kali-c.
Led. Lyc. Merc. Rhus-t. Sep.
Sul.

shoulder :—Calc-c. Fer. Fer-p.
Ign. Kali-c. Nat-m. Pul.
Rhus-t. Sang. Sep. Stap. Sul.

elbow :—Caus. Kali-c. Rhus-t.
Sep. Sul.

bend of :— Kali-c.

tip of :—Hep.

herpes :— Pho. Sep. Stap.
Thu.

wrist :— Bov. Calc-c. Caus.
Kali-c. Rhus-t. Rut. Sabi.
Sep. Sul. Vio-o. (r).

finger :—Ant-c. Calc-c. Calc-f.
Caul. Caus. Lyc. Sep. Spi. Sul.
ulcers on :—Bor. Mez. Sep.

BONES :— Asaf. Chin. Coccl.
Rhus-t. Sil. Stap.

RAISING ARM, Agg., letting it
hang, Amel. :—Aco. Arn. Bar-
c. CON. Fer. Led. Rhus-t.
Saag. Sil. Sul.

RESTLESS :—Agar. Caus. Mur-ac.
Tarn.

WEAKNESS :—Anac. Bell. Calc-c.
Cic. Kali-c. Sul.

LOWER LIMBS.

Alu. Ars. Bell. Calc-c. CAUS.
Grap. Kali-c. Lach. Led. LYC.

- Merc. Nit-ac. Nux-v. PUL.
RHUS-T. Sep. SIL. SUL.
Val. Zin.
- RIGHT** :— Ars. Bell. Bry. Colo.
Grap. Lach. Nux-v. Pho. Pul.
Rhod. Sars. Sec-c. Sep.
- LEFT** :— Amb. Asaf. Calc-c. Cina.
Con. Fer. Hep. Lyc. Nit-ac.
Rhus-t. Sil. Stram. Sul.
- ALTERNATING BETWEEN** :— Aco.
Alo. Ars. BRY. Calc-p. Cham.
Cic. Colo. Cup. Dios. Grap.
Kali-bi. Kali-c. Kali-n. Lach.
Lil-t. Mag-p. Nat-m. Nat-s.
Pul. Rhus-t. Sep. Sil. Sul.
- HIPS AND LOINS** :— Arn. Caus.
Euphor. Lyc. Phyt. Rhus-t.
Rut. Sep. Sul.
- alternating between :— Euony.
motion, Agg. — Ant-t.
Amel. :— Am-m. Calc-p. Iris.
rising. Agg. :— Nat-s.
- BUTTOCKS** :— Grap. Pho-ac. Stap.
Sul.
- red :— Carb-v. Cham. Sul.
- THIGHS** :— Ars. Chin. Clem.
Guai. Merc. Nat-m. Phyt. Sep.
- anterior :— Anac. Spo. Xanth.
- posterior and sciatic nerve :
— Colo. Gnap. Rhus-t. Sul. Zin.
- outer side :— Caus. Helon.
Pho-ac. Phyt.
- inner side :— Petr. Rhod. Stan.
Sul.
- LEGS** :— Am-c. Calc-c. Lyc. Pul.
Sep. Sil. Stap.
- numb ; r. :— Ced. Eup-p. Kali-c.
Nux-m. Zin.
- restless :— Ars. Kali-c. Nit-ac.
Rhus-t. Sul. ZIN.
- TIBIA, shin** :— Agar. Asaf. Calc-c.
Carb-v. Lach. Merc. Mez. Pho.
Phyt. Pul. Stil.
- CALF** :— Alu. Arg-n. Ars. Calc-c.
Grap. Ign. Nit-ac. Nux-v. Pul.
Sep. Stan. Stap. Sul. Val.
- cramp in :— Calc-c. Cham. Cup.
Ign. Lyc. NUX-V. Sec-c. Sep.
SUL.
- TENDO ACHILLES** :— Anac. Kali-
bi. Mur-ac. Sep. Val. Zin.
- FOOT** :— Arn. Ars. Bell. Bry.
Caus. Kali-c. Lyc. Pul. Sep.
Sil. Zin. (edge).
- bones :— Chin. Cup. Led. Mez.
Rut. Stap.
- border of :— Grap. Led. Lith-c.
- cold, Agg. :— Bar-c. Con. Lach.
Nux-v. Pul. Sil.
- wet agg. :— Pul.
- coldness of one :— Bar-c. (r).
Carb-v. (l). Ohel. Con. Lyc.
(r). Psor. (1). Pul. (r). Rhus-t.
(1). Sabi. (r). Sul. (1). Tub. (1).
- damp :— CALC-C.
- heavy :— Alu. Ars. Cyc. Nat-m.
Pul. Sul.
- motion, Amel. :— Zin.
- numb :— Ars. Coccl. Nux-v. Plat.
Sep.
- ght :— Alu. Ant-c. Ars. Cam.
ali-bi. Mang. Rhus-t.
- Left :— Grap. Kali-c. Med.
Nat-m. Pho. Psor. Thu.
- sweating :— Bar-c. Calc-c. Carb-
v. Iod. Lyc. Pul. Sep. Sil. Sul.
Thu.
- foul odor :— Bar-c. Kali-c.
Nit-ac. Pul. Sil. Thu.
- swelling, right :— Bov. Lac-c.
Lach. Lyc. Sars. Sec-c. Spo.
Spir. Stro. Sul.
- left :— Ap. Colo. Como. Kre.
Lyc. Sang. Sil. Tel.
- heels :— Calc-c. Caus. Grap.
Ign. Led. Mang. Nat-c. Pul.
Sabi. Sep.

- dorsum** :— Calc-c. Caus. Hep.
 Pul. Spi. Tarx.
soles :— Cup. Pho-ac. Pul.
 Tarx.
burn :— Calc-c. Lach. Lyc.
 Sang. SUL.
callosities :—Ant-c. Ars. Bar-c.
 Grap. Sep. SIL. Sul.
painful :— Kali-c. Lyc. Med.
 Pul.
soft, furry :—ALU. Ars. Cann.
 Coccl. Helo. Xanth. Zin.
swelled :—Fer. Lyc. Pul.
toes :—Arn. Caus. Grap. Plat.
 Pul. Ran-sc. Sabi. Sul. Thu.
 great :— Arn. Asaf. Caus.
 Kali-c. Nat-s. Plat. Sabi.
 (podagra). Sil. Zin.
tips :—Kali-c.
balls of :—Led. Petr. Pul. Spi.
nails :—Grap. Saba.
corns :— Ant-c. Bry. Calc-c.
 Ign. Lyc. Rhus-t. Sep. Sil.
 (soft). Sul.
inflamed :—Sil.
touch, Agg. :— Ars. Calc-c.
 Chin. Kali-c. Sep. Sul.
uncover, must :—Flu-ac. Sul.
JOINTS :— Bry. Calc-c. Caus.
 Kali-c. Led. Lyc. Nat-m.
 Rhus-t. Sep. Sil. Stro. Sul.
hip :— Bry. Caus. Led. Merc.
 Pho-ac. Rhus-t. Stram. Thu.
motion, Agg. :—Ant-t.
 Amel. :—Am-m. Calc-f. Iris.
rising, Agg. :—Nat-s.
knee :—Ap. Aur. Ben-ac. Caus.
 Chin. Gel. Led. Nat-m. Nux-v.
 Petr. Pul. Rhus-t. Sep.
 Sul.
tubercular :—Calc-c. Iod. Lyc.
 Sul.
weak :—Coccl. Gel. Sep.
popliteal space :—Bell. Nat-m.
 Pho.
patella :—Bell. Con.
ankles :—Caus. Led. Lyc. Nat-
 m. Rhus-t. Sep. Sul.
sprain :—Led.
weak :—Nat-c.
toe-joints :—Aur. Caus. Kali-c.
 Led. Mar. Sabi. Sep. Sul. Zin.
BONES :—Merc. Pho. Pul. Rut.
 Sil. Stap.

BATHING, COOL, Amel. :—Aur.
 Led.
CROSSING LIMBS, Agg. :—Rhus-t.
 Amel. :— Ant-t. Lil-t. Murx.
 Rhod. Sep. Thu.
DOWN TO FEET, pain :—Alu.
 Caps. Lyc. Rhus-t.
ELEVATING LIMBS, Amel. :—
 Calc-c. CARB-V. Pul. Ran-sc.
 Sep. Vip.
INVERSION :—Cic. Merc. Nux-v.
 Petr. PSOR. Sec-c.
JERKING UP :—Lach. Lyc. Myg.
PHLEGMASIA DOLENS :— Ap.
 Calc-c. Lach. Pul. Vip.
SCIATICA :—Ars. Colo. Dios. Ign.
 Kali-bi. Nux-v. Rhus-t. Rut.
 Teil.
WEAKNESS, paralysis, etc. :—
 Ars. Gel. Nat-m. Nux-v. Sep.
 Sul.

SKIN.
 Ap. ARS. Bell. Bry. Calc-c.
 Caus. Grap. Hep. Lach. Lyc.
 MERC. Nit-ac. Petr. Pho. Pul.
 RHUS-T. Sep. Sil. SUL.
under :—Aco. Æsc. Agar. Alu.
 Bell. Brom. Cic. Coca. Lach.
 Pho. Sec-c. Thu. Zin.

CALLOSITIES :— Ant-c. Grap. Pho.

COLD :—Cam. Carb-v. Ver-a.

CRACKS. see Generalities.

CRUSTS :— Ars. CALC-C. Dul. Grap. Lyc. Merc. Mez. Nat-m. Nit-ac. Psor. Rhus-t. Sil. SUL.

CYSTS AND WENS. see Generalities.

DESQUAMATION. see Generalities.

DIRTY COLOR :—Ars. Fer. Merc. Pho. Sec-c.

DRY. sweat and moisture, scanty. see Generalities.

ECCHYMOSES, petechiæ. purpura, etc. :— Arn. Ars. Bry. Crot-h. Ham. Lach. Pho. Rhus-t. Sul-ac. Tarn.

Comp. Hæmorrhages.

EPITHELIOMA :— Ars. Ran-sc. Sep. Thu.

ERUPTIONS (tendency to) :—Aco. ARS. Bell. Calc-c. Caus. Clem. Dul. Grap. Lach. Lyc. MERC. Mez. Nat-m. Nit-ac. Pho. Pul. RHUS-T. Sep. Sil. SUL.

acne :—Bell. Carb-v. Eug. Hep. Kali-br. Merc. Nux-v. Sep. Sul.

acuminate, conical :— Ant-c. Ant-t. Ars. Hyds. Pul. Sil.

black, tipped :—Carb-v.

circular (ringworm) :— Clem. Nat-c. Nat-m. Sep. Sul. Tell. Tub.

clustered :— Calc-c. Nat-m. Rhus-t.

confluent :—Bell. Cic. Rhus-t.

coppery :— Ars. Carb-a. Kre. Rhus-t.

dry :— Bar-c. Calc-c. Carb-v. Hep. Merc. Sep. Sul. Ver-a.

eczema :—Alu. Ars. Bell. Bov.

Carb-v. Clem. Dul. Grap. Hep. Lyc. Merc. Mez. Petr. Pho. Rhus-t. Sul.

erythematous :—Ars. Merc. Sul.

exanthema : with fever, etc. :— Aco. Bell. Bry. Cof. Merc. Pho. Pul. Rhus-t. Sul.

favus :—Ars. Sul.

fine :—Carb-v. Nat-m. Rhus-t.

flat :—Lach. Pho-ac. Sep.

granular :—Ars. Carb-v. Hep.

hair, in apex of :—Kali-bi.

herpetic :—Aco. Ars. Bell. Dul. Hep. Merc. NAT-M. Rhus-t. Sep. Sul. Variol.

horny, horns :—Ant-c. Ars. Bor. Grap. Ran-b. Sil. Sul.

impetigo :—Ars. Calc-c. Grap. Rhus-t. Sul. Tarn.

indented :—Thu. Variol.

intertrigo :—Cham. Lyc. Merc. Sul.

itch-like :—Carb-v. Caus. Hep. Lyc. Merc. Sele. Sep. Sul.

lichen :—Aco. Agar. Bry. Cic. Coccl. Dul. Lyc. Mur-ac. Nat-m. Sul.

fiery :—Cic. Lyc. Rhus-t.

measly. see Generalities.

mentagra :—Calc-c. Grap. Sep.

miliary :—Aco. Ars. Bry. Cof. Dul. Ip. Merc. Phyt. Sul.

moist :— Calc-c. Cic. Clem. Grap. Lyc. Merc. Rhus-t. Sep. Sul.

nodular :—Kali-io. Nat-s. Sil.

painful :—Arn. Bell. Hep. Lach. Lyc. Merc. Pho. Pho-ac.

painless :—Lyc.

papules :—Aco. Bry. Dul. Merc. Sul.

pedunculated :—Thu.

pemphigus :—Ars. Arn-t. Canth.
Dul. Hep. Ran-b. Rhus-t.

pimples :—Ant-c. Caus. Nit-ac.
Sep. Zin.

prurigo :—Sep.

psoriasis :—Ars-io. Berb-aq.
Bor. Clem. Dul. Grap. Merc.
Pho. Psor. Ran-b. SEP. Sul.
Thyr.

pustulating :—Ant-c. Ant-t. Ars.
Cic. Dul. Lyc. Merc. Pul. Rhus-
t. Sul. Thu. Variol.

roseola :—Kali-io. Sars.

rubella :—Aco. Bell. Bry. Pul.

rupia :—Ars. Cham. Grap. Merc.
Petr. Sep. Sul.

scabby, crusty :—Calc-c. Con.
Grap. Hep. Lyc. Merc. Rhus-t.
Sars. Sil. Sul.

Comp. Generalities.

bloody :—Merc. Sul.

scaly :—Calc-c. Clem. Pho. Sul.

scarlatinous :—Ail. Am-c. Ap.
Bell. Cham. Merc. Mur-ac.
Pho. Phyt. Sul.

serpiginous :—Ars. Sul.

suppressed, undeveloped, etc. :—
Ail. Ars. Bry. Cup. Stram. Sul.
Zin.

tettery :—Alu. Ars. Bov. Calc-c.
Cham. Con. Dul. Grap. Lyc.
Merc. Mez. Nat-m. Petr. Pho.
Rhus-t. Sep. Sil. Sul.

Comp Eczema.

urticarious, hives, wheals,
etc. :—Ant-c. Ap. Calc-c. Caus.
Dul. Grap. Hep. Pho. Rhus-t.
Sep. Sil.

varicella :—Aco. Ant-c. Ant-t.
bell. Led. Pul. Rhus-t.

variola :—Ant-t. Ars. Merc.
Pul. Rhus-t. Sul. Thu. Variol.

vesicular, blisters, etc. :—Ars.

Arn-t. Canth. Caus. Crot-t.
Dul. Grap. Lach. Merc.
Nat-m. Pho. Ran-b. Rhus-t.
Sep. Sul.

dark :—Anthr.

zoster :—Ars. Grap. Lach. Merc.
Ran-b. Rhus-t. Variol.

EXCORIATED, denuded, raw :—
Arn. Arn-t. Aur. Carb-v.
Cham. Chin. Grap. Hep. Ign.
Lyc. Merc. Petr. Psor. Pul.
Sep. Sul.

Comp. Soreness.

FLABBY, relaxed :—Calc-c. Ver-a.

FOLDS, flexures, etc. :—Ars.
Calc-c. Carb-v. GRAP. Hep.
Lyc. Merc. Nat-m. Petr. PSOR.
Pul. Sil. Sul.

FRECKLES :—Lyc. Pho. Sep.
Sul.

FUNGUS GROWTH, excrescences,
warts, figwarts, condylomata,
polypi, proud flesh, hæma-
todes, etc. :—Ant-c. Ars. Bar-c.
Calc-c. Carb-a. Caus. Clem.
Dul. Lach. Lyc. Merc. Nat-c.
Nat-s. NIT-AC. Petr. Pho.
Pho-ac. Rhus-t. Sabl. Sil. Stap.
Sul. THU.

Bleeding :—Nit-ac. Pho.

fleshy :—Calc-c. Stap. Thu.

granular :—Calc-c. Nit-ac. Stap.
Thu.

pedunculated :—Lyc. Nit-ac.
Sabl. Thu.

ragged :—Nat-c. Pho-ac. Rhus-
t. Thu.

spongy :—Calc-c. Lyc. Nit-ac.
Stap. Thu.

GANGLION :—Am-c. Benz-ac.
Rut.

GANGRENE :—Ars. Bell. Carb-v.
Chin. Lach. Plb. Sec-c. Sil.

cold :—Ars. Lach. Sec-c. Sil.

- hot :—Aco. Ars. Bell.
 moist :—Chin. Hell. Pho.
GOOSESKIN :—Hell. Nux-v. Par.
 Ver-a.
HARD :—Ant-c. Clem. Dul. Grap.
 Pho. Rhus-t. Sep. Sil.
HEAL, won't, vulnerable :—Arn.
 Ars. Calc-c. Cham. Con. Hep.
 Kali-bi. Lach. Lyc. Merc. Petr.
 Sil. Sul.
 Comp. Suppuration.
INACTIVE :—Anac. Con. Kali-c.
 Lyc. Pho-ac.
INFLAMED :—Cham. Hep. Petr.
 Sil. Sul.
ITCHING :—Aco. Agar. Amb.
 Ant-c. Ap. Calc-c. CAUS.
 Lyc. Merc. Pho. Pul. Rhus-t.
 Sep. Sil. Stap. Sul.
 burning :—Agar. Ap. CAUS. Lach.
 Petr. Rhus-t. Sil. Sul.
 heated, when :—Lyc.
 painful :—Bar-c.
 pleasurable :—Sul.
LEPROUS DISEASES :—Ars. Sep.
 Sil. Sul.
LOUSINESS :—Merc. Old. Sul.
LUPUS :—Ars. Calc-c. Grap. Lyc.
 Merc. Nat-m. Rhus-t. Sep.
 Sil. Stap. Sul.
 hypertrophicus :—Ars. Grap.
 vorax :—Ars. Sep. Sil. Stap.
 Sul.
MENSES, Agg. before :—Carb-v.
 Dul. Grap. Kali-c. Mag-m.
 Nat-m. Sang. Sars. Sep. Ver-a.
MOIST :—Carb-v. Grap. Lach.
 Lyc. Rhus-t.
NÆVI, birth-mark, etc. :—Ars.
 Carb-v. Flu-ac. Lyc. Pho.
 Plat. Sep. Sul. Thu.
 smooth, mottled :—Con. Pho.
 Sep. Sul.
 spidery :—Carb-v. Lach. Plat.
 Sep. Thu.
NUMB :—Anac. Nux-v. Old.
 Sec-c.
OILY, greasy, see Generalities.
OOZING :—Calc-c. Grap. Lyc.
 Merc. Petr. Sul.
PAINFUL :—Ars. Calc-c. Carb-v.
 Cup. Hep. Ip. Lach. Merc.
 Nit-ac. Nux-v. Pho-ac. Sil. Sul.
 Ver-a.
 Comp. Sensitive.
PARCHMENT-LIKE :—Ars. Calc-f.
 Lyc. Sil.
PRURIGO :—Aco. Bry. Calc-c.
 Carb-v. Con. Grap. Merc.
 Nat-m. Nit-ac. Nux-v. Op.
 Pul. Rhus-t. Sep.
 senile :—Ars. Merc. Mez. Old.
 Sul.
PUFFED, bloated :—Ant-c. Ap.
 Calc-c. Caps. Cup. Fer.
ROUGH :—Ars. Bell. Calc-c. Iod.
 Phyt. Saba. Sep. Sul.
SCARS, see Injuries.
SCURFY, scaly, mealy :—Ars.
 Calc-c. Dul. Kali-m. Lyc.
 Pho. Rhus-t. Sep. Sil. Sul.
 Comp. Desquamation.
SENSITIVE :—Ars. Asaf. Bell.
 Calc-c. Carb-v. Chin. Lach.
 Nat-m. Sil. Ver-a.
 Comp. Painful.
SOFT, boggy :—Ars. Lach. Sil.
SPOTS, itching :—Con. Led. Sep.
 Sil. Sul-ac. Zin.
 sore :—Fer. Hep.
 white :—Alu. Ars. Merc. Nat-c.
 Sep. Sil. Sul.
STICKY :—Pho.
STIFF :—Rhus-t. Ver-a.
STRIPES, streaks, etc., on :—Bell.

Buf. Carb-v. Hep. Merc. Pho.
Sabi. Sil.

STROPHULUS :—Merc. Sul.

TENSE :—Caus. Nit-ac. Pho. Stro.

THICK :—Ant-c. Dul. Grap. Rhus-t.
Sep. Sil. Sul.

ULCER. see Generalities.

UNHEALTHY. see Heals.

WARTS. see Fungus Growth.

WENS. see Cysts.

WITHERED, shrivelled :—Ars.
Calc-c. Chin. Cocci. Cup. Iod.
Lyc. Sec-c. Ver-a.

WORMS :—Ars. Coca. Merc.
Nat-c. Nit-ac. Sele. Sil. Sul.

WRINKLED :—Calc-c. Cam. Pho-
ac. Sars. Sec-c. Sep. Ver-a.

SLEEP.

YAWNING :—Ant-t. Caus. Cina.
Croc. Hep. Ign. Kre. Lyc.
Mang. Nux-v. Op. Pho. Plat.
Pul. Rhus-t.

incomplete :—Lach. Lyc.

violent :—Hep. Ign. Plat.
Rhus-t.

and stretching :—Cham. Nux-v.
Rhus-t.

SLEEPINESS (by day) :—Æth.
Ant-c. ANT-T. Bap. Calc-c.
Chel. Croc. Fer-p. Gel. NUX-
M. NUX-V. OP. Pho-ac. Pul.
Sul.

yet sleepless at night :—Pul.
Sul.

morning :—Calc-c. Con. Grap.
Nux-v. Sep.

forenoon :—Ant-c. Saba.

afternoon :—Chin. Nux-v. Rhus-
t. Sul.

evening :—Ars. Calc-c. Kali-c.
Nux-v.

accompanied by :—Ant-t. Nux-
m. Pul.

caused by other complaints :—
Ant-t. Nux-m. Op. Rhus-t.
Ver-a.

eating, on :—Chin. Nux-v.
Rhus-t. Sul.

SLEEP, anxious :—Aco. Ars.

care, worry, Agg. :—Calc-c.

coma vigil :—Aco. Op.

comatose :—Croc. Nux-v. Op.
Pul. Ver-a.

light :—Cof. Op. Sele. Sul.

restless, tossing about, etc. :—
Aco. Ars. Bar-c. Bell. Chin.
Pul. Rhus-t. Sil. Sul.

stupid, deep, etc. :—Æth. Ant-t.
Bap. Bell. Con. Led. Nux-m.
Op.

**unrefreshing, awakes tired,
etc.** :—Bry. Chin. Con. Hep.
Op. Sul.

lying on back :—Bry. Pul.
Rhus-t. Stram.

with hands over head :—Lac-c.
Nux-v. Pul.

strange positions in :—Cina.
Plb.

during, nightmare :—Aco. Nux-
v. Op. Sul.

chews and swallows :—Cina.
Ign.

saliva, flow of :—Lach. Merc.
Pho. Rhus-t.

shrieks, screams, etc. :—Ap.
Cina. Ign. Zin.

snoring :—Op.

somnambulism :—Dict. Pho.

starting up, jerks, etc. :—Aco.
Ars. Bell. Calc-c. Cham. Cina.
Ign. Lye. Pul. Sep. Sil.
Stram. Zin.

talking :—Lach. Pul.

WAKING, frequently, cat-naps :—
Calc-c. Hep. Pho. Pul. Sep.
Sul.

too early :—Kali-c. Nat-c.
Nux-v. Ran-b.

late :—Calc-c. Grap. Nux-v.
Sep.

anger, in :—Cham. Lye.

confusion, in :—Chin.

fright, nightmare, etc., in :—
Bell. Bor. Cina. Hyo. Ign.
Lach. Nat-m. Sil. Stram. SUL.
Thu. Zin.

Comp. Mind, Waking.

jerk, with a :—Bell.

SLEEPLESSNESS :—Aco. Ars.
Bell. Calc-c. Cham. Coccl.
COF. Hyo. Kali-c. Lach. Merc.
Nux-v. Op. Pho. PUL. Rhus-
t. Sep. Sil. Sul.

early (late falling asleep) :—
Ars. Bry. Calc-c. Carb-v. Chin.
Grap. Merc. Nux-v. Pho. Pul.
Rhus-t. Sep.

late (after midnight) :—Caps.
Cof. Kali-c. Nux-v. Sil.

although sleepy :—Ap. Bell.
Cham. Hep. Op. Pho. Pul. Sep.

caused by :—Ars. Bry. Calc-c.
Cham. Chin. Cof. Merc. Pho.
Pul. Rhus-t. Sep.

idea, fixed :—Calc-c. Grap.
Pul.

once awaking, on :—Nat-m.

nervousness :—Aco. Chin.
COF. Gel. Hyo. Lach. Lye.
Mos. Nux-v. Plat.

restlessness :—Aco. Ars.
Cham.

rush of ideas :—Calc-c. Cof.
Gel. Hyo. Ign. Nux-v. Op.
Pul.

twitchings :—Ars. Bell. Ign.
Sul.

DREAMS :—Am-m. Arn. Ars.
Bry. Calc-c. Chin. Grap. Lach.
Lyc. Mag-c. Nat-m. NUX-V.
PHO. PUL. Rhus-t. Sil. Sul.
Thu.

agreeable :—Calc-c. Nat-c.
Nux-v. Op. Pul. Sep. Stap.
Vio-o.

of day's work, difficulties, etc. :
—Bry. Nux-v. Pul. RHUS-T.

dead, of the :—Ars. Mag-c.
Pho. Thu.

falling :—Thu.

vivid, fire, etc. :—Cann. Hyo.
Pho. Pul. Rhus-t. Sil. Sul.

CHILL, CHILLINESS, COLDNESS, ETC.

IN GENERAL :—Ant-c. Aran.
Arn. Ars. Aur. Cam. Caus.
Chin. Chi-s. Eup-p. Grap. Ip.
LYC. Men. Mos. Nat-m. Nux-
m. Pul. Saba. Sil. Stap.
Ver-a.

partial or single parts :—Ars.
Calc-c. Carb-v. Chel. Chin.
Ign. Kali-c. Men. PUL. Sec-c.
Sep. Sil. Spl. Sul. VER-A.

affected part, of :—Ars. Bry.
Coccl. Led. Rhus-t. Sec-c. Sil.

onesided :—Bar-c. (r). Bry.
Carb-v. (1). Caus. Con. Dros.
Lyc. Mos. Nux-v. Par. Pul.
Rhus-t. (1). Sabi. (r). Sul. (1).
Thu.

external :—Ign. Nux-v. Ver-a.
Zin.

heat, alternating with:—Am-m.
Ars. Bell. Calc-c. Cham. Chin.
Eup-p. Gel. Hep. Lach. Merc.
Nux-v. Rhus-t. Samb.

internal:—Ars. Calc-c. Laur.
Sul.

abdomen:—Amb. Ars. Pho.
Sep. Ver-a.

back (starts in):—Bell. Cap.
Caus. Coccl. Dul. Eup-p. Gel.
Hyo. Lach. Lyc. Nat-m. Pul.
Rhus-t. Sec-c. Sep. Stap. Stro.
Sul.

extremities:—Amb. Bell. Carb-
v. Caus. Pul. Sec-c. Sil.

covers, heat, etc., Agg.:—Ap.
Cam. Ip. Pul. Sec-c. Sep.

SOPOR, with:—Ant-t. Nux-m.
OP. Ver-a.

URINATING, on:—Nit-ac. Plat.
Thu.

HEAT.

HEAT, fever, burning, etc.:—
ACO. Ap. ARS. BELL. BRY.
Canth. Caps. Carb-v. Caus.
Cham. Chin. Gel. Ign. Lach.
Lyc. Med. Merc. Merc-c. Nat-
m. Nux-v. Op. PHO. PUL.
RHUS-T. Sang. Sul.

dry, burning:—Aco. Ap. Ars.
Bell. Bry. Carb-v. Mur-ac.
Nux-v. Op. Pul. Sec-c.

external:—Aco. Bell. Canth.
Ign.

internal:—Aco. Ars. Bell. Nux-v.
Ver-a.

flushes, in:—Calc-c. Lach.
Pho. Sang. Sep. Sul. Sul-ac.

Comp. Wave-like
Sensations.

partial:—Aco. Ap. ARS. Bell.
Bry. Calc-c. Canth. Caps.

Carb-v. Caus. Cham. Lyc.
Merc. Nux-v. PHO. Pul. Rhus-t.
Sep. SUL. Ver-v.

external:—Ars. Bell. Merc.
Pho. Pho-ac. Sul.

internal:—Aco. Bell. Bry.
Canth. Laur. Pho. Sul.

NIGHTLY:—Ars. Bell. Calc-c.
Cham. Hep. Iod. Petr. Pho.
PUL. Sil. Sul.

SWEAT.

IN GENERAL, easy tendency to,
etc.:—Agar. Ant-t. Calc-c.
Chin. Fer. Grap. Hep. Kali-c.
Lach. Lyc. Merc. Nat-c. Nat-
m. Nux-v. Op. Pho. Pho-ac.
Samb. Sep. Stan. Stap. Sul.
Ver-a.

Comp. Moistness.

acid:—Flu-ac.

cold:—Ant-t. Ars. Cam. Carb-
v. Chin. Merc. Sec-c. Ver-a.

on forehead:—Ant-t. Carb-
v. Cina. Merc-c. Op.
VER-A.

gushes, in:—Ap. Bell. Colch.
Ip. Lach. Pho. Samb. Val.

hot:—Bell. Cham. Ign. Ip.
Op. Saba. Sep. Stan. Stram.
Vio-t.

itching, causing:—Cham. Op.
Rhus-t.

partial:—Ap. Bar-c. CALC-C.
Carb-v. Nux-v. Pho. Pul. Sele.
SEP. Sil. Sul. Thu. Ver-a.

suppressed:—Aco. Bell.
Cham. Chin. Colo. Du
Lach. Rhus-t. Sil. Sul.

Comp. Discharges.

unilateral:—Bar-c. (1). Chin.

(1). Nux-v. Pho. (r). Pul. (r).
Sul.

waking, on :—Dros. Par. Samb.
Sep. Sul.

yellow, staining :—Bell. Carb-
a. Grap. Lach. Merc. Sele.

COVERS, heat, etc., Amel. :—

Clem. Hep. NUX-V. Rhus-t.
Stro.

RELIEF, without :—Bell. Dig.
Form. MERC. Op.

UNCOVERING, intolerance of :—
Clem. Grap. Hep. Nat-c. Nux-
v. Rhus-t. Samb. Stro.

PART TWO

SYNOPSIS

An exposition of the important and characteristic features of the most important remedies of the Homoeopathic Materia Medica, with their physiological spheres of activities, modalities and relationships.

ABROTANUM.

REGION.

Nerves.

Nutrition.

Veins.

WORSE.

Cold Air. Wet.
Checked Secretions.
Night. Fogs.

BETTER.

Loose Stool (Nat-s. Zin.).
Motion.

Numb, weak, tremulous and paretic. Can't hold up head. **Exudations**, into pleura, joints, from navel, etc. **True metastases**; receding gout, etc. **Alternations**; piles with rheumatism (Coll. Sabi.). Rheumatism, after diarrhoea. **Emaciation**; ascending; of legs. Cross, irritable children. Pale hollow eyed, old face. Distended veins; on forehead. Nosebleed; of youths. Vomits much offensive fluid. Stomach floats in water (Buf.). **Bloated abdomen**. Pains in left ovary. Nightly backache. Weak joints; can't hold up head, Face cold. dry and wrinkled. Cold, prickling, numb fingers and toes. Flabby skin. Protruding piles; burn on touch.

Related : Chin. Led.

ACONITE.

REGION.

MIND. Brain.

NERVES { Medulla.
 { Sympathetic.
 { Vagus.
 { Respiratory Centre.

HEART { Arterial.
 { Circulation.

Viscera { Larynx.
 { Chest.
 { Abdomen.

Joints.

WORSE.

Violent Emotions { **FRIGHT.**
 { **SHOCK.**
 { Vexation.

Sleeping in Sun.

Chilled by { **COLD,**
 { dry winds.
 { While Sweating.

Pressure and Touch.

Noise. Light. Dentition. During
Menses.

Night; in Bed, P. M. Lying on
Side.

BETTER.

Open Air. Repose.
Warm Sweat.

Robust habit. Sudden, violently acute, painful effects, a big storm that soon blows over. Tension. Congestion; often apoplectic.

Excited nervous and vascular systems. Inflammation. Congestion to head and chest: acute. **Inflammation:** internal; rheumatic. **Bright red hæmorrhage** (Bell.). **Acute senses.** Sticking, tearing pains. Parts feel numb, big, burn, tingle, prickle or crawl; remain sore or numb after the pains. Neuralgia. Crepitation. Painfully sore externally, with internal heaviness. **Collapse.**
TERROR. ANXIETY. AGONIZING FEAR; of death, crowds, etc. **RESTLESS, excited, nervous, feverish, impatient and anxious.** Beside himself; frantic from intensity of the pain; **WITH FEAR;** screams, moans, gnaws the fists, bites the nails (Ars.), wants to die. Delirium. Convulsions. **Forebodings;** predicts time of death. Sensitive. Music saddens. **Anxiety,** congestion and pain. Head heavy. As of a hot band about head, or boiling heat in brain. Hair seems on end. Violent squeezing or bursting, in forehead or eyes; crackling in; throbs in l. forehead (r. Ant-t. Bell. Ign.); aches, with more urine; **burning in.** Shooting in eyeballs. Numb nose; with epistaxis (Bell. Med.). Nose runs hot water. Coryza. **ANXIOUS LOOK** (Spo.). Eyes glitter; stare; bleared; foreign bodies in. **Hot, red cheeks.** Face: ghastly look; alternately red and pale; one cheek red and hot, other pale and cold. Face pales on rising. Faintness. Toothache. Throbbing in teeth and in head. Everything tastes bitter. Water has a bad taste. Chokes on swallowing. **BURNING THIRST;** craves acids, beer; < after ices. Appetite: milk agrees. Projectile vomiting (Ver-v.). Violent bilious or bloody vomitus. **Stools of pure blood;** slimy, **grass green,** or white; < hot days and cold nights (Dul. Merc-c.). Dysentery. Itching, sticking at anus. Retained, scanty, red or bloody urine. Agonizing dysuria. Cystitis. Urethral chill. Orchitis. Suddenly suppressed menses. Respiration short; during sleep; anxious; hard; sits erect. **Dry, hoarse, painful cough,** or short, barking, ringing, or whistling cough, < from every inspiration. Grasps larynx; < night or drinking. Laryngitis. Croup with fever. Violent rushes of blood to chest. Pneumonia. Stitches in chest. Oppression of left chest. Pleurisy. Heart feels swelled. Carditis. Complaints of heart worse from sitting erect.

Palpitation, anxious ; with pain down l. arm. Red fingertips. Powerless legs. Red, shining swelling. DRY, HOT SKIN, or as if ice water on it. Miliary eruptions. Sleepless and nervous. Pulse fast, bounding, shaking, forcible and tumultuous or wiry. Pulse very irritable. Arterial tension (Ver-v.). CHILL ; in waves ; alternates with heat. HIGH FEVER. Dry, burning heat ; in eyelids ; nose, mouth, throat, lungs ; on palms ; must uncover. Sweat : on uncovered parts ; wants covers ; drenching. Back and sacrum feel bruised. Remote effects of fright (OP.). Cries out and grasps genitals.

Complementary : Sul.

Related : Bell. Oham. Cof.

ACTEA SPICATA.

REGION.

WORSE.

Joints { Wrist.
 { Small.

Change of Weather.
Slight Exertion.
Cold. Night. Touch.

Old age. Tingling. Weakness. Joints swell ; can not move. Paralytic weakness of affected parts. Hypersensitive to cold.

Complementary : Caul. Colo. Sabi. Stic. Viol.

ADONIS.

REGION.

WORSE.

HEART. Spine.
Epigastrium.
Kidneys. Skin.

Cold. Lying.
BETTER.
Exertion.

Wandering pains.....Apprehension. Vertigo, < when in motion ; with palpitation. Aching occiput. Tight scalp. Tongue as if scalded. Thirstless. Faint in epigastrium, with vertigo. Bowels as if to break ; < bending. Urging to urinate. Albuminuria. Dropsy. Dyspnoea ; < touching back. Dry, tickling cough ; from heart. Heart weak, fatty, arrhythmic. Spine and nape stiff ; with a tired ache. Vesicles on skin. Sleepless ; from rambling thoughts.

Related : But.

ÆSCULUS.**REGION.**

Veins { Liver. Naso-Pharynx.
 { ABDOMEN (R).
 { RECTUM.

Mucous Membranes { Naso-
 { Pharynx.

Occiput.
Sacro-Iliac Region.

WORSE.

Morning, on Waking.
 After Stool. Lying. Stooping.
 Urinating. Walking.

BETTER.

COOL { Open Air.
 { Bathing.
 Bleeding (Piles). Kneeling.
 Continued Exertion.

Reflex rectal symptoms. Rectum : painful constriction ; as of a knife sawing up and down. **HOT, DRY, STIFF, ROUGH** or full feeling internally ; throat, abdomen, anus, etc. Purple, puffy parts. Venosity. Pains, sticking ; like hot lightning.....
Irritable. Crushing in occiput. Nose sensitive to cool inspired air ; it burns. Congestive catarrh. Follicular pharyngitis. Throbs, deep in abdomen. **Stool, hard, dry** ; of several colors. **RECTUM** : sore , as of a burr or sticking pains long after stool ; as of a bug crawling from anus (Sul.). Piles, purple, painful, external ; with **BACKACHE** (Nux-v.), chest pains, etc. Laming, dull, lumbar pain ; small of back gives out ; repeated efforts at rising ; < walking. Lumbar region or back : as if to break. Bruised pain in sacrum and hips. Paralytic heaviness : of arms, spine, feet.

Complementary : Carbo-v. Lach. Mur-ac. **Related** : Alo. Collin. Pul.

ÆTHUSA.**REGION.**

BRAIN. Nerves. Digestion.
Occiput. Neck. Glands. Liver.

WORSE.

MILK. Hot Weather.
 Dentition. Frequent Eating.
 Over-exertion.

Violent onset, profound exhaustion and lack of reaction, even speechless ; as in cholera infantum, convulsions, etc. Can't stand or hold head up. Weak, nervous and prostrated ; from over-work. Can't fix attention. Parts feel screwed together. Lancing pains. Distress in occiput and nape. Violent convulsions.....
Weepy ; < as disease progresses. Dizzy and drowsy (Gel.).

Squeezing headache, > passing flatus. Eyes turn down. Face sunken. Deathly aspect; blue white pallor about lips. **White linea nasalis**. Tongue feels too long. Nibbling appetite. Regurgitates food long after eating (Kre.). Violent sudden vomiting of milk. **DEATHLY NAUSEA. VOMITS LARGE, HARD CURDS, THEN LIMPNESS AND DEEP SLEEP.** Retching. Digestion ceases from brain exhaustion. Stomach seems turned upside down. Bubbling at navel. Yellow-green, slimy diarrhoea. Watery menses. Lymphatics swelled, like a string of beads. Eruptions that itch from heat. Ecchymoses. **Cool, clammy skin.** Heat without thirst. Sweat (cold) with aversion to uncovering.

Complementary : Calc-c.

Related : Ant-c. Cic.

AGARICUS.

REGION.

SPINAL AXIS { OCCIPUT.
NERVES.
Lumbar
Region.

Peristalsis.

Heart. Circulation.

Respiration. Chest.

WORSE.

Air { COLD. FREEZING.
OPEN. Stormy.

Exhaustion { Mental. Coition.
Debauchery.

Alcohol. Pressure. Touch.
Morning. During Menses.

BETTER.

Gentle Motion.

Gradual onset. Many symptoms (Tub.). **IRREGULAR, ANGULAR, UNCERTAIN AND EXAGGERATED MOTIONS** (Ign.); he reaches too far, staggers or steps too high, drops things, etc. **TREMBLING, TWITCHING, JERKING** or fibrillar spasm; here and there; < **EYELIDS** or tongue. Shuddering. Nervous and restless. Chorea. As of cold needles, a cold drop or a weight on parts. Painful twitching, then parts stiff and cold.....
Hilarious or dull and dizzy; as if drunk. **Turns head to and fro.** Headache, > after stool or urine. Oscillating eyeballs. Gum in canthi. *Musca volitantes*. Angle of mouth droops. **As of a lump in epigastrium.** Rumbling and fermenting in bowels. Hot flatus or semen; cold urine. Isolated coughing attacks, then sneezing; as if from spine; easy expectoration of flocculi or balls of mucus. Indistinct, jerky speech. Palpitation during coition; depressed

afterward. Premature ejaculation. Pressure or burning sticking from heart to left scapula. Angina pectoris, has excessive pain only. Metastases from suppressed milk. Single vertebra sensitive to heat. Spine sensitive, > pressure or touch; shooting, burning along; seems short (Sul.), < stooping; stiff. Restless arms. BURNING-ITCHING (Ap.), < IN SKIN; AS IF FROZEN; changing place on scratching. Skin pains when cold. Chilblains. Yawning; before pains or spasms; as a concomitant. Chills or sweats easily. Sweats on alternate sides. Night sweats. Itching, over affected part. Cold buttocks.

Antidotes : Coff. Pul.

Complementary : Calc-c.

Related : Phys. Tub.

AGNUS CASTUS.

REGION.

SEXUAL ORGANS.

MIND. Nerves. Eyes.

WORSE.

VENERY.

Sprains.

IMPOTENCY AND PREMATURE OLD AGE. Jaded rakes.

.....Distraction. BAD MEMORY. Sad and despairing; repeats that he will soon die. Cold, relaxed genitals. Spermatorrhœa. Gnawing-itching; < eyes. Agalactia.

Related : Old. Pho-ac.

AILANTHUS.

REGION.

BLOOD.

THROAT.

Skin. Mind.

WORSE.

Suppressions. Raising up.

Sight of Food.

BETTER.

Hot Drinks.

Aching. Rapid prostration Advancing MALIGNANCY AND STUPOR. Feter and LIVIDITY. Sepsis. Acridity. Thinness.Dulness. Sighing. Faint on raising up, or vertigo < lying. Bloody, nasal discharge. Face and throat dark and swelled. Sordes on teeth. Dry, foul fauces. Deep ulcers stud tonsils, < left, with loose pultaceous material. Lacunar tonsillitis. Irritative itching of posterior pharynx. Diphtheria. Eruptions in dark,

sparse patches ; tardy ; return slowly after pressure. Mottled skin. Scarlatina maligna ; suppressed. Petechiæ. Crawling over body. Adynamic fever, with weak heart. Cold sweat.

Related : Aru-t. Bap. Lac-c.

ALETRIS.

REGION.

Female Organs (R).

Blood.

WORSE.

Loss of Fluids.

BETTER.

Passing Flatus.

Bending Backward.

Debility. Always tired. Heaviness of parts. Uterine reflexes. Hæmorrhage. Anæmia.....Frothy saliva. Abdominal colic. Terrible pain during stool. Constipation. Early, profuse menses. Tendency to abortion.

Related : Chin. Helo. Tril.

ALOE.

REGION.

ABDOMINAL { **RECTUM.**
VEINS { **Liver.**
 { **Colon. Pelvis.**

Lumbar Region. Head.

Female Organs.

WORSE.

HEAT ; Damp. Summer.

Early A. M. (in Bed).

After Dysentery.

Stepping Hard. Evening.

BETTER.

Cool, Open Air.

Cold Applications.

Relaxation and VENOUS CONGESTION, < abdomen. Parts seem full. HEAVY DRAGGING, as of a load. Downward sensation. Drawing. Gelatinous secretions : post-nasal, stool, etc..... Mental effects, < cloudy weather (Pho.) or constipation. Heavy pressure on vertex. Head, alternating with abdominal, or lumbar symptoms ; > closing eyes. Pain from navel to rectum. Heavy hypogastrium ; rectum. Prolapsus recti. A plug seems wedged in pelvis. Rumbling, gurgling in bowels, sudden urging, SENSE OF INSECURITY, then hurriedly passes a gushing, watery stool (Kali-bi.). Diarrhœa ; with rectal pain. ANUS WEAK ; oozes mucus. Stool escapes with flatus (Old.) or when

urinating; mushy; solid stool passes unnoticed; urging to, passes flatus only; lumpy; gelatinous. Piles, prolapsing; like a bunch of grapes; > cold bathing. Internal heat; not stool, flatus, urine, etc. Burning in anus, rectum, piles, etc. Sexual erethism (in children). Heavy, congested uterus.

Complementary : Sul.

Related : Lil-t. Pod. Sep. Sul.

ALUMINA.

REGION.

SPINAL CORD, Lumbar.

Abdomen, Left.

RECTUM.

Lower Limbs.

Mucous Membranes.

Skin.

WORSE.

WARMTH; ROOM, Bed.

Foods { Artificial.
 { Potatoes.

Speaking. Dry Weather.

Early on awaking.

Sitting. After Menses.

BETTER.

Evening. Open Air.

Moderate { Exertion.
 { Temperature.

Thin, inactive; inclines to lie down. Paretic effects. Talking is exhausting. Exhaustion after menses. DRYNESS; of mucous surfaces, eyes, throat, rectum, etc., or irritability and relaxation. Scanty, thick, acrid discharges (Hyds.). Mucous discharges, profuse: before menses, leucorrhœa runs to feet; expectoration. Induration. Chronicity.....Illusions of being larger, numb, smooth, heavy, time passing too slowly, etc. Hasty, but slow of execution, hence mistakes in speaking, writing, etc. Peevish. Depressive mental states. Depressed, on awaking. Timorous; fears his own impulses; the sight of knives; loss of reason, etc. Bad memory. Vertigo, < talking. Violent stitches in brain. Dry, falling hair. Weak eyelids. Double squint; < teething. Inflamed, burning eyes. Hot, red ear. Dusky wrinkled, old look. As of white of egg or a cobweb on face. Teeth feel long; pain extends to other parts (Kali-bi.). Twitching lower jaw (Gel.). Uvula hangs down. Throat feels full of sticks or constricted. Craves coarse foods (Calc-c.). Big bellied children. Pains from rectum to ankle. Inactive rectum and bladder;

strains to pass a soft stool; hard ones cause severe cutting. Stools of small balls, hard knots or bright clots of blood. **Must strain at stool to urinate**; slow flow. Tickling in sexual organs; increased desire. Profuse leucorrhœa. Constant, dry, hacking cough; interrupts breathing; with sneezing. Sudden loss of voice. As of a hot iron thrust through lower spine. Heavy lower limbs; staggering. **Festination**. Locomotor ataxia. Totters, if eyes are closed. Painful soles. Gnawing under nails. Bones feel squeezed. Dry, rough, cracked skin. Itching burning over seat of pain. Intolerable itching from heat of bed. Eczema. Chilliness; > open air. Heat, with itching.

Antidotes: Cad-m. Jaborand.

Related: Bry. Plb.

AMBRA.

REGION.

WORSE.

NERVES { Pneumogastric.
Solar Plexus.
Spinal.

Slight
Causes

Presence of Others.
Music.
Embarrassment.
Agitation. Worry.
{ Thinking of It.

Mind.

Female Organs.

One Side.

Chest, Left.

Old Age. Evening.

Warmth. Milk.

Dry, nervous, meager habit. Early senility. Weakness of upper part of body with trembling of lower parts. Worn out, yet over-impressionable; slight things < the breathing, the heart, start the menses, etc. Symptoms suddenly change place; asleep, numb feeling (in spots), twitching, itching, trembling, ebullitions, etc. General pulsation.....Dreamy, flitting ideas or fixed disagreeable fancies. Slow grasp. Does not understand what she reads. Sad. Bashful. Vertigo; senile. Nosebleed, during menses. Coldness in abdomen. Confusion, in occiput; also sprained feeling in. Imaginations. Coldness of body with twitching. Asthma: dry; senile; < coition. Flatulence. Can't have others present when urinating (Nat-m.) or during stool; < during pregnancy. Itching labia. Spasmodic cough, then eructations. Bluish, white

expectoration. As a lump in chest (1). Palpitation. Sweat on abdomen and thighs.

Related : Bar-c. Ign.

AMMONIUM CARB.

REGION.

WORSE.

HEART { Circulation.
 { Blood.

COLD { CLOUDY DAYS.
 { DAMP. Locally.
 { Raw, Open Air.

RESPIRATION.

Falling Asleep. 3-4 A.M.
DURING MENSES. Motion.

Lungs. Bronchiæ.

BETTER.

Right Side.

PRESSURE. Eating.
Lying on Abdomen.

Low vitality. Lacks reaction. LIVID, WEAK AND DROWSY.

Lies down. Collapse of nerves and heart. Averse to cold. Old age. Bruised, sore pain. Internal, raw burning. Acrid, hot, adherent secretions. Dark, thin hæmorrhage Scorbatic states. Malignancy.Active, but soon exhausted. Sad. Peevish. Mind vacant. Depressed, with weakened intellect. Heedless, fretting and unruly. Loss of memory ; < vexation. Brain seems loose. Shocks through head, on biting. Violent headache ; full, bursting in forehead. Floods of tears. Nose stopped at night, or bleeds, if hands or face are washed or on waking. Continuous urging to sneeze. Profuse, watery coryza. Catarrhs, starting in nose. Cracked, burning lips. Tender, bleeding gums. Loose or blunt teeth. Dark, acrid diarrhoea. Persistent erections. Menses with choleraic symptoms (Sil.) ; dark, lumpy flow, < night ; then dyspnœa or weakness. Copious leucorrhœa. Increasing shortness of breath ; it wakes him ; > cool air (Carb-v.) Rattling in chest, but gets up little. Aphonia. **WEAK HEART** ; causing stasis, dyspnœa, etc. Palpitation ; with cold sweat and lachrymation. Numb r. foot (Sep.). Asleep feeling of part lain on. Ganglion. Bones ache as weather changes. Red or mottled skin. Coldness. Burning heat with thirst. Scarlatina.

Related : Ant-t. Carb-v. Glo. Lach. Mur-ac.

AMMONIUM MUR.

REGION.

MUCOUS {CHEST.
MEMBRANES {Gall-Ducts.
Liver.
Blood.
Female Organs.
Tips of Fingers and Toes.
Between Scapulæ.

WORSE.

Morning (Head, Chest).
Afternoon (Abdomen).
Evening (Skin, Fever, Limbs).
Sprains (Chronic).
Periodically.

BETTER.

Open Air. Rapid Motion.

Fat and puffy, with thin limbs (Ant-c.). Irregular circulation; ebullitions, burnings or localized throbbings. Symptoms accompanied by cough or PROFUSE SECRETIONS. GLAIRY CATARRHS. Hæmorrhage. Tightness, as if too short; tendons, hamstrings, lumbar region, etc. Tired and sore. Festering pain. Brain paralysis. A rough body obstructs upper nares. Acrid, watery coryza; closing one nostril. Anosmia. Slimy mouth and pharynx. Pulsation in tonsils. Tense, sprained feeling in groins; must walk bent. Scanty, hard, crumbling stools; changing color. Polyuria. Menses flow more at night. Albuminous leucorrhœa. Blood from anus or diarrhœa during menses. Prolapsus uteri. Cough, with salivation (Am-c.) or liver symptoms. Can't breathe for coughing. Noisy, rattling, tenacious mucus in chest. Bronchitis. Hoarseness, with burning in larynx. Pulsating, burning spots in chest. Swelled cervical glands. Sore sprain or cold between scapulæ. Lumbago. Bleeding eruptions. Desquamation between fingers. Contracting sciatica (l); < sitting > lying. Pain in or ulcer on heel. Chilly as often as he wakes. Sense of heat; > open air; alternating with chill.

Related: Caus.

AMYL NIT.

REGION.

VASO-
MOTOR
NERVES

Circulation.
HEAD.
Heart.

Respiration.

| WORSE.

CLIMACTERIC.
SLIGHT CAUSES.
Emotions.
Heat.
Close Room.

Flushing heats ; then drenching (unilateral) sweat. Dilated cerebral vessels. **Throbbings : < head.** **Blood surges to head ; with fiery red face.** Easy blushing. Migraine, with pallor (Ars.). Aching, backward, along left floating ribs. Tumultuous palpitation. Constriction at heart. Full, soft pulse. Stretching and yawning, with hiccough.

Related : Glo. Lach.

ANACARDIUM.

REGION.

WORSE

MIND.

MENTAL EXERTION.

Emotions { Anger, Fright,
Care, etc.

Nerves { Stomach.
Skin. Palms.

Stepping Hard. Motion.

Drafts. Open Air. Cold.

Long After Eating.

Muscles.

BETTER.

Joints.

Eating. Hot Bath.

Mental and physical LACK OF POWER. Tremulous ; on slight exertion, < knees (Stap.) or arms. Repeated, **DULL PRES-SURE, as of a plug, or band.** Duller emotions, sense of hearing, sight, touch, etc. Paralysis. **BAD MEMORY ; suddenly forgets names, etc.** Brain-fag. As in a dream. Illusions, or fixed ideas ; of duality, imagines others present, behind her, etc. Cowardly and neurotic. Vascillating ; at odds with himself (Bar-c. Cann-i.) ; **contradictory impulses.** Ill-natured. Profane. Pressure in temples. Illusory smells. Bad breath and taste. Stiff, swelled tongue. Gastric pain > eating, but < again in 3 hours. Rectum feels **plugged ;** can't evacuate even a soft stool. Breath stops on coughing or drinking. Cough with occipital pain ; then yawns and sleeps. Double stitch at heart ; passing into lumbar region. As of a heavy load on shoulders (Rhus-t.). Dry hands. **Skin, insensible ;** itching, < scratching ; yellow vesicles. Dermatitis. Eczema. Easily chilled, > sunshine (Stro.). Clammy sweat on palms.

Related : Ign. Rhus-t.

ANTHRAXIN

REGION.

Cellular Tissue.

Terrible burning pains, with great prostration. Malignancy. Sepsis. Suppuration. Carbuncle. Abscess of septum. Quinsy. Succession of boils. (Arn. Sül.). Black or blue blisters. Gangrene. Hard cellulitis.

Related : Ars. Tarn-c.

ANTIMONIUM CRUD.

REGION.

STOMACH.

DIGESTIVE TRACT.

MIND

SKIN.

Changing Sides.

COLD	{	BATHING.
		Dampness.
		WATER (on Head .
		OVEREATING. Acids.
		Sweets.
HEAT	{	SUMMER, Of Sun.
		Overheating.
		Radiated.

Gross feeders (Ab-c.), showing gastric, mental and skin symptoms.

Lumpy stools, leucorrhoea, skin, nails, etc. Strange absence of pain.

Cracks, in canthi, nostrils, angles of mouth, etc. Gouty metastases

(Abro.).Fat, fretful, cross and peevish ; cries if looked

at, touched (Stram.) or washed. Loathing ; of life, food, bathing

etc. Ecstatic, dreamy, sentimental. Pustules in tarsi. Canthi

red, raw, moist (ext.). Sore, scabby nostrils. Pimples about mouth

(Ast-r.). TONGUE THICKLY COATED, LIKE WHITEWASH

(Ars. Bis. Bry. Kali-m. Pho.). Aphthae. No thirst. DISORDERED

DIGESTION ; food leaves an after-taste or causes belching.

VOMITING < eating or drinking ; without nausea (Chel.) or

relief. Stomach is painful to pressure ; gout of. Fulneas in

abdomen. Pappy or watery stool, mixed with lumps. Gastro-

intestinal catarrh. Voice lacks control. > using it. Aphonia

from overheating. Violent cough, each bout a little weaker.

Horny or split nails ; growths beneath. Shiny elbows. Gouty

pains in fingers. Footsweat ; wilts the skin. Callosities on soles.

Eruptive tendency. Warts ; horny. Sleepy and weary.

Related : Sul.

ANTIMONIUM TART.

REGION.

MUCOUS MEMBRANES.

	{	Bronchi.
	{	Lungs.
Pneumogastric	{	Heart. CIR-
Nerve	{	CULATION.
	{	Respiration.

Stomach. Bowels. Sleep.

Lumbar Region.

Skin.

WORSE.

WARM	{	Room. Wraps.
	{	Weather.

Anger. Lying.
Morning. Overeating.
Cold. Dampness.

BETTER.

Expectoration.
Sitting Erect.
Motion.
Vomiting.

Depression. LACKS REACTION. INCREASINGLY WEAK. DROWSY, SWEATY AND RELAXED. MUCH SECRETION OF MUCUS. Old people and children. Complaints arising in digestive sphere.....Icy finger-tips. Whines before attack, cough, etc. Crushing weight on chest. Won't be touched or looked at. Prostrated in mind and body. Stupid on awaking. Unwilling to be looked at or touched. Wants to be carried upright. Mucus in tarsi. One eye closed. Upper lip drawn up. Tongue: thick white pasty coat; very red or red streaks; dry down middle. Flow of saliva. Craves apples. Vomits or expectorates with great effort. Abdomen feels full of stones. Expectoration: gluey; suppressed. Feet go to sleep on sitting down. Shocks on dropping to sleep. Asphyxia neonatorum. Apathy or easily annoyed; wants to be let alone. Peevish, whining and moaning. Clings to attendants. Consciousness wanes on closing eyes (Cann-i.). As of a lump in forehead. Sooty or flapping nostrils. Sickly, sunken, pale, bluish or twitching face; covered with cool sweat. Papillæ show through white coat on tongue. Tongue flabby, red in streaks. Craves acids, which disagree. Belchings, like bad eggs. NAUSEA; in waves; with weakness and cold sweat (Lob. Ver-a.), loathing or anxiety. Forcible vomiting; then exhaustion and sleep (Æth.). Violent retching. Sinking at stomach. Mucus or grass, green stools. Diarrhoea; of eruptive diseases. Unequal breathing. SUFFOCATIVE SHORTNESS OF BREATH; before cough or alternating with cough; a leaflet seems over

trachea. **LOOSE, COARSE, RATTLING COUGH**; **CHEST SEEMS FULL, YET LESS AND LESS IS RAISED**; then vomiting or sleep (*Æth.*); < **anger**. Must sit up to breathe or cough. Coughs and yawns alternately. Thick expectoration. Capillary bronchitis or bronchitis. Pleuro-pneumonia. Paralytic depression of heart and lungs (*Bar-c.*). **Violent (lumbar) backache**; < **lifting**; motion excites retching and cold sweat. Restless arms. **Dropsy of legs**. **Yawning**; with many complaints. **SOMNOLENCY**; with all complaints, or from warmth. **Torpid, cool, SWEATY SKIN**. Delayed or receding, blue or pustular eruptions. Sycosis barbæ. Smallpox. Impetigo. Weak, quick pulse. Heat coming from heart. Burning sensation. Sticky sweat.

Complementary : *Bar-c.*Related : *Am-c. Asclp. Ip. Lob. Op.***APIS.****REGION.**

CELLULAR { **EYES. FACE.**
TISSUE { **FAUCES.**
 { **OVARIES.**

SEROUS CAVITIES.**SKIN.****KIDNEYS. BLADDER.****Nerves. Respiration.****Heart. Blood.****Right Side ; Right to Left****WORSE.**

HEAT { **ROOM. Weather.**
 { **Drinks. Fire.**
 { **Bed. Hot Bath. (Op.)**

Touch, even of Hair.**After Sleep. 4 P. M.****Pressure.****Suppressed Eruptions.****BETTER.**

COOL { **AIR. Bathing.**
 { **Uncovering.**

Slight Expectoration.**Motion.****Stinging burning, prickling, smarting, like hot needles. Must lie down.****Rapid onset. SUDDEN ; SHRILL CRIES or pains, that extort cries ; nervousness, swelling, effusion, etc. SENSITIVE ; to pain.****Sharp STINGING burning or bruised SORENESS ; of brain, ABDOMEN, ovaries, bladder, etc. PUFFINESS, Shiny redness.****Edema ; of eyelids or lips ; red ; saccular. BURNING-itching.**

Infections. Inflammation. Stiffness. Numbness.
 Childish. Irritable, excitable, jealous, fussy and
 fidgety or apathetic. Foolishly suspicious. Nervous
 and awkward or absent-minded; drops things. SUD-
 DEN, PIERCING SHRIEKS. Head pains; stabbing
 or as of a blow; < occiput. ROLLS THE HEAD. Numb, tired
 headache, > pressure. Painful hair. Musty head sweat. Cheeks
 hang down. Eyes puffy; conjunctiva or lids like water-bags; red;
 chemosed. Perforating corneal ulcer. Profuse hot tears.
 Photophobia; yet can't bear coverings. Squint. Blindness, >
 stool. Myosis. Face puffy or red, < about eyes; waxy pallor.
 Scarlatinal otitis. Red nose. Cold nose. Red mouth or tongue. Grinds
 teeth. Tongue: vesicles on edge; swelled; raw; as if burnt; sore.
 Sandy, glazed or translucent pharynx, > cold things. Œdema of
 uvula. Purpleness of throat. Meaty, red tonsils. Right tonsils,
 > cold drinks. Angina. Diphtheria; early prostration (Merc-cy.);
 dirty membrane. ADIPSIA; but thirst during chill. Ascites.
 Orange yellow or tomato-sauce stools; odorless; < motion. Anus
 sore, swelled; oozes blood or stands open (Pho.) Burning urination.
 Dysuria. Scant, foul urine; coffee-grounds sediment. Nephritis.
 Ovaries numb; tumor of r.; cystic. Amenorrhœa of puberty.
 Panting breathing; feels as if every breath would be his last.
 Air hunger. Larynx, drawn in. Thirstless and dropsical. Abdomen
 tight, as if to break, on straining at stool. Profuse urine, but
 drinks little. Ovaries congested, with suppressed menses. Heart,
 stitches backward from apex; beat shakes whole body. Hands
 and feet numb. Palms hot. Nails feel loose. Skin rosy red;
 sensitive; rough eruption on; sting-like spots on; pale. Large
 urticaria. Asthma from hives. Erysipelas. Scarlatina. Dry,
 hot skin, alternates with gushes of sweat. SLEEPY, but too
 nervous; when hot; and CRIES OUT. Kicks covers off Weak,
 quick pulse. Chill: anticipates; with dyspnœa, urticaria, desire
 to uncover; alternates with heat; right side. BURNING HEAT;
 but chilly if moved; without thirst; at 4 P. M. Heat of one part,
 with coldness of another. Sweat in gushes; partial.

Complementary: Arn. Bar-c. Merc-cy. Nat-m.

Antidote: Carb-ac.

Related: Ars. Canth. Pul. Urt-ur.

APOCYNUM.

REGION.

URINARY ORGANS

Heart.

Digestive Tract.

Uterus.

WORSE.

COLD { Weather.
 { Drinks.
Uncovering. Lying.

BETTER.

Warmth.

Weak and dropsical. Scanty discharges. Irritation.
Bewildered. Can't think. Faint. Thirst, but water distresses;
vomits every drink. Uræmic vomiting. **Sinking at epigastrium.**
Noisy, yellow, painless, gushing stools. Diarrhoea; with dropsy.
Bed-wetting of old men. Enlarged prostate. Uterine hæmorrhage,
then dropsy (Chin.). Oppression of chest. Rough, **dry skin.** Can't
sweat. Sleepy. Pulse slow, fluttering, irregular or intermittent.
Related : Chin-ar. Nux-v.

ARALIA RACEMOSA.

REGION.

Respiration.

Mucous Membranes.

WORSE.

After a Short Nap.
Drafts.

BETTER.

Lying With Head High.
Sitting Up.

Weak, relaxed and nauseated. Biliousness.....Sneezing,
< drafts. Aphthæ. Pains from liver to r. scapula. Dyspnoea
or violent cough after first sleep, > slight expectoration. Whistling
breathing. Salty expectoration.
Complementary : Lob.

ARANEA DIADEMA.

REGION.

Nerves.

Blood.

Bones.

Right Side.

WORSE.

EXACT PERIODICITY.

DAMPNESS { Cold.
 { During Rains.
 { Bathing.

BETTER.

Smoking.

Cold to very bones (Calc-c.); can't get warm. Every damp day
chills. **AS OF ENORMOUS ENLARGEMENT** or numbness of
parts; on waking. Hæmorrhage. Periostitis.

Nervous temperament. Violent pain in all upper teeth at once, on retiring. Enlarged spleen. Malaria.

Complementary : Ced.

ARGENTUM MET.

REGION.

NERVES.

Cartilages { **LARYNX.** Bones.
Mucous { Condyles. Joints.
Membranes { Genito-Urinary.

Left, Side ; Ovary.

Testis (R).

WORSE.

USING VOICE.

Mental Strain.

Noon. Cold Damp.

3 to 5 A.M.

BETTER.

Motion.

Coffee.

Wrapping Up.

Slow, deep, low grade processes. **THICKENED SECRETIONS,** cartilages, tarsi, etc. **Gray or tenacious mucus.** Sore rawness. Increasingly violent pains, suddenly cease ; < touch ; with polyuria. Arthralgia. **Loss of power ;** mental, over limbs, etc. Epilepsy, then rage. Hasty ; deceitful. Talkative and forgetful. Whirling vertigo. Emptiness or crawling in head. Itching canthi, eyelids or earlobes. Exhaustingly profuse coryza. **Pale, sallow and weak.** Sticky teeth (Lach.). Croaking in abdomen (l). Emissions. Chronic urethritis. Foul leucorrhœa. **Easily raises gray, gelatinous or starchy mucus ;** < laughing. Hoarseness or aphonia, < using voice. Weakness in chest (l). Heart stops, then trembles and throbs ; > inspiration. Swelled ankles. Diabetes. Nervous itching. Shocks on dropping to sleep.

Related : Sele. Stan. Zin.

ARGENTUM NIT.

REGION.

MIND.

NERVES { **Cerebro-Spinal.**
ABDOMINAL.

MUCOUS { **STOMACH.**
MEMBRANE { **Bowels.**
Eyes. Throat.
Urethra.

Periosfeum. Skin.

Left Side.

WORSE.

EMOTIONS { **ANXIETY.**
Suspense.

In Room. Sugar. Shut in Places.

Lying on R. Side. Looking Down.

Drinking. Crowds.

BETTER.

COOL { **AIR ; Open.**
Bath.

Hard Pressure. Motion.

Old, dried up, tremulous and weak. Progressive emaciation. **Paralysis, ascending.** **Parts seem ENLARGED or bound up** (Glo.). **VIOLENT PAINS ; LIKE DEEPLY STICKING SPLINTERS ; sharp shooting, like lightning ;** < down back or legs ; cause starting ; **grinding** or radiating. Sinking downward from head. **Ulceration, with much yellow, bloody pus** (Hep.).Conjoined mental and digestive symptoms, Tormented by strange ideas or emotions. **Nervous, impulsive and hurried,** yet timid and anxious (Ars.). **Fearsome. Dreads ordeals,** impending evil, passing a certain point, dark (Stram.), etc. **Incoherence. Faltering speech,** gait, erections, etc. **Nervous headache and nervous diarrhoea.** Brain-fag. Head as if in a vise ; > tight bandage. **Vertigo ; epileptic,** < night. Compressive or deep head pains ; loses his senses (Laur.). Boring in l. frontal eminence, 11-12 A.M. **Migraine.** Scaly tarsi. **Eyeballs feel big** (Gusi.). **Swelled carunculae ; chemosis.** Photophobia. **Violent purulent ophthalmia.** Dilated pupils. Sickly, grayish, muddy color. Painful, red tip of tongue, or (dry) aphthae on edge. Food lodges in pharynx. Throat sensitive ; as of a rough stick (Phyt.) or splinter in, > cool drinks. Dark red fauces and uvula. **Craves sugar, which** <. Astringent sour or bitter-sour taste and vomitus. Alcoholic gastritis. Gastralgia ; in a spot. Eructates ingesta. **FLATULENCE ; bursting** (Lyc.) ; **loud, explosive belching** (Coca), discharged upward and downward : **noisy diarrhoea.** **Emotional diarrhoea.** **Shreddy, mucus stools,** turning green ; < drinking. Violent pains from kidneys to bladder. Cutting in urethra, with painful priapism. Yellow, bloody gonorrhoea. Painful coition. Cough from laughing. Dyspnoea, nervous or flatulent ; < gastric pains. Palpitation, < lying on r. side. **Craves fresh air.** Laryngitis. Throbbing or weak spine. Trembling limbs. Peripheral neuralgias. Ischias antica. Weakness, rigidity or twisting in calves. Ulcers, angry, deep ; hard edges ; warty granulations. Adherent crusts. Chill if uncovered, yet smothers when wrapped up. Shivers through bowels ; up back.

Complementary : Nat-m. Antidotes : Cina. Nat-m.

Related : Lyc. Pul.

ARNICA.**REGION.****BLOOD.****BLOOD-VESSELS.****Nerves.****Muscles.****Digestive Organs.****WORSE.****INJURIES**

BRUISES.
Shock.
Jarring. Labor.
Overexertion.
Sprains.

TOUCH. After Sleep.
 Motion. Old Age. Alcohol

BETTER.

Lying { **Head Low (Ver-v.).**
Outstretched.

A very painful and offensive remedy. Progressive weakness. Has absorbent action. **Shock:** mental or physical. **VERY PAINFUL BRUISED, SORENESS;** all over; after the pains; of the bleeding part (Fer.), etc. Crushing pain. **BED FEELS HARD,** or full of lumps. As of a lump back of stomach, etc. Suddenly shifting joint (Colch.) or paralytic pains **FOUL;** breath, taste, flatus, stool, etc. Typhoid. Sepsis. **HÆMORRHAGIC TENDENCY;** epistaxis, etc. Involuntary evacuations. -----Nervous, sanguine temperament. **FEARS;** being struck or approached; sickness; instant death; on awaking, etc. Morose, repellant mood. Physically restless, but mentally prostrate or apathetic; says nothing ails him (Op.); reverse (Ars.) answers slowly, with an effort. Feels well, in dangerous cases. Brain feels tired. Vertigo; of old age. Bloodshot eyes, Ruddy, congested face. Apoplexy. Fevers. Bright red, puffy fauces. Red stripe down center of tongue. Post-nasal dropping. Catarrh of antrum. Eructations tasting of bad eggs. Anorexia by day, but canine hunger before midnight. Cramps from epigastrium down over bowels, then foul stools. Acrid, foamy, stools. Cutting in kidneys. Urine retained or dribbles; after labor. Must wait for urine to pass. After-pains; < suckling. Hoarseness; < exertion, colds, or getting wet. Coughs without waking, or cough causing cries. Heavy lower chest. Sore nipples. Arm pains, > hanging down. Heart-beat shakes whole body. Weakened heart muscle. Angina. Heart pains; left to right. Dusky, mottled skin. Every little hurt makes a black and blue spot. Petechiæ. Erysipelas. Symmetrical eruptions. Very sore acne

or creps of small boils. Sopor; drops to sleep as he answers. Troublous or frightful dreams; awakes in terror. Coldness of part lain on. Thirst during chill. Hot head with cool body. Must uncover, but it chills him (reverse of Nux-v.).

Complementary : Calc-c. Nat-s. Sul-ac.

Related : Bells. Echi. Hyper. Rhus-t.

ARSENICUM.

REGION.

MUCOUS MEMBRANES.

MIND.

RESPIRATION.

Lungs ; R. Apex.

Blood. Heart. Nerves.

SPLEEN.

Lymphatics.

Muscles.

SKIN.

Serous Cavities.

Organs.

WORSE.

COLD {ICES, DRINKS.
FOODS. Air.

PERIOD- {MIDNIGHT; After.
ICALLY {AFTER 2 A.M.
14 Days. Yearly.

VEGETABLES.

DRINKING. TIPPLING.

Infections. Bad Meat.

Eruptions { Undeveloped.
Suppressed.

Quinine. Lying on Part.

Tobacco. EXERTION.

BETTER.

HOT { APPLICATIONS (Dry).
FOOD. Drinks. Wraps.

Motion. Walking About.

ELEVATING HEAD.

Sitting Erect. Company.

Sweating.

Sudden, intense effects. Restless, anxious and very weak. Maddening pains; BURNING LIKE FIRE, hot needles or wires, > heat, felt, even during sleep; exciting shortness of breath (Nat-s.) or chilliness. Inveterate neuralgias. Multiple neuritis. VERY RESTLESS, < affected part. Increasingly irritable (Cimi.) or SUDDEN GREAT WEAKNESS, from

trivial causes. Rapid emaciation. **ACRID, SCANTY, THIN SECRETIONS**; coryza, saliva, sweat etc. **PUTRID, CADAVERIC ODORS.** Destructive processes. Malignancy. Sepsis. Low vitality. **Pale, puffy, baggy SWELLING.** Dropsy. Anæmia. **Anxious. Oversensitive. Fastidious. EXACTING. Fault-finding. ANGUISH**; despairs of recovery (Aco.). **AGONIZING FEAR OF DEATH**; nightly; yet tired of living. **VIOLENCE**; self-torture; pulls her hair; bites her nails. Suicidal impulses. **Restless and suspicious.** Congestion to head. > cold, but neuralgia, > heat. Pain alternates between head and stomach or body. Pain over l. eye. **Restless head.** Early grayness. Falling hair. Spasm of eyelids. Burning tears. Scrophulous ophthalmia. Takes colds. Nose colds descend to chest. **Cold sores**; in nose. **Sneezing, with biting, watery coryza**; but stopped nose. Hay fever. Sensitive smell; loathes odor, sight or thought of food. **PALE, anxious sunken, haggard or distorted countenance**; with cold sweat. Black lips. Bluish white tongue. Nightly toothache. **INSATIABLE BURNING THIRST; CRAVES ICE COLD WATER, BUT IT DISTRESSES STOMACH (Nux-v.) AND IS VOMITED AT ONCE**; with anorexia; during heat. **DRINKS LITTLE AND OFTEN.** Gastritis. Swelled spleen. Vomiting, with purging, from ptomaine poisoning. Foul, rice water or small, acrid, burning, black, mucous or lenteric stools; < cold drinks. Scanty urine. **Uræmia (Pip-m.).** Profuse, acrid leucorrhœa. As of a vapor in larynx. **SHORT BREATH**; felt in nose; must sit up; < odors, receding eruptions or ascending. Whistling inspiration. Wheezing breathing. Cough alternately dry and loose; must sit up. Frothy expectoration. Acute pain through upper third of r. lung. Asthma. Pulmonary œdema. Cough; dry, nightly; < drinking. **Heart**; weak; trembles; palpitates; < slight causes. Stiffness, ascends from coccyx to nape. Alternate internal and skin symptoms. **SKIN**; **LOOKS SEARED**; dry, rough, dirty or shrivelled (Op.). Free desquamation. Eczema. Acuminate eruptions. Hives after eating fish. Ulcerative tendency; chronic; with burning. Phagedæna. Gangrene.

Shocks on dropping to sleep. Restless sleep. Dreams of death. COLD, externally, with internal, burning heat; in spots; sensitive to, yet > in open air (Aur.). Chills; irregular, shaking; craves hot drinks; and can't get his breath. Heat, as of hot water in veins or they burn like lines of fire; burning or coldness in chest (Bry. Lach. Nat-m. Sul.). Hectic. Sweat; with insatiable thirst, dyspnoea or exhaustion; cold. Atypical or larval malaria. Old cases of malarias. Waves of icy coldness in blood-vessels or intense boiling heat. Yellow fever (prophylactic).
 Complementary : Nat-s. Pul. Thu. Related : Sul-ac. Ver-a.

ARSENICUM IODATUM.

REGION.

MUCOUS { NOSE.
 MEM- { Digestive Tract.
 BRANES { Lungs.

Heart. Glands. Skin.

Left Side. Nerves.

WORSE.

Weather { Dry. Cold.
 { Windy. Foggy.
 Exertion. In Room.
 Apples. Tobacco Smoke.

BETTER.

Open Air.

Erethistic weakness. BURNING. Profuse, acrid discharges; thin in acute, or thick, gluey, yellow (Hyds.) in chronic affections. Rawness. Scrofula. Consumptiveness (Tub.). Heaviness. Debility.....Dull, heavy headache, < occiput. Eyeballs feel heavy. Foul otorrhœa. Persistent, but unsatisfactory sneezing. Nose drips water; hot (Iod.); green; acrid; reddens upper lip (Merc). Coryza; with dyspnoea (Nit-ac.), post-nasal catarrh. Hay fever. Colds, with hunger. Aching malar bones. Raw throat. Hoarseness. Goitre. Air hunger. Short of breath. Hacking cough. Yellow-green, foul expectoration. Asthma of phthisical or psoric persons. Beginning resolution (Sul-io.). Burning heat in chest. Tubercular pleurisy. Weak heart; with erethism. Dry, harsh or dusky skin. Psoriasis. Ichthyosis. Rapid, irritable pulse. Chilly. Night-sweats.

Complementary : Kali-io. Related : Kali-bi.

ARUM TRIPHYLLUM.

REGION.

Mucous Membranes { Month.
THROAT.
Larynx.

Kidneys. Brain.
Blood. Skin.

WORSE.

Over Use { TALKING.
Of Voice { Singing.
Cold, Wet Winds.
Heat.

Irritation. PAINFULLY SORE, RAW AND BURNING PARTS.

ACRID DISCHARGES. Excessively cross and stubborn (Tub.). **NERVOUS; CHILD PERSISTENTLY BORES INTO NOSE** or picks at lips, the fingers or at one spot; until it is sore or bleeds. **Acrid, fluent coryza.** Raw, cracked lips (angles) (Psor.). Painfully raw, sore, inflamed month. Aphthæ. Raw sore throat; painful on clearing or coughing, yet grasps or wants to scratch it. Hay asthma. Stools like corn-meal. Uræmia. Voice hoarse, squeaky or breaks. Itching fingers and toes. Eruptions leave a brilliant red stain. Pemphigus. Impetigo contagiosa.

Complementary : Nit-ac.

Related : Ars. Merc-c.

ASAFŒTIDA.

REGION.

NERVES. Mind.
Gullet. Digestive Tract.
Periosteum { Ears.
Nose. Tibia.

Left Side.

WORSE.

Night. In Room. Rest.
Eating. Suppression.
Mercury. Noise.
Sitting. Warm Wraps.

BETTER.

Motion in Open Air.
Pressure.

Full, stout aspect, but intolerably nervous and OVERSENSITIVE.

Fits of violent, hard throbbing, pressure, sharp sticking, etc. Clavus. Easy relapses. Bone aches. Pains extend outward, are associated with numbness and change place or are > by touch. Boring. Blueness. Foul, thin acrid secretions. Magnifies her symptoms. Craves sympathy. Fickleness. Fainting. Hysteria. Clutches throat. Occipital ache > stool. Eyelids stick to ball. Numb about eyes. Ozæna. Puffy, purple face, as if heated. Greasy taste. Everything presses toward throat. Globus. Spasm

of gullet and stomach. Rancid or explosive belching. Regurgitations. Flatulence; sudden; pushing upward, hysterical. Wind colic. Reverse peristalsis. Bowels seem knotted. Foul, dark watery diarrhœa. Spasmodic tightness of chest. Heart seems full, distended. Reflex heart symptoms, of nervous origin. Dark red swelling. Eruption of air vesicles. Bluish ulcers; with high sensitive edges. Foul, burrowing pus. Caries.

Related: Aur. Lach. Sumb. Val.

ASARUM.

REGION.

NERVES.

Mucous Membranes.

Female Organs.

WORSE.

PENETRATING SOUNDS.
Dry. Cold. Emotions.

BETTER.

Cold Bathing; of Face.
(Flu-ac.).

EXCESSIVE NERVOUS SENSIBILITY; scratching on silk; rattle of paper, etc., is unbearable. Contractive sensations. Lightness, as if floating. Painfully sensitive hearing. Cold saliva. Violent vomiting. Gelatinous or shreddy mucus stools. Lientery. Asthmatic breathing, < odors or cold. Violent backache, takes her breath, < motion.

Related: Arg-n. Castor. Ther.

ASCLEPIAS TUBEROSA.

REGION.

SECRECTIONS { SKIN.
Serous.
Mucous.

Chest (R). Muscles.

WORSE.

Motion.
Deep Breathing.
Lying. Tobacco.

Colliquative states (Agar.). SWEATINGS; in pleuro-pneumonia, diarrhœa or rheumatism. Body numb. Sticky, yellow nasal discharge. Tough, yellow coat on tongue. Stools smell like rotten eggs, or burn like fire. Dysentery. Flabby genitals. Short of breath and weak on walking. Chest pains, < lying or breathing. Pleurodynia. Pericardial effusion. Pleurisy.

Related: Ant-t.

ASTERIAS RUBENS.

REGION.

Circulation. Nerves.

Female Organs.

Rectum. Left Side.

WORSE.

Heat.

Menses.

Contradiction. Cold Wet.

Pulsations ; in head, womb, chest, etc. Drawn back feeling in eyes, nipples, etc. Cancer. Mentally and physically flabby. Weeps from least emotion. Rushes of blood to head ; it feels surrounded by hot air. Red face. Pimples about mouth. Stools of brown, gushing water. Sexual erethism.

Related : Murex. Sep.

AURUM

REGION.

MIND. Nerves.

VASCULAR SYSTEM.

Heart (R.).

Bones { NASAL. Skull.
 { Patellæ. Joints.

Glands. Liver.

Kidneys.

WORSE.

Emotions { Depressing.
 { Disordered
 { Affections.

Mental Exertion.

Cold. Night { Sunset
 { to
 { Sunrise.

Abuse of Merc. or Kali-iod.
Cloudy Weather.

BETTER.

Cool ; Open Air.

Cold Bathing.

Becoming Warm. Music. Walking.

Vaso-motor mobility ; erratic ebullitions and venous congestion, more to head and chest. Vascularity. Weak, yet sensitive to pain. Pains wander, impel motion, finally attack heart (Benz-ac. Colch.) ; boring, cutting osteocopic. Indurations ; glandular. Sclerosis ; coronary. Necrosis. Chronicity. Mercurio-syphilitic dyscrasia. Extremely violent symptoms. Heart feels loose on walking. As of air blowing on part.....Intense, hopeless depression and suicidal anguish. Brooding melancholy ; alternating with irritability or moroseness. Praying and self-reproaches ; starting from heart. Weak memory. Vexed mood ; enraged by least contradiction. Loquacity. Rapid questioning. Fears

the least noise. Violent confusing headache; syphilitic. Hemipia upper horizontal. Sore orbits. Congested, bluish-red face. Pains in zygomæ. Red knobby nose. Ozæna. Foul breath. Bulimy. Soreness over liver. Hepatitis. Ascites. Jaundice, of pregnancy. Liver, with heart symptoms. Chronic orchitis. Crushing weight under sternum < ascending. Dyspnœa; < laughing. Oppression at heart; as if to stop, then gives one hard thump. **Violent palpitation**; at puberty. Cardiac hypertrophy. Angina pectoris. Aortic disease. As if lower spine bulged backward. Pott's disease. Nightly leg pains. Painfully sensitive to cold. Sweat about genitals. Cold and damp all over.

Related: Merc.

BADIAGA.

Cough; excited by sweets, candy, etc. (Med. Spo. Zin.). **EXPECTORATION**; flies from mouth (Kali-c.).

BAPTISIA.

REGION.

BLOOD. Mind. Nerves.
Mucous Membranes { Digestive
 { Tract.
Left Side.

WORSE.

Humid Heat. Fogs.
In Room.
Pressure.
On Awakening.

SORE, HEAVY, ACHING MUSCLES; gall-bladder, heart, etc. **WITH RAPID PROSTRATION**; the bed is too hard, yet he feels too sick to move. Dark; mucous membranes, exudates, hæmorrhage, stools, spots in body, etc. Brown; sordes, stripe down center of tongue, stool, menses, etc. **FOUL**; odor of body; excretions, stool, sweat, etc. Grippe. Zymoses. Sepsis. Typhoid states. Bed sores, etc. Insensible to pain. Restless mind but lifeless body. Bewildered. Thick speech. Sensation as of a blow on occiput. Dull, drowsy, besotted look. **SENSE OF DUALITY**; **PARTS FEEL SCATTERED ABOUT, SEPARATED, numb** or too large. **Dull and confused**. Falls asleep while answering or does not complete his sentence. Eyes feel swelled. **DUSKY, SODDEN, BESOTED, STUPID COUNTENANCE**. Dark red,

tumid mouth and throat. Throat, numb inside but sensitive outside. Fetor oris. Tongue cracked, bleeds, feels thick or is heavily coated. Viscid saliva. Aphthæ. Ragged ulcers in throat. Can't swallow solids. Spasm of gullet. Easy vomiting. Diarrhœa ; sudden, horribly foul, mushy, painless, dark or slaty. Symptoms radiate from small of back. Dyspnœa from weakness in chest. Air hunger ; on waking, > standing. Bronchial asthma. Drowsy, stupid and languid ; slides down in bed and lower jaw drops (Mur-ac.). Hyperpyrexia. Livid spots on body. Ursemia.

Related : Arn. Gel. Hyo. Lach. Mur-ac. Op. Rhus-t.

BARYTA CARB.

REGION.

NUTRITION.

MIND.

GLANDS {THROAT.
Prostate.

HEART. Nerves.

Blood-vessels.

Lungs.

WORSE.

Company. Thinking of It.

Cold {Damp ; to Feet.
{To Head. Changes.

Lying on {Painful Part.
{Left Side.

Odors.

BETTER.

Warm Wraps.

Torpid, dwarfish (Med. Syph.) or marasmic. Weakly. Sensility ; early (Calc-c.). Adenopathies. Scrophula. Chronicity. Single effects (Agar. Con.) Burnings, localised. Numb parts ; mouth, genitals, fingers, etc. Forced through a narrow place, as if. Vascular softening and dilatation. Paralytic effects. Apoplexy. Too tired to even eat. Wants to lie down. Takes colds. Inflamed mucous membranes..... SLOW, INEPT AND BACKWARD. Childish, thoughtless behavior. Timid. Cowardly. Groans from every little thing. Increasing mental weakness. Weak, beclouded mind. Bad memory. Forgets her errand or the word in her mouth. Irresolute. Mistrustful. Shy of strangers. Brain feels loose ; > cool air. Heavy pressure over eyes (Bell.). Baldness ; < vertex. Hazy cornea. Eyes, > looking down. Old, sickly, weazened look. Crusty ears. Nose dry, < blowing it. Pendulous lips. Weak tongue. Burning soreness or vesicles on tip of tongue. Throat (glands) affected by every cold ; < menses.

Chronic quinsy. Enlarged tonsils (Calc-p.). Spasm of œsophagus. Sore spot in stomach. Diarrhoea, with lumbar ache. Flabby genitals. Erections when riding. Paralytic aphonia. Asthma, < wet, warm air; senile (Bar-m.). Chronic bronchitis. **Heart;** bruised sore; < suppressed footsweat. Trembling feet. Hot, bruised soles at night. Cold, foul footsweat. Indurated glands; tonsils; cervicals, swelled like knotted cords. Cysts. Lipoma. Warts. Acne. Pulse slow and small. High blood-pressure. Arterio-sclerosis.

Related : Kali-p. Med. Sil.

BELLADONNA.

REGION.

Nerve Centers. Brain.

Blood-vessels. Capillaries.

Mucous Mem- { Eyes.
branes. { Mouth.
 { THROAT.

Skin.

Organs.

Right Side.

WORSE.

Heat : of Sun ; if Heated.

Afternoon (8 P.M.).

DRAFTS ; on Head ; Hair Cut
(Glo.). Washing Head.

After Taking Cold.

CHECKED SWEAT.

LIGHT. NOISE. JARRING.

Touch. Company. Pressure.

Motion. Hanging Down.

BETTER.

Light Covering.

Bending Backward.

Rest in Bed.

Plethoric, brainy. SUDDEN, VIOLENT EFFECTS. DRYNESS, BRIGHT REDNESS—streaked (Pho.)—AND BURNING HEAT; WITH GREAT PAIN; FULNESS OR SWELLING. CONGESTION : TO HEAD. Dilated arteries. Inflammation. Heat in body, parts, discharges, etc. CONSTRICTIONS. Parts are hot, swelled, red and dry. THROB- BING, SHARP CUTTING, SHOOTING or clawing PAINS ; of maddening severity ; coming and going, in repeated attacks (Nit-ac.). Scant or hot discharges. JERKS. Shocks. TWITCHINGS. SPASM ; of throat, vagina, etc..... Over-active. Exalted. WILDLY DELIRIOUS ; ferocious, noisy, cries out. RESTLESS and talks fast. Tries to escape. Furibund. Biting mania. Violent delirium. THROBBING HEAD ; < temples ; < motion ; > letting hair down. Brain rises

and falls in waves. Rolls head. Pains go downward from head. **HEAD SENSITIVE TO DRAFTS AND COLD**, or washing hair. **HAMMERING THROB**. Pulls her hair. Meningitis. Sun-stroke. **DILATED PUPILS**. **Prominent, sparkling eyes**. **Red sclerotic**. Lurid, red, terrifying hallucinations; on closing eyes. **Blind attacks**; then yellow vision. Sees red. Flashes before vision. **PHOTOPHOBIA**. Red nose. Fiery **RED**, turgid, hot **FACE**, or alternately pale and red. **DRY, HOT MOUTH AND THROAT** (Pho. Rhus-t.). Toothache, > biting. Swelled tongue. Strawberry tongue. Urging to swallow, with choking. **Drinks in sips**. Must drink to swallow. Craves lemonade. Pain from stomach or liver to shoulder and throat, < lying on it. Cutting epigastric colic, > bending backward. Distended transverse colon. Clawing or downward forcing in abdomen. Acute prolapsus ani (Ars.). Stools contain chalky lumps. Enuresis on lying down; nocturnal. Fiery red urine. Early, profuse, hot (Sabi.), red, gushing menses. Rigid os. Metritis. Bearing down > standing, < lying. **Red streaked mammæ**. Dry cough. Barking voice. Stiff r. neck and shoulder in afternoon. **Back feels broken**. **BRIGHT, RED, GLOSSY SKIN**. Intense dermatitis. Scarlatina. Erysipelas. Sleepy, but can't sleep. Heavy, hot sleep. **JERKS DURING SLEEP**. Frightful dreams; of quarrels, fire, etc. Internal coldness with external, pungent, burning heat. **HOT HEAD, with cold limbs** (Sul.). Hot sweat. Skin hot, but moist and dry alternately. Spasm, then prolonged unconsciousness.

Complementary: Calc-c. Hep. Merc. Related: Glo. Hyo. Stram.

BELLIS PERENNIS.

REGION.

BLOOD-VESSELS.

Nerves.

Spleen.

Joints.

Left Side.

WORSE.

INJURY Sprains. TOUCH.

Cold Baths or Drinks. Wet.

Becoming Chilled When Hot.

BETTER.

Continued Motion.

Cold (Local).

BRUISED SORENESS. Hard, aching, squeezing or throbbing pain. Tired, fagged. Deep trauma or septic wounds; especially

abdominal, pelvic, etc. Acrid pus ; destroys the hair. Bleeding.
Impulse to move. Headache, ending in shooting.
Fulness about spleen. Falls on coccyx (Hypr.). Boils. Wakeful ;
 too early. Sensitive to cold. Senile blood stasis. Unbearable
 pains that drive to distraction, < heat and > cold. Senile vertigo.

Related : Arn.

BENZOIC ACID.

REGION.

URINE {Kidneys.
 {Bladder.

JOINTS. Heart. Bowels.

Left Side.

WORSE.

Open Air. Cold.
 Changing Weather.

BETTER.

Heat.
 Profuse Urine.

Strong urinous odor of patient. Changing or gouty-rheumatic
 pains, < at heart or alternating with urinary symptoms. Pains
 alternate with heart symptoms. Painful, gouty nodes. Hygromæ
 (Am-c.). Bunion. Meniere's disease (Sal-ac.).
 Salty vomitus. Copious, grayish stools ; like soap-suds ; of a
 pungent urinous odor ; very foul ; white. **STRONG, HOT,**
DARK-BROWN URINE ; foul, ammoniacal or odor of horse
 urine. Gravel. Hard, dry cough. Cracking joints ; in knees.
 Profuse sweat, without relief ; night sweats.

Related : Calc-c.

BERBERIS VULGARIS.

REGION.

Urinary and **KIDNEYS.**
 Digestive Tract {Liver.
 {Bladder.
Lumbar Region (Hips).
 Joints. Uterus.
 Spermatie Cord.

WORSE.

Motion {Jarring.
 {Stepping Hard.
 {Rising from Sitting.
 Fatigue.
 Urinating.

Mentally and physically tired. Sees things in twilight. Many, rapidly
 changing or alternating symptoms ; shooting outward, as in
 urethra, toes, etc., about or **RADIATING** from one point ;
 lower spine, etc. Sticking. Soreness. Burning-smarting. Numb-
 ness ; insensitive to extreme heat or cold. **GURGLING**
 or bubbling. **Dry mucous membranes ;** mouth, vagina, etc. **Dirty-**

gray face, gums, feces, etc. Lithæmia. Calculi.....As
of a tight cap on head. Cold temples. Suppurating acne.
Sticky mouth. Foamy, cottony saliva (Nux-m.). Painful
pimple at tip of tongue. Pains from stomach to back or the
reverse. Torn loose feeling in epigastrium. Biliary and urinary
calculi. Colic, pains from gall-bladder to epigastrium; bilious;
along ureter, arresting breathing; renal (r). Stools, pale,
smarting, tough; watery, with jaundice. Fistula ani. Burning
kidneys. Clear discharge from meatus, before urinating. Urine
thick, turbid, yellow; red, mealy, sandy or slimy sediment.
Dysuria. Genitals: cold, sweaty, pains change sides. Gray or
brown mucus replaces menses. Backache with severe prostra-
tion. Sore spot under (r). scapula (Oel.). Crushing, stitching,
paralysing lumbar pain. Numb lumbar region. Pain from
iliac crests down front of thighs; when urinating. Lumbago.
Itchy skin. Eruptions leave a brown stain. Chilly. Cold single
parts. Everything excites sweating.

Complementary: Mag-m.

Related: Benz-ac. Coc-c. Kali-bi. Lyc. Pul.

BISMUTH.

REGION.

, WORSE.

Eating; Overeating.

DIGESTIVE { Stomach.
TRACT { Intestines.

BETTER.

Cold; Drinks; Applications.
Bending Back. Motion.

Apathetic and prostrated. Tearing, pinching pains. Internal
heaviness.....Swelled gums. Craves cold drink,
which is vomited at once, or in great quantities when stomach
becomes full. Foul belching. Vomits liquids only, or bilious
after eating. Atrophia ablaetatorum (Kra. Ox-ac.). Gastric,
alternating with head or face pains. Violent gastralgia (Atro.
Chin.); with cramping or burning. Food presses like a load
on one spot. Prostration; after stool. Cholera infantum, when
the body remains warm. Black ulcers. Dry palms and soles.

Related: Ara. Cad-s.

BORAX.

REGION.

Occiput.

NUTRI-
TION { NERVES.
 MUCOUS
 MEMBRANES.

MOUTH. Skin. Kidneys.
Bladder.

WORSE.

DOWNWARD MOTION.

Sudden Noises.

Cold ; Wet. Least Uncovering.
Nurslings. Children. Fruit.

BETTER.

11 P.M.

Tough, bloody mucus. Tousy persons (Med. Sul.) : frowsy hair, tangles at ends. Frightened at every noise ; starts from sleep, as if to fall. Restless in afternoon. Gummy, crusty eyelids and nostrils. Raw tarsi. Acrid coryza. Red nose of young women. Dirty complexion. Puffy face. Dry cracked tongue. Palate hard and wrinkled. Eructations when painful parts are pressed. Poorly nourished, soft and flabby. Aphthous, catarrhal tendency. Clear, thick, hot, biting discharges. Heat in single parts ; mouth, vagina, palms, etc. Sticking or drawing pains ; intercostal, in soles, etc. Shrivelled skin or mucous membranes. Marasmus.....Nervous, anxious, fidgety, fickle. Fretful, before stool. Fears downward motion. Starts at trifles, sudden sounds, etc. Anxious cries during sleep. Hot head of babies ; they cry and scream when nursing or before passing stool or urine. Entropion. Red about eyes. Dry, tender, aphthous mouth. Puffy, indented tongue. Gripping toothache, < wet weather. Nausea when thinking hard. Catch in groin on coughing. Stools : turning green ; like boiled starch. Mucous diarrhoea, then weakness. Loose, pappy, repulsive stools. Hot, acrid, smarting urine. Nephritis. Cystitis. Easy conception. Membranous dysmenorrhoea. Albuminous leucorrhoea. Clear, hot, pasty leucorrhoea. Empty feeling in mammae, after child nurses. Averse to coition. Pain in opposite breast, as child nurses. Mother's milk is thick and tastes badly. Blood-streaked or mouldy expectoration. Limbs tremble, at 10 A.M. Itching on back of hands. Eczema. Weak calves. DRY SKIN ; festers easily, won't heal. Sweat on stomach. Stitch in right chest, < deep breath and > hard pressure. Heart feels as if on right side. Violent palpitation.

Related : Bell.

BOVISTA.

REGION.

WORSE.

CIRCULATION { HEART.
 Uterus.
 Kidneys.

Menses.
 Full Moon.
 Getting Warm.

BETTER.

SKIN.

Doubling Up. Eating.

Hæmorrhagic-herpetic diathesis. Oozing hæmorrhage, < night. Laxness; joints seem loose; easy indentation. General puffiness. Enlarged feeling, head, heart, etc..... Awkward in speech and action; drops things, stutters, etc. Inattentive. Weak memory. Confusion on awaking. Weak jointed and nervous. A wedge presses into occiput. Nose stops on lying down. Numb mouth. As of a lump of ice in stomach. Colic, > eating. Bloating. Diarrhœa, < menses. Menses early; more at night, less if in motion; flow between periods. Thick, pussy, acrid leucorrhœa. Short breath on using hands. Visible palpitation. Itching coccyx. Weak hands. Heavy painful legs. Itching eruptions; oozing; forming thick crusts or scabs, with pus beneath (Mez.). Hives, with diarrhœa or menorrhagia. Eczema. Chill during pains.

Related : Ap. The Carbons. Util.

BROMIUM.

REGION.

WORSE.

LARYNX.

WARM { DAMPNES.
 Overheating.
 Room.

RESPIRATION.

Chilled While Hot.

Heart. Circulation.

Sea Bathing.
 Dust, Drafts.
 Until Midnight.

BETTER.

Glands { Parotid. Thyroid.
 Ovaries.
 Mammæ.

Nosebleed (Vertigo, Head, Chest).
 At Sea. Motion.

Scrophulous blondes. Constrictions, glandular induration or membranous formations. Weak and easily overheated, then sweaty

and sensitive to drafts..... Head congested, fears a stroke. Acrid, burning coryza. Nosebleed. Face seems drawn to a point at nose. Flatus from vagina. Inhaled air seems smoky, cold or raw. Lungs feel coated with down. Wants to take a deep breath, but it excites cough. Suffocative fits; he starts up choked with croupy or wheezing cough, or with palpitation. Asthma. Spasm of glottis. Asthma of sailors going ashore. Deep hoarseness, < if heated. Diphtheritic croup. Colds start in larynx; go upward (Merc. Sep.) and downward. Thick, white expectoration. Even a small goitre oppresses. Nervous palpitation. Cardiac hypertrophy. Slow, glandular enlargement. Boring in bones.

Related : Lach. Samb.

BRYONIA.

REGION.	WORSE.	LEAST
Blood.		RAISING UP. STOOPING.
	MOTION	{ EXERTION. COUGHING.
CIRCULATION. Liver.		{ DEEP BREATHING.
SEROUS MEM- BRANES	{ HEAD. CHEST. JOINTS. ABDOMEN.	
	Dry	{ Heat. Cold.
	HOT	{ BECOMING. ROOM. Weather.
		Drinking, While Hot.
		EATING.
		Vegetables. Acids. Calomel.
		VEXATION. Touch.
		Suppressions. Taking Cold.
		Early A. M.
Motor Apparatus	{ Nerves. Muscles.	
	BETTER.	
Right Side.	PRESSURE	{ LYING ON PAINFUL PART.
		{ Bandage, etc.
Lymphatics.		COOL OPEN AIR. QUIET.
		Cloudy, Damp Days.
		Drawing Knees Up.
Cellular Tissue.		Heat to Inflamed Part.

Slowly advancing, forcible processes, localizing in unyielding tissues.

Very painful effects ; on coughing holds sides, chest or head ; in joints, etc. **BURSTING, STITCHING** or heavy, sore pain, going backward. **AVERSE TO LEAST MOTION**, even of distant parts. Dryness everywhere. Dryness of the mucous membranes. **Scanty, adherent secretions. Congestion, INFLAMMATION, exudation.** Streaks of red. Gastro-billions-rheumatic type..... Determined, taciturn, irritable and ugly. Wants to be let alone or go home. Dull. **DIZZY OR FAINT ON RAISING UP.** Vertigo ; felt in occiput. **BURSTING, SPLITTING OR HEAVY crushing headache** ; fronto-occipital ; < moving eyes, coughing, straining at stool, etc. Pain over l. eye. Sensitive scalp ; every hair pains. Oily hair. Eyeballs sore ; pains behind. Dark red face. Nosebleed ; vicarious. Suppressions or non-appearing discharges, eruptions, etc. Wagging lower jaw. Descending colds. Chewing motions. Dry, parched, cracked lips. **Dry mouth.** Tongue very dry, rough, coated along center ; red at base. Soapy saliva. **BITTER TASTE**, or vomitus. Hawks brown lumps from posterior nares. **THIRST ; FOR LARGE DRINKS.** Craves what he can't relish. Loathing. Nausea, < lying on r. side. Throbbing, tender epigastrium. **Heavy load in stomach.** Heavy, sore liver, > lying on it. Appendicitis. Peritonitis. **LARGE, DRY, VERY HARD STOOLS**, as if burnt. Constipation. Gushing diarrhoea on rising, < cabbage ; burning ; < hot weather. Lumps of tough mucus after stool. Yellow, mushy stool. Vicarious menstruation. Right chest ; rusty expectoration. Wants to take a deep breath, but can't, or it excites cough. **DRY, HARD, VERY PAINFUL COUGH**, as if from stomach ; < eating or drinking. Blood-streaked or tough expectoration. Bronchitis. Pneumonia (r). **SHARP STITCHES IN CHEST**, or at r. scapula. Dry, friction sound. Pleurisy. Stony, hard mammae ; before menses. Milk fever. Heavy, hard breasts before menses. Interscapular numbness or pain going to epigastrium or from l. to heart. Lumbago, < stooping. Delirium ; dreams of hard work. **FULL, QUICK, HARD PULSE.** Undeveloped measles. Jaundice. Chill, with hot head and red face ; < warm room. Dry, burning heat ; with < of all symptoms ;

blood seems hot. Painful, continued fevers; typhoid, catarrhal, etc.; after suppressions. Sour or oily sweat. Groins sore before menses.

Complementary: Alu. Lyc. Nat-m.

Related: Phyt. Rhus-t.

BUFO.

REGION.

Heart { Blood.
Circulation.

Kidneys. Sexual Organs.

Ovaries.

Groin.

Skin.

WORSE.

In Warm Room. Sexual
Excitement (Onanism).
During Sleep.
Least Motion. Injuries.

BETTER.

Bleedings. (Lach. Melil. Sara.).
Cool Air.
Bathing; Feet in Hot Water.

Obesity. Depravities and bad inheritance. Low minded and low disease forms. Early break-down. Bloody oozings; nipples, saliva, etc. (Bov.). Festering sensation. As of a peg in joints. Burnings; ebullitions of heat. Flushings. Feels swelled in A. M. Trembling and as of electric shocks through body. Sexual epilepsy. Dropsy.Moral depravity. Childish, silly tittering. Talks nonsense, then angry if not understood. Feeble minded. Fears animals and strangers. Duplicity. Pillow hurts occiput. As of cold balls running through bowels. Asthma. Suffocative cough. Heart seems to float or beat in water or air. Rapid heart action; in exophthalmos. Violent pain in mammae, < night. Lumbago, < raising up or least movement. Anæsthetic spots. Red streaks under skin. Lymphangitis. Panaris. Bullæ. Horripilation.
Complementary: Calc-c. Related: Bar-c. Grap. Tarn.
Antidote: Op.

BURSA PASTORIS.

REGION.

Vascular System.

Female Organs.

WORSE.

Every Other Month.

BETTER.

Bathing. Dampness.

Rapid Motion.

History of hæmorrhage or suppressed vaginal discharges.

Impulse to walk far. Pain from above eyes up over head to nape. Taste like bad eggs. Craves butter-milk. Flatulence (r). Kidney stone. Menses or leucorrhœa leaves a fast stain. Leucorrhœa excites itching. Milky water runs from r. nipple. Weakness between scapulæ.

Comp. : Sep.

CACTUS GRANDIFLORA.

REGION.

HEART (Muscle).

CIRCULATION.

Head ; Right.

Chest.

Circular Muscles.

WORSE.

Lying { On Left Side.

{ On Occiput.

Periodically. Exertion.

10-11 A. M. or 11 P.M. Night.

BETTER.

Open Air.

Pressure on Vertex.

CONSTRICTIONS; heart ; chest ; neck ; body feels tight or wrapped, (Bar-c. Grap. Med. Nux-v. Sul.). Irregular circulation. Violent congestion. Hot gushings into chest. Localised pulsations ; behind stomach. **HÆMORRHAGE.** Pains that extort cries. Periodical neuralgias.....As of a weight on vertex or chest. Red face. Cough ; from heart affections ; rattling. Menses lumpy ; black ; cease on lying. **HEART FEELS CLUTCHED AND RELEASED ALTERNATELY, BY AN IRON HAND ;** or feels it expand and contract ; seems to turn over (Lach.) ; stitches ; irritable ; intermittent beat. As if an iron band about chest. Numb left arm. Fingers tingle. Chill, not > covering. Strong pulsations in odd places.

Related : Aco. Coc-c.

CADMIUM SULFAT.

REGION.

Stomach.

Respiration.

WORSE.

Raising Up.

Least Motion.

Cold.

Faintness on rising. Ozœna. Craves little drinks of cold water, which are vomited at once. Nausea, that compels quiet to avoid

vomiting. Suffocates on dropping to sleep. Chest contracted ;
with asthma. Related : Zin.

CALADIUM.

REGION.

GENITALS.

NERVES.

Skin.

Mucous Membranes.

WORSE.

Sexual Excesses. Motion.

Sudden Noises.

On Falling to Sleep.

Tobacco.

BETTER.

Cool Air. Short Sleep.

Sweating.

DRYNESS ; food eaten seems too dry ; must drink to swallow.
Red, dry stripe down center of tongue, widening toward tip.
Inclines to lie down. Dreads to move.....Nervous ex-
citation. Fear of going to sleep. Vertigo, as if rocked. Crawling
or as of a cobweb on face. Flaccid, sweaty genitals ; glans
like a rag. Atonic pollutions. Impotency ; after gonorrhœa.
PRURITUS VULVÆ ; with burning ; from pinworms. Violent,
sexual erethism, or neurasthenia. Respiratory, alternating with
skin symptoms. Hard cough, with asthma ; > expectoration.
Numb hands. Cold single parts ; feet. Heat during sleep,
ceases on waking. Sweet sweat, attracting flies. Low fevers.

Related : Caps.

CALCAREA FLUORICA.

REGION.

Elastic Fibre { Veins.
 { Glands.
Periosteum.
Left Side.

WORSE.

Beginning Motion.

Cold ; Wet.

Drafts. Changing Weather.

Sprains.

Numbness. Weak in morning. Discharges turn grass green.
Slow, processes. General stiffness. INDURATIONS ; of stony
hardness ; glands, tonsils, neck ; piles, tumors, edge of ulcers,
etc. Nodes in breasts. Rough and ragged, tonsils, exostoses,
periostitis, enamel, hypertrophied nails, etc. Vascular dilatation ;
varicose, inflamed ; aneurism. Arterio-sclerosis. After apoplexy.

Struma. Fistula. Cataract.....Sluggish temperament.
 Gushing, watery stools of carrion odor. Expecto-
 rates tiny, tough, yellow lumps. Lumbago. Hip-joint disease. Bursitis. Chronic
 synovitis Periostitis of lower jaw, ribs, etc. Skin cracked;
 dry, hard and of alabaster whiteness (Ars.). Stinking pus.
 X-ray burns. Birth-marks. Cold wrists and ankles.

Complementary : Rhus-t.

Related : Grap. Hecla-lava.

CALCAREA HYPOPHOS.

REGION.

Nutrition.

WORSE.

Vital Losses.

Pale and weak, with violent drenching sweats. Rapid and extreme
 debility or emaciation. Scrofula. Pædatrophy.....
 Excitable, nervous and sleepless. Frying or sizzling in ears.
 Ravenous hunger, < 2 hours after meals ; only > when stomach
 is full. Anorexia. Sore throbbing in spleen. Diarrhœa.
 Bronchitis. Starts in sleep. Exhausting night sweats.

Related : Chin.

CALCAREA OSTREARUM.

REGION.

NUTRI- { GLANDS { Cervical.
 TION { BONES. { Mesen-
 { SKIN. { teric.

BLOOD.

CHEST. R. Lung.

HEART.

CHILDREN.

WORSE.

COLD { RAW AIR. Wet.
 { BATHING.
 { Cooling Off.
 { Change of Weather.

EXERTION { Mental.
 { Physical.
 { Ascending.
 { Eyestrain.

DENTITION. Puberty.

PRESSURE OF CLOTHES.

MILK. Awaking. Anxiety.

FAT, Flabby BLONDES, WHO SWEAT EASILY, < ON HEAD
 OR CHEST ; DURING SLEEP. PROFUSE, OFTEN SOUR
 DISCHARGES, stools, sweats, odor of body, saliva, etc. Soft,

torpid, scrophulous habit. Numb parts lain on. Easily sprained. Grows fat, but not strong. Cold, moist air chills through and through. Takes cold easily; in chest. Malnutrition. Faulty bony development. OPEN FONTANELLES. Tardy teething and walking. Scrofula. Rickets. Curvatures. Calculous tendency.....Forgetful; learns poorly. Depressed melancholic or doubting mood; fears disease, misery, disaster, being observed, insanity, etc. (Lil-t. Nux-v. Sep. Ver-a.). Cautious. Confused; misplaces words. Sad. Apathetic. Indolent; suddenly. Vertigo. BIG HEAD, WITH LARGE, HARD ABDOMEN. Deep head pains—beating, shattering, etc., < wind, > dark; with eructations. Migraine. Scalp itches; on awaking. Thick, foul milk-crust (Sul.). DILATED PUPILS. Sees things on closing eyes; beside visual field. Coryza, with polyuria. Senile catarrh. Swelled nose and upper lip (Bar-c. Sul.). Face pallid, pasty and puffy. Swelled tonsils. Anorexia; from overwork. Craves eggs or coarse foods. Averse to meat. Sour, curdled vomit (Nat-p.). STOMACH LIKE AN INVERTED SAUCER. Thirst for cold water at night. Cramp at navel. Biliary colic. Chalky, gray (Pho-ac.) or green, watery stools. Lientery. Foul or strong urine. White urinary sediment. Hydrocele. Thick, milky, gushing leucorrhœa. Painless hoarseness. Everything makes him short of breath. Emphysema. Cough, as from dust. Purulent, loose, sweet expectoration. Weak heart. Palpitation. Sore chest; breasts before menses. Neck pains, < lifting. Chapped hands. Arthritic nodes. ENLARGED GLANDS; cervical, mesenteric, etc. Cysts. Psoriasis. Polypi; nasal, uterine, etc. Skin cold, like a snake. Nightmare. Sleepless; from rush of ideas. Coldness; icy, on vertex; spots on head, or head, hands, knees and feet; of affected part (Led.); objective. Chill with thirst. Internal heat, with external coldness and sweat. Hot head from mental exertion. Clammy hands (Sul.). Sweat; cold; partial; head, < occiput; chest; on hands. COLD, DAMP FEET.

Complementary : Bar-c. Lyc. Sil.

Related : Bar-c. Sil.

Follows : Nit-ac. Sul.

CALCAREA PHOSPHORICA

REGION.

NUTRI-
TION { BONES. { SUT-
 { GLANDS. { URES.
 { PERIOS-
 { TEUM.
 { Cartilage.
 Nerves.

ABDOMEN.

Vertex.

Chest.

WORSE.

Expos-
ure to { Weather Changes.
 { Drafts.
 { Cold. Wet.
 { Melting Snows.
 { East Wind.

DENTITION.

Mental Exertion.

Loss of Fluids.

Puberty. Fruits. Cider.

BETTER.

Lying Down.

Delicate, erethistic, tall or scrawny children ; with dirty, brownish skins. Soft, thin bones. Malassimilation. Scrofula. Rickets. Spots ; cold or sore, vertex, eye-balls, tip of nose, or fingers, etc. Crawling, numb, cold limbs. Pains shift. Arthritis. Rheumatism. Albuminous discharges, leucorrhœa, etc. Anæmia ; as a sequel. Peevish, restless and fretful. Idiotismus versatilis. Headache ; in occipital protuberances ; down spine ; > cool bathing or sneezing ; of school children. As of ice in occiput. Thin skull bones. Open fontanelles. Hydrocephalus. Teeth ; late ; soft ; decay easily. Tonsils, large ; mycosis (Kali-m.). Adenoids. Throat aches ; feels hollow. Graves raw, salt, piquant foods or bacon. Weak digestion : every bite hurts the stomach. Persistently vomits milk. FLABBY, SUNKEN ABDOMEN ; pains, then burning leucorrhœal flow. Festering navel. Diarrhœic tendency. Stools foul, hot ; henteric ; spluttering and watery ; < fruits. Fistula ; alternating with chest symptoms. Addison's disease. School girl's headache. Abnormal cravings. Tumor in left mamma. Menses early, scanty ; every two weeks. Crawling in genitals. Exalted sexual instinct. Eruptions, < during menses. Uterus heavy ; weak or aching. Child loses its breath on being lifted up (Bor.). Cough, > lying. Cavernous phthisis ; with night sweats. Neck or chest pains from drafts. Weak, thin neck ; the head bobs about. Sore fingertips. As of a splinter under nails. Weak through hips. Thin, brittle bones. Pain, burning, along sutures or edges of nails. Slow

ossification ; non-union. Swollen glands. Pott's or hip-joint disease. Easily chilled ; during pains. Sickly sweat ; < head and throat ; at night. Cold limbs with digestive trouble. Chills up back, but heats down back.

Follows : Fer-p.

Related : Carb-a. Chin. Nat-m. Rut.

CALCAREA SULPHURICA.

REGION.

CONNECTIVE TISSUE.

Glands.

Mucous Membranes.

Bones. Skin.

WORSE.

Drafts. Touch.

Cold. Wet.

Heat of Room.

BETTER.

Bathing. Open Air. Eating.

Heat (Local). Uncovering.

Cutting pains ; (r) ovary. Tendency to suppuration. Pus thick, yellow, lumpy, bloody. Catarrh. ABSCESS, running ; ears ; teeth ; recurrent (Pyro.). Ulcers, malignant ; corneal ; deep. Fistulæ. Poor reaction..... Hurried. Ears flow dark wax. Red, itching tarsi. Infants with bloody coryza, diarrhœa or eczema. Stool coated white. Pyelitis (Berb.). Thick, white leucorrhœa. Choking. Croup. Cold, foul footsweat. Skin won't heal. Averse to covers, when cold. Dry heat at night. Easy sweat, < coughing. Starts from sleep, as if wanting air.

Related : Hep.

CALENDULA.

REGION.

SOFT PARTS. Spine.

Liver.

WORSE.

Weather ; Damp ; Cloudy.

During Chill.

Excessively painful, open, torn, cut, lacerated, ragged or suppurating WOUNDS. Hæmorrhages, in scalp wounds or after drawing teeth, etc. Prevents pus. Sensitive to damp or open air. Takes colds. Yellowish vision. Nausea, in chest. Curdy stools. Bruised pain at angle or right scapula. Jaundice.

Related : Arn. Bellia.

CAMPHOR.

REGION.

DIGESTIVE TRACT.

Cerebro-Spinal Nerves.

Urinary Organs.

Nose.

WORSE.

Cold. Drafts. When Half Asleep.

(Mag-p-au. Nit-ac.).

Mental Exertion. Shock.

SUPPRESSION.

Inattention.

BETTER.

Free Discharges.

Sweat. Thinking of It.

Algidity ; can't get warm ; at start of colds, cholera, etc. Bluish, old, pinched look. ICY COLD, YET AVERSE TO COVERS (Sec-c.), or wants them off then on ; with internal burning heat ; and anxious. Sudden weakness ; dry collapse. Cholera. Scanty or retained discharges. Violent tonic spasm ; of bladder ; then stupor, with coldness. Insensibility or anxiety. Head feels knotted up. Hammering in occiput. Inhaled air seems cold. Coryza ; in old age. Retracted lips ; upper. Cold tongue. Burning thirst. Burning in stomach. Strangury. Hæmaturia. Sexual excitement. Satyriasis. Hoarse, squeaking voice. Asphyxia neonatorum. Cold breath. Thumbs cramp backward. Cramp in calves. Dry skin. Erysipelas. Very sensitive to cold air or taking cold. Shaking chill, with cold skin. Wants covers during hot stage only. Sudden, inflammatory fevers with rapid alternation of heat and cold ; followed by rapid prostration. Heat or sweat, > covers. Corrects spoiled cases and antidotes most remedies. Chilly, below scapulæ ; before colds.

Antidotes : Coff. Op. Pho.

Related : Carb-v. Cup. Op. Sec-c.

CANCER FLUVIATILIS.

REGION.

Liver. Glands.

Vaso-Motors.

WORSE.

Air.

Uncovering.

Stinging pains. Shiverings..... Cough, > walking. URTICARIA ; with hepatic symptoms, jaundice, etc. ; with cramps in liver region ; on right side only.

Related : Calc-c. Rhus-t.

CANNABIS.

REGION.

EMOTIONS. MIND.

Nerves.

GENITO-URINARY
ORGANS.

WORSE.

URINATING

DARKNESS.

Exertion. Talking. Walking.
Gonorrhœa.

Extreme psychic mobility. EXALTED IDEATION AND PERCEPTION, WITH MENTAL EXCITEMENT. Imaginations. Wonderful hallucinations; ecstatic; heavenly; of agonizing terror or pain; with loss of sense of proportion; or time and space (Onos. Stram.). Mania of grandeur. Levitation. Gaiety. Violence. Delirium tremens. Feels weak and all gone to nothing. **Trickling sensations; at heart.....Loquacity.** Craves light. Violent headache, with hallucinations. **Vertex opens and shuts.** Head seems separated from body. Sees objects outside of visual field (Ign.). Weak vision. Corneal opacity. Skin of face seems tight. Alive feeling in abdomen: it throbs here and there. **SCANTY, BURNING URINE, PASSED DROP BY DROP (Canth.);** with pain going backward. Nephritic colic. Swelled prepuce. Priapism. Gonorrhœa. Irritable caruncle. Profuse menses, with great pain. Can't control voice. Suffocative attacks. Pains in limbs, < deep breathing. Dreams, erotic; of the dead.

Antidote: Apis.

Related: Anhalo. Cocain. Nux-m. Op.

CANTHARIS.

EGION.

MEM-
BRANES
(Mucous and
Serous).

{	URINARY
	ORGANS.
	Bladder.
	Pharynx.
	Brain. Pleura.
	Lower Bowel.

Pomum Adami.

Skin.

Right Side.

WORSE.

URINATING.

Drinking; Cold.

Bright Objects.

Sound of Water.

Touch; Larynx.

BETTER.

Warmth. Rest.

Rapid and intense action. Excitement during the pains. **CUTTING-SMARTING** or **BURNING-BITING PAINS**; as if raw. **VIOLENTLY ACUTE INFLAMMATION**, or rapidly destructive. Discharge of bloody, acrid water. Serous effusion. Gangrene. Weak attacks, that take the voice away..... Amorous frenzy. Rage. Yellow vision. Swelled, tremulous tongue; raw edges. Throat: full of blisters; painful swallowing. Throat and larynx painfully constricted, and as if afire. **Burning thirst**, but averse to liquids. Violent retching and vomiting. **Sensitive over stomach and kidneys** (Solid). Shreddy, burning stools, with tenesmus of rectum and bladder. **BURNING, SCALDING URINE, WITH CUTTING, INTOLERABLE URGING AND FEARFUL TENESMUS** OR **DRIBBLING**. **Strangury**. Dysuria. Bloody urine. Acute nephritis. Nephritic colic. Cystitis. Gripping in bladder. Gonorrhœa. Dropsy. Painfully swelled genitals. Painful priapism. Pulls at penis. **Sexual irritation**. Pollutions. Many, short, dry coughing spells. Chest pains, > eructations. Pleurisy. Pericarditis. Vesicular erysipelas; turning dark (Ran-b.). Bullæ. Chill, during stool. Urinous sweat; on genitals.

Complementary : Apis.

Antidote : Aco. Cam.

Related : Ap. Ars. Merc-c.

CAPSICUM.

REGION.

WORSE.

SLIGHT DRAFTS.

MUCOUS MEMBRANES.

COLD { AIR.
Water.

Uncovering. Dampness.

THROAT.

Bathing.

Empty Swallowing.

Drinking: < Throat, or Excites

Kidneys.

Urination.

Eating. Drunkards.

BETTER.

Bones. Mastoids.*

Continued Motion.

Lax, lazy fat, red (Asaf.), clumsy, unclean persons (Sul.), who react badly and dread the cold. Old age. Indolent and can't think clearly. **BURNING-SMARTING**; tip of tongue; throat,

stomach, stool, piles, prostate. SORENESS. Constriction; of throat, with urging to swallow. Dark, red, spongy mucous surfaces or oozing bloody mucus. Sprangling, thread-like pains (Cep.). Neuralgias. Deep abscess. Foul secretions..... Changeable. Capricious. Homesick. Splitting headache, > heat. Ears affected alternately. Mastoiditis. NOSE AND FACE RED, BUT COLD. Vesicles or flat, painful aphthæ. Tongue greenish at base. Swelled uvula. Increased saliva. Smoker's sorethroat. Craves stimulating, pungent things; wants a bracer. Dipsomania. Waterbrash. Acid dyspepsia. Small, hot, mucous stools, with tenesmus, also of bladder; then thirst and lumbar pain; < drinking. Dysentery. Urging to urinate. Strangury. Thick, white, creamy gonorrhœa. Cough causes distant pains, or raises foul air; too weak to cough out expectorate. Ribs seem dislocated. Sleepy after meals. Chilly; with the pains; begins in back; with violent thirst, but shivers from every drink; with excruciating backache; alternating with heats, mounting to head; then sweat. Coldness of affected parts. Sweats easily; cold on thighs.

Complementary : Nat-m.

Related : Canth.

CARBO ANIMALIS.

REGION.

WORSE.

NUTRITION.

Slight Causes { Small Depletions.
Sprains. Lifting.
Cold Taking.

WHILE EATING.

Glands.

Dry, Cold Air.

Shaving (Ox-ac. Rad.)

Old Age. After Menses.

VEINLETS.

BETTER.

Laying Hand on Part.

Old and feeble. Susceptible to colds, sprains or overaffected by small losses, etc. Venosity. Gummæ. Slow, hard painful processes; burning like fire (Ars.), or threatening malignancy. Sense of looseness. Foul acrid discharges. HæmorrhageWhining. Brain seems loose or as if crown would split, > eating. Pains down through (r) eyeball (Gel.). Can't locate

sounds. Nose, hard, red, swelled; hot, brown stripe across, with itching pimples and desquamation. Goneness in stomach; while suckling. All food distresses stomach. Abdomen, distended after operations. Right ovary seems a heavy ball. Neglected bubo. Pelvic bones pain on sitting. Dark menses; in A.M. only; then great weakness. Sore, moist anus (Carb-v.). Indurated os (Sep.). Suffocation on closing eyes; nervous dyspnoea. Hard, painful nodes in breasts. Bluish skin; cheeks, lips, affected parts, etc. Coppery eruptions on forehead. Crawling, as of bugs. Hard, swelled glands. Surgings or hot flushes. Foul, exhausting sweats; at night; staining yellow.

Complementary : Calc-p.

Related : Calc-fl. Grap.

CARBO VEGETABILIS.

REGION.

MUCOUS
MEMBRANES

{ DIGESTIVE
TRACT.
STOMACH.

HEART

{ VENOUS
CIRCULATION.
Blood.

Occiput.

WORSE.

WARMTH. DEPLETIONS.

Cooling Off.

EXHAUSTING DISEASES.

Old Age.

HIGH LIVING. Rich Foods.

DISSIPATION.

Overlifting. Walking in Open Air.

Pressure of Clothes.

Weather { Extreme
Temperatures.
Cold Night Air;
Frosty; Humid.

Air. Wind on Head.

Suppression.

BETTER.

ERUCTATIONS. Cool Air.

Elevating Feet.

Low, grave, depraved, or cachectic states. Atony, failing reaction or obstinate sequelæ. Complaints of old age. **WEAKNESS, FLATULENCE, FETOR OR AIR HUNGER,** with most complaints. **Tremulous, WEAK, SICK AND EXHAUSTED;** suddenly; with pulselessness. Fainting. Collapse. Easily chilled. **Cold, yet wants air or to be fanned,** or thirsts for cold water. **BLUENESS and decomposition.** Sepsis. Ulceration (aphthous). **HÆMORRHAGE;** dark oozing. **Overfulness. Venosity. Thick, acrid discharges (Hyds.).** Old catarrhs. General bruised soreness or heavy aching burning; in bones, ulcers, etc. Numbness, of parts lain on. Slow, anxious and irritable. Dejected. Unhappy. Dull, compressive, heavy (leadén) headache; < occiput; < overheating, lying or pressure of hat. Sneezing from irritation in larynx; < blowing nose or sneezing. Colds go downward (Pho.). **PINCHED, HIPPOCRATIC or DUSKY FACE.** Twitching upper lip. Mumps with metastasis. Loose teeth. Scorbutic gums. Small, painful aphthæ. Black tongue. Loathes even the thought of food. **BELCHINGS; RANCID;** loud, without >; with cough. **EXCESSIVE FLATULENCE;** obstructed; distending; < upper abdomen (Pul.); < lying. All food turns to gas. Dyspepsia. Colic. Burning in rectum. Itching anus. Septic albuminuria. Sore, hot, itching, swelled vulva. Hoarse in evening. Spasms of tormenting, hollow or choking cough, with headache and vomiting; < cold drinks and in bed; expectorates with retching. Pertussis and its effects. Heavy, sore or weak chest; on awaking. Senile asthma. Destructive lung diseases. Continuous, anxious palpitation. Sore ribs. As of a plug in back. Weak fingers. Raw or mottled skin. Ulcers, foul, burning and bleeding. Varicosis. Horrors during sleep. Thready pulse. Alternate chill and heat. **ICY COLD;** tongue; knees; legs, at night; breath; foot (l); unilateral, etc. Warm head, cold limbs. Internal, burning heat; at heart; in chest; with icy skin, sweat, etc. Sweats easily; takes cold; sour; cold on face; < coughing. Icy, but wants air.

Complementary : Chin. Kali-c. Follows : Caust.
Antidote ; Nat-m. Related : Am-c. Ars. Colch. Grap. Lys.

CARBOLIC ACID.

REGION.

MUCOUS

MEM-

BRANES.

HEART. Blood. Respiration.

{ Throat.

{ STOMACH.

{ Bowels. Lungs.

WORSE.

Jar. Reading.

Pregnancy.

Combing Hair (Bry. Chin.

Ign. Sele.).

Painless, languid and PROSTRATE. FOULNESS. Burning secretions; expectoration, etc. Malignancy. **Sepsis.** Low fever. Prickling-burning or sudden pain. Tender scalp. As of a burning ball in forehead. Acute smell. **PALE ABOUT NOSE AND MOUTH. Dusky face. Fetor oris.** Glazed throat. Vomiting. Heartburn. Stomach sore. Flatulence. **Shreddy stools.** Passes mucus from anus when urinating. Urine, scant, green or dark. Leucorrhœa; thick, causing itching. Aching between scapulæ. **Sopor. Thready pulse.** Collapse. Bloody exudations, vesicles or pustules. Erysipelas. Profuse, cold sweats. Related: Kre.

CARDUUS MARIANUS.

REGION.

Liver (R).

Spleen.

Veins.

WORSE.

Lying on L. Side.

Beer. Eating.

Touch. Motion.

Cellars.

| BETTER.

Bleeding.

Hepato-hæmorrhagic diathesis (Bur-p. Lept.). Blood-stasis. Acidity. Fatigue. Hypochondriacal. Dull frontal headache. Dirty, yellow complexion. Weak upper lip and (r) tongue. Tongue has white center with red, indented edges. Vomits acid bile or blood. High diaphragm. **Liver engorged;** swelled laterally. Gall-stones (Lept.). Meteorism. Knotty, clayey stools. Golden yellow urine. Asthma. Dropsy. Broken or hard thrombosed veins.

Related: Calc-c. Sang.

CASTOREUM.

REGION.

WORSE.

NERVES.

Emotions. Cold.
During Menses.
Debilitating Diseases.

BETTER.

Female Generative Organs.

Pressure.

Weak and lacks reaction. Nervous and spasmodic effects of uterine origin. Fibrillar twitchings. Hysteria. Irritability.....
Twitching in tongue. Abdominal symptoms, with yawning.
Colics, with sudden weakness, > pressure. Summer diarrhoea of green mucus stools (Asar.). Violent cutting dysmenorrhoeal colic, then cold sweat. Exhausting sweats after fevers.

Related : Mos. Val.

CAULOPHYLLUM.

REGION.

WORSE.

FEMALE ORGANS.

Pregnancy.
Suppressed Menses.
Open Air.
P. M.

NERVES.

Muscles. Neck.

Lower Limbs. Small Joints.

Exhaustion. PAINS, ERRATIC, drawing, cramping, shooting, rheumatic ; ending in neck, which gets stiff. Uterine reflexes. Internal tremor.....Fretful and fearsome. Nervous ; excitable. Chorea. Vomiting of uterine origin. Albuminuria. Violent, intermittent, crampy pains, with little flow. Late menses. Dysmenorrhoea. LABOR PAINS FLY ABOUT (to breasts), ARE WEAK, OR IRREGULAR ; false. Eases labor. Often acts as prophylactic of false labor pains. After-pains. Uterine atony. Habitual miscarriage. Vaginal spasm. Profuse, acrid leucorrhoea ; of little girls. Sore nodes on finger-joints. Rheumatism ; of small joints. Aching, sore lower limbs ; before menses. Paraplegia, after child-birth. Chloasma ; on neck. As if overfull of blood. High fever.

Related : Cimi. Pul. Sep.

CAUSTICUM.

REGION.

WORSE.

NERVES { Motor.
Sensory.

Air { DRY COLD. Raw.
WINDS. Drafts.

MUSCLES { BLADDER.
LARYNX.
Limbs.

Extremes of Temperature.
Stooping. Suppressions.
Coffee. 3-4 A.M. OR
EVENING. Exertion.
Change of Weather.

Respiration.

BETTER.

A COLD DRINK (EVEN
CHILLS).

Skin.

Washing.

Right Side ; Face.

Warmth ; of Bed.
Gentle Motion.

Sensitive to both heat and cold. Weakness, increasing uncertainty of control, stumbling, etc., finally PARALYSIS ; of single parts. Atony. Anæsthesia. Stiff joints. Contracted tendons ; palms (Nat-m.), hamstrings, etc. Deformities. Atrophy. Jerks of single muscles. Epilepsy, at puberty. Trembling. Burning. Soreness. Rawness ; larynx, anus, etc..... Broken down ; worn out ; wants to die. Hopeless, despondent. Mental tire. Anxious forebodings (felt in head), < in twilight. Reticent. Oversympathetic. Empty behind forehead. Tight scalp. To and fro or nodding motions. Paralysis : of one eyelid (r), throat, bladder, etc. Heavy, drooping eyelids. Continuous eye pain. Diplopia, > looking to right. Objects look large. Cataract. Profuse acrid tears. Much, foul earwax. Echo in ears. Tinnitus. Eruption on lower nose. Prosopalgia, > cold water. Facial paralysis, < opening mouth. Swelling at root of tongue. Throat, < stooping. Urging to swallow, or swallows the wrong way. Greasy eructations. Cramp in rectum on stooping. Anus, prolapses on coughing ; small, hard pustules. Stool glistens ; difficult, > standing. Stooling easier by standing, but piles < standing. Must sit down to urinate. Insensible urethra or rectum ; to solid stools (Alo.). Piles, < walking. Urine retained after labor. URINE SPURTS ON COUGHING ; dribbles or passes slowly ; > sitting. Menses by day, leucorrhœa by night. Dry, hard cough.

Cough from tickling in throatpit (Sep.), or l. larynx; incessant; dry night and morning. Can't cough deep enough (Rum.); expectorate slips back again; < heat of bed, stooping, cold air; > sips of cold water. Greasy, ropy, difficult expectoration. Aphonia or hoarseness, in A.M.; of speakers; < stooping; > talking. Sore streak in larynx. Sore chest; vest seems tight. Purring in chest. Wandering chest pains, > pressure. Stiff neck or back on rising; pain goes forward or to thighs. Pain in spine on swallowing. Bursting in fingertips. Cramps in calves, feet or toes. Deep burns and their effects. Skin: cracks; ulcers. Warts, on brows, lids, nose, fingertips; seedy; bleeding; ulcerating. Coldness, not > warmth; causes paralysis, cough, diarrhoea, etc. Sweat about 4 A.M.; profuse, on slight exertion; < open air.

Complementary: Carb-v. Grap. Lach. Stap.

Related: Gel. Kali-bi. Pho. Rhus-t. Sep.

CEANOTHUS.

REGION.

Spleen.

WORSE.

Cold Weather.

Lying on Left Side.

Periodical neuralgias. Pain in l. side, with dyspnoea, diarrhoea or leucorrhoea. Swelled spleen or liver. Green urine.

Complementary: Nat-m.

Related: Chin. Polym.

CEDRON.

REGION.

Nerves.

Blood.

WORSE.

Periodically; at Same Hour.

After Sleep.

EXACT PERIODICITY. Orbital neuralgia (r). Brow ague.

Eyes burn like fire. Numbness. Excitement before chill. Malaria.

Related: Aran.

CEPA.

REGION.

MUCOUS
MEMBRANES

{ NOSE.
EYES.
Larynx.
Bowels.

Nerves.
Left to Right.

WORSE.

WARM ROOM. Wet Feet.
Singing. Damp.
N. E. Winds. Spring.

BETTER.

Cool, Open Air.
Bathing. Motion.

Acute colds, catarrhs or neuralgias. Shooting pains; as fine as a thread.....Forehead aches; into eyes and face; > free coryza or menses. Watery eyes, < coughing; wants to rub them (Scil.). FREQUENT, VIOLENT SNEEZING, CORYZA; ACRID, FLUENT; with burning, smarting. Dripping nose or from uvula. Sensitive to odors. Raw throat or larynx. Flatulence; noisy; foul; painful. Copious urine. Incessant, hacking, tickling cough; holds it back; as if to tear or split larynx; must grasp it. Painful talking. Hoarseness. Senile bronchitis. Neuralgia of stump. Galled feet.

Complementary: Pho.

Related: Euphr. Gel. Kali-io.

CHAMOMILLA.

REGION.

MIND.

NERVES.

EMOTIONS.

Mucous
Membranes

{ DIGESTIVE
TRACT.

Liver.

Women and CHILDREN.

Left Side.

WORSE.

ANGER. NIGHT.
DENTITION.

Cold { Air.
Damp.
Wind. Taking Cold.
COFFEE.
Narcotics. Alcohol.

BETTER.

BEING CARRIED.
Mild Weather.
Heat. Sweating.
Cold Applications.

Bad temper. Frantic irritability, snappish and intolerant of pain. Mad during pain. Magnifies her pains. Unappeasable crossness. OVERSENSITIVE. Tosses about, cries out or walks the floor (Ars.); demands instant relief. Beside himself or prostrated by pain.

Neuralgic or gouty-rheumatic subjects. Spells of being irritable and restless; OF COLIC; of dry, tickling cough, etc. Cramps, with bilious vomit; of muscles. Numb, on awaking; after pain; hands, when grasping objects. Repeated spasms; of face, arms, legs, etc.....UGLY, CROSS, AND UNCIVIL. QUARRELSOME; vexed at every trifle. Abrupt. Averse to being spoken to or touched. WANTS TO BE CARRIED or what is refused when offered. Omits words. Sensitive to cold wind about ears. Sticking, earache; > warmth. Swelling, or REDNESS OF ONE CHEEK. Faceache (r), to ear. Jaws feel tired. Bad, sour breath. Bitter taste. Thick, yellow-white fur on tongue. Eructations like bad eggs. Distended bowels. Colic going upward; < anger (Colo.). Cutting or wind colic; < night. STOOLS, hot, ACID, GRASS-GREEN, SLIMY, HACKED, yellow-green, OR LIENTERIC; smelling like bad eggs. Irregular, labor-like pains; going up; down inner thighs. Cramps when child nurses. Dark, lumpy menses or lochia. Asthma, < dry weather. Jaundice. Dry palms. Sleepy, disturbed, by pain, starting up, etc. Chilly, yet easily over-heated, hence takes cold. Coldness of one part, with heat of another; < uncovering. Alternate chill and heat. Hot and thirsty or hot sweat, with the pains. Hot coryza; hot stools. Feverish, from suppressed discharges. Sweat on head. Sleepless from abuse of narcotics.

Complementary: Mag-c. Sanic.

Related: Nux-v. Stap.

Antidotes: Com. Ign. Nux-v. Pul.

CHELIDONIUM.

REGION.

Right { Portal System.
Side { Abdomen.
{ Lungs (Lower).

Mucous Membranes.

Bowels (R).

Occiput. Kidneys. Knees.

WORSE.

Motion. Cough. Touch.

Change of Weather.

North Easters.

4 A. M. and 4 P. M. (Ign.).

BETTER.

Hot Food. Eating; Dinner.

Milk. Pressure. Hot Bath.

Bending Backward.

YELLOWNESS. Bilious disturbances ; vomiting, jaundice, catarrhs, etc. Pains shoot backward or in all directions. Stitches. Heavy, stiff, sore, paralyzed, dislocative or broken feeling. Numbness. Horror of motion.....Lazy. Averse to mental exertion or conversation. Despondency. Vertigo ; felt in vertex. Headaches extend backward. Heavy occiput. Supra-orbital pain. Mucus in eyes. Outward, blowing, crawling, etc., in ears. Dark red or sallow, sunken face. Red nose. Flapping alæ. Bitter taste. Yellow tongue ; with indented edges (Hyds.). Choking, as from too large a morsel. Left sided goitre. Craves milk, piquant or hot foods (Lyc.). Nausea. Sensitive epigastrium. Sensation as of a plug in stomach. Gnawing, scraping gastric pains, > eating. **LIVER PAINS GOING BACKWARD, OR FIXED AT ANGLE OF R. SCAPULA ;** (to r. shoulder and occiput—Kali-c. Nux-v. Sep.). Rawness in liver. Gall-stones. As of a string about abdomen or neck. Stools pasty, pale, bright yellow, clayey or hard balls. Dyspnoea, < urinating (Dul.). Cough, as from dust ; with much rattling, but little expectoration, or it flies from mouth. Hepato-pectoral symptoms. Like a nail deep in r. chest. Bilious pneumonia (Merc.) Fluctuating temperature. Pain from neck to r. temple. Itching, > eating. Lethargic, **DROWSY and chilly.** Icy cold nape and occiput. Cold fingertips. One foot cold. Burning heat, spreads from hands over body. Sweaty, with aversion to uncover and without relief ; after midnight. Complementary : Lyc. Merc-dul. Related : Bry. Kali-bi. Merc. Op.

CHENOPODIUM.

Deafness : variable ; > high pitched voice.

CHIMAPHILA.

REGION.

Bladder.
Kidneys.

Glands { Liver.
Prostate.
Mammæ (R).

WORSE.

Cold Damp. Standing.
Sitting.
Beginning Urination.

BETTER.

WALKING.

ROPY or muco-purulent, foul, scanty, thick, turbid, urine. Feels as if sitting on a ball, in the perineum; after gonorrhœa. Old nodes in or atrophy of glands. Fluttering in kidney region. Acute inflammation in urinary tract. Gravelly urine.

Complementary : Kali-m.

Related : Berb. Coc-c. Sabal.

CHINA.

REGION.

BLOOD.

CIRCULATION.

SECRECTIONS { Digestive
Organs.
Liver.

Spleen.

Nerves.

WORSE.

VITAL LOSSES. TOUCH.

Jar. Noise.

PERIOD-ICALLY { Alternate
Days (Ars.
Nat-m.).

Cold ; Drafts ; Wind.

Open Air.

Eating ; Fruit ; Milk.

Mental Exertion.

BETTER.

Hard Pressure (Lach.).

Loose Clothes.

INTERMITTENCY. PROFUSE, EXHAUSTING DISCHARGES, HÆMORRHAGES, etc. (Abro. Calc-hyp. Pho-ac.). Weak, **over-sensitive and nervous** ; everything upsets him, light, noise, odors, pain, etc. Hard swelling. **Bursting**. Rheumatism. Neuralgia. Emaciation. Anæmia. Dropsy.Stubborn. Disobedient. Vertigo ; falls backward. Throbbing, bursting, swashing, or bruised feeling in brain, < temples. **Sore scalp**, < touching hair. Hot, red ears. **Tinnitus** ; then vertigo. Deafness. Pale, earthy, sickly look ; bluish about eyes. Teeth throb ; < sucking. Acute, sour or bitter taste, or eructations. Craves delicacies. Quick satiety. Anorexia. Loud belching, without relief (Arg-n.). Slow digestion. Sore stomach. Thirst for cold water that aggravates diarrhœa. Periodical liver symptoms (Quas.). Gall-stones. Swelled liver and spleen. **Flatulent bloating**. Tympanitis. Pain from rectum into genitals. **STOOLS ; LIENTERIC ; dark ; foul ; watery ; BLOODY ; painless ; < eating ; < night**. Dark, profuse, clotted menses. **Blood spitting**. Puffing, rattling, breathing. Every motion excites palpitation and takes his breath. Suppura-

tive phthisis (Hep.). Painfully sore chest and interscapular spine. Heavy pressure (load) on shoulders, between scapulæ or on sacrum. Twitching in knees. As of a band about legs. Pain in marrow. Drowsy. Heavy, snoring sleep. Anxious dreams. Swelled veins (hands, face). Marked prodrome. Clearly staged chill, heat and sweat. Chill, then thirst, then heat, then thirst. Red, hot face, with cold hands. Hectic. Sleeplessness, as a prodrome. Thirst during apyrexia. DRENCHING SWEATS; AT NIGHT, < least motion; from weakness, etc. Tropical fevers. Sepsis.

Complementary : Carb-v. Fer. Kali-c.

Related : Carb-v.

CHININUM ARS.

Nightsweats ; profuse, exhaustive. Oscillating temperature.

CHININUM SULF.

REGION.

NERVES.

CIRCULATION.

Dorsal Spine.

WORSE.

EXACT PERIODICITY.

Cold, 10-11 A.M.

Head to Left.

BETTER.

Yawning.

Neuralgias.....Sensitive. Nervous. A net, fog or mote before eyes. Tinnitus. Deafness. Brow ague. Granular, brick-red, urinary sediment. Vertigo, with tinnitus. (Sal-ac.). Spine (cervico-dorsal) aches, or is tender. Anticipating chills. Delirium during heat. Increasing fever and prostration, with profuse nightsweats. Profuse sweat which >, but exhausts. Thirst in all stages. Clear apyrexia. Typical malaria. Itching. Petechiæ.

Related : Chin.

CHIONANTHUS.

REGION.

LIVER.

Head.

WORSE.

Jarring. Motion. Cold.

BETTER.

Lying on Abdomen (Chel.).

Bruised soreness ; liver, eyeballs, etc. Pains ascend from forehead, stomach, etc.....**Bilious sick headaches ;** periodical. Nose, pressure at root or squeezing on bridge (Ham.). Tongue, greenish-yellow or feels drawn up. Vomiting bitter-so'r ; hot ; bilious ; ropy ; gushing ; setting teeth on edge (Sul-ac.) ; with colic and cold sweat on forehead and back of hands. Uneasy ache in liver. Choleo-cystitis. Gall-stones. Gripping at navel. As of a band about abdomen. Weakness in hypogastrium. Stools tarry, clay-colored or undigested. Arrested menses. Astringent expectoration. Jaundice. Heat, with aversion to uncover. Cold sweat on back of hands.

Related : Bry. Iris. Lept. Merc.

CHLORAL HYDRATE.

REGION.

BRAIN. Heart.
Muscles. Liver.
Skin.

WORSE.

Alcohol. Night. Exertion.

BETTER.

Open Air.

Muscle prostration.....Indifferent and sleepy or **cerebral excitement ;** hears voices. Mania. Bileless stools. Bed-wetting. Wants to be fanned. Dyspnoea. As of a weight on chest. Weak heart. **Urticaria.** Sleepless from fatigue. Night terrors.

Related : Ap. Cancer-flu.

CHLORUM.

REGION.

Respiratory Organs.
Mucous Membranes.
Nerves. Skin. Glands.

WORSE.

Expiration.
After Midnight.
Lying.

BETTER.

Motion. Open Air.

Rapid emaciation. **Constrictions**.....Fears insanity or losing senses. **Protruding eyes.** **Acrid coryza.** Putrid aphthæ. **Dry tongue.** **DYSPNOEA ; CAN'T EXHALE.** Spasm of glottis. Laryngitis. Laryngismus stridulus. Asthma of hay fever. Throat-pit ; aching, tickling or whistling in. As if air were forced into upper chest (Sabi.). Sensitive skin. Easy sweat. Antidote : Lyc.

Related : Ars-io. Iod. Meph. Merc.

CICUTA.

REGION.

BRAIN.

NERVES.

Skin.

WORSE.

INJURIES ;

TO BRAIN (Nat-s.).

Jar. Noise. Touch.

Cold. Dentition.

Suppressed Eruptions.

Violent convulsive phenomena, then prolonged unconsciousness.

Jerks ; of head. Twitchings ; of arms and fingers. Sudden shocks through body (Ign.) or head, then rigidity or shrieks ; a terrific spasm moves downward (reverse—Cup.) ; the eyes jerk and stare ; OPISTHOTONOS and frightful facial contortions, with bloody foam from mouth ; then utter prostration. Epilepsy. Spasm of diaphragm ; of gullet. Rigid muscles..... Childish. Suspicious. Violent. Rash. Delirium. Congestion to head, with vomiting and purging (Ver-v.). Headaches, > passing flatus. Head twists to one side. Vertigo. Meningitis. Squint. Bleeding ears. Red, sweaty face. Grinds teeth. Trismus. Craves chalk, coal, etc. Loud hiccough ; alternating with thoracic spasm (Stry.). Oppressed breathing. Tremulous palpitation. Heart seems to stop (Dig.). Turns feet inward ; or big toes up during spasm. Pustules coalesce into thick, yellow (loose), massive crusts ; < head and face. Impetigo.

Related : Cup. Stry.

CIMICIFUGA.

REGION.

Mind. Occiput. Vertex. Nape.

NERVES { Cerebro-Spinal.
AND { Eyeballs.
MUSCLES { Ovario-Uterine.
Heart.

WORSE.

Menstruation ; Suppressed.

During Labor. Emotions.

Alcohol. Night.

Air { Damp. Cold.

{ Wind. Drafts.

Change of Weather.

Heat and Cold.

Sitting.

Puberty and Climaxis.

FEMALES. Joints.

Left Side ; Ovary, Chest, etc.

Front of Thighs.

BETTER.

Warm Wraps. Open Air.

Pressure. Continued Motion.

Grasping Things. Eating.

A depressing irritant, causing exhaustion and **low spirits**, combined with **oversensitiveness**, < during pain (Nux-v.). Plumpness. **Irregular**, changeful or alternating symptom groups; **utero-rheumatic** (Caul.), etc. Violent pains; **achings**; shooting, **here and there**; shock-like, with **cries**, **faints**, etc.; **up nape**, about **thorax**, **ovary to ovary** (Arn.); lumbar spine, etc.; or alternating with other states. Myalgia. Ovaralgia. Lumbago. **Bruised**, **sore or heavy**, **aching muscles**; **behind eyeballs**, uterus, neck; with a **general sick feeling**. Grippe. Variola. **Trembling**, **twitching**; of part lain on, tongue, fingers, etc. Chorea; cardiac. Compressive pain; temples, feet, etc.Insanity before menses. Melancholy. Agitation. Alternate mental and physical effects. **Nervous**, **fidgety**, **excitable** and jerky. Annoyances drive her crazy. Depressed and talkative, with constant change of subject. Suspicious. **Gloomy** forebodings; of death, insanity, etc. Sees rats. Sees various colors and forms. Mania; alcoholic, puerperal, etc. **Deathly fear**, of rats, etc.; agitated. Weak will. Waving in brain (Glo.). Head retracted. Vertex; as if to fly off; as of a cold draft or heat on. Occiput; like a blow or pressive pain, ascends to eyes (1). **Eyeballs ache**; feel big. Sees red flashes, with black borders. Tinnitus; violent with deafness. **Pale**, hot face. **Thick saliva**. Mucus on teeth, or coppery mucus hawked up. Burning in throat. Nausea in A. M.; of pregnancy or alcoholism; in bowels; < pressure on spine. Vomits green; holds head and groans. Profuse, clear urine; weakening; with yellow sand. Menses irregular in time and amount; **more flow more pain**. Slow labor with nervous shivers. Uterine atony (Alet.). After-pains. Sore and tender along track of pains. **Nervous**; urination, shuddering, cough, etc. Delicate, sensitive women. Spasms of cerebro-spinal fever. Thyroid aches before menses. Incessant, dry night cough; < speaking. Sharp stitches in l. chest. Pleurodynia. Left inframammary pain. Heart sore; swelled; needle-like pains; backward from or to l. arm. Muscles fatigue. **Neckache**. Throws head back. Arms numb, cramp down; l. seems bound to side. **Irritable**, sensitive spine; < lying on it. Stiff, contracted neck, back (Agar.) or Tendo Achilles. Pain at angle of l. scapula (Chen.). Heavy, pulsative lumbar pain.

through hips and down thighs. Cramps in limbs; in calves. Alternate mental and rheumatic symptoms. Itching soles. Sleepless or dizzy, drunken sleep; with arms over head or yawning. Pulse weak, irregular; drops every 3rd. or 4th. beat. Chilly females. Cold sweat on hands and feet.

Related : Bap. Caul. Gel. Ign. Pul.

CINA.

REGION.

NERVES { Cerebro-Spinal.
 { ABDOMEN.

Digestive Tract.

Eyes. Mucous Membranes.

Children. (Left Side.)

WORSE.

TOUCH. Worms. Vexation.
Looked at.
DURING SLEEP.
Full Moon.
Staring.
Yawning.

BETTER.

Lying on Abdomen.
Wiping Eyes. Motion.

The greater the emaciation the greater the hunger. Bruised soreness. Painfully sore to motion and touch. Stiffens out; < if crossed, looked at, during cough, etc. Twitchings. Spasms; < worms; unilateral.....TOUCHY. Nervous. Ugly, cross, petulant and dissatisfied. Wants to be rocked. Dilated pupils. Squint. Colored vision. Eyes fatigue, > rubbing. Nostrils drawn in. PICKS AND BORES AT NOSE. Dark rings about eyes. BLUISH WHITE ABOUT MOUTH. Sickly, pale face; during cough. GRINDS TEETH; during sleep. Chews and swallows in sleep. Worms. Noisy swallowing. Canine or gnawing hunger; after eating; after vomiting; alternating with anorexia; precedes chill or follows sweat. Hard, distended abdomen. Twisting at navel, > pressure. White, watery stool. Bed-wetting; < every full moon. MILKY URINE. Regularly recurrent, choking cough, then gurgling down throat. Tosses arms and legs from side to side. Restless sleep; lies on abdomen; cries out; wakes in terror. Fever, with pale face (Bry.). Cold sweat about nose and forehead.

Complementary : Calc-c. Dros. Ratan.

Related : Cham. Nat-p.

CINNABAR.

REGION.

WORSE.

Blood.

Touch. Light.

Naso-Pharynx.

Dampness.

BETTER.

Neck. Bones.

Open Air. Sunshine (Stro.).

Pain outward along brow, encircling eyes, or like a saddle at root of nose. **Nose**; heavy pressure at root; < pressure of glasses; discharges foul, acrid, burning serum or dark lumps. Dry mouth, wakes from sleep. **Hawks down** stringy mucus or lumps of mucus drop from posterior nares. Naso-pharyngeal catarrh. Thin, white diarrhoea. Foul, acrid sweat between scrotum and thigh. Warts on prepuce. Old, hard chancres. Heart flutters, then rushes of blood to head. Nodes on shin bones. Cramp in calf, after walking. **Fiery red ulcers**, eruptions, etc. Sweat, < nose.

Complementary : Thu.

Related : Merc.

CISTUS.

REGION.

WORSE.

GLANDS { Naso-Pharynx.
Neck.
Mammæ (l).

COLD { Inspired Air.
Taking. Drafts.
Water.

Throat.

Mental { Exertion.
Excitement.

Lungs. Skin.

Touch.

Painfully sensitive to cold; to inspired air, Coldness of tongue, saliva, in throat, eructations, stomach, etc.; < sweating. **Suppurations**. Much thick, yellow or foul mucus, leaving painful rawness (Æsc. Ant-c.). Internal and external itching. **Burning**. Indurations. Callosities. Scrofula. Fear. Headache from missing the noon meal, > eating. As of a lump in naso-pharynx. Colds affect the throat; it feels spongy, sandy, itches or has a dry spot, > sips of water. Expectorates quantities of tenacious, glairy mucus. **Hard, swollen glands**; < on neck;

l. mamma. Crawling over body. **Cracked tethers** ; canthi ; lips ; fingertips. Chilliness.

Related : Calc-c. Helod. Hep.

CLEMATIS.

REGION.

MUCOUS { EYES.
MEMBRANES. { URETHRA.

GLANDS { TESTES.
 { Epididymis.
 { Mammæ.
 { Ovaries.

Skin ; Scalp. Occiput.

WORSE.

GONORRHEA.

Heat of Bed. NIGHT.

Cold Washing. Light.

Moon, < and > with (Phel.
Tarn.).

Mercury.

BETTER.

Sweat.

Flaccid muscles. **VERY HARD, PAINFULLY SWOLLEN**
GLANDS ; TESTES (r). Burning, itching, stinging, crawling
pains.Indifference. Chronic conjunctivitis. Iritis.
Lachrymation. Urine flows by starts, or dribbles ; strains out
a few drops, then full stream follows. Stricture (Con.). Mucus in
urine. Swelled inguinal glands and spermatic cord ; with cutting,
sore pains. Orchitis. Loathes coition. Full, heavy, sensitive
breasts ; outward darts in. Skin itches violently, with profuse
desquamation. Vesicles. Pustules. Corroding eruptions ;
ending in flat, eating ulcers ; with thick crusts and eczema ; <
occiput and lower legs. **Sleepiness.**

Complementary : Merc.

Related : Pho. Rhod. Stap.

COCA.

REGION.

NERVES { BRAIN.
 { Respiration.
 { Heart.

Muscles.

WORSE.

Ascending. High Altitudes.

Cold. Mental Exertion.

BETTER.

Rapid Motion, in Open Air.

After Sunset.

Dizzy, dyspnoic and exhausted (Ars.). Muscle exhaustion.
.....Mental prostration ; alternating with brightness.
Timid, craves solitude. Sense of impending death. Loquacious
excitement. with blissful visions. Exhilaration ; before menses.

Flashes before eyes. Migraine. Carious teeth. Aphonia. Severe asthma. Palpitation; excessively rapid pulse, with violent sweating. Crawling numbness in arms. Like a worm under skin (Calc-c.), moving away when touched. Sleepless; awakes with a shock in brain.

Related: Cann.

COCCULUS INDICUS.

REGION.

SENSORIUM.

Cerebro- { OCCIPUT.
Spinal { Lumbar.
Axis { Muscles.

Female Sexual Organs.

One Side.

WORSE.

Motion { BOAT.
CARS.
Carriage.

Slight { Less of Sleep.
Causes { Exertion. Pain.
Noise. Touch.
Emotions.

Anxiety. Cold. Open Air.
Eating. During Menses.

Acute senses with heavy or paralytic, muscular relaxation. Too weak to hold up head, stand or even speak. Paralysis. Tremor; intention; of head; lower jaw. Cramps; in masseters; abdomen; dysmenorrhœal; in heart. Benumbed. Spasms. Alternations. EMPTY, HOLLOW FEELING. Weak, nervous women, < menses. Vomiting with syncope. Hysterical asthma. Hysteria. Sensitive to cold. Dazed; things seem unreal. Slow resp. Easily offended. Extremely sad, taciturn and peevish. ERTIGO; in forehead; in A. M.; with nausea; with palpitation; < raising head. Heavy head. Occiput; aches; < lying on it; > bending backward; OPENS AND SHUTS. Throat tickles; with lachrymation. Speaks or swallows with difficulty. Loathing. Nausea; rising into head. Retching. VOMITING. Train and sea sickness. Abdomen seems full of sharp stones; bloated. Colic; twisting (wind); nervous; hysterical; with faintness; with salivation. Clutching in uterus. Depleting menses; < standing on tip toe; replaced by gushes of leucorrhœa. Weak neck. SPINAL WEAKNESS; < lumbar; < walking. Paraplegia. Limbs go to sleep, < grasping objects. Alternations

between arms. Humerus feels broken. Hands numb; alternately hot and cold. Knees weak; cracking. Clumsy gait. Sleepless, from mental or physical exhaustion. Drowsy. Low fever. Sweaty.

Complementary : Petr.

Related : Gel. Ign,

COCCUS CACTI.

REGION.

MUCOUS MEMBRANES { FAUCES.
Throat.
Larynx. Chest.
Genito-Urinary.

Left Side.

WORSE.

IRRITATING FAUCES.

Periodically.

Heat. Lying.

Awaking.

Cold Exposure.

BETTER.

Washing in Cold Water.

Catarrh. Spasms. Hæmorrhage. Uric acid. Gouty-rheumatic. STRINGY DISCHARGES, EXPECTORATION, hanging from mouth, urine, feeling in throat, black menses, etc. Sensitive, fauces, vulva, skin, etc. Intolerable internal tickle. Pulsations; in glans; as of a fluid forcing its way. Dark blood, Sad; on waking at 2-3 A. M. Hawking, brushing teeth, etc., excites cough, retching or vomiting. Profuse post-nasal discharge. Constricted throat. Violent kidney pain, with dysuria. Nephritic colic. Irritated bladder. Sticking along ureters. Urging to urinate; > bloody clots from vagina. Urine scanty, thick, heavy, sour; sediment; sandy, dark red, brown or white; bloody mucus. Nephritis. REGULAR PAROXYSMS OF VIOLENT TICKLING, RACKING COUGH, ENDING IN VOMITING OR RAISING MUCH CLEAR, ROPY MUCUS (Kali-bi.); with a purple, red face and internal heat; periodically; with kidney symptoms; slowly increasing, then gradually declining; > cold air or drinks. Whooping cough. Soreness or stitches in apices of lungs. Coldness in back. Burning; as of pepper in nostrils, at tip of tongue, etc. (Lach.).

Related : Ap. Berb. Lach. Pho.

COFFEA.

REGION.

NERVES ; Cardiac.

CIRCULATION.

Sex Organs.

Women.

WORSE.

NOISE. Touch. Odors.
Air (Open. Cold. Windy).Mental { Emotions.
 { Exertion.

Overeating. Alcohol. Night.

BETTER.

Lying. Sleep. Warmth.

Emotions cause severe symptoms. **EXCITABLE AND OVER-ACTIVE. OVERSENSITIVE**; to noise, it may even be painful (Ther.); to pain, pleasure, etc. Irritable and wakeful. Resents sympathy. Rushing ideas. Weeps, laments and tosses about. Now joyous, now gloomy. Faints easily. Brain seems torn, shattered or crushed. Clavus. Bright eyes. Acute hearing; overhears distant sounds. Faceache (r). Toothache; > ice water, < as it warms; pains into fingertips; during menses. Stomach feels overloaded. Hot, itching genitals. After-pains. Cough incessant; of measles. Nervous palpitation; < sun heat. Trembling hands. Painfully sensitive skin. Itching—scratches until it bleeds. **NERVOUS SLEEP-LESSNESS**; from rush of ideas; awakes at or hears every sound; after pleasurable excitement.

Complementary : Aco.

Related : Coca. Ign.

Antidotes : Cham. Ign. Nux-v.

COLCHICUM.

REGION.

DIGESTIVE TRACT.

HEART ; Pericardium.

Circulation. Kidneys.

Tissues { **MUSCLES.**
 { **Ligaments.**
 { **Fibrous.**
 { **Serous.**

JOINTS ; Small.

WORSE.

MOTION. Touch. Night.
Stubbing Toes. Vibration.WEATHER { Cold ; Damp ;
 { Rooms.
 { Changing.
 { Autumn.Slight Exertion.
Checked Sweat. Stretching.
Sundown to Sunrise.

BETTER.

Warmth. Rest.
Doubling Up. Sitting.

COLD AND WEAK, BUT SENSITIVE AND RESTLESS.

Irritable and sensitive to impressions, strong odors, etc. Tearing, digging, drawing pains. Many joints are attacked. **Rapid sinking.** Moist collapse. Creepings. Small, rapidly shifting areas of severe pain, but little swelling. Subacute states, that finally attack the heart. Cardio-arthritic affections. Dropsy.**Depressed.** Irritable and sensitive; every little hurt pains terribly. Sensitive to odors and impressions. Unequal puovils. Acrid tears. Dark nostrils. **ACUTE SMELL; odors nauseate**,—even to fainting, etc. Pinched, sunken face. Mouth hangs open. Flow of saliva, with a sense of dryness. Glossitis. Thirsty, but **LOATHES THE SMELL, or sight of food**; > lying quietly. **NAUSEA.** Retching. Burning or icy coldness in stomach. Meteorism. Diarrhœa, then gouty effects. Choleraic or shreddy, gelatinous, mucus stools, then tenesmus or spasm of anus. Mucous colitis; after dysentery. Tenesmus. Urine sedimentitious; black. Nephritis. Chest seems squeezed by a band. Cutting or stinging at heart. Weak heart. Cold limbs. Heat on rump. Sweat, cold on face; sour at night.

Complementary : Ars. Spi.

Related : Ars. Carb-v. Ver-a.

COLLINSONIA.**REGION.**

Pelvis { **Anus, Rectum.**
 { **Uterus.**
 { **Bowels.**

Heart. Pharynx. Liver.**WORSE.**

PILES { **During**
 { **Suppressed.**

Night.
Pregnancy. Cold.
Excitement.

Congestions; pelvic; reflex from or combined with hæmorrhoids, especially cardiac (Lycps.). Constrictions. **Swelled feeling, in limbs, vulva, clitoris, etc.****Speaker's sorethroat or cough.** Colic. Acrid diarrhœa; destroying the hair. Light, knotty stools. **Rectum; aches; burns, seems dry and full of sticks or sand; with cardiac pains.** Constipation or piles of pregnancy. **Piles (bleeding); alternating with heart, chest or rheumatic symptoms.** Prolapsus, ani, uteri, etc. **Itching of vulva**

or anus. Varicocele. Palpitation. Flushes of heat ; with piles ; with oppressed breathing.

Related : Lycops. Nux-v. Sul.

COLOCYNTH.

REGION.

NERVES { TRIFACIAL.
(Large) { ABDOMINAL.
 { Spinal.
 { SCIATIC.

DIGESTIVE TRACT (NAVEL).

INTESTINES.

Ovaries. Kidneys.

Left Side.

WORSE.

EMOTIONS. VEXATION.

Chagrin. Anger.

Lying on Painless Side.

Night, in Bed. Drafts.

Taking Cold.

BETTER.

HARD PRESSURE. Coffee.

Heat. Rest. Gentle Motion.

After Stool or Flatus.

Acts on digestive tract, then longer on spinal nerves. **SUDDEN, ATROCIOUS CRAMPINGS**, gripings, tearings, etc., making him **TWIST, turn or cry out in pain** ; with nausea or diuresis. Convulsive jerks or constrictions during pain (Ign. Lyc.). Lightning-like pains. **CUTTING**, pinching, clamping, gnawing or boring pain ; then numbness. Parts seem too short. **Constriction**. Neuralgia. Anger ; easily vexed ; < pains. Tearing head pains, < moving eyelids. Faceache (I) ; with eye symptoms or alternating with cœlialgia. **Distorted face**. Persistent bitter taste Gas colic (flatulent colic). **WAVES OF VIOLENT CUTTING, GRIPING, GRASPING, CLUTCHING OR RADIATING ABDOMINAL COLIC DOUBLE HIM UP ; > HARD PRESSURE ; < least food**. Cutting in bowels ; at navel. Pressure > at first then <. **Intestines feel squeezed between stones**. Pains alternating between ovaries. **Ovaralgia**. Vomits from pain. **Yellow, frothy, watery, shreddy, sourish or gelatinous stools ; with colic and gas**. Dysentery. Slippery bubbles escape from anus. Gelatinous, sticky or stringy urine. Heart feels pushed up by a distended stomach. Pain under r. scapula, > pressure (Bry.). Lumbar ache, > pressure. **Cramps in hips**. Screwing, band-like or shooting sciatic pains ; < least motion, rotation or night, > lying on painful part. Limbs drawn up like a hedgehog. Urinous sweat.

Complementary : Caus.

Antidote : Op.

Related : Stap.

COMOCLADIA.

REGION.

Skin.

WORSE.

Heat.

Eyes. Nose.

BETTER.

Right Side.

| Open Air.

EDEMA ; of reduced skin. Burning, itching of eyes and nose, with violent sneezing. Sore eyeballs. Pain from under l. breast through to scapula. Cough. Wandering rheumatic pains. Eczema ; recurrent.

CONIUM.

REGION.

NERVES. MUSCLES.

GLANDS { MAMMÆ.
 { Ovaries.

Sexual Organs.

Respiration.

WORSE.

SEEING MOVING OBJECTS.

ALCOHOL. Raising Arms.

After Exertion. Injury.

Night. Sexual Excesses.

Cold ; Taking. Continence.

Old Age. Lying ; Head Low.

BETTER.

Letting Part Hang Down.

Irregular action ending in **progressive DEBILITY**, as in old age : clothes distress, faints at stool, difficult articulation, uncertain gait, etc. Trembling ; looks old. Chronicity. Early senility. Cachexy. Paralysis. Suddenly sick or weak ; with numbness. **STONY HARDNESS**. As of a lump in brain, in epigastrium. New growths. Hard blood-vessels. Ascending symptoms. Tearings. Stabbings.....Slow. Apathetic. Shy people, yet fear being alone. Weak memory. Can't think after using eyes. **VERTIGO**, whirling ; on lying, turning over, least motion of eyes or head, etc. ; senile. Eyes feel crossed ; lids heavy, droop, < outer side. **Photophobia**. Vision, colored. Pulpy earwax. Sour saliva. Cold flatus. Constipation on alternate days. Urine stops and starts ; > standing. Testes enlarged. Cutting, as semen passes ; in ovaries, uterus, etc. Prostatic dribble ; < stool, emotions, etc. Emissions, from mere con-

tact. Menses irregular. **Acrid leucorrhœa**. Tormenting cough from dry spot in larynx ; from tickling in throat-pit ; as if from abdomen. Palpitation ; < exertion, drinking, at stool, etc. **GLANDS HARDEN AND GET SORE**. **Mammæ** ; nodes in ; **congested before menses** ; sticking in ; shrunken ; too much milk, < before menses or at every step. Hot spots on head. Spinal injuries. **Heels** ; as if bone would push through ; shooting in. **Skin greenish**, like an old bruise ; spots on ; foul or eczematous eruption. Hebetude. Coldness in nape, calf, etc. **Hot flushes or sweat on dropping to sleep**. Sweat under eyes, on chin, in poplitæ ; cold on nape or palms.

Complementary : Pho.

Related : Arn. Bar-c. Calc-fl. Caus. Gel. Iod.

COPAIVA.

REGION.

WORSE.

MUCOUS GLANDS { **Genito-
Urinary.**
Bronchial.

Morning.

Rectum. Skin.

| Taking Cold.

FOUL BLENORRHŒA : **bronchorrhœa**, suppuration, etc.
.....Stools of masses of or covered with mucus. **Pulsa-
tion in penis**. Urethra feels wide open. Acrid, scanty, bloody
urine ; odor of violets. **Dysuria**. Catarrh of bladder. Purulent or
acid, milky gonorrhœa. Suppuration ascends urinary tract.
Painful cough, with heat, oppression of chest and foul, bloody
expectoration. Burning in lungs. Rushes of blood to head and
face. Urticaria.

Complementary : Sep.

Related : Tereb.

CORALLIUM RUBRUM.

REGION.

WORSE.

RESPIRATORY ORGANS.

AIR { Change of.
Inhaling.

NERVES.

MUCOUS MEMBRANES.

Eating. Toward Morning.

Almost continuous paroxysms of extremely violent, spasmodic cough, which begin with gasping for breath, are accompanied by a purple face, and followed by exhaustion, and vomiting of stringy mucus. A reverberating, minute gun cough. Cough as soon as he eats. Whooping cough. Sleeps with head under covers. Very red (flat) venereal ulcer. Too hot if covered, but chilled by uncovering.

Complementary : Sul.

Related: Coc-c.

CORNUS.

REGION.

Blood. Liver. Spleen.
Digestive Tract.

WORSE.

Night.
Taking Cold.

Weak and depressed. Liver symptoms, with aching eyeballs. Dark, foul stools, with burning at anus. Diarrhoea. Sallow skin. Sleepy before the chills, with the heat and after meals. Old malarias.

Related : Eup-p.

CRATÆGUS OXY.

REGION.

HEART.

Nerves.

Weak and exhausted ; suddenly. Cardio-hæmorrhagic or lithæmic cases (Lycps.). Irritable. Despairing. Cough, with albuminous expectoration. **WEAK HEART MUSCLES** (r) ; with oppression, stitches or **insomnia**. Cardiac dyspnoea. Myocarditis. Incompetent valves. Cardiac dilatation. Angina pectoris. Pain under left scapula. Dropsies. Pulse rapid, irregular and small. Burning, smarting eruption in back of neck, axillæ and chin ; < heat and sweating ; > washing. Sweaty palms.

Related : Apocy. Strop.

CROCUS.

REGION.

MIND. NERVES.

Eyes.

Circulation.

Female Organs.

WORSE.

Motion.

Puberty.

Pregnancy.

Reading. Heat.

BETTER.

Open Air.

Rapidly changing or alternatng symptoms ; of opposite moods ; of sides ; of mind and body, etc. Single muscles twitch ; upper eyelids, etc. Faint, drowsy and hysterical. Chorea. Jumping about, as of something alive internally. HÆMORRHAGE, dark, stringy, tough. Impressionable, affectionate and moody. Involuntary laughter and weeping ; < music. Hysteria. Climacteric hemicrania ; instead of menses ; > pressure. Dry, burning eyes, as after weeping, or as if in a cool wind. Winks or must close eyes tightly. Lachrymation when reading. Nosebleed, with faintness and cold sweat on forehead ; of young girls. Sexual excitement. Dark, foul, stringy menses. Threatened abortion. Narcotic sleep. Singing during sleep.

Related : Ign. Tarn.

CROTALUS HORRIDUS.

REGION.

BLOOD. Heart.

Cerebro-spinal Nerves.

Liver.

Throat. Occiput.

Right Side.

WORSE.

Lying on R. Side.

Falling to Sleep.

Warm Weather.

Spring. Alcohol.

BETTER.

Light. Motion.

Deathly sick, tremulous and weak. HÆMORRHAGE ; slow ; oozing of dark, thin blood ; pharyngeal. Bloody pus or sweat. Putridity, rapid decomposition and MALIGNANCY. Septic ; tonsils, goitre, ulcers, abscess, etc. Dark or bluish parts. Petechiæ. Gangrene. General burning. Plaintive speech. Timid ; fears evil. Torpid. Forgetful. Mistakes in writing. Delirium.

Faintings. Occipital ache ; in waves from spine. Distorted face on waking. Epilepsy. Dark, besotted face. Grinds teeth. Mouldy breath. Swelled tongue. Stiff palate. Craves pork. Craves stimulants. Bilious vomit. Perineal abscess. Mouldy excretions. Anxious, labored breathing. HEART, weak, trembles, feels loose or turns over ; sensitive to lying on l. side. First one limb then the other is numb. Jaundice. Blood-boils. Horrible dreams ; of the dead. Black-water fever. High fever ; with scarlet skin. Œdema about affected parts.

Complementary : Lycps.

Related : Lach. Sul-ac.

CROTON TIGLIUM.

REGION.

WORSE.

MUCOUS { Bowels.
MEMBRANES { Eyes.

DRINKING.

Eating.

Bladder. Mammæ. Uterus.

Washing.

Skin { SCROTUM.
{ FACE.

Motion.

Receding Eruptions.

Drawn backward feeling ; in eyes ; nipples, etc.

Neuralgia of tongue. Pressure excites rectal pain or a stool. Gurgling or swashing as of water in bowels ; THEN SUDDEN, PROFUSE, GUSHING STOOL OF YELLOW WATER, < DRINKING ; then prostration. Diarrhœa. Cholera infantum. Can't inhale deeply enough. Pain from nipple to back, as child nurses. Nodes in mammæ. Neck and shoulders pain. Violently itching, tense burning, red skin ; sore if scratched, > gentle rubbing. Eruptions ; clustered ; of blisters which burst and form crusts ; vesiculo-pustular (Sep.), < genitals, temples and crown of head. Eczema. Zoster.

Related : Rhus-t.

CUBEBA.

REGION.

WORSE.

Mucous { URETHRA.
Membranes { Bladder.
{ Vagina.

Night in Bed.

BETTER.

Walking About.

Burning rawness. Violent inflammation, then acrid, yellow or green, offensive discharges. Catarrhs.....Veins of forehead distended. Gelatinous, cold stools; with grains like rice. Cramp or cutting-burning after urinating. Stringy gonorrhœa.

Related : Cist. Cop.

CULEX MUSCA.

Œdema. Vertigo; on blowing nose. Menses stain indelibly (Bur-p). Gripping down over hips, then into womb. As of cold air blowing through a hole in clothes on chest or back.

CUPRUM.

REGION.

NERVES { Cerebro-Spinal
 { Axis.

Digestive Tract.

Epigastrium. Abdomen.

Muscles.

Blood.

WORSE.

Emotions : Anger.

Suppressions. Overtax.

Motion.

Hot Weather. Vomiting.

Loss of Sleep. Touch.

Raising Arm.

BETTER.

Cold Drinks.

Pressure over Heart.

Sub-oxidation, affecting the centers of the medulla. **Violent effects;** in recurring symptom groups. **CRAMPS AND SPASMS;** of all kinds; radiating from or of single parts; **extort cries;** tonic, **knottng the muscles;** twisting the head awry; with **trismus** or hiccough; then deathly exhaustion, chills, spasmodic laughter, etc.; in chest; behind sternum; of fingers, **calves** > stretching leg out, or soles, etc.; **nocturnal;** < at menses; epileptic. **Jerkings;** during sleep. Pains; **pressive,** < touch; as from blows, being broken, etc.; in racking darts, through whole body. Continued weakness. Poor reaction. **Easy relapses.** Latency. **Blueness.** **Hypersensitive:** every drug overacts, without curing. **Uneasy.** Nervous, Sense of losing consciousness. **Impulsive.** **Piercing shrieks.** Delirium; loquacious; then cold sweat. Confusion. Melancholy; with spells of fear of death.

Sullen ; tricky ; alternately yielding and headstrong. **Vertigo** ; with internal tremor , > stool. Can't hold head erect or bores it into pillow. Crawling on vertex. Pulls her hair. Meningitis. Eyeballs oscillate behind **closed lids**. **Face livid**, pale or distorted. Closed mouth. Grinds teeth. **Metallic taste**. Puts tongue out like a snake. Loss of speech. Noisy swallowing. Nausea. Vomiting ; violent ; tormenting ; > drinking ; with **agonizing colic**, diarrhoea and shrieks or convulsions. Painful transfixion **cramp**. Hard pressure in epigastrium. Lies on stomach and jerks buttocks up. Tense abdomen. **Frightful colic**, > pressure, < raising arms. Spurting stools ; of green water. Cholera. Suppressed urine. Cramps prevent coition. After-pains. Spasm of glottis. Dyspnoea ; can't bear anything near mouth ; < coughing or laughing. Asthma. Cough ; in violent paroxysms ; coughs herself out of breath ; > cold drinks (Caus.), < deep breathing or bending back ; with cramps, spasms (Zin.) or lachrymation. Whooping cough. **Chest** ; loud rattle in ; painful, constriction of (lower). Jerking hands and feet. Clenches thumbs into palms. Heavy ankles. Repressed or undeveloped eruptions, discharges, etc. (Zin.) Yellow, scaly eruptions. Slow pulse. Icy cold ; afebrile. Chilly. Cold, clammy sweat ; at night. Collapse.

Complementary : Calc-c.

Related : Ver-a.

CUPRUM ARSENICUM.

REGION.

DIGESTIVE TRACT.

Muscles. Nerves.

WORSE.

Touch. Pressure.

Dampness.

Violent cramps and colics ; inflammatory ; in chest, fingers, calves, toes, etc. ; with obstinate hiccough or icy cold body. Convulsions. Chorea. Sharp, shooting abdominal pains.* Visceral neuralgia. Intestinal catarrh. Cholera infantum. Vomiting and diarrhoea ; with **uræmia**. Rice water stools. Weak heart. Cold, clammy, intermittent sweat. Leg cramps, > pressing foot on floor (Stry-p). Numb, paralysed feeling in legs.

Related : Cup.

CYCLAMEN.

REGION.

Cerebro-Spinal Axis.

Vision.

Blood.

Digestive Tract.

FEMALE SEX ORGANS.

WORSE.

Cold. Evening. Fresh Air.

Sitting. Fats.

BETTER.

Motion. During Menses.

Weeping.

VISUAL EFFECTS or **vertigo**, from menstrual or gastric disorders. Dreads open air. Chlorosis. Dull, sad, sleepy and morose. Self-reproaches. Silent weeping. The room seems too small (Berb. Nat-c.). Brain feels wrapped up. **Pain in l. temple.** Prolonged migraine. Convergent squint. Blurred vision (Nat-m.). **Fluttering, glittering or black vision.** Sees stars. Sneezing, with itching in ear. Anosmia. Lost or salty taste. **Hiccough**; < pregnancy; with yawning. Hiccoughy eructation. Nausea in throat. Craves lemonade. Quick satiety. Loathing and nausea from the least food. Hyperemesis. Diarrhoea, < coffee. **Menses**; excessive, early, dark or changeable; clotted; membranous; less if in motion. Dysmenorrhoea. Coughs, without waking. Air seems to stream from nipples. Swelled breasts; < after menses. Milk in virgin breasts. Weakness; < in knees. Burning, sore heels. Pains in thinly covered bones. Chilly all over. Chilly, not > covers. Offensive sweat.

Related : Pul.

DAPHNE INDICA.

REGION.

Muscles. Bones.

Left Side.

WORSE.

Cold Air. Waning Moon.

Evening in Bed.

Parts—head, arms, etc.—seem separated from body (Bapt. Psor.). Bruised pain. **Fetor.** Exhaustion..... Sad. Head feels big. **Tongue, coated on one side only** (Irid. Rhus-t.). Sleepless; from bone aches. Clammy sweat.

Related : Rhus-t.

DICTAMNUS.

REGION.

Female Organs.
Nerves.
Sleep.

WORSE.

Standing.

Increased secretions. A lump rises in throat. Bearing down, with bilious vomiting, < standing on feet. Menses early; of black clots; preceded by blindness. Sensation of milk flowing into mammae. Cramps from anterior thighs into uterus, before menses. Somnambulism (Pho.). Dreams of piercing bodies of her children together (Pho.).

Related: Pul.

DIGITALIS.

REGION.

Vagus.
HEART; Muscle.

CIRCULATION { Liver.
Lungs.
Stomach.

Occiput.
Genito-Urinary Organs.

WORSE.

Raising Up. Exertion. Heat.
Lying on L. Side. Motion.
Smell of Food. Cold Drinks.
Excesses: Sexual.

BETTER.

Rest. Cool Air.
Lying Flat on Back.

WEAKNESS, faint-like; can hardly talk. Heart slow, with indefinite or causeless symptoms. **HEART SLOW**, weak or irregular; quick, on motion; with liver or sexual symptoms; at puberty. Must walk about, with precordial anxiety; with teasing to urinate. Anxious solicitude. Dizzy. Crashes in head; on dropping to sleep. Spastic hemicrania. Yellow-red conjunctiva. Seething in ears. Face pale; bluish, also lips and tongue. Thick, flabby tongue. Much thirst, little appetite (Sul.), but no fever. Deathly nausea or with faint sinking at pit of stomach. Liver sore, swelled. White, putty-like stools. Dribbling urination. Dropsy. Throbbing in neck of bladder. Early morning erection. Swelled prostate; senile. Atonic night losses. Glans inflamed; gonorrhoea of (Jaca.). Profuse, thick, yellow-white

gonorrhœa. Slow breathing. Cough, with pains in shoulders and arms. **HEART** ; weak ; feels like **stopping** ; sprains ; palpitation. Slow, intermittent pulse. Numb or weak left arm. **Drowsy**. Dreams of falling ; wakes with a shock. Cold skin. Flushes of heat, then great weakness. Cold, clammy sweat.

Related : Glo. Spl.

DIOSCOREA.

REGION.

NERVES { Cord.
Abdominal.
Sciatic.

Navel.
Gall-Bladder.
Right Side.

WORSE.

Doubling Up. Lying.
Tea ; Eating.

BETTER.

Stretching Out or
Bending Back.
Motion ; in Open Air (Mag-c.
Pul.).
Hard Pressure.

A remedy of pains, of all kinds. **UNBEARABLY SHARP, CUTTING, TWISTING, GRIPING OR GRINDING PAINS** ; that dart about or radiate ; to distant parts, arms, etc. ; in **paroxysms** ; cease suddenly, then start in a different place ; periodical. **Shudderings**, from pain, etc.....Nervous and easily troubled. Confused, full head. Sensation as if head were crushed down (Dio.). Eructations ; with hiccough. **Cardialgia**. Pains shoot from liver to right nipple. Violent **abdominal colic**, > motion ; pains go into back, chest or arms. **Flatulence**. Darting, from anus to liver. Piles like a bunch of cherries. Weakening morning diarrhœa, without relief. Erections lasting all night. Cold, relaxed sexual organs. Atonic emissions, then weakness ; < knees. Violent **dysmenorrhœa**. Chest or cardiac pains radiate into both arms. **Felon**. Burning, numb, sciatic (r) pain, < motion. **Hamstrings** seem too short. Cold, clammy sweat ; of strong odor on genitals.

Related : Colo. Mag-c.

DIPHATHERINUM.

REGION.

Blood.

THROAT.

WORSE.

Lying. Cold.

Milk.

Weak and restless, but without pain, or aching, breaking joint pains, > lying. Wants to be held. Drawing in muscles, then sudden snap. Jerking of single parts. Internal trembling. Sees visions. Carphology. Moisture at edge of hair. Fanning of alæ nasi, with snoring. Yellow, thick nasal discharge. Flushed face; center of cheeks purple. Moist tongue, with red tip or a dark red spot back of tip; red papillæ. Throat dark. Thick, gray membrane; on tonsil (l). Feter. Wants cold air down throat or craves cold drinks. Diphtheria; prophylactic; painless; relapsing. Post-diphtheric paralysis. Obstinate tonsillitis. Faintness at stomach, > sips of milk. Dry, hot palms; they feel withered. Dry skin. Talks in sleep, with open eyes. Low temperature. Chilly, then hot.

Related : Carb-ac.

DROSER.

REGION.

RESPIRATORY ORGANS.

Bones { Long (Stil.).
 { Joints.

Larynx.

Chest. Lungs.

Glands.

WORSE.

After Midnight.

On Lying down.

Warmth. Talking.

Cold Foods.

Laughing. After Measles.

BETTER.

Pressure.

Spasmodic, catarrhal and hæmorrhagic effects. Tuberculosis; of bones..... Easily angered. Desire to drown himself. Sensitive to sour odors. Painful sneezing. Putrid taste. PROLONGED, PERIODICAL FITS OF RAPID, INCESSANT, DEEP BARKING OR CHOKING COUGH; as if from abdomen; taking away the breath; compel holding the sides and ending in retching, vomiting (first of ingesta, then of mucus), nosebleed or cold sweat; followed by loquacity. Typical whooping cough. Tickling like a feather or crumb in larynx. Bloody,

purulent expectoration. Hoarse, toneless voice. Constriction of chest. Stitches below axillæ. Writers' cramp.

Complementary : Sul.

Related : Coc-c. Cor-r.

DULCAMARA.

REGION.		WORSE.	WHILE HOT.
MUCOUS	{	{	Sudden Change of Temperature. Uncovering. COLD WET; Feet, Ground, Cellars, Beds, etc.
MEMBRANES			
		BEING	
BACK	{	CHILLED	
SKIN.			
Umbilicus.		Suppressed Discharges, Sweat, Eruptions, etc.	
Lymphatics.		Autumn. Night. Rest. Injuries. Mercury. Before Storms.	

Excessive secretion of mucus. Catarrhal—rheumatic—herpetic tendency. Stiff, numb, achy and sore from every exposure to damp cold. Tearing. Paralytic effects. Gripping in bowels, testes, etc..... Confusion. Depression. Scolding. Difficult speech. Easily becomes delirious. Occiput feels large. Ringworm of scalp. Aching in nose. Coryza ; stuffed ; summer colds, with diarrhœa. Nose obstructed by the least fresh air. Nosebleed ; replaces menses. Thick, brown-yellow crusts on face. Swelled tongue. Tenacious, soapy saliva. Cutting at navel ; then painful, green, slimy stools. Sour, watery stools, < night. Every cold settles in eyes, throat or affects bladder (Pul.), bowels or respiration (Sul.). Frequent urination. Cloudy, slimy or foul urine. Cystitis. Dropsy. Enlarged testes, with gripping pains. Watery menses. Cough : caused by tickling in back of throat ; in prolonged fits ; with much loose, easy expectoration. Eruptions ; scaly, thick, crusty, moist, bleeding or herpetic ; < before menses. Urticaria. Pruritus. Large, smooth, fleshy, flat warts. Coldness ; in occiput ; lumbar region ; in bowels ; icy, of paralyzed part. Chilliness starts from back ; not > warmth ; < evening. Chill with urging to stool and urinate. Foul sweat.

Complementary : Bar-c. Nat-s.

Related : Rhus-t

ECHINACEA ANG.

REGION.

Blood. Circulation.
Gums. Lymphatics.
Left Side.

WORSE.

Eating. Injury. Operations.
BETTER.
Rest.

Weak, tired and achy. Slow speech, gait, replies, etc. **Weakness**, in stomach ; in bowels ; **of heart** ; in knees ; with vertigo. Sepsis. Lymphangitis. Rheumatism. Depressed or cross and out of sorts. Can't exert mind. Sharp pain deep in brain ; it seems too large. Throbbing through temples. Hot, burning forehead. Twitching brows. Bluish face. Teeth sensitive to drafts of air. Mucus, frothy in mouth ; hawks from throat. Tongue numb. Peppery taste. Aphthæ, **Nauseated and chilly**. Sour, bloody vomitus ; like coffee grounds. As of a load in posterior liver. Blood follows stool. Seminal emissions. As of a lump under sternum. Burning under l. scapula. Hands, numb alternately or restless ; on awaking. Dreams of difficulties ; laborious or quarrelsome. **Irregular chills, heats and sweats**. Chill in l. occiput. Sweat on upper parts ; on forehead. Increasing, but variable pulse.

Related : Arn. Pyfo. Rhus-t.

ELAPS.

REGION.

Blood. Nose. Ears. Throat.
Right Side.

WORSE.

Approach of Storms.
Cold ; Drink or Food.
Dampness. Night. In Room.

Black discharges ; hæmorrhages, etc. Internal coldness ; in chest ; < drinking. Adynamic sepsis. Oscillatory motions. Twisting spasm, then paralysis ; œsophageal. Right side feels paralyzed, weak or insensible. Wrinkled mucous membranes (Ars.). Fear causes chattering teeth and trembling. Fears rain. Black rings before l. eye. Deafness ; at night. Stuffed feeling in nasopharynx. Green-yellow crusts in nose. Ozæna. Nosebleed. Red spots on face. Drinks feel like ice in stomach. Stools of black, frothy blood. Air hunger. Painful cough. Pain at apex

of r. lung. Weak arms. Peeling palms and fingertips. Rushes of blood to head. Icy cold feet. General cold sweat.

Antidote : Cedron.

Related : Crot-h. Helod.

EPIPHEGUS.

REGION.

Nerves.

Stomach.

Liver.

WORSE.

Fatigue; Nervous; of Shopping.
Eyestrain.

BETTER.

Sleep.

Confusion. Like fingertips pressing into temples. Compressive (r.) headache, going backward; < until 4 P. M. then >; with **spitting of viscid saliva** and nausea. Weekly headaches. Neurasthenia. Tartar on teeth.

Related : Ign. Iris.

EQUISETUM.

REGION.

GENITO-URINARY

TRACT.

WORSE.

At Close of Urination.

Pressure.

Aching, full, tender bladder. Cystitis. Prickling, burning, or cutting in urethra. Dysuria. **NOCTURNAL ENURESIS**; with irritable bladder. Dribbling urine. **Mucus in urine.**

Complementary : Sil.

Related : Cantb

ERIGERON.

REGION.

Genito-Urinary Tract.
Joints.

WORSE.

Rainy Weather.

Hæmorrhage; bright, gushing; vomits and purges pure blood. **Congestion.** Smarting-burning. Hard aching.
Burning in stomach and abdomen (Ars). Tympanites. Anus

seems torn. **Vesico-rectal tenesmus** (Canth. Merc-c.). Aching in bladder. Retained urine. **Dysuria**. Sticky sweat on genitals. **Ecchymoses**.

Related : Canth. Terb.

EUCALYPTUS.

REGION.

Mucous Membranes.

Blood. Muscles.

Respiration.

WORSE.

Periodically.

Night.

Aching, stiff and weary, as from taking cold. **Grippe**. **Malaria**. **Migraine**. Sticking, jerking pains at night. **Profuse catarrhal discharges**; acrid; foul. **Rheumatic-hydrogenoid constitution**. Exhausted, toxæmic and hæmorrhagic. **Mental exhilaration**. Burning eyes. **Tinnitus**. Tension across nose. Watery coryza. Pasty tongue. Throbbing in stomach. Weight in bowels. Slow digestion, with putrid gas. **Diarrhœa**; dysenteric; typhoid. **Diuresis**. Cough of influenza. **Bronchial asthma**. **Bronchorrhœa**; senile. Limbs prickle, then ache. Chill, then nausea and vomiting. Fever with aching. **Vertigo** in all stages. Old malarias.

Related : Chin. Dul. Echin.

EUONYMUS.

REGION.

Liver.

Kidneys.

Left to Right.

WORSE.

Eating.

Crawling; < back. **Vertigo**; in forehead; as if drawn up and pitched forward (Calc-c.). Pressure over brows; compressing eyes. Engorged liver. Gall-stones. Pain about navel. **Profuse stools**; varying or of several colors. **Albuminuria**.

EUPATORIUM PERFOL.

REGION.

BONES. Stomach. Liver.

Occiput.

Bronchiæ.

Muscles { Chest.
Back.
Limbs.

WORSE.

COLD AIR. Motion.

PERIOD- { 7-9 A. M.
ICALLY { 3rd. or 7th. Day.Lying on Part. Coughing.
Smell or Sight of Food.

BETTER.

Vomiting Bile. Sweating.

Lying on Face.

VIOLENT, ACHING, BONE-BREAKING PAINS (Coccl. Pyro. Rut.). Bruised, sore ache, < back. Restless, chilly and nauseated. Colds. Grippe; and catarrhal sequelæ. Bilious effects; yellow eyes, face, vomit, etc. Weakness. Vertigo; sways to left; < lying on r. side; > vomiting. Sore throbbing head pains, < occiput; alternating with gouty pains. Sensation as of a metal cap on head. Migraine. Vomits bile at height of head pains, then >. Sore, aching eye-balls. Sneezing. Thirst, but drinks excite bitter vomiting or chill. Whitish stools. Urine now profuse, now scanty. Hoarse in A. M. Painful cough, from a laryngeal tickle; it hurts head; must hold chest. Raw, hot, sore chest and bronchi. Intense backache; as if beaten; ascending. Aching lower limbs. Bruised pain in calves. Dropsy of legs. Painful, gouty nodes. Thirst or nausea, then violent shaking chill; begins in small of back. Bitter vomiting, after chill or during heat. Burning heat. Scanty sweat. Malaria. Catarrhal fevers.

Complementary: Nat-m. Sep.

Related: Bry. Nux-v

EUPATORIUM PURPUR.

Bone-breaking pains. Urinary stream smaller.

EUPHORBIIUM

REGION.

Mucous Membranes.

Bones.

Skin. Teeth.

WORSE.

Sitting. Rest.

Beginning Motion

Mercury.

Internal burning ; in bones at night. Caries. Much secretion, with a sense of dryness. Paralytic weakness ; in joints. Slow inflammation..... Much abortive sneezing. Coryza, with swelling. Ozæna ; acrid. Mouth feels coated with rancid grease (Iris.). Brittle, crumbling teeth. Stitches from epigastrium into sides of chest on coughing. Erysipelas ; bullosum ; right side : of mucous membranes. High fever.

Related : Nit-ac. Sul.

EUPHRASIA.

REGION.

MUCOUS
MEMBRANES { EYES.
 { Nose.
 { Chest.

WORSE.

SUNLIGHT. WIND.
Warmth. Room.
Evening.

BETTER.

Open Air. Winking.
Wiping Eyes.

Free, acrid, watery secretions. Acute catarrhs. Acrid pus. WATERY EYES ; swimming in tears ; as of a hair before them, wants to wipe them. ABUNDANT, ACRID OR HOT, SMARTING TEARS, with bland coryza ; < open air, lying or coughing (Chel.) ; leaving a varnish-like mark. Photophobia ; with spasm of lids. Pressive, cutting eye-pains. Sticky eye-gum. Red, burning-itching tarsi. Violent injection. Conjunctivitis ; of measles. Thick yellow or acrid discharge from eyes. Chemosis. Chronic sore eyes. Gushes of fluent coryza. Loose cough. Easy expectoration, in day time only, less on lying down at night ; (reverse—Thu.).

Related : Cepa.

FAGOPYRUM.

REGION.

Digestive Organs.

Skin.

WORSE.

Scratching. Sun-light.

BETTER.

Cold Bathing. Coffee.

Itching ; eyes ; ears ; posterior nares ; anus ; deep in hands ; legs, etc.
 Pain along lachrymal duct. Scalding, hot, sour eructations.
 Cardiac pain to shoulder and l. arm ; > lying on back. Pruritus
 vulvæ ; with yellow leucorrhœa, < rest. As if neck could not
 support head. Pains along fingers.

Related : Pul.

FERRUM.

REGION.

VASO- { CIRCULATION.
 MOTORS { Blood-vessels.

Blood.

Spleen.

Digestion.

Left Deltoid.

WORSE.

NIGHT. Emotions.

Violent Exertion.

Eating. Drinking.

Vital Losses. Sweats.

Quinine. Eggs.

Heat and Cold. Sudden Motions.

Raising Arms.

BETTER.

Gentle Motion.

Slight Bleeding (Calad.

Card-m. Lach.).

Leaning Head on Something.

Pale mucous membranes. False erethism or plethora ; weak ; lies
 down. **Excited, irregular surgings.** Wandering orgasms ; head,
 face, chest, etc. **Pulsations.** Hæmorrhages (bright or with small
 clots) ; in rapidly growing youths. Relaxed blood-vessels ; dilated
 veins, < during menses, etc. **Red faced old men.** Exophthalmos.
 Pressure on chest, stomach, etc. Nightly pains that **compel motion**
of part. **Dry** ; food seems ; vagina, etc. **Rapid emaciation.**
Anæmia. Cachexy. Irritable mind and body.....
 Always in the right ; excited by the least opposition. Weeps
 and laughs immoderately. **Sensitive** and excitable ; < least
 opposition. **Brain-tire.** **Throbbing, hammering headache,**
 starts in the temple ; < cough or stooping ; > letting hair
 down ; with vertigo. Pain over l. eye. **Blind attacks.** Puffy
 eye-lids. **Nose-bleed.** **Face flushes** and pales or reddens from
 the least thing ; florid ; feels bloated. **Erethistic chlorosis.** **Tooth-**
ache, > ice water. Stomach won't tolerate any food. Averse
 to meat. **Spits up his food.** Nausea at mid-night. Easy vomiting.

Diarrhoea; painless lientery; < while eating; nightly gushing; spluttering; alternating with constipation; < if nervous or tired. Chronic nephritis. Enuresis by day only. Emissions; nightly, with backache; after over-exertion. Raw vagina, < coition. Menses pale; intermit. Leucorrhœa; acrid, milky, watery, at puberty. Changeable voice. Dry, tickling cough. Blood-spitting (streaked). Constriction of or flying stitches in chest. Dyspnoea or palpitation, > motion. Sudden cramps or tearing boring in limbs. Cracking joints. Omodynia. Swelled hands and feet. Heels pain, if lies on back. Sleepless. Chill, with red face and thirst. Heat, with distended veins. Sweats, clammy, yellow, cold, acrid or debilitating. Soft pulse.

Complementary: Chin.

Related: Arn. Mang.

FERRUM PHOSPHORICUM.

REGION.

Vaso-Motors.

Venous { LUNGS. Ears.
Circu- { Nose (Root).
lation { Eustachian Tube.

WORSE.

Night (4-6 A. M.). Motion.
Noise. Jar. Cold Air.
Checked Sweat.

BETTER.

Cold. Bleedings.
Lying Down.

Anæmic blondes. FULL, SOFT, FLOWING PULSE. Hyperæmia.

Acute exacerbations, phthisis, rheumatism, etc. **Passive congestion** and weakness. **Bloody** (streaked or meat water) **discharges**. Bruised soreness; chest, **shoulder**, muscles. Inflamed soft parts. Burning rawness. Keeps quiet. Anger. **Excited** and talkative. Cerebral irritation. Throbbing headache with sensitive scalp. Headache; shooting pains, aching from vertex down over sides of head; with **earache** (Pul.), > nosebleed. Suffused eyes. **Violent earache**. Acute otitis; media. Colds cause deafness. Tinnitus, < lying. Face pales and reddens alternately. Vomits ingesta. **Frequent stools of bloody water**. Diarrhoea. Impending hydrocephalus. Nephritis. Enuresis. Urinates after every drink (Sarsa.). Menses early, with heavy pain on vertex. Laryngitis; of **singers** (Aru-t.).

Cough; hacking; < morning and evening. Cough, tormenting, spasmodic. Chest heavy, sore or congested. Omodynia. Jerking limbs. Drowsiness. Chill, with desire to stretch. Heat with sweaty hands. Sweatiness. Fevers; continued; infectious; pneumonia; intercurrent. Measles; hæmorrhagic.

Complementary: Kali-m.

Related: Gel.

FLUORIC ACID.

REGION.

FIBROUS { VEINS.
TISSUES { Skin.

Bones.

Mastoid.

WORSE.

HEAT; of Room. Night.
Alcohol. Sour Foods.

BETTER.

COOL BATHING.
Rapid Motion. Short Sleep.
Bending Head Back. Eating.

Always too hot wants to bathe in cold water. Pale, miserable, cachectic, flabby and broken down. Slow, deeply destructive effects. Puffy, indurated or fistulous tissues. Palmar abscess. Felon. Caries. Bed-sores. Ulcers. Œdema. Secondary syphilis. Thin, foul, acrid or salty discharges; that cause itching.....
.....Necessity to be always in the move. Impulse to walk fast. Melancholy. Lecherousness. Stunning headache; > urinating. Brittle, tousy hair. As of a cold wind in eye. Lachrymal stricture. Deafness, > bending head back. Puffy glabella. Thin enamel. Teeth decay rapidly; < at roots. Fissured tongue. Gnawing hunger; for pungent or cold things. Stale eructations. Itching or burning at anus. Upward drawing in urethra (down—Merc.). Profuse, acrid leucorrhœa. Sexual erethism. Œdema of scrotum. Distorted nails. Varicose veins; varicocele. Dry, harsh, itching or cracked skin; seeming to emit a hot vapor. Scars surrounded by pimples. Keloid. Ebullitions of heat; with pains in bones. Acrid, eroding sweat; excites itching. Oily, pungent sweat on genital. Sweat on hands and feet.

Complementary: Sil.

Related: Calc-sul. Pul. Sul-ac.

FORMICA.

REGION.

Joints.

Spine.

Liver. Kidneys.

Right Side.

WORSE.

Cold; Wet. Motion.

Before Snow-storms.

BETTER.

Pressure.

Sudden rheumatic or gouty pains. Takes cold easily. Tuberculosis. Hyper-plasia. Light, foaming stools. Hydrops ovarii. Nervous asthma. Hives, in flat plaques. **Profuse sweat,** without relief.

Related: Rhus-t. Urt-u.

FRAXINUS.

REGION.

Uterus. Nerves.

WORSE.

Injury. Sprains. Lifting.

Nervous females with enlarged or prolapsed wombs. Must talk. Hot spot or dryness on vertex. Throbbing in occiput. Heavy abdomen with bearing down or falling out sensation. Sensitive left ovary. Profuse menses or leucorrhœa. Cramps in feet. Hot flushes.

Related: Sep. Vib.

GAMBOGIA.

REGION.

Stomach and BOWELS.

Liver.

WORSE.

AFTER STOOL.

Motion in Open Air.

Burnings. Burning pains. Itching eye-lids; he rubs them (Ign.). Sneezing. Gurgling, pinching in bowels, then sudden yellow or green, **THIN STOOLS COMING OUT IN PROLONGED GUSHES,** with burning at anus and much relief.

Related: Crot-t.

GELSEMIUM.

REGION.

CIRCULATION.

BRAIN { OCCIPUT.
CORD { Base.
Neck.

MOTOR { MUSCLES. Knees.
NERVES { EYES { LIDS.
VISION.

MUCOUS { Nose.
MEMBRANES { Gall-Ducts.

Right Side.

WORSE.

EMOTIONS; DREAD. Surprise. Shock. Ordeals. Motion. Weather { SPRING. Foggy.
HUMID. Muggy.
Heat of Summer. Periodically. Dentition. Tobacco. Gas.

BETTER.

Profuse Urination. Sweating. Shaking. Alcoholic Drinks. Mental Effort.

ACHING, TIRED, HEAVY, WEAK AND SORE; < limbs.

Grippe. Overpowering aching. Heavy single parts, heart, liver, etc. Lies quietly, half reclining. Nerve exhaustion. Dull, drowsy and dizzy. TREMOR; or twitches of single muscles, face, chin, tongue, etc.; wants to be held. Chorea, of pregnancy. Paretic effects; eyes, throat, anus, bladder, etc. Inco-ordination. Fulness. Passive congestion. Symptoms accompanied by vertigo, eye or visual effects, drowsiness or polyuria.

CONFUSED, dazed, apathetic, torpid, dull, drowsy and dizzy, or indifferent; answers slowly. DREAD of falling; of ordeals, death, pains, etc. VERTIGO; drunken; in occiput. Headache; dull, HEAVY, band-like, occipital, to over eyes; < tight hat; swelled feeling; basilar. Meningitis. Apoplexy. Suffused, sore, aching eyes. HEAVY, DROOPING EYELIDS. VISION; double; swimming; blind spells; affected, then migraine. Face full, dusky-red; heavy, expressionless; besotted. Ciliary neuralgia; pains into ears on swallowing. Pains to occiput. Nose stuffed. Sneezing; thin, acrid coryza. Sensation as of hot water flowing from the nostrils. Heavy tongue; thick speech. THIRSTLESS. Gripping in gall-bladder. Copious, yellow stools. Painless, nervous diarrhoea. Rectal pains after labor. Clear, watery urine, > headache. Alternate pelvic and head symptoms. Atonic seminal losses. Heavy, sore uterus; it feels grasped. Dysmenorrhoea. Labor pains go up, backward or down thighs. Rigid os. Deep yellow leucorrhoea.

Hoarse, during menses. Tiresome breathing. Chest; as of a lump behind sternum; congestion. Heart sore; threatens to stop, must move. Spine, dull pains up and down, > walking; with occipital pain. Pains under scapulæ. Hard ache in r. humerus. Wants hands in cool water. Heavy lower limbs. Weak knees, < descending. Tottering gait; can't direct his legs. Moist, yellow skin. DROWSINESS; starts on dropping to sleep. Heavy, stupid sleep. Full, round, soft pulse. Blood rushes from occiput to forehead. Visual disturbances, then chill. Chilly and achy; with languor (Sil.); mingled or alternating with heat; up and down back. Cold hands and feet. Heat with sopor. ABSENCE OF THIRST, or trembling. Cold sweat on genitals. Fevers; bilious-remittent; malarial; cerebro-spinal. Measles. Ebullitions and heats. Sluggish fever. Shuddering chill.

Complementary : Arg-n. Sep.

Related : Con. Ign. Mur-ac. Nat-m. Sep. Ver-v.

GLONOID.

REGION.

| WORSE.

BRAIN.

HEAT { ON HEAD.
Overheating.
OF SUN, Lamp, etc.
HOT WEATHER.

VASO- { CIRCULATION.
MOTORS { HEAD (Forehead).
HEART.

MOTION { SHAKING. JAR.
Bending Head
Back. Injury.

Wine. Suppressed Menses.
Fruits.
Weight of Hat. Hair Cut.

Mastoids.

| BETTER.

Open Air. Elevating Head.
Cool Things.

Respiration.

| Cold Application, Bathing, etc.

A tempestuous remedy, full of VIOLENT PULSATIONS. EBULLITIONS or irregular congestion; general P.; with numbness. UPWARD RUSHES OF BLOOD. As if enlarged, distended or being smaller. Bursting, expansion or enlarged feeling of eyes, head, tongue, etc. Pains that come long after injuries.....
.....Confused, bewildered; loses himself. Sinks down

unconscious. Sun-stroke. Apoplexy. Congestion to head in suppressed menses, eclampsia, albuminuria, etc. WAVES; OF TERRIBLE BURSTING, POUNDING HEADACHE, as if standing on head; expanding and contracting or blood surging back and forth from head, < carotids to heart; alternating between temples; < sunshine; < damp days. Cracking, snapping, shocks, explosions or soreness deep in brain. Head lies too heavy on pillow. Pains in malar bones, ending in a headache. Numb, sore vertex. Sharp, shooting behind ears. Red lower eyeballs or lids. Staring, dry, protruding or sunken eyes; lids stick to balls (Guai.). Blind spells. Bluish face. Veins of temples swelled. Heavy tongue. Thick saliva in A. M. Throat feels swelled. Heavy breathing. As of a load on chest. Heart seems full, quivers; strong pulsation, and into (l) neck. Violent palpitation. Cardiac pains; radiate to all parts; toward arms. Cardiac pains, < leaning backward or wine. Neck feels full and stiff. Trembling hands. Awakes fearing apoplexy. Full, tense pulse. Venous pulse. Heat on crown of head and along spine. Burning in small areas or single parts. Heat, with hot sweat. Horrible sinking in epigastrium.

Complementary: Bell.

Related: Amy-n. Bell.

GNAPHALIUM.

REGION.

WORSE.

Walking.

NERVES { SCIATIC.
Crural.
Abdominal.

Cold Damp.

BETTER.

Flexing Limbs. Sitting.

Intense sciatic pains; alternating with or followed by numbness or formication. Offensive diarrhoea with colic, < morning.

Related: Colo.

GOSSYPIUM.

REGION.

WORSE.

Uterus. Ovaries. Kidneys.

Motion.

Uterine reflexes.....Flow of saliva. Nausea on awaking. Vomits on motion or raising up. Hyper-emesis. Sensitive stomach, with much gas. Ovarian pains extend toward uterus. **Uterine torpor.** Cervical pain. Sensitive womb. Menses late, scanty and watery. Related: Senec. Ustil.

GRAPHITES.

REGION.

NUTRITION. Circulation.

SKIN { **Folds.** Behind Ears.
Angles. Flexures.
Orifices. Nails.

Mind.

Mucous Membranes.

Glands. Eyes.

WORSE.

COLD. Drafts. **Light.**

During Menses.

Suppressions of Eruptions.

Empty Swallowing.

Fats. Hot Drinks.

Warmth of Bed. Scratching.

Night. Wet Feet.

BETTER.

Open Air; After Walking in.

Eating. Touch.

LUMPY, THICK OR HARD (Chin. Thu.); **skin**, glands, tarsi, nails, **scars**, callosities, stools, **crusts**, etc. Infiltrations. **EX-CORIATIONS. CRACKS OR FISSURES**; in **angles**; at margins of mucous membranes; of eyes, nostrils, mouth, finger-tips, nipples, anus, etc. **Emaciation**; of affected part. **Scanty, foul, thin, sticky, corrosive** secretions. Watery hæmorrhages. Sense of **burning**, numbness or deadness. Pains go to part not lain on. **Fat, relaxed, chilly and costive.**Impulse to groan. **Sad, fearsome and irresolute.** Music brings tears. Brain feels numb. Burning spot on vertex. Heavy occiput. Wens. Matted, brittle or falling hair; < vertex and sides. Milk crust. Sore or cracked outer canthi. Scrophula of eyes. Pale tarsi. Ingrown lashes. **Photophobia.** Inflamed or dry, scaly tarsi. Scales from ears. Briny otorrhœa. Tinnitus. Hears > in a noise. **Moist eruption behind ears.** Dryness in ears and nose. **Nose**; stuffed coryza; bleeding, < before menses. Acute smell. Sensation as of a cobweb on face. Acne before menses. Barbers' itch. Lumpy goitre. Rotten taste. **Dots of thick, white fur on tongue.** **Choking**; on swallowing, from goitre, etc. Sour: taste, eructation, blood about teeth, stool, urine, odor from mouth, sweat, etc. Hunger. Averse to meats and sweets. Alternate

digestive and skin symptoms. Gastric pains—burning—necessitate eating. Morning sickness during menses. Can't bear pressure about waist. Foul belching. **Flatulence**. Stomach > heat, hot food, eating and lying. **Abdomen distended**, as from incarcerated flatus. **Intestinal torpor**. Large, knotty, difficult, stringy, slimy coated stools; or loose, brown, lienteric and very foul. Constipation; for days (Sep.). Fissures of anus bleed and ulcerate. Stool of masses of mucus. Slender stool and urinary stream. Priapism. Sexual exhaustion. Itching of anus and pudendum; before menses. Averse to coition. Swelled (l) ovary. Cramps in various places or burnings. Indurations; ovaries, mammae, etc. Menses irregular; late, scanty, painful, etc.; cold taking, morning sickness or sweats during. Gushes of irritating, white leucorrhœa; instead of menses. Suffocation, after mid-night, > eating. Voice lacks control, > using it. Circulation irregular. Flushings. Rushes of blood to head. Bunions, < fire heat, > pressure. Can't stretch enough. Paralysed feeling in limbs. Arms and legs go to sleep. Rawness in folds of skin. Eruptions, cracked, moist and bleed easily; < on head and behind ears. **Foul, acrid foot-sweat**; chafes toes. Crippled, crumbling nails. **IRRITABLE, DRY, rough skin, that breaks easily and exudes A GLUEY MOISTURE**; < in folds—and is slow to heal. **MOIST, CRUSTY ERUPTIONS**. Eczema; anal, crural, palmar, etc. Wandering or recurrent erysipelas (Hyds. Rhus-t.). Eruptions, < from heat. **Supersensitive to cold**; it < bone-pains, coryza and stomach. Cold, wet feet. Burning coldness.

Complementary: Sul.

Related: Ars. Calc-fl. Carbons. Fer. Kali-bi. Pul.

GRATIOLA.

REGION.

Gastro-Intestinal Tract.

Mind. Sexual Organs.

WORSE.

Eating.

Drinking too Much Water.

Summer. Motion.

Coffee. Dinner.

Atony. Paralytic pains. Coldness. Weak will. Hypochondriasis. Emptiness after eating. As of cold water or a

loose, heavy load in stomach. Profuse, gushing, watery or frothy, yellow-green, exhausting stools, then relief (Gamb.). Nightly emissions, then erections. Nymphomania. Coccygeal pain. Limb gives way, with sciatic pain.

Related : Mag-c.

GRINDELIA.

REGION.

Pneumo-gastric Nerve.
Bronchiæ. Respiration.

WORSE.

Falling to Sleep.

Profuse secretions.....Suffocates on falling to sleep or on awaking. Asthma. Rattling breathing. Tenacious expectoration. Bronchorrhœa. Cutting soreness about spleen.

Related : Lach.

GUAIAECUM.

REGION.

Secre- { Glands.
tions { TONSILS. Ovaries.
 { Skin.

Fibrous Tissue { Ligaments.
 { Joints.

WORSE.

HEAT. Touch. Motion.
Exertion.
Rapid Growth.
Mercury.

BETTER.

Chest.

Cold (Locally). Apples

Rigid, painfully swelled joints. **Arthritic symptoms.** **FREE, FOUL SECRETIONS**, expectoration, sweats, etc. **Impending suppuration**, quinsy, old bronchitis, etc. **Burning heat**; in affected parts. Gnawing or sticking pains; < chest. **Muscles seem too short**; eye-lids, back, thigh, etc.; **sore**. **Growing pains**. **Contraction**; between scapulæ; palmar; distorting. **Fixed**, short tendons. **Nodes**..... **Forgetful**. Pain from head into neck. Eye-balls seem too big for lids. **Ex-opthalmos**. **Throat**; **burning**; **dry**; painful to touch; **tonsillitis** (r), recurrent (Phyt.), then rheumatism. Averse to milk. Stoppage in epigastrium causes cough, dyspnœa, etc. Dry cough, with hot face and burning

fever. Sticking in apex of (l) lung. Phthisis. Recurrent pleurisy. Aching, sore neck ; one side stiff. Tense, short thigh muscles. Arthritis deformans. Yawning and stretching. Wakes as if falling. Sweats, profuse ; on single parts, face, etc. Night-sweats.

Related : Fer. Kali-bi. Kre. Pho-ac. Phyt.

GYMNOCLADUS.

REGION.

WORSE.

Urinary Organs.

Cold. Walking.

Circulation.

BETTER.

Rest.

Sensations.

| Leaning Against Something.

Lividity. Numbness., Slow grasp. Head feels bound. Pain under brows and into nose. Outpushing in eyes ; wants to rub them. Crawling on (l) face. Teeth sensitive to cold air. **BLUISH TONGUE.** Hot, sour belchings. Burning spot in stomach.

Related : Op.

HAMAMELIS.

REGION.

| WORSE.

VEINS

{ Genitals. Limbs.
{ Throat.

Injury. Bruises. Pressure.

Air { Open. Humid.
{ Cold.

Liver.

Abdominal and Chest Walls.

Jar. Motion. Touch.

SORENESS, bruised ; in blood-vessels ; localized ; abdominal. etc. Tense, bursting feeling ; in piles, joints, or lower limbs. Congestive fulness. **Veins, sore ;** cutting ; swelled ; inflamed. **Painful varicoses.** **Hæmorrhage ;** capillary ; dark, fluid ; relieves or causes undue weakness..... Irritable and chilly. **Hammering**

headache, < l. temple. Blood-shot eyes. Taste of blood. Pain and heaviness back of stomach. Piles. Pain up along spermatic cord. Neuralgia of testes. Orchitis; < touch. Varicocele. Breaking backache. Profuse, dark menses. Scapular pains. Dull ache about kidneys. Phlebitis. Ecchymoses. Varicose ulcers with bloody bases.

Complementary : Fer. Flu-ac.

Related : Arn. Pul. Vip.

HELLEBORE.

REGION.

MIND. BRAIN. Sensorium.

Nerves ; Motor ; Sensory.

Membranes { Serous.
 { Mucous.

Kidneys.

Muscles. Exudations.

WORSE.

Cold Air. Puberty.

Dentition.

Suppressions. Exertion.

Evening (4-8 P. M.).

BETTER.

Strong Attention.

A dark, dusky remedy ; dark face ; sooty nostrils ; dark lips, hands, etc. Serous effusions. Gradual onset, with advancing weakness, **blunted senses and sluggish responses** ; drops things, staggers, etc. Automatic acts. Lies on back with knees drawn up. Muscle pains, spasm or paralysis. Feeble and delicate.
Inattention. **Stupid, obtuse or apathetic.** Brain symptoms, with anorexia. Blank, **somber despair.** Won't eat or speak. Fixed ideas. Things look new. Heavy, numbing headache. **Rolls head or bores it into pillow for relief.** Congestion. Hydrocephalus. **Stupid, staring or tired look.** **Eyes half open.** **Pale face.** Chewing motions. **Fetor oris.** Numb, dry, trembling tongue or covered with yellow ulcers. Ptyalism. Averse to vegetables. Distended abdomen. Watery or gelatinous stool. **Urine, scanty,** with dark flecks or sediment ; retained. Nephritis. **Uræmia.** Dropsy. Amenorrhœa from cold. **Small, soft pulse.** **Sopor ; with cries or starts.** Coldness. Chill, with fever or heat ; with sweat.

Complementary : Zin.

Related : Bry. Op. Zin.

HELONIAS.

REGION.

WORSE.

FEMALE ORGANS.

Fatigue { Labor.
Abortion.
Stooping.

Kidneys.

Pregnancy.
Pressure of Clothes.

Mind.

BETTER.

If Busy. Diversion.

Muscles.

Holding Abdomen.

Unduly exhausted females. Uterine reflexes. Heavy, sore, aching-burning ; kidneys ; in muscles ; in back. Deep gloom. Melancholy. Irritable ; wants to be let alone. Heat or upward pressure in vertex. Aphthæ. Dull ache and heat in region of kidneys. Excessive urine. Nephritis of pregnancy. Sugar and albumen in urine. Heavy, sore, tender, ulcerated or prolapsed womb. Dark, foul blood from uterus ; hæmorrhage from atony. Foul, lumpy or curdled leucorrhœa. Inflamed, itching, aphthous vulva. Heavy dragging in pelvis. Squeezing in chest. Swelled, painful mammæ. Tender nipples. Aching between scapulæ. Sore pain in outer side of thighs. Anæmia. Hot, when tired.

Related : Senec. Sep. Tril

HEPAR.

REGION.

WORSE.

NERVES.

COLD { AIR. WINTER.
Dry { DRAFTS. WIND.
PART BECOMING.

CONNECTIVE TISSUE.

LEAST { UNCOVERING.
TOUCH. Noise.
Exertion.

RESPIRATORY MEMBRANES.

Lying on Painful Part.

Flexures.

Mercury. Night.

GLANDS. Kidneys.

BETTER.

Skin.

HEAT { WARM WRAPS.
TO HEAD.
Moist.

Bridge of Nose (Kali-bi.).

DAMP WEATHER.

Lax. **CHILLY AND OVERSENSITIVE**; to cold; to pain; or to touch; faints easily, etc. **Profuse secretions**; foul; like old cheese. **Sour**, stools, smell of body, sweat, etc. **SWEATS EASILY**, but dare not uncover; and **profusely**, without relief. As of a wind blowing on part. Wears overcoat in hot weather. Takes cold from damp exposure. **Sore STICKING**, like sharp splinters. **EVERY HURT FESTERS**. **SUPPURATION**; threatens, or much thick pus. Abscess. Mastoiditis. Yellow, sclerotic, expectoration, sweat, etc. Bad temper. Sudden weak memory. Touchy, mentally and physically; to pain, cold; easily becomes cross and violent. **Hasty, violent, irritable or dissatisfied**. Hair falls in spots; sore to touch. Corneal ulcer or maculæ. Photophobia. Chronic otorrhœa. Boring at root of nose. Stuffed, painful nose. Ripened colds and old catarrhs. Sneezes from every cold wind. **Hawks mucus**. Rough sticking like a splinter, fish-bone, etc., in throat. Quinsy. The upper jaw projects. Goitre (r); pains into head. **Stomach weak**; easily upset. **Craves acids, condiments or stimulants**. Eating refreshes, but causes heaviness. Foul mucus from anus. Stool difficult, although soft. Must wait to urinate; passes blood and pus afterwards. Nephritis; after scarlatina. Very foul, hot, membranous or pussy leucorrhœa. Painful larynx. Cough from least uncovering. Whistling, choking breathing; must bend head back. Croup. Hoarseness; chronic; of singers. Aphonia. Asthma; after suppressions. **Cough, choking, barking**; < cold drinks or in A. M.; hacking, as from a feather; **LOOSE, but can't expectorate**, tightens up in cold air. **WEAKNESS AND MUCH RATTLING IN CHEST**. **Much expectoration**; thick, yellow. Recurrent bronchitis; from every cold. Skin sensitive to cool air (Agar.). Foul, moist eruptions in folds. Torpid, pulsating ulcers; encircled by smaller ones, pimples or boils. Impetigo. Poor granulation. Sweaty and rattles with every cold or cough. Night-sweats. Low fevers. Hectic. Body exhales a foul odor.

Complementary: Iod. Sil.

Related: Merc.

Follows: Pho. Sil.

Antidotes: Bell. Cham. Kali-io. Merc. Sil.

HYDRASTIS.

REGION.

WORSE.

MUCOUS { Nasal Cavities.
STOMACH.
GLANDS { Gall-Ducts.
Intestines.

AIR { Inhaling, Cold.
Dry Winds.
Open.

Slight Bleedings.

Muscles. Uterus.

| Washing. Old Age.

A mucus remedy ; hawks up much mucus ; mucus in stools, urine, etc. Atonic, cachectic or degenerative conditions. Shallow ulcers. Hæmorrhagic or CATARRHAL processes. Thick, yellow, acrid (Sanic.), ropy secretions. Sense of raw-burning. Weak, dyscrasic and emaciated.....Neuralgia of scalp and neck. Thin, yellow, sunken face. Nose ; sore ; bleeds ; bloody crusts. Post-nasal dripping. Dirty, yellow, slimy, flabby, indented tongue (Nat-p. Yuc.). Taste bitter ; burnt. Aphthæ. Loathing. Goneness or as of sharp lumps in stomach. Cutting from liver to r. scapula, < lying on back or r. side. Lumpy stool ; coated or mixed with mucus. Obstipation ; of pregnancy ; after purgatives. Mucus in urine. Thick, acrid leucorrhœa. Ulcer of cervix. Loose cough ; bloody expectoration. Raises quantities of mucus. Senile bronchitis. Palpitation, with weakness. Heat alternating with chilliness ; profuse sweating.

Related: Ars. Kali-bi. Pul.

HYDROCYANIC ACID.

REGION.

WORSE.

Brain.

Full Moon.

Heart { Circulation.
Respiration.

Suppressions.

Epigastrium.

| Storms.

Sudden effects ; collapse ; spasms ; apoplexy. Lacks reaction. Cramps everywhere. Evacuations cease. Lightning-like jerks from head to feet.....Fear of death. Loud, involuntary cries. Sinks down unconscious. Intense cerebral congestion. Prolonged faints. Pale or bluish face. Cramps in masseters ; in nape. Mouth dry. Taste pussy ; metallic ; astringent. Noisy swallow-

ing. Gasping, irregular, slow breathing. Asphyxia. Cholera. Dry, tickling, night cough. Heart: failure; compression at. Contracted dorsal muscles. Blue exanthema. Pulse, failing; unequal; with occasional strong beats. Distended blood-vessels; writhing in them. Icy coldness; < hands.

Related: Agar. Cup. Laur.

HYOSCYAMUS.

REGION.

MIND. Brain. Nerves.

Muscles { Face.
 { Eyes.

Blood.

WORSE.

EMOTIONS { Fright.
 { Jealousy.

TOUCH. Lying. Cold. Sleep.

BETTER.

Sitting Up.

Congested nerve centers; with pale face. Spasm, tremor, jerks, cramps, etc., or active mania; alternating with, or ending in depressive narcosis, with angular or clutching motions, CARPHOLOGY, subsultus, etc. Picks fingers. Zymoses. Eclampsia. Many bewildering aberrations. Confusion. Delirium. MANIA, erotic, exposes genitals; riotous; laughing, singing, talking, babbling, quarreling, etc.; silly, with comical acts; plays with fingers. Fumbles the genitals. Lascivious (females). Jealousy. Suspicious; fears being alone, being pursued, water, etc.; wants to escape. Speaks each word louder. First, can't think, then can barely be aroused, then relaxation; with muttering, the lower jaw drops, he slides down in bed, has involuntary stools—bloody or yellow watery. Typhoid states. Vertigo, then spasm. Waves of pulsation in head. Pulsating headaches. Head shakes to and fro; < bending forward. Squint. Averse to light. Spasmodic closure of eyelids. Grimaces. Sordes on teeth. Stiff, dark, red, cracked tongue. Elongated uvula. Stools involuntary, although hard. Frequent, scanty, painful, nightly urination or retained urine. Spasms of dry, hacking, night cough; from a dry spot in larynx; < lying, eating or talking. Nervous wakefulness. Starts out of sleep. Low fever; with hot, pale skin. Warm sweat. Sexuality excited by Hyoscyne is antidoted by Platina.

Related: Bell. Pho. Stram.

HYPERICUM.

REGION.

SPINAL NERVES { CCCCXYX.
Inter-scapular.
Meninges.

Vertex.

WORSE.

INJURY. { JAR. Concussion.
Penetrating.
Shock. Bruises.
Exertion. Touch.
Change of Weather.
Fogs.
Cold. Damp. Motion.

BETTER.

Lying on Face.
Bending Back.

LACERATED, injured or inflamed nerves ; mashed fingers, etc.

Injury to or reflected from brain or cord. Very painful, sore parts ; occiput, coccyx, etc. Coccygodynia. Intolerably violent, shooting, lancinating along nerves ; toward trunk ; down sides of head or chest ; in epigastrium ; interscapular spine ; fingertips, etc., with crawling and numbness. Neuritis, as an outcome of injury. Neuralgia of stump. Shuddering. Spasms. Tetanus. Heaviness or formication in brain. Head feels drawn to a point. Bubbling at navel. Dry rectum. Heart seems to drop. Painfully sensitive spine. Commotio spinalis. Pains in hips and small of back after labor. Limbs feel detached. Aching in l. sciatic, after long sitting. Feet seem furry or bones ache. Gaping wounds. Laborious dreams.

Related : Arn. Led. Rhus-t.

IGNATIA.

REGION.

MIND.

NERVOUS SYSTEM.

Cerebro-Spinal Axis.

WORSE.

EMOTIONS { GRIEF.
Chagrin.
WORRY.
Fright. Shock.

Air { Open.
Cold.
Odors. Touch.
Coffee. Tobacco.

BETTER.

Position { Change of.
Lying on Par^t
Urination. If Alone.
Pressure.

ERRATIC, CONTRADICTIONARY OR SPASMODIC EFFECTS;

often violent; with rigidity, twitchings, tremor, etc.; during pain. Jerks run through whole body. **SENSE OF A LUMP**, foreign body or sharp pressure. Globus. Clavus. Hysteria. Pain in a spot, < close attention. Symptoms pass off with a profuse flow of urine. Oversensitive to pain. Tonic spasm of single parts, with frothing at mouth. Neurotic inheritance. Spasms from punishment (Agar.).....**Brooding grief**. Silent and sad; inward weeping. Intolerant of contradiction; of reprimands (Colo. Stap.). Angry with himself. Delicately conscientious. Everything irks her. Weak and excitable. **ALERT, OVERSENSITIVE AND NERVOUS**. Highly emotional. Capricious. Moody. Changeful. Faints easily. **SIGHS**, weeps or laughs by turns. Unhappy; love. Enjoys being sad. **GRIEF; brooding**. Alternate headache and backache (Melil.). Headache ends in yawning and vomiting. Eyelids seem dry. Flashes of light, from violent coughing. Nose sensitive to inspired air. Pain over root of nose. Sneezing attacks. **One cheek red**. Jaws snap shut; bites inside of cheek, tongue, etc. Masseters stiff and hard. Indurated tonsils; with little ulcers. Cramp in gullet. Swallows over a lump, > solids. **Hiccough**; with eructations, empty or bitter. Nausea or vomiting, > indigestible foods. Hunger, with nausea. Craves raw foods. **Empty sinking or spasmodic ache in stomach**; not > eating. Stool painful; difficult although soft, then constriction of rectum. Obstipation of neurasthenics. **Pain shoots up rectum**. Piles, > sitting. **Prolapsus recti**. Irregular menses. **TAKES DEEP BREATHS**; for relief. **Choking**. Spasm of glottis. Hacking cough. Cough violent, it shuts off the breath; dry, as from dust or sulphur fumes; < coughing. Constriction of thorax. Goitre. Tension in nape. Cramp in calf. Heavy feet. Painful skin, > pressure. **Violent, spasmodic yawning**. Light sleep, every sound wakes. Dreams same horrid dreams, over and over. Chill with a red face. **Chill, shaking; nervous**; with thirst; < pain. Heat, with aversion to uncover, but no thirst.

Complementary: Aur. Nat-m. Pho-ac. Sep.

Related: Cimi. Nux-v. Sep.

IODUM.

REGION.

GLANDS	{	THYROID.
		Testes.
		Mesenteric.
		Mammæ.
MUCOUS MEM- BRANES	{	LARYNX.
		Lungs (R. Apex
		or Base).

HEART. Blood-vessels.

Skin. Nerves.

Connective Tissue.

WORSE.

HEAT { ROOM. Air.
Wraps.Exertion { Ascending.
Talking.

Fasting.

Night. Rest.

BETTER.

COLD { AIR.
Bathing.

Motion. Eating.

Intensely rapid action. ALWAYS TOO HOT. Hot, acrid or watery discharges. Persistent or salty secretions. Infiltration. GLANDS, SWELLED, HARD or heavy; later dwindling. Lean, hungry and hot. Weak and rapidly losing flesh; can't talk. Vascular degeneration. Scrofula. Acute exacerbations (Fer-p.). Local torpidity; little pus. Internal tickling. General pulsation or local throbbings. Burnings. Dejected or intolerably CROSS and RESTLESS. Excited. Sudden dreadful impulses, > if busy, but motion < and exhausts. Thinks he is well. Reverberations in head. Prominent eyes. Pain at root of nose. Subject to head colds, < open air. Catarrh. Nose red and swelled; much sneezing; it drips hot water. Miserable, withered, brownish, sallow or dusky look. Increased saliva; soapy; foul. Metallic taste. Always hungry, yet emaciates, or variable appetite. Frothy, wheyey, fatty, cheesy or lenteric stools. Sediment in urine like red pepper. Sarcocoele. Atrophied testes. Impotency. Menses brown; with weakness; after every stool. Leucorrhœa erodes thighs and linen. Painful, choking hoarseness; grasps the larynx. Laryngitis. Diphtheria; expectorates cast of larynx (Kali-bi.). Rough voice. Dry, tickling, croupy cough. Short breath. Raw bronchiæ. Violent pulmonary congestion. Pneumonia; rapid extension. Heart feels squeezed. Palpitation.

Heavy mammae. Hard goitre. Foot-sweat on backs of feet. Skin dry, rough, dirty; brown spots on. Restlessness in blood prevents sleep. Hyperpyrexia, or external coldness with anxiety or stupor. Hectic. Heat waves to head. Sweats easily. Early morning sweats, with >.

Complementary : Lyc. Sil.

Related : Ars. Flu-ac. Pho. Spo.

Antidotes : Ars. Bell. Hep. Op. Pho.

IPECAC.

REGION.

MUCOUS { DIGESTIVE.
MEM- { Stomach.
BRANES { RESPIRATORY.
 { Lungs.

Nerves { Pneumo-gastric.
 { Spinal.
 { Cutaneous;

Umbilicus.

WORSE.

WARMTH ; Damp. Room.

Overeating { Ices. Pork. Veal.
 { Mixed or Rich
 { Foods.

Periodically. Quinine.

Heat and Cold. Recessions.

BETTER.

Open Air.

Profuse secretions. Foamy discharges, stool, etc. CONTINUOUS NAUSEA, gastric disturbances, BRIGHT RED, GUSHING HÆMORRHAGE (rapidly clotting), or **shortness of breath** accompany most complaints. Infantile convulsions..... Cries, screams and is hard to please. Downward crushing in head, to root of tongue. Migraine. Occipital pain, < vomiting, during chill, etc. Gushes of tears. Conjunctivitis. Cold (r), ear. Nosebleed. Sneezing. **Face pale**; blue about eyes or lips; white linea nasalis. **Clean or red, pointed tongue. NO THIRST.** Sudden faintness. **HORRID NAUSEA; not > vomiting.** Vomiting; bilious; < stooping. Repugnance to food. Miserable sinking or hanging loose feeling at stomach. Gripping, clawing or cutting at navel; toward uterus. Brown, grass or yellow-green, molasses-like or bloody stools. Balls of mucus in stools. Dysentery. Urging to urinate; bloody urine. Cutting in uterus (l to r). Uterine hemorrhage; gasps with each gush of blood. Painless hoarseness. Larynx and chest tight, < least motion.

Spasm of vocal cords. Gasps for breath. Asthma. Paroxysms of retching, incessant or SUFFOCATIVE cough; with every breath; stiffens out, turns red or blue and finally is nauseated, gags or vomits; < stepping into open air; > warmth and repose. Pertussis. LOOSE (coarse) RATTLE IN CHEST, WITHOUT EXPECTORATION. Broncho-pneumonia. Hæmoptysis. Pains from kidneys into thighs. Short chill; alternates with heat or with external heat (Ap.). One hand cold, other hot. Long heat; without thirst. Hands and feet drip cold sweat. Suppressed or mixed intermittents; nausea in all stages. Catarrhal or gastric fevers.

Complementary: Ars. Cup.

Related: Ant-t. Lob.

IRIS VERSICOLOR.

REGION.

GLANDS { DIGESTIVE
TRACT.
LIVER.
reas.

Right Side.
Nerves.

WORSE.

Period-ically { Weekly. 2-3 A.M.
Spring and Fall.
After Midnight.
Mental Exhaustion.
Hot Weather.
BETTER.
Gentle Motion.

Affections accompanied by rapid elimination. Sour, acrid, BURNING excretions. Oily nose, greasy taste and fatty stool..... Headache, with diarrhœa. Mouth feels greasy, burnt or scalded. Tongue feels cold. Sweet taste. Profuse ropy saliva. Sour-bitter belching (Nux-v.). Continuous nausea, bitter, acrid vomiting, urging to stool and profuse urine, with periodic visual disturbances, blindness, hemiopia, etc., accompany ophthalmic migraine (r); involving teeth. BILIOUS, WATERY, SOUR OR ACRID VOMITUS, WITH BURNING. Burning; < along whole digestive tract; not > by cold drinks. Sore over liver. BILIOUS, ACRID, WATERY STOOLS; BURN LIKE FIRE. Painless cholera morbus. Diabetes. Goitre. Zoster (r). The hip feels wrenched out. Shooting laming pains along limb. Sciatica (l).

Related: Ars. Merc. Pho.

JABORANDI.

REGION.
GLANDS.
 Eyes.
 Nerves.

WORSE.
 Start of Menses.
 Cold. Exhaustion.

Dryness, then hypersecretion of upper respiratory tract and salivary glands. ^x Colliquative states. Tendency to sweat and take cold. Very nervous and tremulous. Visual disturbances. Eyestrain. Asthenopia. Nervous deafness, > noise. Tension in salivary glands. Salivation. Mumps. Nausea on using eyes or looking at moving objects. Stubborn vomiting of pregnancy. Violent ebullitions to heart and chest. Menses start with coldness, throbbing in head and pelvis and backache. Red skin. Sweats, with palpitation, general pulsation and tremor. Nervous sweats. Exophthalmos.

Related : Agar. Ant-t. Ip.

JALAPA.

REGION.

WORSE.

Intestines. Stomach.

Night. Eructations.

Child is good all day, but screams and tosses about all night. Colic.
 Stools watery, muddy or sour; bloody.

Related : Colo.

JATROPHA.

REGION.

WORSE.

Stomach.

Covering. Morning. Summer.

BETTER.

Intestines.

Hands in Cold Water.

Icy coldness; of lower limbs. Vomiting; albuminous; easy. Loud gurgle, like water from a bung-hole, in abdomen; then profuse gushing stools. Rice water stools. Violent cramps, that draw the calves flat.

Related : Crot-t.

JUSTITIA.**REGION.**

Nerves { Cerebro-Spinal.

Respiratory Membranes.

WORSE.

Close Room. Dust.

Noise. Eating.

Sensitive. Generalized dry catarrh. Fits of sneezing, with lachrymation and loss of smell and taste. Coryza; fluent; acrid; with violent sneezing, coughing or asthmatic attacks. Long paroxysms of violent retching cough; as if chest would burst; with a bronchial rattle; obstructing the breath; with sneezing, stiffening out (Ip.), trembling or convulsions; with fever. Whooping cough. Tough expectoration. Puffy hands and feet in A. M. Chilliness.

Related: Ip. Dros. Pul.

KALI ARSENICUM.**REGION.**

Cardio-Vascular System.

WORSE.

Touch. Noise.

Cold Feet. 1-3 A. M.

BETTER.

Rainy Days.

Nights are filled with suffering. Aversion to open air. Palpitation; with nephritis. Burning, in throat, aching in stomach, etc. Passes much gas, then diarrhoea. Black leg ulcer, running bloody, foul water; with cutting, burning, itching and dyspnoea. Chilly and sensitive to cold. Can't get too warm, even in summer.

KALI BICHROMICUM.**REGION.**

MUCOUS
MEMBRANES { Air Passages.
NOSE.
Pharynx.
Stomach.
Duodenum.

Fibrous Tissue. Ligaments.

JOINTS. Skin.

Circulation. Kidneys.

Root of Nose, Tongue, or
Penis, etc.**WORSE**

COLD { Damp.
Open Air. Spring.
Undressing.

MORNING; After Sleep.
2-3 A. M.

Protruding Tongue (Cist.).

Hot Weather. Alcohol. Beer.

Suppressed Catarrh.

BETTER.

Heat. Motion.

Slow, deep processes; little fever, but great weakness. Sickly, ghilly and cachectic. Fair, fat and sluggish. Bitings, like bugs. **ADHESIVE SECRETIONS**; **STICKY** taste, expectoration, leucorrhœa, foot-sweat, etc. **STRINGY, TOUGH, lumpy or thick discharges**. Fibrous exudates going downward. Yellow, eyes, vision, tongue, etc. Slow reaction. Heaviness. Crusts in nose, on skin, etc. Pains in small spots; jump about and finally attack stomach. Sharp stitches. Ascending; gastric pains, chills, heats, etc. Furred membranes. Old catarrhs. Ulcers; with dark dots, deep, perforating, round; look punched out; septal; peptic; with overhanging edges or thick crusts. Like a solid block on forehead. As of a hair on tongue, in nostril, etc. Internal itching; vagina, lungs, etc. **Cracking joints**. Indifferent. Indolent. Pains outward along (r) brow. Bristling hair. Blindness, then pain over one eye, < cold. > pressing on root of nose. Migraine. Vision seems crossed, > looking with one eye. Eye-lids red, itching, swelled, granular. Nose pains at bridge or root; pressure or stuffed at root; retains foul secretions. Abscess. Ozoena. Nasal discharges, acid; profuse; green clinkers. Nasal diphtheria. Snuffles. Radiating toothache; with swelled glands. Tongue, glistens; cracked, smooth or heavy, lemon yellow cast; pains when protruded. Sticky mouth. Sweet, metallic taste. Hawks thick mucus; must wipe it away. (Edema of uvula. Fissured pharynx. Throat; dry; burning in; something sticks in; with pains into neck and shoulders. Graves beer. Regurgitates liquids. Vomits bright yellow water. Sore spot in stomach, or food lies like a load. Constriction from liver to shoulder. Gelatinous stools or gushes of brown, frothy water, then burning and tenesmus, < after rising. Heavy kidneys. A drop remains after urinating. Constriction at root of penis. Acid leucorrhœa. Milk is stringy. Hoarseness. Laryngitis. Tickling cough, after eating; with eructations; > heat; then vertigo. Under sternum: rawness; pains through to back. As of a bar across chest. Asthma. Deep cough with stringy expectoration. Heart weak; feels cold. Paralytic weakness of hands. Sciatica, > flexing leg. Sore heels. Pains along border of foot. Stubborn suppuration. Pustules

with black apices. Skin, > in cool air. Hot flushes, then sticky sweat, then chill. Cold sweat on hands and feet. Chill with sweat.

Complementary : Ars. Pho. Psor.

Related : Kali-c. Merc. Phyt. Pul.

KALI BROM.

REGION.

MIND.

NERVES { Brain.
Spine.
Genitals.

Larynx.

Skin.

WORSE.

Mental Exertion. Emotions.
Periodically. { Night. Summer.
New Moon.
Sexual Excesses. Puberty.

BETTER.

When Busy.

Slow onset. No pain. General numbness; < occiput.

Depressive delusions. Nervous. Suspicion; fears people, yet can't be alone, in the dark, etc.; looks on all sides; fidgety, busy hands, fumbles. Moves arms about wildly. Mania. Night terrors. Melancholy; remorse, wrings hands, bursts into tears, etc. Slow, hesitates; omits or mixes up words. Indifference. Hebetude. Poor memory. Brain-fag. Vertigo, as if ground gave way. Catarrh descends to larynx (Am-bro.). Cutting colic. Green, watery stool; with rapid collapse. Cholera infantum. Depressed sexual power. Flooding of young women. Croupy cough. Cool skin. Acne. Sleepy.

Antidote : Zin-pho.

Related : Calc-c. Con. Op. Stram.

KALI CARB.

REGION.

Muscles { HEART.
Ligaments { Uterus.
LUMBAR.

SEROUS { CHEST
and { (R. Lower).
Mucous {
Membranes { Joints.

Eyes. Blood.

Left Side.

WORSE.

Cold { AIR. Water. Drafts.
Changes { Overheat-
After. { ing.
Exertion.

Time { 2-3 A.M. Winter.
Before Menses.

Lying { On Painful
or Left Side.

Loss of Fluids. After Labor.

BETTER.

Warmth. Sitting with Elbows
on Knees. Open Air.

WEAKENING, intellection; muscles, heart, back, limbs, etc.

Gives out, leans on something or lies down; with backache, profuse secretions, sweat, etc. **Soft, thin blooded and cold.** Old, fleshy, dropsical or paralytic. **SHARP STITCHINGS**, stabbings or catches in joints, muscles, chest, head, epigastrium, back, etc. **Throbbing, numb or cold single parts**, abdomen, fingers, etc. **Acrid discharges.** Sub-acute conditions. Parts lain on are painful and go to sleep. **Peevish.** Easily startled; < touch; on dropping to sleep. **Anxious aversion to solitude.** Headaches, into eyes; wake from sleep. **Eyes weak.** Vision, spotted; like drops before. **Puffs over**, inner angle of eyes or baggy upper lids. Stitches out of ears. **Head colds;** go to chest. **Nose stuffed,** > open air; swelled; yellow-green or crusty discharge. **Puffy face.** Slimy mouth. **Gray tongue.** Itching gums. **Hawks up tough mucus in A. M.** **DIFFICULT SWALLOWING.** Salty regurgitation. Vomits sour mucus. **Sensitive, distended stomach and abdomen.** **Fulness;** from but little, even after drinks; as if full of water. **Anxious at epigastrium.** **Throbbing back of stomach;** at navel. **Gastric pains** going to back, chest, limbs, etc. **Flatulence.** **Hard tympanites.** **Stool difficult;** of large, hard lumps, then burning or torn feeling. **Piles inflamed, bleeding;** descend when urinating or coughing, > riding horseback; stick like fine needles, > cool bathing. **Burning in l. kidney.** **Nocturnal enuresis of adults.** **Urine foamy,** with thick, tough, red sediment. **Delayed first menses.** **Amenorrhœa.** **Colic, then irritating menses;** > washing. **Inefficient labor pains.** **Catarrhal aphonia.** **Respiration short,** < least motion or walking; **asthmatic,** alternating with diarrhœa; with vertigo. **Incessant, hard retching or choking,** futile cough; then vomiting. **Pertussis.** **Lungs seem to stick to ribs.** **Pleurisy.** **Stabbing chest pains.** **Heart seems to hang by a thread;** pains toward l. scapula. **Palpitation;** then weakness; in valvular disease. **Arrhythmia.** **Cardiac degeneration.** **Fine stitches in mammae.** **Everything affects the small of the back or pains start there.** **Back and legs give out;** feel heavy. **Lumbago.** **Arms weak;** numb pinching in left. **Painful tips of fingers and toes.** **Œdema**

of left foot. **Sensitive soles**; skin. Dry hair and skin. General itching or hives; during menses. Talks in sleep. Pulse small, soft, variable, intermittent or dicrotic. Chilly; with hot hands; and sleepiness; in open air. Internal burning. Sweat scanty, foul on feet.

Complementary: Carb-v. Nit-ac. Pho.

Related: Calc-hypo. Lyc. Pho.

KALI CHLORICUM.

REGION.

Blood. Nerve Sheaths.

Mouth. Rectum. Kidneys.

WORSE.

Cold.

Mercury.

Profound prostration. Coldness; and easy hæmorrhage; nosebleed, bloody stools, etc. Scurvy. Fetid mouth, lochia, etc. Gray, white, plastic exudates. Swelled face, in morning, ankles in evening. Mercurial salivation. Aphthæ. Noma. Sudden vomiting. Gas colic. Continuous rectal pain; in diarrhœa. Nephritis. Albuminuria. Constricted chest. Right pulse full, left small. Coldness; in blood; tongue, throat, precordium, arms, feet, skin, etc.

KALI IOD.

REGION.

Glands. Frontal Sinus.

Nose. Eyes.

Lungs {Upper.
 {Lobe.

Periosteum.

WORSE.

Heat. Pressure. Touch.

Night. Damp. Mercury.

Changing Weather.

Jolting.

Cold Foods.

BETTER.

Motion. Cool Air. Open Air.

Incipient organic changes; gouty-rheumatic, syphilitic, rickety, etc. Many and diverse symptoms. Feels used up. Cachexy. **Stubborn chronicity**. Arterio-sclerosis. **Craves motion in open air**. Various symptoms. Crushing or sharp stitching pains. **Weakness**. **COPIOUS**, watery, acrid, salty, thick, green or foul discharges. Catarrh. Pains long after trauma. **Diffuse soreness**;

of affected part. **Cedematous swelling**.....Irritable, harsh tempered and cruel. Can't think. Despondent. Bad temper. Harsh. Head bone pains, lightning like, < warmth or lying on part. Big head and small jaws; rickets. Tender spots on head. Bilateral headache. Scalp sore; fissured. Burning, watery, **puffy eyes**. Chemosis. **Tinnitus**. Acrid coryza with dyspnoea and salivation. Burning throb in nasal and accessory cavities. Colds from every damp day. Red, swelled nose; **tight pain at root**, zygomæ and root of tongue. Takes cold. Violent sneezing. **Acrid**, watery coryza, < cool air. **Ozæna**. Glutinous mucus on lips in A. M. (Zin-cl.). Nagging toothache. Taste salty; bitter on waking. Salivation. Sore-throat of speakers (Aru-t.). Flatulence; squeaking. Early diarrhoea of phthisis. Frequent stools and urine. Leucorrhœa, corrosive; like meat washings. **Air hunger**; with flatulency, in A. M.; awakens strangling. Whistling, asthmatic breathing. **Raw air-passages**. Croupy hoarseness. Dry bronchitis. Frothy expectoration. Backward chest pains. Pneumonia. Pain, sternum to back. Painful lumps; in scalp, Giant urticaria. Chilly in bones; in painful parts. Heat in evening; uncovers, then chills. Alternate heat and chill. Heat with shudders. Hot and dry, then drenching sweat. Profuse night sweats, which >. Actinomycosis.

Antidotes : Merc. Nit-ac.

Related : Iod. Sul. Syph.

KALI MUR.**REGION.**

EPITHELIUM { **Throat.**
Eustachian
Tube.
Middle Ear.

Mucous Glands. Occiput (I).**Muscles.** Joints. Shoulder (R).

One Side, < Left.

Crosswise.

WORSE.**Open Air.** Cold Drinks, Drafts.

Heat of Bed. Lying. Night.

Dampness. Motion. Sprains.

Fats. Rich Foods.

During Menses.

BETTER.

Cold Drinks. Rubbing.

Letting Hair Down.

WHITENESS. **MILKY WHITE**, viscid, sticky, thick, slimy or lumpy secretions. **Catarrhs.** Toughness. Tough, plastic or

fibrinous exudates. Hard deposits. Stubborn infiltrations. Swelled glands. Sore, cutting (outward—Asaf.) or stitching, shifting pains. Crawling. Numbness. Slow re-action..... Irritable or angry; at trifles. Discontent, discouraged; fears evil. Sits in silence. Stunning shock in or a leaden load holds occiput down; < binding hair, > wraps. Brain feels loose. Copious, white dandruff. Head sweats. Pustular cornea. Cloudy lens. Scintillations on coughing. Snapping, itching or as of a plug in ears. Deafness. Eustachian occlusion or soreness. Face bluish; sunken. Eruption around mouth. Tongue mapped; gray or white at base. Aphthæ. Scorbutic gums. Salty taste. Throat grayish-white; ulcerated; chronic sorethroat. Tonsils swelled; inflamed. Hawks out thick white mucus. Loathes fat or rich foods. Nausea; with shivers. Stomach heavy; at night. Vomits food. Fulness in abdomen after eating. Pale, hard or flocculent stools. Anus, sore, < walking or stools; itching or crawling, after stool. Piles. Dribbling urination. Nephritis. Difficult or oppressed breathing. Bronchitis. Expectoration sticky or flies from mouth. Dark, clotted or tarry menses. Rawness in chest. Flushes of heat in chest. Coldness at heart. Painful breasts before or at menses. Heaviness under r. shoulder. Buzzing under l. scapula. Backache, > lying. Lightning pains from small of back to feet. Cold hands and feet. Cramps in limbs; in legs. Twitching thighs. Tension in legs alternates with tension in arm (1). Cold foot-sweat. Cutting in bones (Saba.). Branny skin. Anxious dreams.

Complementary: Calc-s. Follows: Fer-p.

Related: Bry. Pul.

KALI NITR.

REGION.

Cavities { Blood-vessels.
Heart.
Kidneys.

Vaso-motors.

Respiratory Organs.

WORSE.

Walking. Cold. Damp.
Taking Cold. Veal.
Lying With Head Low.

BETTER.

Gentle Motion.

Increased secretion into cavities. Very weak. Hæmorrhage. Sudden œdema. Throbbing. Dull stitches. Numb, as if wooden.Faintness. External angle of r. eye twitches, < chewing. Nausea. Epigastric or sub-sternal pains go toward axillæ. Dark, fluid stools. Dull kidney pains. Diuresis. Profuse, inky menses. Rapid, gasping breathing; sits upright. **VIOLENT DYSPNŒA; can only drink in sips.** Congestion of r. lung. Asthma. Free, sour expectoration >. Relapses of phthisis. Palpitation, < lying. Pain from back into chest. Hands and fingers feel swelled. External coldness; chin; skin. **Internal burning.**

Related : Cam. Glon.

KALI PHOS.

REGION.

Nerves {Brain.
{Cord.

Excretions.

One Side.

WORSE.

{Excitement. Worry.
Slight {Mental Fatigue; Touch.
{Pain. Cold, Dry Air.
{Puberty.

BETTER.

Sleep. Eating.
Gentle Motion (Fer. Pul.)

NERVOUS, SENSITIVE, WEAK AND EASILY FAGED, especially by pain, etc. Neurasthenia. Paralysis. **PUTRID**, or golden-yellow excretions; coat on tongue, stool, etc. Foul odor of body. Carrion odor of secretions. **Irregular menses**, pulse, etc. Stitches. Little pain. Paralytic weakness.....Shyness. Nervous and sensitive. Dread. Gloom. Averse to her own. Angry. Vertigo on facing sun. Eyes; burn, sting and swim in tears; yellow-gray, milky secretion; left lid droops. Retinitis. Reflex eye symptoms. Itching in posterior nares. Sneezing; at 2 A.M. Hay fever; pro-phylactic. **Sad, care-worn look.** Brown stripe at edge of hair. Palate feels greasy. Tongue yellow, like liquid mustard. Aphthæ. Craves ice water, vinegar and sweets. **Craving hunger**; soon after eating; and weakness follow painless, watery stools. Enterocolitis. Empty gnawing in stomach, > eating. Cutting in abdomen. Golden yellow, putrid, hot stools. Milky urine. **Enuresis nocturna.** Sexual erethism, with prostration after coition

KALI PHOS—KALI SULF—KALMIA

or nightly emissions. Horribly foul leucorrhœa. Aphonia. Nervous asthma. Axillary sweat smells of onions. Spinal irritation. Prickling hands and feet. Numb fingertips. Foot feels frost-bitten. Pains in soles. Drowsy. Yawning. Inactive skin.

Related : Caus. Coccl. Pic-ac. Zin.

KALI SULF.

REGION.

EPITHELIUM { Respiratory
 { Organs.
 { Skin.

Glands.

WORSE.

Warmth ; Room ; Air. Noise.
Consolation. Evening.

BETTER.

Cool Air. Walking. Fasting.

Torpid processes. **PROFUSE, DEEP YELLOW DISCHARGES ;**
thin or sticky. Suppuration. Stitching, tearing, festering **pains,**
that shift about.....Hurried. Irritable. Yellow, slimy
tongue. As of a heavy load on stomach. Oxaluria. Pyelitis.
Croupy hoarseness. Coarse rattle in chest. Arthritic nodes.
Rheumatism, < heat. Dry skin. Desquamation. Ulcers ooze
thin, yellow water. Profuse, easy sweat.

Related : Pul.

KALMIA.

REGION.

NERVES { SPINAL.
 { Eyes.
 { Face (R).

HEART. Circulation.
Joints. Skin.
Right ; Head ; Deltoid.
Left ; Chest ; Arm.

WORSE.

MOTION { Lying on L. Side.
 { Bending Forward.
 { Looking Down.

Heat. Becoming Cold.
With the Sun.

BETTER.

Eating. Cloudy Weather.
Continued Motion.

Aching, bruised, stiff feeling. Tingling, numbness, trembling or
paralytic weakness. Changing pains ; shoot outward along
nerves ; or dull tearing, crushing, moving downward, then sud-
denly, to heart or alternating with cardiac symptoms, or between
upper and lower limbs. Neuralgia: Rheumatism.....
Vertigo. Cracking noise in head. Shooting from nape to vertex
and face. Maddening supra-orbital (r) pain. HEART ; irritable ;
pains, sharp, burning ; formication ; numbness ; weak ; radiating
to l. scapula or arm ; taking away the breath ; fluttering ;

KALMIA—KOBALTUM—KREOSOTUM

palpitation, visible ; paralysis. **Pulse very slow** ; weak, tremulous.
 Brachialgia. Stiff, eyelids, lips, skin, etc.
 Complementary : Benz-ac. Spi.

Related : Aco. Dig. Rhus-t. Spi.

KOBALTUM.

REGION.

Spine (Lumbar).
Genitals. Kidneys.
 Bones.

WORSE.

Sexual Losses. Sitting.
 Heat of Bed or Sun.

BETTER.

Hawking Mucus.
 Continued Motion.

Frothy discharges. Soreness. Aching bones. **Sour** taste, stomach, foot-sweat, etc..... Sense of guilt. Vertigo or head feels big ; < stool. Vernal photophobia. **Cracks across tongue.** Emptiness at navel (Flu-ac.). Yellow spots on abdomen. Sweet, foamy, lumpy expectoration. Pain along spine and down both legs. **Lumbar ache** ; < coition ; < sitting, > walking ; with weak knees ; can't straighten up. Sudden weakness in l. hip ; < walking.

Related : Eup-p.

KREOSOTUM.

REGION.

MUCOUS
MEM-
BRANES;

DIGESTIVE
TRACT.
Gums. Stomach.
Abdomen.
Female Genitals.
 Uterus.

WORSE.

DENTITION. Pregnancy.
Rest. Cold. Eating.
 Lying. Summer.
 During Menses.
 6 P.M. to 6 A.M.

BETTER.

BLOOD. Teeth. | Warmth. Hot Food. Motion.
Miserable and weak. **Profuse,** **FOUL,** **HOT,** **ACRID** **dis-**
charges ; sputum, eructations, etc. ; **redden** the part. **Rawness.**
Burning like fire. **Pulsation** ; general. **Hæmorrhage** ; passive ;
 brown, dark. **Lumpy discharges,** menses, etc. **Ulceration.** Heavi-
 ness. **Fulness.** **Tumefaction.** **Scurvy.** **Marasmus.** **Black,** teeth,
 leucorrhœa, lochia, etc..... **Dissatisfied** with every
 thing ; wants things, then throws them away and wants
 something else. **Screams** at night. **Cross,** wilful and obstinate.
Longs for death. **Stupid.** **Buzzing** in head. **Yellow pallor,**

with red blotches (Iod.) ; during chill or heat. **TEETH SOON DECAY** ; black spots on ; intolerable ache, < pregnancy ; painful dentition. **Puffy, bluish, bleeding, painful gums.** Aphthæ or salivation, of pregnancy. Taste bitter, low down in throat. Icy cold epigastrium. Frothy eructations. Nausea. Vomiting ; long after meals (Æth. Fer. Plat.) ; undigested food ; sweetish ; of pregnancy ; of uterine ulcer. As of a lump pressing down on bladder. Brown, watery, lenteric stools. **Urination hurried ; involuntary when lying.** Diuresis. Profuse, lumpy, intermittent menses, < lying. **Leucorrhœa ; gushing ;** like bloody water ; with itching. Tormenting cough, with little expectoration ; with sore larynx and chest. Senile bronchitis. Neglected phthisis. Hectic. Chest ; deep pains, take her breath ; anxious heaviness. Dragging from back to genitals ; as if to come out. Violently itching, moist or scurfy **œdema** on eyelids, face, joints, back of hands. Ulcers break out and heal repeatedly ; bleed after coitus. Cold sweat.

Complementary : Sul.

Related : Aru-t. Ars. Carb-ac. Grap. Nit-ac. Psor.

LAC CANINUM.

REGION.

NERVES.

THROAT. Right to Left,
then back again or reverse.

Female Generative Organs.

WORSE.

TOUCH. Jar.

During Menses.

Cold Air, or Wind, or Drinks.

Morning of One Day and

Evening of the Next (Eup-p.).

BETTER.

Open Air.

SYMPTOMS ALTERNATE SIDES, throat, ovaries, etc., or wander about. **Glistening parts.** Glistening, throat, ulcers, etc. Over-sensitive ; can't have parts, fingers, etc., touch each other. **Full of imaginations ;** horrid, of snakes vermin, as if floating, etc. Every symptom seems a settled disease. Hysteria at height of sexual orgasm. **THROAT SORE ;** has glistening patches of china whiteness ; or red glistening ; gives out from exertion ; < at start and close of menses. Tonsillitis. Diphtheria ; paralysis after. Menses green, gushing or ammoniacal ; hoarseness, during. Breasts sore and swelled, before menses.

Galactorrhœa. DRIES UP THE MILK. Scanty milk. Cold creepings down back. Sore heels.

Related : Lach. Lyss. Pul.

LAC DEFLORATUM.

REGION.

NUTRITION. BLOOD.

Heart.

Head (Left).

Thigh (Outer).

Exhaustion. Despondency. Vertigo, < lying on l. side. Blind then throbbing frontal headache, with much pale urine. Migraine. Photophobia. Painless swelling of face. Pale, sickly look. Anæmia. Averse to milk. Nausea. Sour vomiting. Dry, large, painful stools. Amenorrhœa. Boring, sore pain in kidneys. Polyuria, < during pain. Scanty flow of milk. Always chilly. Cold finger-tips. Skin is super-sensitive to cold. Given to restore milk

Related : Nat-m.

WORSE.

COLD { Least Draft. Wet.
Hands in Cold Water

Milk. Loss of Sleep. Weekly.

BETTER.

Rest. Pressure of Bandage.

LACHESIS.

REGION.

Mind.

Throat.

NERVES { CUTANEOUS.
VASO-MOTOR.
Sympathetic.
PNEUMO-
GASTRIC.

BLOOD ; HEART.

CIRCULATION.

LEFT SIDE ; { THROAT.
Then Right { OVARIES.

FEMALES.

Vertex.

WORSE.

SLEEP ; AFTER.
MORNING.

HEAT { SPRING. SUMMER
SUN.
ROOM. DRINKS.

SWALLOWING ; EMPTY ;
Liquids.

SENSI- { SLIGHT TOUCH
TIVE { OR PRESSURE
TO { OF CLOTHES ; <
NECK, Waist (Ap.
Bro. Grap.), Noise.

RETARDED DISCHARGES.
Start and Close of Menses.
CLIMAXIS. ALCOHOL.
Cloudy Weather.

BETTER.

OPEN AIR.

FREE SECRETIONS.

Hard Pressure. Bathing Part.

COLD DRINKS.

Rapid onset, intensity, prostration or malignancy. LEFT-SIDED COMPLAINTS, OR MOVING FROM LEFT TO RIGHT. Sepsis. Disintegration. Gangrene; diabetic. Carbuncle. Erysipelas. **Blueness**; hands. **FETOR**; of acrid discharges; oris; stools, etc. **HÆMORRHAGE**, thin; dark particles; nose-bleed; vicarious; bloody urine, etc. **Purpura.** **ASCENDING SENSATIONS**, in throat; from eyes over vertex; from nape; from ovary to heart; chills. **FLUSHES OF HEAT**; rushes of blood. **A LUMP**; ascends throat and is swallowed back again; in liver, abdomen, rectum; rolls about in bladder, etc. **EXCESSIVE PAINFULNESS**; of throat; ulcers; spots over body. **Constriction**; of throat, > eating; as of a skull cap; of anus. **Drawing**; vertex to jaws; in rectum, etc. **Tremor**; of tongue; hands, etc. **Hard throbbing or hammering (Fer.)**. Congestion. Apoplexy. Epilepsy.....Nervous, excitable. **LOQUACITY**; rambling; then sadness or repeats same thing. **Compelling delusions.** Persistent, erotic ideas, without ability. **Depression**; on awaking. **Insane jealousy.** **Suspicion.** Feels full of poison. **Fears**, going to sleep, lying down, or that heart will stop. **Indolence.** **Vertigo**, < turning to right. **Headache**; heavy; bursting; down nose; side (r) feels cut off. **Eyes** feel small. **Nose**; **stopped coryza**; discharges with every cough; bloody pus from; rum blossom (Agar. Led.). **Face** purple, mottled; netted veinlets; dusky during heat. **Faceache.** Lower jaw drops. **Septic mumps.** **Aphthæ.** Much thick, pasty saliva. **Tongue** catches on teeth. **Thick**, blundering speech. **Peppery taste.** Can't bear anything before mouth or nose. **THROAT**; **PAINFUL**, into ears; as of a soft body in; **choking**; **MUST LOOSEN COLLAR**; hot lump in; pit feels swelled or sore spot back of pit. **SWALLOWING**; the wrong way; **painful**; returns through nose. **Diphtheria**; laryngeal. **Tonsillitis.** **Quinsy.** **Hawks** foul pellets from throat. **Thirsty**, but fears to drink. **Dipsomania.** **Soreness or cramp in epigastrium.** Sore festering throb, deep in liver. **Septic gall-bladder.** Pain from anus to navel. **Constipation of pregnancy.** **Piles**; < coughing. Pain in l. ovary; must lift covers. **Dark, scanty**

menses. Suffocates on dropping to sleep. Must take deep breaths. Air hunger. Tickling, choking cough, < touching neck or auditory canal, > retching out a little expectorate. Larynx, as of a skin hanging in, or a valve. Heart weak; turns over or too big, as if. Carditis; metastatic. Axilla; swelled glands. Numb, l. arm; finger-tips. Cracks in skin, at corner of nails. Cold knees, or cold, foul foot-sweat. Toes feel broken. Mottled or livid skin; dark marks. Eating ulcers, on legs; with dark areolæ; fungoid; varicose. Sleepless from cerebral irritation; tipplers. Frightful dreams; of snakes. Dilated capillaries. Chill, < drinking; with sweat. HEAT; on vertex; IN FLUSHES, on waking or falling to sleep. Sweat; about neck, during sleep; in axillæ; bloody; staining blackish; garlicky.

Complementary : Lyc. Pho. Zin-io.

Related : Caus. Sep. Zin.

LAPPA.

REGION.

Secretions.

Skin.

Liver.

Joints.

WORSE.

Cold Wet. Shaking.

Lying on R. Side.

Violent Exertion.

BETTER.

Cloudy Weather.

Heavy, sore aching; as if lying uncomfortably. Numbness; lumbar region. Numb, aching calves. Constriction. Vertigo, with nausea and vomiting. Weight on vertex. Red about eyes and across nose. Face, < touch. SOURNESS; sour taste to meat; all food turns sour, vomits it. Trembling in chest. Bruised, sore uterus. Front of thighs weak. Sores about joints. Eruptions; sticky; on head, face, etc. Moist, foul eczema. Many small boils. AXILLARY SWEAT; COLD, runs down chest; foul.

Comp. : Mag-c.

LATRODECTUS.

REGION.

HEART.

Vaso-Motors. Blood.

WORSE.

Least Motion even of Hands.
Exertion.

Nausea, then abdominal pain. Transfixation of pain or sinking at epigastrium.....Gasps, fears to lose breath and die. Restless ; with cardiac pains ; and prostrated. Precordial anxiety. Apnoea. **CARDIAC PAIN** ; violent ; sharp to shoulder or both arms (1) (Kalm.), with numbness. **Angina pectoris**. Quick, feeble, thready pulse. Skin cold as marble. Dreams of flying. Hard ache in axillæ.

Related : Tarent.

LAUROCERASUS.

REGION.

MIND. BRAIN.

Nerves.

Gullet. Chest.

Respiration. Heart.

WORSE.

Sitting Up. Exertion. Cold.

BETTER.

Lying with Head Low.

Eating.

Sleep. Open Air.

Symptoms accompanied by **SUDDEN DEBILITY**, lack of reaction, blunted senses, coldness or cyanosis. Weak sphincters. Sinkings. Long faints. Falling down ; sensation ; in brain ; in abdomen, heart, etc. Nervous collapse. Apoplexy. Internal burning. Hæmorrhage ; of thin blood. Twitchings ; facial.....**SUDDEN LOSS OF MEMORY**, from pain, fright, etc. Head, < 11 A. M.—1 P. M. Speechlessness. Nightly tearing in vertex. Eyes open, protrude, staring. Objects look large. **Livid face**. Blue babies. **NOISY SWALLOWING**, then **gurgling flatulence**. Spasm of gullet. Persistent hiccough. Low voice. Raw larynx and trachea. **Suffocation**, **gasps for breath** ; on sitting up. Shallow breathing. Can't raise the chest walls. **Cough**, tickling ; spasmodic night cough of phthisis ; short or dry ; of cardiac origin. Blood flecked or gelatinous sputum. **Holds hand over heart**. Chest pains in cardiac region. Fearful anxiety and restlessness ; can't fall to sleep. Coma vigil. Weak, variable, slow or irregular pulse. Cool, livid skin.

Related : Am-c. Gel. Hyd-ac. Pru-sp.

LEDUM—LEPTANDRA

LEDUM.

REGION.

Fibrous { JOINTS (Small).
Tissue { Tendons. Eyes.
 { Heels. Ankles.

Capillary { SKIN.
Circulation { Lungs.

Periosteum. Blood.
Nerves. Left Side.

WORSE.

Warm { Covers.
 { Stove. Air.
Injury. Motion. Night.
Eggs. Wine.

BETTER.

Cool { Bathing.
 { Air.

Purple, puffy and chilly, yet averse to external warmth. Ascending effects ; from feet. Shifting, tearing pain. Painful, cold, œdematous joints. Parts become weak, numb, cold and wither. Torpidity. Gouty-rheumatic-hæmorrhagic persons. Tipsters. Dropsy. Rushes of blood. **Hæmorrhage** ; bright, frothy. Petechiæ. Raging, pulsating headache ; < covers. Scalp, < dampness. **Blood-shot or bruised eyes.** Persistent nose-bleed. Mottled or red (pimply) face. Sub-mental gland swelled. Much uric acid sand in urine. Bleeding fibroids. Cough ; tormenting ; from tickling in larynx ; with epistaxis ; then sobbing respiration ; < receding eruptions. Double inspirations. Hæmoptysis : alternating with rheumatism. Stiff, **crampy back** ; < **rising from sitting.** Lumbago. Hip-joint ; cramps over. Swelled, blotchy, ecchymotic legs and feet. Larval gout. **Sprained ankles.** Feet (dorsæ) itch by night and are stiff in A. M. Sore heels. Tender soles. **Wounds, punctured** ; twitches in ; from nails, stings, etc. ; foul pus. Coldness of part, < limbs ; with the pain ; during fever ; as if in cold water. Foul sweat. Profuse night-sweat.

Related : Arn. Bry. Rhus-t. Sec-c.

LEPTANDRA.

REGION.

Liver.

Right Side.

WORSE.

Cold Drinks. Motion.
Periodically.

BETTER.

Lying on Stomach or Side.

Hepato-hæmorrhagic diathesis. **Burnings ; in hepatic region.** Hopeless, weak and drowsy. Craves iced drinks. Bilious vomitus. Sore or dull bursting ache over gall-bladder,

or liver, down over bowels to navel or toward left scapula, or along spine. Liver swelled transversely. Acute liver conditions. Gall-stones. Muddy, watery, morning stool. **STOOLS TARRY OR BLACK, FOUL**; stringy, waxy; spurting; with pain at navel. Dysentery; after diarrhoea. Prolapsing piles; with hæmorrhage (Lach.). Leucorrhœa; warm, watery; runs down limbs. Pain in (l) sciatic nerve on sitting. Nails very thin; soft and splitting. Jaundice.

Complementary : Pho.

Related : Bap. Card-m. Chio.

LILIUM TIGRINUM.

REGION.

VENOUS
CIRCULATION { FEMALE
 ORGANS.
 Uterus. Ovaries.
 HEART (R).
 Rectum. Bladder.

WORSE.

WARMTH ; of Room.
Motion. Miscarriages.
Walking. Standing.
Consolation.

BETTER.

Left Side.

Cool, Fresh Air. When Busy.

Lying on Left Side.

Sunset (Coca. Med. Sele.).

Nerves.

Pressure. Crossing Legs.

FULL, HEAVY or forced out feeling; uterus; heart; eyelids; ovary (l). **Utero-ovarian sagging.** Marked nervo-hysterical reflexes (Con.), especially mental or cardiac. Nervous tremor; in hypogastrium, in spine, knees, etc. **Pulsation**, ebullition, gurglings and burnings. **Backward pains**; about eyes; to occiput; from nipples through chest; from heart to l. scapula. Venous congestion. Acid discharges. **Hurried, nervous, snappish and erotic or depressed.** Fruitless activity. Wild, crazy feeling. Dread; of insanity; being incurable, etc. Desires finery. Burning headache, < before and after menses; ache over (l), eye; with vertigo and visual effects. Eyes, feel sprained; bite and burn, < **reading.** Yellowish, patchy tongue. Sweet taste—back of mouth. Craves meat. Hunger, as if from spine. Stiff, tense abdomen. Can't bear weight of covers. Sharp pains, < doubling up. Early, morning diarrhoea; frequent, small stools; with tenesmus; < after rising. **Heavy dragging or outward urging in pelvis**; must

hold parts (Sanic.); with dysuria. Ovarian pain, (l); into limb; with pain below (l) breast. Menses free, while moving only. Thin, brown, leucorrhœa; acrid. Oppressive load on chest; air hunger; takes long breaths. As of a rivet or ball under (l) mamma. HEART, feels clutched, overful, cold, weak, hangs by a thread, etc.; pains into (l) arm; < stooping; < lying on (r) side; nervous. Palpitation. Neckache, < tire. Broken feeling between scapulæ. Pain from hip to hip. Can't walk on uneven ground. Chilly, > open air. Burning palms and soles.

Related : Alo. Plat. Pul. Spi.

LITHIUM CARB.

REGION.

Heart.

Small Joints.

Lungs.

Urine.

WORSE.

Night.

Menses; After; Suppressed.

BETTER.

Eating. Urinating. Motion.

SORE and heavy. Acidity. Outward pressure or as of a dull point. Gout. Rheumatism.....Headache, > eating. Eyes dry from using them. Vertical hemiopia (r). Red nose. Lumps of mucus drop into throat. Gnawing in stomach, with pain in left temple (Ars.), > eating. Urine scanty, with much thirst; with red-brown sediment. Heart pains; sore; with eye symptoms; going to head; < bending over, > urinating; from mammae to arms. Soreness of fingers, > grasping. Dry, harsh skin. Eczema.

Related : Lyc. Nat-p. Sul-ac.

LOBELIA.

REGION.

RESPIRATION.

Vaso-motor Nerves.

Secretions.

Heart. Epigastrium.

WORSE.

Cold Bathing.

Suppressions.

Sleep; After.

Tobacco.

BETTER.

Rapid Motion.

Eating a Little.

RELAXATION ; with increased secretions and weakness ; with sweat ; with deathly sickness all over ; with oppressed, rattling respiration. Sits with elbows on knees. Prickles all over.....
Flow of saliva ; with retching, hiccough, nausea, dyspnœa, etc.
As of a lump in throat or stomach. **Deathly nausea** ; with vertigo ; < night and early A. M., > eating or drinking. **Vomiting** ; with sweat (cold on face). **Nausea and vomiting**, with profuse sweat ; with respiratory symptoms. **Weak, sinking at stomach.** Deep red urine, with red sediment. Urine suppressed or infrequent. **Dyspnœa** ; nervous ; with labor pains ; as from a wedge in larynx ; > rapid motion ; with general prickling. **Asthma.** Spasmodic cough ; with sneezing, belching or gastric pain. **Rattle in chest, but don't expectorate.** **Constriction or oppressive fulness in chest.** **Pulse weak, or soft ; flowing.** **Plaques of œdema (figurata) ; with ecchymoses.**

Related : Ant-t. Ip. Tab.

LYCOPodium.

REGION.

WORSE.

**NUTRI-
TION** { **DIGESTIVE
TRACT.**
Portal System.
Skin.

**PRESSURE OF
CLOTHES.**

WARMTH. **Awaking.** **Wind.**

Eating ; to Satiety ; Oysters.

Indigestion. 4-8 P. M.

URINARY ORGANS.

RIGHT SIDE { **THROAT.**
to Left. { **Chest.**
Ovary.

BETTER.

WARM DRINKS, Food, etc.

Cold Applications.

Motion. **Eructations.**

Brain.

Lungs.

Urinating.

Weak from digestive disturbances. **Repeating or alternating symptoms ;** flexion, then extension ; automatic acts ; flushing, then paling, chill after chill, etc. **Progressive affections.** **Relapses.**

LYCOPodium

Sudden symptoms. Throbbing. Pains cause anger, jerking, etc. **ACIDITY**; **sour taste**, eructations, vomitus, etc. **Calculi**; gallstones, gravel, tophi. Gout. Thin, withered and **FULL OF GAS**. Poor circulation; it seems to stand still; limbs feel dead; numb spots. Descending symptoms; emaciation, etc. Early senility. Dropsy. **Confused over daily affairs**. **Mentally active**, but grows weaker. Can't think. Mis-calls or omits words, etc. Paralysis of brain. **AWAKES ANGRY**, sad or anxious. **Sensitive and fearsome**. Averse to being alone. **Hateful, cranky, domineering, exacting**, reserved or despairing. Headache; pain goes to other side, where it is worse; pulsating in occiput at night; < if hot. Hair falls; comes in gray. Dandruff. Eyes half open. Hemipopia. Sees sparks. **FANNING OF WINGS OF NOSE**. Nose stuffy; dry posteriorly. Acrid ozœna. **Face yellowish**; pale, gray; **wrinkled forehead**; frowning; twitching. Hydrocephalus. Meningitis; tubercular. **Mouth hangs open**. (Merc-c. Mur-ac.). Sore lips. Yellow teeth. **Tongue**; puts it in and out rapidly; trembling; **swelled**; heavy; lolling; stiff; cracked; painful vesicle on tip. A ball rises and sticks in throat. **Sorethroat** (x); < cold drinks. Diphtheria. **Hunger**, but **quick satiety**; **A LITTLE FOOD OVERFILLS**. Averse to soups. **Incomplete eructations**. **Epigastric anxiety, pressure**, etc. Gnawing in stomach. As of a band about waist. Sensitive, congested liver. **MUCH, NOISY FLATULENCE**, < lower bowels. Meteorism. Flatulence, pressing out. Abdomen; sore, < lower; alternating sides; brown spots on and on chest. Colicky babies, < in evening. Stool, most seems to remain, after; contains sand. Alternate diarrhoea and constipation. Piles, > hot bathing. Frequent urging to urinate, > riding in cars, etc. Acrid urine. Urine scanty; **cries before urinating**; **red sand in**; suppressed. **Sexual exhaustion**. Pollutions. Violent dysmenorrhœa, with fainting. Menses of clots and serum; < stool. Acrid or **periodical leucorrhœa**. Painful coitus. Gas from vagina. Craves air, but is chilled by it. Short, rattling breathing. Salty, green-yellow, lumpy or foul expectoration. Unresolved pneumonia. Dry, teasing cough, with emaciation. Mammæ,

achy ; sore ; nodes in (l). Axillary abscess (r). Bubbling at scapulæ. Stiff back. Hands numb ; cramps in, and in feet. Fingers twitch during sleep ; sticky sweat on. Pains jerk legs upward. As of a stone under heel. Feet asleep, < heels ; acrid sweat on. DRYNESS ; palms, vagina, skin, etc. **Rawness** in folds, nipples, anus, etc. Suppurating eruptions. Receding boils, erysipelas, etc. Vascular swellings. Erectile tumors ; < before menses. Aneurism. Rapid pulse, < eating ; evening. **Coldness** ; icy ; head, throat, stomach ; of one foot ; < coughing. Chill, then vomits ; after first sleep. Burning, between scapulæ. Foul viscid axillary or foot sweat ; like onions.

Complementary : Calc-c. Iod. Kali-c. Lach. Related : Carb-v. Sil.
Follows : Chel. or Graph.

LYCOPUS.

REGION.

HEART.

Circulation.

Left Side.

WORSE.

Excitement. Exertion.

Heat. After Sleep.

Lying on (R) Side.

Abuse of Heart Remedies.

Suppressions.

Thinking of It.

Irritable weakness. Heart, with many side-symptoms. Symptoms vary with heart action or associated with a **RAPID TUMULTUOUS HEART BEAT. Cardio-hæmorrhagic cases. HÆMORRHAGE**, from nose, piles, lungs, etc. Shifting pains. Nervous, hurried and tremulous. **Slow comprehension. Protruding eyes.** Tawny, expressionless, bloated face. Polyuria. Choking on lying down. **Heart cough.** **HEART** ; violent, excessively rapid (Pho.), stormy action ; heavy beat, at night ; oppression at ; pains, sore, aching constriction. **Pulse**, large, full, soft ; don't synchronize with heart. Hot ache beneath (r) scapula. Coldness.

Related : Cact. Collin. Cratæ.

LYSSIN—MAGNESIA CARB

LYSSIN.

REGION.	WORSE.
Nerves.	Running Water (Canth. Stram.). Heat of Sun.
Cord.	Glistening Objects. Drafts.
Throat.	BETTER. Bending Backward.
Sexual Organs.	Gentle Rubbing.
Spasm. Overacute senses. Fear. Anger. Rapid speech. Impatience and violent temper. Roams about. Con- stant spitting; ropy, frothy saliva. Spasm of gullet. Can't urinate unless he hears water run. Sexual excitement. Sensitive womb. Barking cough. Pain in neck. Blueness. Convulsions.	
Related : Lac-c. Lach.	

MAGNESIA CARB.

REGION.	WORSE.
Malar Bones.	NIGHT. Rest. Noise. Cold {Changes of Weather. Wind. Drafts. Food; Starchy; Milk. Slight Causes, Touch, etc. Children. Nurselings.
DIGESTIVE TRACT	{Stomach. Bowels. Liver.
NERVES	BETTER. {Facial. Dental. Motion. Walking About. Open Air.
Ailing, worn out, nervous, flatulent and flabby. Sour; all over (Rhe.); regurgitation; foamy vomitus; stool, etc. Emaciation. Marasmus. Sharp shoots along nerves; must walk about. Numb, distended feeling. Can't bear hands covered, yet chilled by uncovering. Heavy brain. Tearing, digging, boring face or toothache; < pregnancy; > cold. Sudden deaf- ness. Waxy pallor. Hawks cheesy masses from throat. Sorethroat at menses. Nibbling appetite. Vomits undigested milk or bitter water. Cutting colle. Stool, frothy; GREENISH, LIKE WATER AND SCUM OF A POND; lenteric, with gelatinous or fatty	

masses ; grass green. Menses like thick, dark molasses ; tarry ; viscid ; < night and on rising ; leave a fast stain. Craves open air. Paroxysmal cough ; difficult, thin, salty or bloody sputum. Heavy, weary feet. Chilly ; takes cold, with coryza, toothache, sorethroat, etc. ; before menses ; and dry. Sour, greasy, indelible sweat.

Antidotes : Cham. Nux-v. Pul.

Related : Rhe.

MAGNESIA MUR.

REGION.

NERVES.

LIVER.

Digestion.

Pelvic Organs { Uterus.
 { Rectum.

Women.

WORSE.

LYING ON RIGHT SIDE.

Night. Noise. Sea Bathing.

Eating. Salt Foods.

MILK.

BETTER.

HARD PRESSURE.

Lying Bent.

Hanging Down.

Gentle Motion.

Cool, Open Air.

Nervous ; with hepato-uterine or cardiac symptoms. Globus. Hysteria. Crampings. Dryness. Burning. Darting. Dinner causes faintness, dyspnœa, etc. Chronicity..... Irritable. Yellow sclera. Tinea ciliaris. Acrid, crusty ozœna. Broad, yellow, scalloped tongue ; feels burnt. Loss of taste and smell. Craves sweets. Pain from liver to spine or epigastrium. Sore, enlarged liver ; drags if lies on (l) side. Cramp in gall-bladder, > eating. Flatulence. STOOLS DRY ; KNOTTY ; of little balls, like sheep dung ; gray ; crumbling at anus. Must press on bladder to urinate. Profuse, dark, lumpy menses ; like pitch ; with cramps, backache and pains in thighs. Gushes of leucorrhœa, follow each cramp or stool. Palpitation ; > motion or lying on (l) side. Throb below (l) scapula. Bruised or burning feeling in hips and back. Cramps in back, < walking ; in thighs, < sitting. Dead fingertips. Tense thighs and calves ; must move limbs. Ankles cold or nervous, < night. Cutting in heels. Yellow, thin, foul pus. Jaundice. Sweat on head and feet.

Related : Nat-m. Pul. Sep.

MAGNESIA PHOSPH.**REGION**

NERVES { Face.
 { Head.

Muscles.

Right Side.

WORSE.

COLD { AIR. Uncovering.
 { Drafts.
 { Water (Calc-c.).

Lying on R. Side.
Touch. Periodicity. NIGHT.
Milk. Touch.
Exhaustion.

BETTER.

WARMTH. HOT BATHING.
Pressure. Doubling Up. Rubbing.

Tall, slender, dark and neurotic. Nervous, tense and subject to sudden, violent neuralgias, colics, cramps, etc. SUDDEN paroxysms of pain; sharp shooting like lightning; suddenly changing place; in waves; radiating, boring or constricting; extorting cries; causing restlessness, prostration, etc. Twitchings. Tic-convulsif. Spasmodic effects; hiccough, yawning, chorea, writer's cramp, etc. Much pain.Always talking of her pains. Hot, aching eyes. Photophobia. Faceache, < if body gets cold. Cracks in angles of lips. Nervous angina. Cutting; from bowels into thighs. Flatulent colic. Contracted abdomen. Diarrhoea ceases, spasms set in. Cough, > cool air. One vertebra seems absent. Tightness of skin of fingers. Pains in lower limbs, alternating sides. Irritable pulse. Tarry menses leaving a fast stain; flowing at night.

Related : Colo. Dios.

MAGNESIA SULF.**REGION.**

Intestines.

Urine.

Female Sexual Organs.

WORSE.

Morning on Awakening.

BETTER.

Rubbing. Walking.

Diarrhoea, with diuresis. Greenish urine; with red sediment. Profuse, dark, intermittent menses. Much, thick leucorrhoea. As of a lump between shoulders. Back feels broken. Left arm and foot fall asleep. Crawling in fingertips (l). Warts.

Related : Nat-s.

MANCINELLA.

REGION.

WORSE.

Surfaces	{ Mucous. Throat. Skin.	Cold.	{ Feet. Drinks.
Mind.		Dampness. Touch.	Puberty. Climacteric.

Irritation. Acridity. Burning.....Depressed, with sexual erethism. Thoughts vanish. Forgets her errand. **Terror of insanity.** Emptiness in head. Pain in vertex, < lying. **Eyes, smart, < closing lids; lids heavy and sore; dull ache behind. Photophobia. Face swelled; spotted; herpes on lips. Profuse, foul saliva. Throat; cutting pains; < cold drinks. Diphtheria. Chokings, ascend throat. Craves cold water. Swelled epigastrium. Bowels sore and burn. Colics or cough, < cold drinks. Ache behind sternum. Soles; biting vesicles on; desquamation; dry. Acrid, sticky foot-sweat (Sil.). Vesicles. Bullæ. Brown crusts. Scarlet fever. Pulse slow; very large and soft.**

Related : Aru-t. Canth. Rhus-t.

MANGANUM.

REGION.

WORSE.

INNER EAR.

Varies with the Weather.

Larynx and Trachea.

Touch.

LOWER LIMBS.

Cold. Damp. Night.

Periosteum { Joints. Ankles.
Shins.

Speaking. Feather Bed.

Heels. Skin.

BETTER.

Lying Down. Open Air.

Very sensitive bones. Painful, deep soreness; ears; bones; joints; skin. Diagonal pains. Pains extend to ears from other parts. Yellow-green, lumpy or bloody discharges. Catarrh. Infiltrated, glistening joints. Festination. Motor paralysis. Weak and nervous. Headache, < straining at stool, etc. Everything affects his ears (Cann-s. Gel. Plan.). Blowing nose is painful. Pale, sickly, mask-like face. Anæmia. Flow of saliva, with colic, paralysis, etc. Late or pale first menses. Raw, dry, larynx. Rough, hoarse voice; chronic, < A. M.; > expectorating

a lump of mucus. Cough, < reading or laughing ; > lying ; with aphonia ; laryngeal ; of phthisis. Weak, uncertain legs. Inflamed ankles. Digging in shin bones. Rough, cracked (flexures) or bluish skin. Dry, hard ulcers. Sudden hot flushes. Pruritus of diabetes. Skin festers about joints.

Related : Chin. Psor.

MARUM VERUM.

REGION.

NOSE. Lungs.

RECTUM.

Fingertips.

Toe-Joints.

WORSE.

Weather { Changing ; Damp.
Cold.

In Bed.

BETTER.

Open Air. Sweat.

Over-sensitive and excitable. Delicate and sensitive. Internal tremor ; < excitement.....Sleepless, after excitement. **Crawling** in nose ; must pick it ; side lain on closes ; lumpy discharge. **Polypi.** Anosmia. Atrophic catarrh. Mouldy taste in throat, on hawking or coughing. Itching of palate and ears. Solid lumps from posterior nares. Follicular pharyngitis. **Itching anus ; prevents sleep.** Pinworms. Cough, < coughing. Ingrown nails.

Complementary : Calc-c.

Related : Cina. Sil.

MEDORRHINUM.

REGION.

Mind. Nerves.

Mucous Membranes.

Lymphatics.

Cellular
Tissue.

{ Lungs.
Pelvis.
Small Joints.

Spine.

Kidneys.

Left Ovary.

WORSE.

Damp ; Cold.

Daytime. 3-4 A. M.

After Urinating.

Touch. Close Room.

Before Storms.

BETTER.

LYING ON ABDOMEN.

Bending Backward. Stretching Out.

Fresh Air. Being Fanned.

Uncovering. **Hard Rubbing.**

Seaside. Dampness.

Sunset (Coca. Lil-t. Sele.).

Stiff, puffy, achy, sore and rheumatic. Dwarfish. Many pains. SYCOTIC TAIN'T, poor reaction. Joints feel loose. **Profuse, acrid discharges ; causing itching (Tell.).** Fishy odors. Nephritis. Small, very sore aphthæ, blisters, etc. **Burnings.** Burning at root of tongue. **Formication ; internal. Numbness. Tremor.** Emaciation. Sour children. Offensiveness. Tumors. Loss of power in joints.....Memory weak, can't concentrate ; forgets words, names ; can't finish sentences. Mental confusion. Wild feeling. Meanness. Cruelty. **Things seem strange.** Tells it over again. **Hurried ; and anxious ; and irritable ; and sensitive.** Forgetful ; of names ; of her errand. Suicidal. Fearsome. Apprehensive ; anticipates events. Persistent ideas or alternating states, or erratic. Impulsive, abrupt or rude. Many ideas ; but uncertain of execution ; non-committal. **Sensitive, nervous and hurried.** **Feels far off, unreal ; some one behind her.** Sad, tearful and fearful. Dismal out-look (Cimi.) ; > weeping. Vertigo ; < in vertex. Head tight ; tense pains ; pulls hair. Occiput pains to behind eyes. **Tonsled heads.** Coryza with loss of taste and smell. Post-nasal discharge. Face, grayish, greasy, greenish ; **yellow at edge of hair.** Red spiderlets on face (r). Acne on face ; < after menses. Water tastes like perfume. Exhaled breath feels hot. Craves stimulants. Morning nausea. **Vomiting of pregnancy.** Heavy lower abdomen or **prostate.** Grinding colic ; must brace feet. Dysmenorrhœa. Leans back to force a stool ; then shivers. Cholera infantum. **Flery red, moist, violently itching anus.** Scalding ammoniacal urine. Air hunger. **Cough, > lying on face.** Sore, oozing or icy nipples. Cutting, crawling, turning above (l) scapula. Fingertips burn and crack. Heavy legs. Tender, itching ball and soles. Sleeps in knee-chest position. A short nap seems a long one, but > (Nux-v.). Cold skin, but blood feels hot (Sec-c.). Burning heat, with sweat ; wants to uncover, but is chilled thereby. Burning feet. Sweat easy ; toward morning. Hay fever. Body smells badly to her ; can't wash it off (Lac-c.). Teeth soft, crumbly. Aphthæ under tongue. Burning in epigastrium. Flatulence with numbness. Dark fluid from rectum. Drawing in ovaries, > pressure. Sycotic sterility. Dysmenorrhœa. Profuse, dark, clotted,

foul menses (Psor.). Blistering leucorrhœa (Am-c., Kre.). Pruritus, > rubbing. Lungs feel stuffed with cotton. Can't exhale. Asthma; sycotic; infantile. Sensation as of a cavity in chest or heart. Heat in spine. Spine sore and tender. Arms hairy. Hot palms. Bites nails. Leg cramps, > stretching leg. Itching soreness. Condylomata. Sycotic red node. Deep red spots.

Follows : Rhus-t.

Related : Bar-c. Nat-m. Psor. Thu.

MELLILLOTUS.

REGION.

WORSE.

HEAD.

Climacteric. Walking.

Weather { Changing. Stormy.
 { Rainy.

Vaso-Motor Nerves.

BETTER.

Circulation.

Bleeding. Profuse Urine.
Vinegar.

Raw feeling. Congestions. Bright red hæmorrhage; which >
..... Desires to escape. Rushes of blood to head.
VIOLENT, THROBBING HEADACHE; threatens his reason; > nosebleed. **FIERY RED FACE**. Profuse nosebleed.
Dry skin.

Related : Bell. Glo.

MENYANTHES.

REGION.

WORSE.

Circulation.

Walking. Rest. Malaria.
Ascending. Quinine.

Motor Nerves.

BETTER.

Vertex.

Hard Pressure.
Twilight.
Laying on Hands.

Icy coldness of prominent, single or affected parts; nose (Ap. Med.), ears, fingers, knees, abdomen, etc.; at night (Pho.). Visible jerks or twitches. **Vertex**; heavy pressure on; pains, < stooping; or as of a weight in nape. Bursting headache. Pain ascends from nape. Misty vision. Frequent, scant urine. Boring at l. scapula. Cramp in posterior thighs, < sitting,

or from ankles to calves (r). Skin feels tight. Vivid dreams. Shivering, with yawning. Quartan malaria.

Related : Ver-a.

MEPHITIS.

REGION.

Nerves.

WORSE.

Lying. Night. After Menses.

BETTER.

Cold Bath or Weather.

Spasmodic effects. Foul breath and expectoration. Debility after severe illness. Trembling and twitching of exophthalmos..... Excitable. Loquacious. Vivid fancies. Violent vertigo. As of a finger pressing on occiput. Food goes the wrong way. Chokes easily. Can't exhale. Asthma. Asthma of consumptives or drunkards. Cough ; violent ; spasmodic ; nervous ; suffocative ; whooping ; < talking or drinking. Choking cough.

Related : Coral. Mosch.

MERCURIUS.

REGION.

BLOOD.

Mucous Membranes.

GLANDS { Buccal.
SALIVARY.
TONSILS.
THROAT.
LYMPHATICS.
Liver. Kidneys..
MUCOUS.

GENITALS.

Cellular Tissues.

Joints.

Right Side.

Bones. Skin.

WORSE.

NIGHT. Night Air.

SWEATING.

LYING ON RIGHT SIDE.

HEATED, IF ; < Bed or Fire.

SENSI-
TIVE
TO { DRAFTS, to Head.
Changing, Cloudy
or Cold Damp
Weather.
Taking Cold.
Heat and Cold.

Wet Feet. Firelight.

BETTER.

Moderate Temperature.

Great variety of symptoms. Uncertain, tremulous, weak and sweaty. Swelling, redness ; livid congestion. Continued exuda-

tion. Rawness. **FREE SECRETIONS**, thin, slimy, acrid, burning, foul or thick, green-yellow. Salty, lips, taste, expectoration, etc. **Suppuration**; bloody. **Ulceration**; of mucous membranes. **Catarrhs**. **Glandular activity**. **Biliousness**. **Yellowness**; eyes, teeth, nasal discharge. **Jaundice**. Pains stick to one point. **Syphilis**. Everything seems too short. **Rheumatism**. **Sycosis**. **Scrofula**. **Weak, exhausted and ready to sink down**.....
 **Hurried**; nervous. **Stammering**. Violent impulses (homicidal), etc. **Restless and sweaty**. Filthy in mind and body. Senses impending evil. **Forgetful**. As of a band about head. **Headache** with ear and tooth ache. Swelled, scurfy tarsi. Eyes draw together. **Photophobia**, < lamplight (Glo.). **Musca volitantes**. **Arcus senilis**. Pains into ears, from teeth, throat, etc. Deaf on becoming heated. **Colds travel upward** or attack eyes. **Coryza**; acrid; purulent; every autumn. Heavy nose. Red, raw, dirty nosed children. Face yellow; puffy under eyes. Swelled cheeks. Aching jaws. **Mumps**. Lips salty; cracked in r. angle. Painful, ragged, swelled, **bleeding gums**. **Gumboil**. Loose, hollow, black or aching teeth, < heat and cold; < night. **MUCH SALIVA**; **flows during sleep**; yellow; bloody; bad tasting. **Aphthæ**. **METALLIC TASTE**. Broad, flabby, **INDENTED TONGUE**. Itching palate. Enlarged tonsils. **THROAT**; **SORE**; as of an apple core, choke pear, or something hanging in; ulcer, pharyngeal, behind lingual tonsil; hawks large lumps from. **Sore liver**. Weak bowels; holds them. Swelled inguinals. **STOOLS**; painful; scanty; bloody; **green slime**; ashen white; acrid; then tenesmus or chill. **Tenesmus recti**, with tenesmus vesicæ. Urine causes itching. Urinates more than he drinks. Frequent, scanty urine; then burning. Swelled glans or foreskin. Red meatus. **Genitals, inflamed**; pulls at. Bloody emissions. **Gonorrhœa**. Collapse and fainting at start of menses. Thick, white leucorrhœa, when urinating. Cough; in double bouts; dry at night; **yellow-green sputum**, by day. Right lower chest. **Mammæ**; pain below r. through to scapula; milk in, instead of menses, spoiled. Awakes with cardiac tremor. Respiration < lying on left side, but cough < lying on right side. **Neck stiff**; cervicals enlarged. Trembling limbs. Numb

fingers. Cold sweat on feet in A. M. in bed. Phlegmasia dolens. Pain forward from right scapula. Cool heels. **Skin yellow**; tender; excoriated, like raw meat. Moist, crusty eruptions. **Ulcers**, irregular, spreading, shallow, bleeding; with cutting and proud flesh. **Jaundice**. Measles. Nightly bone pains; deep or near surface. **Orgasms** (to head and chest). **Erethism and restlessness**, < least exertion. Easily chilled or overheated. Alternate chill and heat. Creeping chills. Chilly within abscesses. Catarrhal fevers; after suppressions. **EASY, PROFUSE SWEAT**; without relief, with the pains; oily; foul; sour; stains an indelible yellow; on head; on chest; at night. Must get up and walk about at night.

Antidotes : Aur. Carb-v. Hep. Nit-ac. Sul. Thu.

Complementary : Bell. Sil.

Related : Kali-io.

MERCURIUS CORROSIVUS.

REGION.

WORSE.

RECTUM. Bladder.

AFTER { **URINATING.**
STOOL.
Swallowing.

Eyes.

THROAT { **Uvula. Fauces.**
Palate.

Night. Cold. Autumn.
Hot Days; Cool Nights.

Kidneys. Bones (Flat).

Acids.

Violent effects. Burning, internal; throat, stomach, rectum, neck of bladder, kidneys, etc. Inflammation, with swelling and constriction. **Constriction** of throat, rectum, bladder, etc. **Cracks**, on palms, soles, angles of mouth, etc. **Erosive discharges**; acrid, fluent coryza, lachrymation, etc. Phagedena. Syphilis. Anxious and restless; **rocks hard**. Difficult thinking. Disturbed speech. Stupid. Aching temples, < looking sidewise. Photophobia. Iritis. Keratitis. Gluey nasal discharge. Swelled nose. **Pale about mouth.** Patchy tongue. Nightly toothache. Red, swollen uvula. **Astringent, taste**, regurgitation, etc. Sore, painful swelling in l. throat, < heat; sharp pains into ears, < pressure. **DYSPHAGIA.** Insatiable thirst. Vomits slime and blood. Cramp in

epigastrium. Distended, sensitive stomach. Gastritis. Cutting colic. Painful flatulence. Continuous urging to stool and urine (Canth. Lil-t. Sabi.) ; A NEVER GET DONE FEELING. SCANTY, BLOODY, SHREDDY OR SLIMY STOOLS, WITH TORMENTING TENESMUS. Passes pure blood or bloody water. Bleeding kidneys. Dysentery. Spasm of rectum, during coition. HOT URINE, PASSED DROP BY DROP, or scanty, frequent, dribbling ; < sitting. Urethra bleeds after urinating. Nephritis ; slow ; of pregnancy. Cystitis. Gonorrhoea. Phimosis. Chordee. Hard chancres. Breathes as through a metallic tube. Cold skin. Chilly, after stool. Sweats from every motion ; partial ; < forehead and lower parts ; foul, at night.

Related : Ars. Canth. Merc-p-r.

MERCURIUS CYANATUS.

REGION.

WORSE.

MOUTH. THROAT. Larynx.

Swallowing.

Glands. Capillaries.

Nerves.

Speaking.

Early, rapid and extreme prostration ; with tremor, coldness and cyanosis. Putridity. Rapid, local destruction. Cutting pains in throat or larynx. Much thick, or grayish membrane in throat. Septic diphtheria ; of soft parts ; has prophylactic value. Enlarged tonsils. Early and complete anorexia. Croupy cough. Cough causes suffocation. Weak heart. Sweatiness.

Related : Lach.

MERCURIUS DULCIS.

REGION.

WORSE.

Ears.

Acids.

Eustachian Tube. Tonsils.

BETTER.

Liver. Duodenum. Bowels.

Mucous Membranes. Pleura.

Cold Drinks.

Pallid, flabby, catarrhal and bilious. Pale mucous membranes. Deficient oxidation. Reabsorbent action. **Painful** scalp. Meningitis. Rapid winking. Obstructed Eustachian tube (Kali-m. Petr.) or lachrymal duct (Fag.). Deafness from every cold. Blows lumps from nose. Indurated tongue. Increased saliva. Fetor oris. **Tonsil, (r);** inflamed; > **cold drinks** (Ap. Merc-i-f. Phyt.). Biliary stasis. Acrid, grass-green diarrhoea; of infants. Slimy, pussy expectoration. Inflamed pleura. Sweatiness.

Related : Kali-m.

MERCURIUS IOD FLAV.

REGION.
THROAT ; Right.

WORSE.

Odors.

Right Side.

Raising Up. Warm Drinks.
Lying on Left Side.

Glands.

BETTER.

Open Air.

Faint or dizzy on rising. Forehead aches. Cornea looks scratched or chipped. Dark circles under eyes. Swelling below r. eye (Arn.). Jaws tired from clenching during sleep. Teeth on edge, < heat, cold and sweets. Pyorrhoea. **Moist, filmy coat on tongue or YELLOW AT BASE.** **Sorethroat** (r. then l.); swelled tonsils; > cold drinks. **Tonsillitis.** Hawks lumps from posterior nares. Yellow leucorrhoea; of children. Heart, then head pains. Palpitation, with dyspnoea, < lying on back. Numb knees. Swollen glands; cervicals. Syphilis. Flat warts.

Related : Lyc. Merc.

MERCURIUS IOD RUB.

REGION.

THROAT.

Glands. Left Side.

Cellular Tissue.

WORSE.

Empty Swallowing.

After Sleep.

Swellings. **Painfully heavy occiput.** Granulated eyelids. **Aching, sore malar bones.** Slimy, sticky lips on waking. **Dark, red fauces.** Wrinkled tongue. **SORETHROAT**

(l. to r.); tonsils or glands greatly swelled, yet little exudate. As of a lump in throat. Stiff throat, root of tongue and neck (Phyt.). Indurations in urethra. Hard chancre. Profuse, acrid, green leucorrhœa. Stubborn, suppurating bubo. Right lower chest. Asthma. Hard, glandular swelling; cervical adenitis. Moist cracks on palms. Wandering pains.

Related : Lach.

MERCURIUS PRECIP RUB.

REGION.

Mucous Membranes.
Heart. Skin.
Right Side.

WORSE.

Falling to Sleep.
Lying.

Burning. Fissures. Syphilis ; of pregnancy.....Patchy tongue. Coat like old cheese on mouth and throat. Mucous patches. Suffocation on lying or falling to sleep. Asthma.

Related : Ars. Lach.

MEZEREUM.

REGION.

SKIN.

Nerves { Head.
Bones { Face.
 { Jaws.

Mucous { Mouth.
Membranes { Stomach.

One Side

WORSE.

NIGHT. Suppressions.
WARMTH OF BED, Fire,
etc.
Cold Air ; Drafts ; Damp.
Motion. Touch.
Mercury. Vaccination.

BETTER.

Wrapping Up (Nerves,
Bones).
Eating. Open Air.

Acrid secretions, pus, leucorrhœa, etc. **Violent, irritative burning itching**, burning smarting, burning boring, etc. with coldness of part affected. Neuralgia; after shingles. Ulcers. Effects of suppressed eczema capitis. As of a cool breeze. **Sudden pains**, then chilly, sore or numb. Emaciation of part. Gouty-rheumatic-syphilitic dyscrasia. **One-sided symptoms**, whole or partial ; numbness of

one side of scalp. Head pain (l), into eyes, malar bones, neck, etc., with lachrymation. Painful skull. Pains outward along brows. Eyes seem dry. Ears feel open to cool wind. Deafness. Facial neuralgias. Cracks in angles of mouth. Dry, dark red mouth. Blunt teeth. Toothache into temples; > cool air. Tongue coated along one side only. Sorethroat in winter. Gastric pain, > milk. Contracted, prolapsed rectum. Glistening particles in stool. Stubborn, leucorrhœa. Dry, tickling cough; unto vomiting; < hot things. Aching, itching in popliteæ. Internal burning with external violent itching in small areas or single parts. **Intolerable itching**; changes place on scratching. Pruritis senilis. Eruptions ooze acrid, gluey moisture, form **thick crusts, with pus beneath**, or are chalky white. Milk crust. Deep, hard, painful ulcers; acrid pus, drying into crusts; < touch and warmth. Bones seem enlarged. Perjostitis. Chilly; limbs feel cold. Heat of one hand.

Complementary : Merc.

Related : Ars. Guai. Kali-io. Merc.

MILLEFOLIUM.**REGION.****WORSE.**

Injury. Violent Exertion.

CAPILLARIES { LUNGS.
 { Nose. Uterus.**BETTER.**

Bleeding. Discharges.

Bruised soreness. Congestion. Profuse, painless, bright red, fluid hæmorrhage; nosebleed, hæmoptysis (Aco. Led.), etc. Spasms after suppressed secretions, menses, etc.
Flatulent colic. Oppression of chest, with palpitation.

Related : Arn. Led.

MOSCHUS.**REGION.****WORSE.**NERVES { SENSORY.
 { Genital.

Excitement. Cold.

Suppressions; Menses, etc.

Respiration.

Circulation.

BETTER.

Open Air.

Poor reaction. Spasmodic, nervous effects; laughter, hiccough, shuddering, etc. **Twitchings. Chokings. FAINTS. Hysteria.**

Buzzing, squeezing or plug-like sensations. Globus.
 Hurried, tremulous and awkward. Anger; talks excitedly or
 scolds until she faints. Fears noise, dying, etc. Imaginary
 sufferings. Nervous shuddering. Headache, with coldness,
 faintness and polyuria. One cheek red, but cold (Fer.), other
 pale and hot. Blue lips. Violent eructations. Tympany. Sudden
 nervous suffocation or anxious palpitation; wants a deep breath;
 < becoming cold (Act-sp.); > belching. Cramp in lungs. Sleepy by
 day; sleepless at night; wakes every minute. So sensitive,
 cold air makes him shudder. Shivering on scalp. Cold skin.
 Burning heat, with restlessness.

Related: Carb-v. Castor. Ign. Nux-m. Val.

MUREX.

REGION.

FEMALE SEXUAL
ORGANS.

WORSE.

Touch. In Sun. Sitting.
Abortion.

BETTER.

Before Menses. Eating.

Sensitive. Very tired and weak. Fearful and
 anxious. Cold nose. Violent hunger, even after eating. Sinking
 at stomach. Urging in bladder. Urine smells like valerian.
 Pains in genitals; up through abdomen; into breasts; stitches.
 Painfully sore uterus. Bearing down pains; must cross limbs.
 Nervous, frantic desire. Nymphomania. Copious menses. Leu-
 corrhoëa; thick; yellow, bloody; alternating with mental
 symptoms. Lumbar pain impels walking, which <. Hives.

MURIATIC ACID.

REGION.

BLOOD.

MUSCLES { HEART.
ANUS.

MUCOUS { Digestive Tract.

MEM- { MOUTH.
BRANES

TONGUE.

Brain.

WORSE.

Touch. Wet Weather.
Walking.
Cold Drinks; Bathing.
Sitting.
Human Voice.

BETTER.

Motion. Warmth.
Lying on L. Side.

Sore, RESTLESS AND ERETHISTIC, but soon grows weak and very debilitated ; wants to lie down ; slides down in bed, eyes fall shut ; lower jaw drops, etc. Muscle exhaustion. **Bluish parts** ; tongue, piles, ulcers, etc. Tearing in limbs. **BURNINGS**. Dry, bleeding, cracked or deeply ulcerated parts. Thin, acrid, foul discharges. Decomposition. Violent hæmorrhage. Bloody mucous membranes. Typhoid or scorbutic states.
Introverted. Sad and taciturn. Irritable. Muttering. Persistent, loud moaning. Vertigo if lies on r. side. Brain feels bruised. Periodical pain over l. eye. Occipital pains ; leaden heaviness. Cutting from mastoid to nape, < touch. Deafness. Nosebleed. **Dark or glowing red face** ; with cold hands, but no thirst. **Lips, sore, cracked and scabby. Dry, mouth and throat.** Tongue heavy, stiff, shrunken or burnt looking (Ars.). Aphthæ. Teeth, < acids or sweets. Sordes. **Averse to meat.** Ascites. Profuse, involuntary stool or prolapsing bowel, on urinating, or passing flatus. **Very sore piles, > heat.** Atony of bladder ; must press until rectum comes down. Can't urinate without also stooling. Red, swelled, burning fingers and toes. Weak thighs. Scurfy eruption on dorsæ of hands. Ulcers throb on walking. Pulsations in single parts. Sparse scarlatina, mixed with petechiæ. Large, full and soft pulse. Pulse drops every third beat. Cold in bed, in early morning. **Intense, burning heat, with aversion to covers.** Adynamic fevers ; typhoid, septic, etc.

Related : Bap. Bry.

MYGALE.

REGION.

Nerves.

Chorea of upper parts.....Twitching facial muscles and head (Cic.).

MYRICA CERIFERA.

REGION.

Liver.
Heart.

BETTER.

Open Air.

Discouraged. Dull headache, in the early morning. Yellow sclera.

Very red eyelids. Combined liver and heart symptoms. Liver affections, with dull pain; with pain under either scapula; with urticaria; with jaundice. Jaundice of infants. Fulness and burning in gall-bladder. Foul, adhesive mucus in mouth, throat, or stool. Slow pulse.

Complementary : Dig. Kali-bi.

Comp. : Chel.

NAJA.

REGION.

Cerebellum. Medulla.

NERVES { HEART (Mitral
Valve).
Respiration.
Throat.

Left Side { Ovary.
Temple.
Arm.

WORSE.

Lying on Left Side.

After { Sleep.
Menses.

Air { Cold.
Drafts.
Pressure of Clothes.
Alcohol.

BETTER.

Riding in Open Air.

Sneezing.
Smoking.

Nervous, excited and tremulous; with cardiac effects; often reflex.

Collapse. Sepsis. Many pains. Parts seem drawn together.

Constrictions, throat, chest, etc. Insensible r. side.....

Suicidal brooding. Shootings in head. As of a blow on occiput and neck. Vertex sensitive to cold. As of a lump in throat. PAIN

FROM L. OVARY TO HEART. Suffocative choking; grasps the throat. Puffing breathing. Cardiac asthma or cough.

HEART; weakness at; violent pain; shooting to l. scapula,

shoulder or neck; cramp ascends into neck; holds hand over it;

excited, tremendous action; palpitation, visible; hypertrophy;

endocarditis, septic. Dry or empty in l. lung. Ribs feel broken.

Cramps in shoulder, nape or thigh. Numb l. arm. Terrifying

racking in marrow of thigh. Puffy or sweating hands and feet.

Itching cicatrices. Pulse changes force. Internal heat, < chest. Sweat on lumbar back and ankles.

Related : Cimi. Lach. Laur. Spig.

NATRUM CARB.

REGION.

WORSE.

DIGESTION.

HEAT

{ Sun. Weather.
(Head).
Sultry Air.
Gas-light.

Nerves.

Periodically ; Winter (Body),
5. A. M. Music.

Skin.

Mental Exertion. Onanism.
Dietetic Errors. Milk.

Hands (Dorsæ).

Drafts. Thunder-storms.

Heels.

BETTER.

Motion. Rubbing. Eating.
Sweating.

Irritable weakness. Puffy, relaxed, easily exhausted. Easy dislocation. **Oversensitive** ; to open air, music, noise, dietetic errors, etc. **Pains** cause tremor, cold sweat, anxiety, etc. Cross and irritable. **Gloomy.** Lively, yet fearful ; < thunder-storms. Averse to company. Vertigo, from wine. Hot weather headache. Head bent backward ; pains out through eyes. Dazzling flashes or stars before vision. Swelled or peeling nose. Coryza, < least draft ; < alternate days. Violent sneezing. **Post-nasal discharge.** Pale, wilted face. Mouth open. Must drink to swallow solids. **Acidity,** flatulence and rheumatism. **Weak digestion.** Averse to milk. Greedy, always nibbling. Gastric pain, > eating. Abdomen pouts here and there. **Diarrhoea,** from starches. Stools like orange pulp. **Pollutions.** Cough ; loose ; hollow ; 9-11 A. M. ; < entering warm room. Purulent, salty sputum. Cough from continuous tickle in throat, < going from a cold into a warm room. Boring at tip of l. scapula. Painful popliteæ. Heavy legs. **Weak ankles.** Cramps from ankles into toes. Sleepy after meals. Blisters on small joints ; tips of toes or fingers. Milky, watery or dry, rough skin ; pustular eruptions. Cold between scapulæ. Burning wrists and ankles. **Sweats easily.**

Complementary : Sep.

Related : Lyc. Nat-m.

NATRUM MUR.

REGION.

WORSE.

NUTRITION	{	Digestive Tract.	PERIODICALLY	{	9-11 A. M.
		BRAIN. BLOOD. MUSCLES.			With the Sun. After Menses. Alternate Days (Ars. Chin.).
MIND. HEART.			HEAT	{	Sun. Summer. Dampness. Exertion ; Eyes, Mental. Violent Emotions.
GLANDS	{	MUCUS.	Sympathy.		
		Spleen. Liver.	Puberty. Quinine. Old Malaria. Silver Salts.		
Skin.			BETTER.		
			Open Air.		Cool Bathing.
			Sweating.		Rest.
			Before Breakfast.		
			Deep Breathing.		

Thin, thirsty, hopeless and poorly nourished. Emaciation ; descending ; < neck or abdomen. Anæmia. **DRYNESS** ; skin, mouth, throat, rectum, vagina, etc. **Numbness** ; of one side ; parts lain on ; fingers. **Tremulous.** Easy exhaustion. **Parts seem short,** hamstrings, nape, etc. Not very sensitive to pain. Takes cold. Nervous erethism. **Thick white or clear acrid discharges.** **Exact periodicity.** Malarial cachexia. Hateful ; detests consolation or a fuss. Inconsolable. Easily angered ; < if consoled. **Sad, reserved** ; company distresses. Hypochondria. Weeps bitterly. Boisterous grief. Scattered thoughts, or an idea clings, prevents sleep, inspires revenge, etc. Anxiety. Apprehension. Fears or dreams of robbers. Vertigo ; as if falling, on closing eyes. Nodding motions. **HEADACHES ; hammering ; heavy ; bursting ; maddening ; over eyes ;** on vertex, on awaking ; with partial numbness or disturbed vision ; < reading ; < motion, even of eyes ; > pressure on eyes. Migraine. Falling hair. Eyes feel drawn together. **Lachrymation** on affected side (Spi.) ; on sneezing, coughing, etc. Ptosis, on lying down. Vision blurred, wavering. Letters run together. Hemiopia, then headache. Can't read by artificial light. **Nose** stopped, high up ; sneezing early in M. A. ; alternate fluent and dry coryza ; gushes of fluid ;

little ulcers in. Face; pale, muddy or greasy. **HERPES ABOUT LIPS**; or at edge of hair; pearly. Throbbing in lower jaw, < biting, < heat and cold. Exophthalmic goitre. **Hawks** much mucus; bitter. **TONGUE MAPPED**; beaded or striped along edge. Blunted taste and smell. Uvula hangs to one side. **Throat**; a spot is dry, sore, tickles, causes cough, etc.; glistens. **Thirst**; drinks large quantities. Hunger great, yet emaciates; without appetite. **CRAVES SALT**. Averse to bread. Burning eructations; after eating. Waterbrash. Epigastric pulsation. Anxiety in stomach, rises to head. Tense abdomen; < groins. Dry, hard, crumbling stool, tears anus or causes burning; coated with glassy mucus; on alternate days. Chronic diarrhoea. Constricted rectum. Herpes ani. Red urinary sediment. **Coition**; painful; averse to; then backache, weak legs, depression, etc. Suppressed gonorrhoea. Debilitating leucorrhoea, replaces menses. Cough; from tickling in epigastrium; with asthma or palpitation; < winter. Respiratory catarrhs, after suppressed sweats. **Heart**; palpitation, shaking body or alternates with beating in head; fluttering; weak; sore; < emotions, lying on (l) side, or motion. Sore neck muscles. Bruised backache, early in A. M.; < coughing, > lying on back, or pressure. Cracked finger-tips. Catch in knees. Hamstrings seem short or drawing in. Sobs during sleep. **Awakes feeling weak**. **Skin**, oily; dry, harsh, dirty, unhealthy or yellow; chaps or **herpetic eruptions**, < flexures or about knuckles. Coldness of many parts; hands, feet; heart. Morning chill, with thirst. Chilly, but < in sun. Sweat, cold, scanty; at edge of hair; on nose; on face, while eating (Cham.).

Complementary: Ign. Sep.

Related: Pul.

NATRUM PHOS.

REGION.

Occiput. Mucous Glands.
Duodenum. Bile-Ducts.
Mesentery.
Genitals.

WORSE.

Sugar. Children. Milk.
Mental Exertion.
Thunder-storms. Gas-light.

BETTER.

Cold.

SOURNESS, eructations, vomitus, stomach, stools, leucorrhœa, expectoration, sweats, etc. **Acidity**. Deep yellow discharges; matter from eyes, etc. **Debility**. Overfed children, with acidity.Mental weakness. Fear, < night. **Itching**; nose; about mouth and anus. Child picks nose. Worms. One ear red and hot. Pale face or red on alternate sides. **YELLOW CREAMY COAT ON BASE OF TONGUE**; on tonsils. As of a hair on tongue or a lump in throat. Cheesy vomitus. Noisy flatulence. Gastro-duodenal catarrh. Fulness in abdomen, < standing or < eating a little. Hacked stool. Eruptions about joints, < ankles; itching. Alternate joint and heart pains. Rheumatism.

Related: Cina. Kali-s. Kre.

NATRUM SULPH.

REGION.

WORSE.

OCCIPUT.

DAMP { Weather.
Night Air.
Cellars.

Glands { **LIVER**. Bile.
Pancreas.
Intestinal.
Descending Colon.

Lying on Left Side.
Injuries; Head.
Lifting. Touch. Pressure.
Late Evening.
Wind. Light.

Chest { Left (Lower).
Lower.

BETTER.

Open Air.
Change of Position.

Left Side.

Sudden violent effects; in ailing patients. **Piercing pains**, at (l) short ribs; in (l) hip, < rising or sitting down; in heels. **Yellow**, watery secretions, stool, skin, vesicles, etc. Thick, yellow-green pus. **Fulness**. Sour, bilious and lithæmic. Rheumatic-hydrogenoid constitution. Sycosis..... Sensitive and suspicious. Sadness, < music or subdued light. Melancholia. Dire (suicidal) impulses. Vertigo; > head sweat. Crushing or gnawing in occiput. Meningitis. **PHOTOPHOBIA**. Nose runs water at night. Epistaxis, during menses. Thick,

tenacious, white slime in mouth. Dirty brown or greenish-yellow, thick, pasty tongue, < at base; tip feels burnt. Bitter taste. Thirst at start of fever only. Slow digestion. Concomitants to nausea. Green, bilious vomit. Sore, heavy liver; < lying on left side. As of a lump below liver. Crawling in gall-bladder. Colic, > rubbing abdomen. Cramp at umbilicus. FLATULENCE; painful; pushes here and there, < left abdomen. RUMBLING, GURGLING IN BOWELS, THEN SUDDEN GUSHING, NOISY, SPLUTTERING STOOL; after rising in A. M., or drives from bed. Foamy or yellow diarrhoea, mixed with green slime. White sand in urine. Dyspnoea. Sycotic asthma. Loose, but violent cough; must hold chest or sides. Run rounds. Hang nails. Retracted nipples. Sharp cutting back pains, spreading upward like a fan. Throbbing in heels. Vesicles on soles. Chilly, can't get warm, even in bed. Heat with aversion to uncover. Burning below knees. Foul axillary sweat. Wartlike nodules.

Complementary : Ars. Thu.

Related : Colo. Glo. Med. Pul.

NITRIC ACID.

REGION.

MARGINS { Throat.
OF { Anus.
OUTLETS { Mouth.

GLANDS { Liver.
{ Prostate.
{ Salivary.

Tubular Organs.

Blood. Skin. Bones. Joints.

Right Side.

WORSE.

Slight { TOUCH. JARRING.
CAUSES { Noise. Rattling.

Motion. Mercury.

Milk. After Eating.

COLD; Air; Dampness.

Night. Evening.

Changing Weather. Heat of Bed.

Mental Exertion, or Shock.

BETTER.

Gliding Motions. Riding.

Mild Weather.

Steady Pressure.

Exhausted, shivery, sensitive and sore. STICKINGS LIKE A SPLINTER, or ulcerative gnawing. DISCHARGES, ACRID; thin, dirty or brown; cause redness or destroy hair.

FOUL; ozæna, foot, or night sweats, etc. Malignancy. Phagedæna. HÆMORRHAGE; easy; bright; of bloody water. Red, swelled or cracked orifices. Hard, gristly exudates. Dark, smooth mucous membranes. As of a band about or a weight hanging to part. Sore or stiff, during pains. Cracking; joints. Yellow brunettes, of spare habit. Hateful. Profane. So angry, he trembles. Quarrelsome delirium; talks to spirits, in other tongues. Confusion. Thoughts vanish. Crushing head pains, < pressure of hat. Sore in skull. Puffs on scalp. Warm flowing over eyes. Conjunctiva pouts in spots. Spots on cornea. Deafness, > noise. Nose; red, scurfy tip; dark lumpy epistaxis; dripping, diphtheria of; cutting pains; caries of bones. Coryza, with shortness of breath. Yellow, sickly face. Peeling lips; raw, cracked or scabby in angles. Loose teeth. Gums flabby; sore; bleeding inner. Moist, fissured or mapped tongue (Flu-ac. Psor.). Salivation. Sore palate. As of a stick in throat. Craves fats. Stools tear anus, even if soft; then prolonged pain. Painful piles. Itching, eczematous anus, or oozes moisture. URINE, strong as horse's; cold; alternately profuse and scanty. Cramp from kidney to bladder. As of a hot wire in urethra. Infective nephritis. Itching, burning fore-skin. Phagedænic chancre. Œdematous prepuce. Bloody water from vagina. Weak, irregular menses. Shattering cough; from a spot in larynx; with lumbar stitch, > cold. Expectoration smeary, pussy, etc. Cavernous phthisis. Cutting in larynx. Orgasms to chest; with palpitation and fear. Swelled finger joints. Warts; on back of hands. Weak ankles. Skin, dry; eroded; cracks in every angle; coppery spots, on shin bones; itches on undressing. Crusts form and fall. Ulcers; rapid; raw; ragged; with proud flesh or plugs of pus. Stubborn suppuration. Burrowing pus. Fistulæ. Cancer. Syphilis. Painful, broken chilblains. Painfully sore bones, < tibiæ; caries. Pulse drops each 4th. beat. Jagged or soft warts (Stap. Thu.). Condylomata. Icy coldness; soles. SWEAT; easy, then takes cold; exhausting (urinous), mornings; in axillæ; on feet.

Complementary: Calc-c. Thu. Follows: Kali-c.
Related: Ars. Kali-c. Kre. Merc.

NUX MOSCHATA.

REGION.

SENSORIUM.

Mind.

NERVES.

FEMALE ORGANS.

Digestion.

Children and Old Women.

WORSE.

Cold { Bath. Damp. Drafts.
Wind. Fogs. Feet.

Pregnancy.

Change of Seasons.

EMOTIONS. Excitement.

MENSTRUATION.

Jar. Bruises. Slight Causes.

Mental Exertion or Shock.

BETTER.

Moist Heat. Warm Room.

Dry Weather.

Narcotic effects and dryness. Little pain. **OVERPOWERING DROWSINESS**, with or caused by almost every condition ; by day ; < exertion ; during menses ; when flatulent ; with dryness, yet **NO THIRST** ; with coldness. **Fleeting pains**. **Heaviness** ; of Eyes, tongue, etc. **Dark, hæmorrhages**. **Scrawny women**, who faint easily ; < at stool or menses ; laugh or cry by turns ; have small breasts, etc. As of hard lumps in stomach, liver, throat, etc. **Hysteria**. **Automatism**.....**Dreamy, clairvoyant state**. **Dazed** ; objects seem changed or to grow larger. **Slow ideation**. **Thoughts suddenly vanish**. **Uses wrong words**. **Brain exhaustion**. **Talks loud**. **Mockery**. **Laughing**. **Jeating**. **Vertigo**. **Sense of levitation**. **Headache** ; in temples ; > hard pressure. **Cerebral congestion**. **Pale face**. **Retracted lips**. **Teeth feel pulled**. **Dry mouth and throat, without thirst** ; < sleep. **Tongue sticks to palate**. **Thick, cottony saliva**. **Chalky taste**. **Loathing**, when eating or thinking of food. **Weak digestion**. **Enormous bloating** ; all food turns to gas. **Flatulent colic**. As of a board across hypogastrium. **Stool difficult, although soft** ; putrid, bright yellow and lenteric ; < night. **Inactive rectum**. **Strangury from alcohol**. **Thick, dark, irregular menses**. **Flatus from vagina**. **Leucorrhœa** ; replaces menses. **Deficient, irregular labor pains**. **Cough**, > heat of bed. **Hoarse** ; when walking against wind. **Palpitation**, > walking. **Acute pain now in spine, now in lumbar region**. **Dry palms**. **Dry, cold skin**. **Sleepy attacks**. **Sudden** ; with

vertigo. Weak, irregular pulse. Alternate chill and heat.
Chills with sopor. Red sweat, or sweat absent.

Complementary : Calc-c. Lyc.

Related : Cann. Croc. Gel. Mos. Op. Rhus-t.

NUX VOMICA.

REGION.

WORSE.

EARLY MORNING.

Cerebro-Spinal Axis.

COLD { OPEN AIR (Dry).
Drafts. Seats. Wind.
UNCOVERING.

NERVES.

HIGH LIVING { COFFEE.
Condiments.
Liquor. Drugs.
Debauchery.
Purgatives.

Sedentary Habits. Overeating.

DIGESTIVE { STOMACH.
ORGANS { LIVER.
Bowels.

Mental { Exertion. Fatigue.
Vexation.

Disturbed Sleep.

RESPIRATORY ORGANS.

SLIGHT CAUSES { Anger. Noise.
Odors. Light.
Touch.
PRESSURE : of
Clothes, < Waist.

BETTER.

Male Brunettes.

FREE DISCHARGES.

Naps (Kali-bi.).

Wrapping Head. Resting.

Hot Drinks. Milk. Moist Air.

VIOLENT ACTION ; often irregularly fitful or inefficient.
Increased reflexes. Irritable and hypersensitive, mentally and physically. Firm fibred brunette. Twistings. Jerks. Spasms ; with consciousness. Tense, contracted feeling. Lightning-like pains. Neuralgia ; prodromal. Sensation as of a rough body

internally. **Bruised soreness**; OF ABDOMEN, brain, etc. **INTERNAL**—scrapy **RAWNESS**; throat, larynx, etc. **Takes colds**. Bilioussness. **Faintings** after vomiting, after stool, after labor pains, etc.....Sensitive and critical. **Active, ANGRY AND IMPATIENT**; can't stand pain; so mad, he cries. **Zealous, nervous and excitable**. Nagging. Spiteful. Irritable hypochondriasis. Sullen. **Fears poverty**. **Violent, ugly (suicidal) impulses**. **Vertigo**; on an empty stomach; with blank spells. Sensitive scalp. Swelled forehead. Lachrymation; on affected side. Migraine. Blood-shot eyes. Sore nostrils. Nose stopped, but runs water; on one side. **Sneezing**; violent; abortive; from intense crawling in (l) nostril. **Coryza**; fluent by day and in open air, dry at night. Epistaxis on coughing. Acute smell. **Red, turgid or yellowish face**, < about nose and mouth. Left angle of mouth droops. **Jaws snap shut**; stiff. Teeth chatter. Fetor oris. **TASTE**, bitter—sour; bad in A. M. Itching palate; Eustachian tube. **Rough, scratchy throat**; putrid taste in, on coughing. Craves piquant foods or stimulants. **HICCOUGH**. Violent retching, < hawking. **Eructations**; sour. Heart-burn. **Water-brash**. **Nausea**; > if he can only vomit. **VIOLENT VOMITING**; bilious-sour. **Food lies like a heavy knot in stomach**. Gastric pains, into back; chest; > vomiting, etc. As of a band about waist; **clothes oppress it**. Indigestion. Liver sore; sticking; enlarged. Gall-stone colic. Bowels gripe here and there. **SORE BOWELS**, < **COUGHING OR STEPPING**. Hernia; infantile. Flatulent colic. **UNEASY, fitful and FRUITLESS URGING FOR BOWELS TO ACT**, > **STOOL**. Strains hard at stool. Inactive peristalsis. In rectum; retained flatus; as if more stool remained; spasm of. Obstipation. **PILES**; itching; > cool bathing. Sexual erethism. Oranism. Premature ejaculation. **Menses profuse, early and prolonged** or intermittent; of dark, lumpy blood. Dysmenorrhœal cramps; spread over whole body. **Cough violent**, throwing the patient down; paroxysmal; whooping. Painfully stiff neck; pains down (r) shoulder. Lumbar ache, as if breaking; **must raise up to turn over**. Acute lumbago. Crawling along spine. Shooting from toes to thighs, < after stool. Tense cramps in calves and

soles. Feet feel clubby and raw. Goose-skin. Jaundice. Yawning. Sleepy in evening or sleepless from rush of ideas. Awakes too early; can't sleep again. Finally sleeps, but on waking feels miserable. Night-mare. Chill with thirst and heat without thirst. EASILY CHILLED; CAN'T UNCOVER, < motion; < drinking even during the heat. Sour sweat.

Complementary : Kali-c. Pho. Sul.

Related : Ign. Lyc.

OCIMUM CANUM.

REGION.

WORSE.

Ureters (R).

Scanty Urine.

Sore pains in ureters. Renal colic with hæmaturia and violent vomiting. Red sand in the urine. Swelled inguinal and mammary glands.

Related : Canth. Lyc. Urt-ur.

CENANTHE CROCAT.

REGION.

WORSE.

CEREBRO-SPINAL AXIS.
Heart.

Injury. Menstrual and
Sexual Disturbances.

Mania. Swelled, twitching face. Rosy red blotches on face and chest. Burning heat, < head and throat. Epilepsy; with priapism. Status epilepticus (Abs. Aco.). As of a bug creeping under skin about waist; < touch of clothes.

Related : Bell. Cic.

OLEANDER.

REGION.

WORSE.

Digestive Tract.
Skin. Scalp.

After Suckling. Rubbing.
Undressing.

Nerves { Cerebro-Spinal.
Motor.

BETTER.
Looking Sidewise.

Numbing, parietic effects; on limbs and skin. Sopor. Tremulous weakness. Sense of vibration. Emptiness in stomach and chest;

OLEANDER—OLEUM ANIMALE

after eating ; > brandy.Sadness with lack of confidence and power. Distraction. Slow comprehension. Vertigo. Numb tongue. Thin, lenteric stool escapes with the flatus ; passes food eaten the day before. Crampy contraction of upper limbs. Sensitive skin ; chafes and oozes or bleeds. Eruptions with itching biting, as of lice. Moist milk crust, < occiput. Heat from mental exertion. Paresis after infantile paralysis. General crampings. Numb-skin.

Related : Anac. Chin.

OLEUM ANIMALE.

REGION.

NERVES. Pneumo-gastric.
Digestive Organs.
Here and There ; in Single Spots
or Parts.
Excretions.

WORSE.

Cold. Eating.
Suppressions.

BETTER.

Rubbing. Pressure. Open Air.

Soreness. Weak, tremulous ; hands, knees, feet, etc. Pain in spots. Neurasthenia. Nervous irritability. Shuffling gait. Urinous, eructations, leucorrhœa, etc. Icy coldness ; from tips of teeth, in throat, stomach, etc..... Sad. Introverted. Vanishing thoughts. Speaks in whispers. Faintness or vertigo ; of gastric origin ; > bending head back. Sees glistening bodies. A skin seems to overhang the eye. Lachrymation, on eating. White of egg seems dried on lips. Malar bones feel pulled up. Twitching lips. Mouth feels greasy. Snowy saliva. Toothache, > biting. Hawks out brown, gluey lumps. Acrid vapor or raw streak in throat, < cough. Water-brash, > chewing tobacco. Pulsation or as of water in stomach. Meteorism. **PROFUSE,** pale urine ; fish-brine odor ; < hysteria, migraine, etc. Frequent scanty urine, then headache. Seminal losses ; on straining at stool. Testes, swell alternately ; feel pulled up. Anxious palpitation. Sore mammæ, before menses. Outward dartings in nipples. Aching (r), scapula, > pressure. Raw flexures. Flesh feels torn from bones. Slow pulse. Alternate chill and heat. Cold, foul foot-sweat ; fishy on heels.

Related : Sul. Tell.

OLEUM JECORIS.

REGION.

Chest.

Liver. Tendons.

WORSE.

Milk.

Cold Damp.

Rigid tendons. Faulty nutrition. Atrophic infants. Intolerance of milk. Yellow tongue, leucorrhœa, sputum, skin, etc. Hoarseness. Cough, with palpitation. Early phthisis. Soreness or stitches in chest. Burning spots. Milk crust. Ring-worm. Always taking cold. Chilly up back. Heat in palms, toward evening. Hectic.

Related : Pho.

ONOSMODIUM.

REGION.

MUSCLES

AND

Nerves

{ Eyes.
Occiput.
FEMALE
PELVIC
ORGANS.

WORSE.

Sprains { EYE STRAIN.
Sexual Excesses.
Darkness. Tight Clothes.
Warm. Humid Air.

BETTER.

Spine.

Rest. Sleep. Eating.

Aching, sore and stiff ; after the pain. Inco-ordination. Irresolute. Confused. Forgetful. Slow thinking. Aphasia. Nervous exhaustion. Vertigo ; with the headache ; < lying on (l) side. Headache ; occipital ; screwed in, as if ; < eye strain and lying on back. Pains up and down from (l), occiput to shoulder. < exertion. Migraine. Dull, heavy uppressing in occiput. Aching, heavy, tired, stiff eyes. Eye, combined with ovarian symptoms. Misjudges distances. Mushy, yellow stool. Aromatic urine. Sexual desire gone. Sexual neurasthenia. Pains alternate between ovaries. Sore ovaries and rectum. Acrid leucorrhœa. Sticky, white expectoration. Swelled, tender mammae. Itching nipples. Tired, numb legs and popliteae. Seems to tread on cotton. Staggering.

Related : Cimi. Hyper. Lil-t. Rhus-t.

OPIUM.

REGION.

MIND. SENSES.

NERVES { Brain.
Cerebro-Spinal.
Sympathetic.

Lungs. Respiration.

Digestive Tract.

WORSE.

EMOTIONS. FEAR. Fright.

Joy. Odors.

ALCOHOL. Sleep.

Suppressed Discharges.

Receding Eruptions.

If Heated.

BETTER.

Cold.

Uncovering.

Negative, torpid states ; but little pain, secretion or reaction.

Paralysis ; painless ; of brain, tongue, bowels, lungs, etc.

Tremor. Twitchings ; during sleep. Convulsions. Epilepsy, in

sleep. **Internal dryness.** Hot, head ; sweat ; bed seems, hunts

a cold place, etc. **Stupid sleep,** spasms, violent chills, etc.,

during. **PLACID ;** says nothing ails him.

Dreamy. Sluggish. Dull. Stupid. No will power. Lying.

Fears ; after fright. Delirium ; with terror ; alcoholic. Wants

to go home. Carphology. Cerebral congestion ; intercurrent ;

apoplectic. Heavy occiput. Visual hallucinations. Inactive

pupils. Red, bulging, staring eyes. Dark, turgid, sweaty or

hot red 'ace or red and pale alternately. **Old look ;** after cholera

infantum. Mouth twitches or hangs open. Cravings ; without

appetite. Vomiting ; in peritonitis. As of a weight in abdomen.

Bowels feel obstructed. **Paralytic atony of bowels and bladder ;**

after laparotomy. Hard tympany. Colic ; lead. **Stools of hard,**

black balls. Constipation. Bloody mucus oozes from open

anus. Retained urine. Lively foetal motions. **Rattling, unequal**

breathing. Sighing. Snoring. **Stertor.** Tickling cough. **Pneu-**

monia. Weak heart. Crawlings here and there. **General itching.**

Skin **yough** and dirty. Painless ulcers. Tired and sleepless ;

drunkards. **SOMNOLENCY.** Heavy, stupid sleep ; of the aged.

Full, slow pulse (Dig.). Hot, sweaty (Samb.) and drowsy ; with

cold limbs. **Sweaty,** without relief.

Complementary : Alu. Bar-c. Bry. Pho. Plb.

Related : Arn. Nux-m.

OSMIUM—OXALIC ACID—PÆONIA

OSMIUM.

REGION.

Respiratory Tract.

Trachea.

WORSE.

Coughing.

Talking.

Foul secretions.* Pains go up and down. Crawlings.
Greenish, rainbow colors about light. Snuffling. Fluent coryza,
with a sense of stoppage. Stomach feels full of broken stones
or lumps. Spasmodic cough; with torn loose feeling and
tenacious sputum. Sensitive air passages. Foul axillary sweat.

Related : Ars. Iod. Pho.

OXALIC ACID.

REGION.

Digestive Tract.

Navel.

Nerves { Cord.
 { Heart.

Left Side; Lung.

WORSE.

Thinking of It. Cold. Touch.

Shaving. Mental Exertion.

BETTER.

After Stool.

Weak, cold, liv'd and numb all over; < lower limbs. Violent
pains; in streaks, like lightning, in spots, burning, etc. Neuralgia.
..... Nervous and sleepless. Swimming vertigo. Band-
like sensation about head. Numb prickling in occiput and back.
Sour taste. Gnawing emptiness. Colicky urging about navel
or involuntary, muddy-brown stools, < lying. Oxaluria. Testes
throb or feel crushed. Low voice. Paroxysmal, jerking breath-
ing. Nightly dyspnoea. Pain from lower (l), chest to epigas-
trium. Palpitation, < lying. Fixed chest. Angina pectoris.
Back feels too weak to hold body. Cold creeps up spine. Weak
trembling hands and feet.

Related : Ars. Pic-ac.

PÆONIA.

REGION.

Anus.

Veins. Skin.

WORSE.

STOOL. Touch.

Night. Motion.

Sensitiveness. Shooting or splinter-like pains.
 Moisture (foul) at anus. Excessive pains at anus, continue long after stool; must rise and walk about. Fissure or fistula ani. Anus covered with crusts. Large, inflamed, ulcerated piles. Bunions. Swelled veins. Terrifying night-mare.
 Related : Rat.

PALLADIUM.

REGION.	WORSE.
Uterus.	Emotions {Lively. {Chagrin.
Right Ovary.	Social Functions. Standing.
	BETTER.
Mind.	Touch. Pressure. Diversion. Rubbing.

Fleeting pains. Loves praise. Easily offended Head-ache from ear to ear, across vertex. Glairy mucus from throat, or leucorrhœa. Shooting from navel into breasts or pelvis. Hollowness in flanks. Bearing down, > rubbing. Cutting in uterus and bladder, > stool. Menses flow when nursing. Glairy leucorrhœa, before and after menses. Leadен heaviness in pelvis.

Related : Asaf. Plat.

PAREIRA BRAVA.

REGION.	BETTER.
Genito-Urinary Organs.	On Hands and Knees.
Left Side.	

Must get on hands and knees to urinate; pains go into glans and thighs. Bursting feeling in bladder or glans. Dysuria. Urine contains thick, stringy, white mucus or red sand. Renal colic. Enlarged prostate.

Related. Berb. Med.

PARIS QUOD.

REGION.	WORSE.
Head.	Thinking. Eyestrain. Touch.
Spine. Eyes.	BETTER.
One Side.	Pressure.

Heaviness. Numbness (l). Joints feel broken. **Parts feel too big** or drawn together. **Garrulous loquacity.** Weight in nape. **Eye-balls seem pulled back** (Pul.) or feel too large. Face seems drawn into root of nose. Imaginary bad smells. **Hawks up tough, green mucus.** As of a ball in throat. **Periodical painless hoarseness.** **Painful skin**; objects feel rough. Unilateral coldness or heat.

Related: Bell. Nux-v.

PETROLEUM.

REGION.

WORSE.

OCCIPUT.

MOTION { CARS.
CARRIAGE.
BOAT.

SKIN { Folds. Scalp. Face.
Genitals.

Weather { Cold; Winter.
Changing.
Thunder-storms.

Mucous Membranes.

Eating. Vexation. Cabbage.

Stomach. Bowels.

BETTER.

Warm Air.

Weak and tremulous; feels sick internally. **Internal itching.** Emaciation, < chest. Dreads open air. Excitable and quick temper. Death seems near. Irresolute. Sense of duality; **loses himself.** Worries but don't know why. **VERTIGO**; in occiput. Occiput; aching; heavy. Inflamed tarsi. Deafness. Moist spots behind ears. **Dryness** in ears, nose, throat, etc. Foul mucus in throat. Hunger, causing nausea; after stool. Aversion to meat. Gastric symptoms, > eating. **Nausea; sea and train sickness.** Abdomen inflated; coldness in. **Diarrhoea by day only** (Phyt.); < cabbage; then miserable emptiness. Involuntary urine on rising. Cough at night only or < then; shatters the head, > pressing temples. Cold air oppresses chest. Coldness at heart. Stiff or cracking joints. Limbs go to sleep. Ragged, chapped hands and fingers; bleeding; in house-maids. **SKIN**; fragile; cracks deeply, < in angles, nipples, finger-tips or palms. Psoriasis palmaris. **DIRTY, HARD, ROUGH, THICKENED SKIN**; like parchment; it gets raw, festers or won't heal, < in folds. Brown spots. Eruptions having thick,

hard, moist or yellow-green crusts; on occiput or genitals, < cold. Eczema. Herpes. Vesicles. Itching; orifices; with burning. Cold spots. Chilly, with dry mouth. Hot palms and soles. Sweat in spots; foul on feet or in axillæ.

Complementary: Sep.

Related: Grap. Sep.

PHELLANDRIUM.

REGION.

Mucous Membranes.

Right Side { Chest.

{ Mammæ.

Nerves.

WORSE.

Air; Cold; Open.

Using Eyes.

BETTER.

While Nursing.

Catarrhal symptoms. Phthisis.....Clang, like striking on metal, in brain. Everything tastes sweet. Expectoration; terribly foul; loose; profuse; smeary; causing dyspnœa. Pain in milk-ducts, into abdomen; on nursing. Pain from (l), border of (r), mamma, to between shoulders. Pains going backward through (r), chest. Sleepy.

Related: Asaf.

PHOSPHORIC ACID.

REGION.

MIND. Nerves.

Metabolism.

Sexual System.

Spine { Sensory Nerves.
Muscles.

Bones.

WORSE.

DEBILITY { LOSS OF FLUIDS.
Sexual Excesses.
From { Fatigue. Fevers.
Convalescence.

EMOTIONS { Grief. Chagrin.
(Chronic) { Mental Shock.
Unhappy Love.
Homesickness.

Drafts. Cold. Music. Talking.

BETTER.

Warmth. Short Sleep.

Stooling.

WEAK OR DEBILITATED, with free secretions. Slowness. Pains go to part lain on. Bruised soreness; like growing pains. Sense of pressure. Formication; at roots of hair; along spine, limbs, etc. Loose joints. Grows too fast.....Quiet. Indifferent, APATHETIC, obtuse or torpid; with tendency to diarrhœa or sweatiness. Slow grasp. Can't collect his ideas; hunts for words.

Poor memory. Dull despair. Averse to talking. Brain-fag. Mild delirium ; easily aroused. Crushing weight on vertex. Early grayness. Falling hair. Dull, sunken eyes with blue circles ; they feel pressed out. Eye-balls feel large. Pale, sickly face ; white of egg seems dried on it. Bleeding gums. Slimy tongue. Craves juices. Sour stomach. PROFUSE, PAINLESS, DIRTY WHITE, WATERY or LIENTERIC STOOL ; BUT LITTLE DEBILITY. THICK, MILKY URINE. Polyuria. Diabetes. Weak, relaxed genitals ; suddenly during coitus. Pollutions. Takes colds ; < draft on chest. Shaking cough. Twisting under xiphoid. Paralytic weakness along spine. Heavy fore-arms. Scraping bone-pains, at night. Clammy wrinkled skin. SLEEPY BY DAY ; but wakeful at night. Cold parts ; one side of face, abdomen, etc. Burning along spine ; below waist ; kidney region. Heat with sweat. Profuse sweats ; < night ; as a sequel. Sluggish, painless fevers.

Complementary : Chin.

Related : Gel.

PHOSPHORUS.

REGION.

CAVITIES { Head.
LUNGS.
Heart.

CIRCULATION { Blood.
BLOOD-
VESSELS.
Arteries.

MUCOUS { STOMACH.
MEM- { BOWELS.
BRANES. Lungs (Lower).

NERVES { Brain.
Cord.

Bones { Jaw ; Upper.
Shin.
Spine.

Liver.

WORSE.

LYING ON { LEFT or Painful
Side.
BACK.

SLIGHT { EMOTIONS.
CAUSES { Talking. Touch.
Odors. Light.

COLD { HANDS (in Water)
Open Air.

WARM INGESTA.

Salt. Puberty.

Sexual Excesses.

Weather { Sudden Changes.
Windy. Cold.
Thunder-storms.

Morning and Evening.

Mental Fatigue.

BETTER.

Eating. Sleep. Cold { Food.
Water ;
to Face.

Rubbing (Magnetic).
Sitting Up.

Active metabolism. Rapid growth. Insidious onset, gradually increasing debility, ending in severe or rapid disease (Tarn.). Recurring effects, colds, croup, bleedings, etc. **HÆMORRHAGE**; vicarious; blood-streaked discharges of ulcers, etc. Decomposition. Polypi. Symptoms due to heart and lung affections. Tall, **gracile, nervous and delicate**. Phthisical habit. Acidosis. Weak spells; in joints; < exertion. **Emptiness**; in chest, stomach, etc. Acute senses. Erethistic exhaustion. **TIGHTNESS**; chest (l), cough, etc. **Spots**; pains or soreness in. Internal paralysis; throat, rectum, etc. Internal itching, tickling. Throbbings, here and there. Numbness. Jerkings, localised; subsultus. Joints stiff, with little pain. **Human barometer**. Amative, but excitable and easily irritated. **Anxious**; fears being alone, twilight, ghosts, **thunder-storms**, etc. Quickly **prostrated** by unpleasant impressions. Timid and irresolute. **VERTIGO**; accompanies many symptoms; floating; on waking; whirling; > stool. Head, heavy, **aches over one eye**; with hunger; < children; < lying on r. side; > cold. Burning in temple. Cold occiput. Vertex throbs. Dandruff. Bald spots. Lachrymation, in wind. **Vision**; **flashes**; halos; red; green; black; > shade; narrow field of; colored, then migraine. Choroiditis. Retinitis albuminurica. Glaucoma. Ears; echoes or reverberations in; deaf to human voice. Otitis; media. Mastoiditis. Nose; **nervous motion of alæ**; coryza, flows and stops; on alternate sides; swelled; caries; ulcer, etc. **Epistaxis**; of youths; then pneumonia; with cough, etc. **Sneezing**; < odors, smoke, etc.; with dyspnoea. Descending nose colds. Sensitive smell. **Pale about nose and mouth**. Changing, sickly face; hollow eyes, with blue rings. Numb teeth. Gum sore **behind central incisors**. Palate itches. Abscess of hard palate. Sour taste and eructations. As of cotton or something hanging in throat. **CRAVES COLD DRINKS WHICH >**, but are **VOMITED IN A LITTLE WHILE**; after Chloroform. **Regurgitates ingesta**. Waterbrash. Ravenous hunger; nightly; precedes attacks. **Craves salt**; what is refused when offered. Burning in gullet and stomach, < eating. Pressure above epigastrium. **Stomach; EMPTY, HOLLOW FEELING IN**; as if

hanging down ; < emotions ; tremor, flutter or rolling over in. Sore spot in epigastrium. Rubs abdomen for >. Stool, like cooked sago ; granular ; slender ; tough ; diarrhœic, gray, bluish, watery, pouring out, painless, nervous, involuntary, exhausting. Anus open ; prolapsed. Dysentery. Urinates, then weak. Pellicle on urine. Periodical albuminuria. Sexually **erethistic**, but impotent. Prolonged menses ; replaced by smarting leucorrhœa. Oppressed for breath ; < least motion. Tight, suffocating breathing, < cough. **Larynx**, raw, sore, furry ; pains on speaking. **Voice**, low, hoarse, < evening ; croupy, then bronchitis. **Cough** ; hard, wheezing ; dry ; violent ; painful ; tickling ; hacking ; exhausting ; with retching, burning in air-passages or trembling ; < change of temperature, before strangers, laughing, exertion or singing. Expectoration ; easy, bluish, rusty, salty, foamy or cold. **Pneumonia** ; 1. lower lung ; secondary, with sopor. **Chest** full, heavy ; stitches (l. upper) ; pains into throat or r. arm or alternating sides ; rattling, < cold drinks. Dry, burnt feeling in chest with cough, at first dry then loose. **Heart**, pains into r. arm ; violent palpitation from least thing ; during goitre, etc. ; weak ; fatty ; orgasms to. Left infra-mammary pain. Mammary abscess. **Between scapulæ** ; cramp ; burning. Spinal irritation, < heat. Pain forward from l. **scapula**. Tearing in l. shoulder at night. Burning spot in lumbar region. Numb fingers and toes. Palms burn. Paralyzing stitches in hips ; then up back. Pains in tibiæ ; perioritis. Ankles, as if to break. Suppressed foot-sweat. **Tottery** ; stumbles easily. Icy cold feet. Toes cramp. Blood red spots. Thin, foul, bloody pus. **Pyæmia**. Yellow spots on abdomen. Jaundice ; as a concomitant. Skin burns on shaving. Fatty cysts. Sleepless ; eyes won't stay shut ; from internal heat. Sleepy by day, sleepless before midnight. Sleeps in cat naps. Dreams, of fire ; lewd. Somnambulism. Congestion to head, lungs, etc. Soft pulse. Coldness in cerebellum ; of knees, in bed. Chilly in a warm room ; down back. Craves ices, during the chill. **Burning heat** ; local ; up back. Hectic. Sweaty ; early morning ; sticky ; without relief. Painless fevers.

Complementary : Lyc. Sang. Sep.

Antidotes : Coff. Nux-v.

Related : Caus. Con. Sil.

PHYSOSTIGMA.

REGION.

Spinal Motor Nerves.

Eyes.

Muscles.

Left Side.

WORSE.

Change of Temperature.

Eyestrain. Injury. Bathing.

Heat and Cold. Descending.

Motion.

BETTER.

Lying with Head Low (Ver-v.).

Exerting the Will.

Weakness; muscles won't respond or draw into knots; < cold. Weakness in lower limbs; coming from a spot between hips. Cramp in left calf at night in bed. Shuddering, < every draft. **Horror of cold water.** Averse to bathing. Active mind, even during sleep. Floating sensation. Nothing seems right. Brain falls to side lain on. Pains from forehead down nose. Sensation as of a tight cap on head. Vertigo; stumbles on ascending or descending steps. Sensation as of a band about head. **Twitching of eye muscles or of nose.** Can't bear to raise eyelids. Accommodation affected. Seems to have swallowed a lump. Torpid bowels. Numb womb. Flushes of heat, < in palms. Sore, bloated, red navel; hypogastrium, < stand. .g. Tremor; in head, eyes, vision, nose, teeth, muscles, etc. Dartings, here and there. Tense eye-lids, can't open or close them. Blood-shot eyes. Creeping numbness from occiput down spine. Licks lips. Teeth feel rough. Tongue feels oily; scalded. Loose skin feeling in roof of mouth. Thick, leathery saliva. Hic-cough with short breath. Gripe in right hypochondrium. Groins pain alternately. Abdomen, > extending lgs. Numbness at womb. Offensive odor from hands. Sweat in excitement. Heart seems to flutter in throat or over body. **Sensitive spine.** Jerking limbs. Shudders from every draft of air. **Attacks of overpowering sleepiness**, with feeling as if to lose consciousness.

Related : Agar. Gel. Nux-v.

PHYTOLACCA.

REGION.

Glands { **MAMMÆ.**
Naso-Pharynx.
Throat. Tonsils.

Muscles { **NECK.**
Back.

Fibrous { **Tendons.**
Tissues { **Joints.**

Periosteum. Kidneys.

Tongue (Root).

Digestive Tract.

Right Side.

WORSE.

Raising Up.

Motion.

Swallowing.

Hot Drinks. Heat.

Cold { **Damp.**
Night.

Change of Weather.

BETTER.

Lying on Abdomen.

Cold Drinks.

A remedy of long and deep action. **SORE, HARD ACHE, all over**; sudden; < eyeballs, **kidneys, neck, shoulders, back, forearms and below knees.** Restlessness. **Bluish-red parts,** fauces, glands, etc. Spreading pains. Rheumatism; **after tonsillitis. Shreddy,** stringy secretions; stools, menses, etc. Hard mammary glands. Obesity. **Faint on rising.** Frontal headache. Head feels beaten sore; < brain. Hot tears. Green vision. Nose seems heavy. Nostrils close alternately. Acrid coryza. Yellowish sickly face. Aching, malar bones. Glands swelled at angle of jaw. Jaws ache, as in mumps. Everted lips. **Clenches teeth. Tongue,** fiery red at tip; feels burnt or pains at root and into ear on swallowing. Much stringy saliva. White-gray spots on fauces. Mucous patches. **THROAT**; very sore; **very painful swallowing; dark, puffy;** burning, as of a stick, **hot ball or lump in.** Like dark wash leather on tonsil. Tonsillitis. Diphtheria. Hard throb in r. tonsil. Quinsy. Violent retching and vomiting; he would rather die. Continuous urging to stool; even during sleep. Dysentery. Hard ache in kidneys. Dark, red urine; chalky sediment. Albuminuria. Sore spermatic cords. Menstruation, with flow of saliva and tears. Chronic aphonia. Dry, tickling cough. **STONY HARD, HEAVY, SWELLED (< left) OR TENDER MAMMÆ,** paining during suckling, spreading over whole body; **hard nodes in.** Mastitis. Nipples cracked; inverted. Heart symptoms go to r. arm. Fatty heart. **Neck stiff. Right arm**

numb and fuzzy. Hips and thighs pain on change of weather. Aching tibiae. Syphilis. Aching heels, > elevating feet. Bone pains. Dry, harsh skin.

Complementary : Sil.

Related : Bry. Kali-bi. Kali-io. Merc. Rhus-t.

PICRIC ACID.

REGION.

Nerves { Brain.
Occiput. Cord.
Lumbar Region.

Kidneys.

Sexual Organs.

WORSE.

Exertion ; Mental or Physical.
Seminal Losses. Heat.

BETTER.

Rest. Cold. Bandaging.
In Sun.

Weak, tired and heavy, in mind and body. Profound anæmia. Easily prostrated. Burning, in many parts ; along spine ; in legs, etc. Numbness. Formication. Weak will. **Heavy** occiput ; down spine and in **lower limbs**. Brain-fag. Headache, < mental exertion, > nose-bleed (Fer-p.). Neurasthenia. Oily burning stool. Ammoniacal, dribbling urine. Priapism, or sexual erethism. Backache with languor ; from mental exertion. Writers' cramp. Aching, legs. Small, painful boils, < nape. Sleepiness.

Related : Gel. Ox-ac. Pho. Pho-ac.

PLANTAGO.

REGION.

Nerves { Ears.
Teeth.

Kidneys and Bladder.

WORSE.

Night. Warm Room.

BETTER.

Sleep. Eating.

Sharp, shifting pains. Soreness. Neuralgia. As of a body between ears ; in groins, etc. As if brain turned over. As of a hair before (l), eye. Pains center in ears and teeth or alternate between them. Earache. Saliva flows with the pains. Toothache. Dirty taste. Bowels seem cold. Brown, frothy

stools. **Polyuria.** Enuresis. Throbbing between scapulae. Cold sweat or æcrum. Numb, tremulous legs. Sensitive skin. Gloomy dreams, exciting tears

Related : Arn. Fer-p. Pul.

PLATINUM.

REGION.

FEMALE ORGANS.

Nerves { Vagus.
Sensory.
Trifacial.

WORSE.

EMOTIONS { Sexual.
Coition.
Chagrin.

TOUCH. Nerve Exhaustion.

BETTER.

Walking in Cool Air.
Sunshine.

A remedy of pains. For prim old maids. Oversensitive mind and nerves. Violent cramping, squeezing, thrusting or numbing pains, and then spasms. Neuralgia. Many and various ovarian or uterine reflexes. Irregular, spasm, congestion of blood or coldness of single parts, eyes, ears, etc. Tremor. Alternate mental and physical or sexual symptoms. Numbness ; scalp, face, coccyx, calves, etc. Bandaged feeling. Sticky ; tears, stool, menses, etc.....Laughs at wrong time. Unkind, abrupt and quarrelsome. Disordered sense of proportion ; objects seem smaller, strange, frightful, etc. Hysteria. Horrors ; fears death. CONTEMPT. Hauteur. Proud and erotic (Aur.). Alone, deserted feeling. Mentally < in twilight. Bad humor, yet weeps. Gradually increasing, then slowly lessening headache. Clavus. Tense scalp. Cramp at root of nose. Grimaces. Boring in jaws. Congestion to abdomen. Colic. Hard, black, scant or soft, difficult stools ; of tourists ; of pregnancy. Crawling itching anus in evening. Painfully sensitive genitals, with itching, tickling or crawling. Dark, thick, profuse menses, with dragging. Heat in ovaries. Ovarian irritation. Vaginismus. Dysmenorrhœa, with shrieks and jerks. Eroticism. Onanism. Spasmodic yawning. Bruised backache, < pressure or bending backward. Knees drawn up and spread apart. Cramp in calves. In sleep wants to uncover entirely.

Related : Cup. Ign. Plb. Stan.

PLUMBUM.

REGION.

CORD
AND
NERVES { MUSCLES.
 { ABDOMEN.
 { Kidneys. Navel.

WORSE.

Clear Weather. Open Air.
Exertion. Motion. Company.
Grasping Smooth Objects. Touch.

BETTER.

Blood-vessels. Blood.

Hard Pressure. Rubbing.

Slow, insidious processes, having violent side symptoms ; often of a very changeable or incoherent character ; coming in **single parts**, etc. Paralysis. Atrophied limbs with plump body ; paralysed parts < touch. Sensitive to open air. Impulse to stretch. Exaggerates her condition. **Retraction** ; anus, testes, navel, etc. Increasing slowness and apathy. Deep, bluish red sclerotic. Abdomen is drawn into uneven lumps (Ars. Ign.). Abdominal distress that impels her to stretch. Urination slow, yet profuse. **VIOLENT CONTRACTION. Retraction.** Lightning pains that extort cries. Boring. Cramps (periodical), **convulsions** or (flaccid) paralysis ; with hæmorrhage or hyperæsthesia. Chronic epilepsy, with marked aura. Wasting of single (upper) parts, or of paralysed parts. Sclerosis. Gout. **Taciturn.** Timid, restless and anxious. Fears assassins. Physical labor exhausts the mind. Stupidity. Melancholy. Delirium ; nocturnal ; alternating with colic or pains in limbs. Twitching of r. face. Yellow sclerotic and inside of mouth. Trembling tongue. Sticky saliva. Sweet taste. Aphthæ. Dysphagia. Foul or fecal eructations. **NAVEL FEELS RETRACTED. Colic** ; accompanies many symptoms. **Radiating** abdominal pains, or **boring**, or as if forced through a narrow place. Tense abdomen. Hernia at navel. Anus feels drawn up, or painfully contracted. Stool, granular ; of hard, black balls, like sheep dung ; passed with an urging cramp. Stubborn constipation or colics of infants. Retracted testes. Pollutions. Bluish, red spots. **Dry oversensitive skin.** Dry, burning ulcers. Takes odd positions during sleep. Wiry pulse. Coldness from exertion. General cold sweat during stool. Feet cold, when walking only.

Complementary : Rhus-t. Thallium.

Related Op.

PODOPHYLLUM.

REGION.

Liver { Duodenum.
Intestines.

RECTUM.

Right Side { Ovary.
Scapula.
Throat.

WORSE.

EARLY MORNING. Eating.

Hot Weather. Dentition.

Drinking. Motion. Mercury.

BETTER.

Stroking Liver.

Lying on Abdomen.

Biliousness. Whining. Rolls head. Eyes half open. Bad breath. Burning, rough or flabby, indented tongue. Bites gums together; grinds teeth. Bitter taste. As of a lump in œsophagus. Craves acids which <. Vomits hot froth. Constant gagging. Sore, painful liver. Weak, empty sinking or sick feeling in abdomen. Rubs abdomen for >. GURGLING THROUGH BOWELS, THEN PROFUSE, PUTRID STOOLS GUSH OUT PAINLESSLY. Summer diarrhœa. White stools; like dirty water; foaming; with meal-like sediment; runs right through diaper; then weakness. Cholera morbus. Diarrhœa, alternating with other symptoms, head, etc. Pale, hard, chalky stools. Rectum; raw, sore; weak; prolapsed, before stool. Moist, foul piles. Numb ache in ovaries; radiating to r. crural nerve, etc.; < stretching legs. Ischias antica. Generative organs threaten to prolapse, during stool. Rectum, prolapsed after confinement. Burning in small of back. Jaundice, < face and eyes. Moaning and whining during sleep. Loquacity during the fever (Pyro.). Sleepy after the paroxysm (malaria).

Complementary : Nat-m.

Related : Alo. Chin. Merc.

POLYGONUM SAG.

REGION.

Genito-Urinary Organs.

Intestines.

WORSE.

Cold.

Dampness.

CUTTING; along ureters; along Fallopian tubes, with bearing down; up spine. Pulsative pain; wandering; in prostate. Smarting discharges..... Puff under r. eye. Itching, burning palate; wants to scratch it. Tongue feels swelled. Nausea in abdomen. Painful affections of urinary

tract. **Grinding, griping, cutting bellyache**, with kidney symptoms. Nephritic colic. Urine scanty; dribbling; dark or calcareous, adherent sediment. Nephritis; suppurative. Cystitis. Excoriated scrotum. Itching pimples within anus. Hips feel drawn together. Aching lower limbs. Sore pains in heels. Urticaria.

Related : Calc-c.

PRUNUS SPINOSA.

REGION.

Nerves { Respiratory.
Orbital.
Bladder.

WORSE.

Stooping.
Ascending.

Pains causing SHORT BREATH, shooting or pressing outward; lightning like; wandering. Neuralgia. Cramp. Nerve paralysis. Compensatory effects.....Pains from forehead (r), to occiput. **Bursting in eyeballs**. Eyes feel pressed apart. Teeth feel pulled out. Cramp in bladder; he doubles up to urinate (reverse—Alu.); urine reaches glans and then goes back again. Strangury. Glans pains on urinating. Pulsating pudendum. Leucorrhœa; watery, purulent and acrid. **Dropsy**; cardiac; of feet. Air hunger. As of a lump below l. scapula. Heart disease. Night-sweat.

Related : Laur.

PSORINUM.

REGION.

SKIN { FOLDS OF.
Sebaceous Glands.

EARS.

BOWELS.

Respiration.

Right Side.

WORSE.

COLD { Open Air.
Washing.
Weather; Stormy; Changing.
Winter.

Heat { Of Bed. Exertion.
Woolens.

SUPPRESSIONS. Yearly.
Contact of His Own Limbs.

BETTER.

Lying with Head Low, or
Quietly. Eating. Washing.
Nosebleed. Hard Pressure.
Profuse Sweating.

Feels sick all over. **Lack of reaction**, in chronic diseases. After-effects of infectious diseases, lasting for years. Enfeebled. **RECURRENCE**. Clears up confused cases. Migraine. Quinsy. **FOUL**; discharges; stools; eruptions; sweat; stubborn foot-sweat; **odor of body**. Thick secretions. **Weak, tender and thin, easily chilled**; **takes cold**; clothing seems large or he feels pushed down. Joints seem loose. **HUNGRY** or unusually well **BEFORE AN ATTACK**; but debilitated and reacts badly, and chronicity threatens. **Wants to wash parts**.....**ANXIETY**. Forebodings. Despair, of recovery. Gloomy. Feels good and bad by turns. Horrid thoughts. Averse to work. Feels himself poor (reverse—Sul.). Mind dull, clouded, difficult thinking. Head feels separated from body. **Headache, follows visual disturbances**; alternates with other troubles. Twitching in temples. **Sensitive to drafts about head**; **wants it covered**, in hot weather. Dull, dry, tangled hair. Gummy, everted eyelids. Humid sores behind ears. **Putrid otorrhœa**. Hay fever. **Face pale, sickly, dirty, fuzzy** or puffy. Loose teeth. Tip of tongue feels burnt (Ign.). Hawks out foul, cheesy masses. **Filthy taste**. Anorexia; with great thirst. Flatus like bad eggs. **DARK, GUSHING, HORRIBLY PUTRID STOOLS**; **of penetrating odor**, going through whole house (Pod.); < at night. Cholera infantum. Stool soft, but difficult. Bed-wetting; at full moon. Offensive genitals. Griping in testes. Chronic gonorrhœa. Breathes > lying down or spreading arms apart. Breathing; < open air. Cough, < lying. Gurgling at heart. Panaris. Lumbar ache, < standing or walking. Hot, itching soles. **Skin breaks out**; < flexures; **is dirty, rough or scabby, greasy**. Condylomata, on edges of skin. **Intolerable itching**; < heat (of bed); he scratches it raw or until it bleeds. Heat, with steaming sweat. Sweat; profuse; < night; on palms; cold; easy.

Complementary : Sep. Sul. Tub.

Related : Grap. Mang. Pho. Sul.

PULSATILLA.

REGION.

MIND.

VEINS.

MUCOUS
MEM-
BRANES

{ TONGUE.
STOMACH.
BOWELS.
FEMALE AND
GENITO-
URINARY
ORGANS.

Respiration.

One Side.

Right Heart.

WORSE.

WARMTH { AIR. ROOM.
Clothes. BED.

Getting Feet Wet.
SUPPRESSIONS.
EVENING. REST.
BEGINNING MOTION.
LYING ; One Side (L).

EAT- { RICH FOOD.
ING { Long After.
FATS. Ices.
Eggs.

PUBERTY. PREGNANCY.
Before Menses.
Iron. Quinine.

BETTER.

COLD ; FRESH, OPEN AIR.
Uncovering.
ERECT POSTURE.
Gentle Motion. Continued
Motion.
After a Good Cry.

CHANGEFUL. SHIFTING SYMPTOMS ; rising to a certain pitch, then suddenly ceasing ; going to part lain on ; unilateral. THIRSTLESS, SHORT OF BREATH AND CHILLY ; with digestive or menstrual disorders. SUPPRESSIONS ; otorrhoea, menses, lochia, milk, etc. Metastases. Alternations. Phlegmasia. Venosity. Hæmorrhage ; passive ; vicarious. Anæmia. PROFUSE, BLAND, THICK, YELLOW-GREEN DISCHARGES : bitter mucus. Jerking, tearing or ulcerative pain. Numbness ; part lain on ; hands, feet, etc. Pale, chilly blondes. MILD, TIMID, EMOTIONAL, WEEPY. Discouraged. Whining. Easily offended. Craves sympathy. Can't lie with head low. Headache starts in vertex. Occipital ache, < coughing. Profuse sweat on scalp. Eyes ; fill with tears (acid) or seem covered ; < wind ; sticky lids ; colds affect the ; ophthalmia, gonorrhoeal. Blepharitis. Styes. Blind attacks ; < menses. Nightly earache. Foul discharge or bad odor before nose. Coryza ; stopped on

lying or in room. Anosmia. Pale face. Peeling cracked lips. **Licks lips. Crack in center of lower lip. Bad breath. Drawing toothache, > cold. Taste bad; in A. M.; bloody; greasy. Slimy mouth or dry, without thirst. Tongue feels scalded. Alternate sides of throat or neck. Food leaves an after-taste or lodges in throat. Averse to water or fats. Craves acids or what disagrees. Sudden loathing, < eating. Heart-burn. Nausea. Epigastrium; cutting; pulsation. HEAVY OR DERANGED STOMACH. Abdomen; as of a heavy stone; aching; numb; pains into groins. Stools; changeable; green mucus, < after midnight; bilious. Piles, < lying. Urination; involuntary on lying; followed by blood. Heavy pressure on or cramp in bladder. Sensation as of a stone rolling in bladder. Nocturnal enuresis. Burning down l. spermatic cord. Enlarged prostate. Orchitis; gonorrhoeal. Bloody emissions. Feels like menstruating. MENSES DARK; LATE, at puberty; SCANTY, < bathing; irregular; vicarious; absent. Dysmenorrhœa. Weak labor pains. Bearing down, < lying. After-pains. Retained placenta. Leucorrhœa; milky; acid. AIR HUNGER; < lying on l. side; as if from abdomen; if heated. Loose morning, then dry evening cough; from tickling in epigastrium; must sit up. Expectoration thick; purulent (Oetlar), slimy, sweet, salt, etc. Asthma from suppressions. Cough; dry hacking; expectorates bitter or salty as it loosens up. Chest oppressed; as by a load. Sore stitch beneath clavicles. Palpitation. Mammæ; milk in virgin; sore, aching lump (r); scanty milk. Swelled joints; backs of feet. Numb elbows. Lower limbs; pains down, alternate sides; heavy legs. Sticking in tibia, < lying, > cool air and motion. Acute periostitis. Cold sweat on legs. Foul foot-sweat. Swelled glands. Veins full; varicose; painful. Ulcers, with hard, glistening areolæ; varicose. Skin itches on being heated. Measles. Day sleepiness. Lies with hands over head. Disturbed dreams. Awakes confused or tired. Chilly, yet averse to heat; IN A WARM ROOM; with the pain; on lying down at night. One hand cold. Partial sweat.**

Complementary: Ars. Kali-bi. Sep. Sil. Zin.

Related: Ap. Cimi. Grap. Ham. Kali-bi. Nat-s.

PYROGEN.

REGION.

BLOOD. Heart.

Circulation.

Muscles.

WORSE.

Cold Damp.

Motion { Constant Change of
Position.
Hard Rocking.

BETTER.

Heat. Hot Bath. Pressure.

Aching, BRUISED, SORE and prostrate; yet restless. Bed seems hard. **Bone pains.** Foul, taste, secretions, odor of body, etc. **Rosy, red streaks.** Decomposition or sepsis..... Rapid ideation. **Loquacious. Excited.** Feels as if he covered the whole bed. Anxious and sensitive. Confused. Sense of duality. **Hallucinations.** Violent, throbbing headache. Pains are > during hot stage. Throbbings, < neck (Bell. Spi.). Sudden pulsation, with fever and intense restlessness. Rolls head side to side. Throbbing headache, > tight band. Sensation as of a cap on the head. Disgust at his own body odor. Fiery red, smooth tongue. Sweet taste. Nausea, > very hot drinks. Adhesive urinary sediment. Purring at heart. Feels heart; as if tired, big or full. **PULSE QUICK, OUT OF ALL PROPORTION TO TEMPERATURE** (Lil-t. Thy.) or the reverse. **Quickly oscillating temperature.** The nails threaten to fly off. Chilly, wants to breathe heat of fire. **Chills** start between scapulæ; felt in bones; with sweat; at night. Fever, at menses. Puerperal sepsis. Slowly advancing hectic. Sweat, without relief; cold. Wants to inhale heat of fire.

Follows: Lach.

Related: Anthraxin. Ars. Rap. Echi.

RADIUM.

REGION.

Skin. Nerves.

Lymphoid Tissue. Gones.

Muscles (Lumbo-Sacral.

and Joints (Great Toe.

Shifting Sides.

WORSE.

Motion. Shaving. Washing.

BETTER.

Open Air. Hot Bath (Rhus-v.).

Eating.

Cold Drinks.

Continued Motion.

Dry, burning heat as if afire; craves cool air. Sudden shifting or electric pains; must lie down. **Dull, hard ache**; deep in joints.

Constriction, chest, heart, etc.; with air hunger. Numbness, < stretching part. Rheumatism. Gout. Weak muscles. Necrotic changes. Pain over eyes (l), backward. Red, smarting eyes, < reading. Rushing in ears, > lying on face. Raw throat. Craves pork. Averse to sweets. Abdominal, alternating with ear or chest pains. Sore, prolapsed rectum. Dysuria, then erections. **Itching genitals**. Cough, < smoking; > open air and exertion. Tightness at heart. Weak between scapulæ. Ascending **lumbar pain**. Irritable, thick, burning, itching skin; moist if scratched; < face and genitals. Branny scales. Scabby; on ears. Eczema. Psoriasis. Scleroderma. Callosities. Vivid dreams; of fire; awakes panting, with pounding of heart; seeming true. Rheumatism of hands.

Related : Pho. Pul. Rhus-rad.

RANUNCULUS BULBOSUS.

REGION.

NERVES. Muscles.
Eyes.
Serous Surfaces.
THORAX. SKIN.
 Fingers and Toes.
 Left Side.

WORSE.

AIR { Damp. Cold.
 { Open. Drafts.
Changing { Weather.
 { Temperature.
 { Position.
Alcohol. Evening.
Motion : of Arms.
Breathing. Touch.

PAINS ; stitching ; stabbing ; shooting ; extort tears ; with shuddering ; can't rest. Burning, biting, bruised soreness or as of deep ulceration. Sore spots. Neuralgia. Trembling. Distended feeling.....Quarrelsome. Smarting eyes. Tic (r), to ear (Pul.). Crawling on palate ; wants to scratch it. Increased saliva. Scraping-burning down throat. Bruised hypochondria. Tender abdomen. Pinching colic ; alternates with chest pains. Anxious, oppressed breathing. SHARP, CUTTING, STITCHING CHEST PAINS ; bilateral. Chest is sensitive to air. Pleurodynia. Pleurisy. Pain along inner edge of scapulæ, (l). Itching palms. BLUISH VESICLES. Shingles. Pemphigus. Corrosive ichor. Horny scabs. Herpes. Chilliness.

Related : Canth. Rhus-t.

RANUNCULUS SCLERATUS.

REGION.

CHEST. SKIN.

Vertex.

Right Side.

WORSE.

Evening. Motion.

Deep Breathing.

BETTER.

After Midnight.

Acridity, rawness or burning-smarting. Eating, gnawing or boring pains; causing faintness, or short breath.....Sneezing coryza, with burning urine. Blunt teeth. Mapped tongue. Nausea after 12 P. M. Stitches in chest muscles; it is sensitive externally. As of a plug forced between ribs, under navel, in heart, etc. Gout of small joints. Gnawing in knees. Yellow vesicles. Bullæ; with acrid contents. Pemphigus.

Related: Ars. Aru-t.

RAPHANUS.

Numbness, changing place. Retained flatulence. Hysterical meteorism. Coldness of a foot.

RATANHIA.

REGION.

Rectum. Anus.

Nipples.

Teeth.

WORSE.

Night. Anxiety. Heat.

Exertion. Touch.

BETTER.

Cool Bathing.

Walking in Open Air.

Pains here and there. Hæmorrhage. Sense of constriction. Fissure. Dark, thin, scrawny and irritable.....As if brain would fall out of forehead. Bursting headache when straining at stool. As if cool air came from teeth. Nightly toothache, < lying; must walk about. Gripping in stomach, > eructations. Violent, painful hiccough. Sharp cutting, in stomach, rectum, etc. Constriction or as of sharp splinters (of glass) in rectum; stool is forced out with great straining and followed by prolonged aching-burning, > hot water. Dry or itching anus. Ascarides. Fissure ani. Cracked nipples.

Related: Nit-ac. Pœon.

RHEUM.

REGION.

Muscles of { Bile Ducts.
Duodenum.
Intestines.

Liver.

WORSE.

Dentition. Eating. Summer.

Nursing Women.

BETTER.

Warmth. Wrapping Up.

Sour, impatient, colicky children, who are always screaming and crying. Sour taste, vomitus, stools, sweat, etc.
Offensive mucus in mouth, after sleep. Difficult teething.
Loathing after first bite. Colic with cries ; > doubling up, < uncovering any part ; then pappy, sour, brown, green, fermented, slimy or acrid stools ; with shivering ; < eating unripe fruit ; < evening. Burning in bladder. Sleep, restless ; with whining, cries and twitching of face, fingers, etc. **Sopping, wet hair.**
Sweat on scalp, about nose, mouth or on upper lip.

Complementary : Mag-c.

Related : Cham.

RHODODENDRON.

REGION.

FIBROUS { Forearm.
TISSUES { Lower Legs.
Small Joints.

Bones. Genitals. Nerves.

Vascular System.

Single Parts.

WORSE.

BEFORE
STORMS.

Rough. Windy.

Weather } Cold Damp.

Changing.

{ Cloudy.

Night. Midsummer.

Wine. Rest.

BETTER.

Heat. In Sun. Motion (At Once).

Wrapping Head.

Gouty-rheumatic subjects. SENSITIVE TO WINDY OR STORMY, WET WEATHER. Sensitive to windy weather, even if he is in house. **Tearing, zigzag**, boring, rapidly changing, descending, **paralytic pains**.....Confused and stupid ; forgets his subject (Bar-c.). Headache, < early in bed, > eating. Throbbing in r. head. Deafness long after rising. Nostrils obstructed alternately. **Tearing, jerking faceache or toothache** ; > food or warmth. Cool drinks lie heavy. Colic at navel. Pain

from rectum to genitals. Diarrhoea, < fruit. Profuse, foul urine. Drawing from spermatic cord into abdomen and thighs. Testes and glans feel crushed. Testes hard; pain alternately. Orchitis. Itching, sweaty, wrinkled scrotum. Hydrocele (of boys). Menses with fever. Bruised, sprained feeling in chest and wrists. Strong heart-beat. As of a weight hanging to feet. Wants to cross legs. Drawing, tearing in periosteum of long bones and under scalp. Rheumatism of hot weather (reverse—Rhus-t.). Formication; with sweat. Must cross legs to sleep.

Related: Rhus-t.

RHUS TOX.

REGION.

SKIN { Face. Scalp.
 { Genitals.

Blood.

Tissues { Cellular.
 { Ligaments.
 { Fibrous. Joints.

Mucous Membranes.

GLANDS { Pyer's.
 { Parotid.

NERVES { CORD.
 { Sciatic.

Left Side. or Left to Right.

WORSE.

EXPOSURE TO { WET; COLD.
 { Air.
 { WASHING.
 { Chill or Draft.
 { When Hot
 { or Sweaty.

Uncovering; Hands, etc.

BEGINNING MOTION.

REST. Before Storms.

SPRAINS. Overexertion.

AFTER MIDNIGHT.

BETTER.

Continued Motion.

HEAT { Wraps. Bath.
 { If Heated.

Rubbing. Nose-bleed.

Holding Abdomen.

An infectious irritant, exciting TYPHOID, RHEUMATIC OR PARETIC EFFECTS. NIGHTLY SHOOTING, STITCHING, TEARING PAINS; CAN'T REST IN ANY POSITION. Grippe. Variola. Sore, bruised or STIFF. Flesh feels beaten or torn loose. Dislocative sensation. Twitching muscles. Crawling. Numbness. Trembling. Burning, swelling and lividity. Cellulitis. Acid, rusty-rod, meat water or musty secretions; causing eruptions. Scraping, gnawing or tearing loose in periosteum,.....Sad, anxious, depressed or beclouded. Slow answers. Low delirium. Whirling vertigo;

then headache. Shattering or loose feeling in brain; < jar. Board-like pressure in forehead. Painfully stiff scalp, > lying on it. Pain behind eyes; < motion. Eyelids, stiff; adherent; dry; firmly closed. Profuse, hot, gushing tears. Photophobia. Vertical diplopia. Saccular conjunctivitis. Red, sensitive tip of nose; it drips water. Roseola. Nose-bleed; at night. Violent aching in bones of nose. Face-ache. Maxillæ crack; easily dislocated; pains in. Red spot on l. cheek. Swelled, stiff face. Dry, cracked, crusty lips; herpes on. Sordes. Bloody saliva runs during sleep. Teeth feel loose. TONGUE; RED TRIANGLE AT TIP; coated diagonally or on one side only; dry red center; cracked, stiff, sore. Coppery or straw-like taste. Red, puffy, itching fauces. As of chamois skin stuck on tonsils. Sorethroat (l) in A. M.; with swelled glands. Craves cold drinks, although they < cough, chill, etc. Vomits from coughing, lying on back, etc.; fecal. Abdomen sore; swashing in; as of a lump in. Ileocaecal symptoms. Stools watery, frothy or bloody; foul; brick red; slimy; gelatinous; involuntary or with tenesmus, < drinking. Piles, < lifting. Genitals, œdema, < prepuce; itching; swelled. Nephritis. Metritis; septic. Chest pains on using arms. Dry, hoarse, tearing. tormenting cough, from tickling behind upper sternum; with bloody taste. Sudden hypostasis or œdema of lungs. Palpitation; > motion. Heart; feels tired; hyper-trophy; pains going down l. arm. Shingles. Stiff neck. Inter-scapular pain, < swallowing. Contractive or breaking backache, > hard pressure, walking about or bending backward. Lumbago. Coccyx aches into thighs. Numb, prickling limbs. Arms nervous and shaky, (l). Paralytic pain in elbows. Rhagades on backs of hands. Palms, dry, hot, cracked and sore; washing causes burning. Pains down back of thighs; < stool. Sciatica. Legs feel dead, wooden; cramp in calves; gangrenous ulcer, runs bloody water; itching. SKIN; stiff; thick; dry; hot; itching; burning; < warmth; painful to cold air. Fine VESICULAR, crusty, eczematous, moist or ERYSIPELATOUS ERUPTIONS, < genitals; alternating with dysentery. Pus erodes the hair. Rhus poisoning. Milk-crust. Baker's itch. Vesicles over abscess.

Weeping ulcers. Dreams, laborious; of blood; awakes tired or nervous. Weak, rapid, sharp, tremulous or irregular pulse. Easily chilled; < least uncovering; with pains in limbs; < cough, etc. Chill as if dashed with cold water or cold water in veins; preceded by cough; alternating with heat; in single parts. Heat with busy delirium. Sweat, < during pain; with sleepiness. Complementary: Bry. Calc-c. Mag-c. Med. Phyt.

Related: Arn. Bry. Dul.

ROBINIA.

REGION.

WORSE.

Secretions. Stomach.

Eating. Night. Fats.

Aceridity; sour taste; sour stomach; acid belching; vomitus so sour it sets the teeth on edge or dulls them. Acid dyspepsia. Water-brash. Burning in stomach and between scapulae. Squeezing in stomach. Sick headache.

Related: Iris. Mag-c.

RUMEX.

REGION.

WORSE.

Mucous Membranes { Larynx.
Trachea.
THROAT-PIT.
Bowels.

Nerves.

Skin.

Left Side; Chest.

Joints. Ankles.

COOL AIR { INHALING.
Open Air.
Raw Changes.

Uncovering.

Night. Pressure; on Trachea.

BETTER.

Covering Mouth.

Wrapping Up.

Dry, sensitive mucous membranes. Stickiness, with burning. Every cold affects the joints. Sharp pains; neuralgias, etc. Obesity. Eyes burn, indoors; puffed in A. M. Dry posterior nares. Sneezing attacks. Sodden complexion. Hawks out much tenacious mucus. Throat feels hollow. Ravenous appetite. Borborygmi. Sudden, profuse, foul, early morning diarrhoea (5-9 A. M.); after catarrh; in phthisis. Respiration < wind. Suffocative choking. Dyspnoea, on retiring. EVERY

BREATH OF COLD AIR CAUSES TICKLING, as from a feather or dust, **IN THROAT-PIT, AND CONTINUOUS COUGH**; > closing or covering mouth or head. Profuse, frothy expectoration. Pain from r. ovary to back. Pain, rawness or burning under clavicle (l); as if the air penetrated there. Chest sore. Pain under sternum; under l. nipple. Heart seems impeded, then heavy pulsation through chest. Pain in l. shoulder on coughing or raising arm. **Right scapula**. Spasmodic cramps in ankles and feet. Skin itches if exposed to air. *Acne vulgaris* on back. Sudden sleepiness.

Related: Caus. Seneg.

RUTA.

REGION.

(EYES.
Fibrous Flexor Tendons.
Tissues Joints. Wrists
and Ankles.
(Back (Lumbar).
Cartilages. Periosteum.
Uterus.
Skin.

WORSE.

Over-exertion { EYE-STRAIN.
Injury.
Sprains.
COLD { Air. Wind.
Damp. Wet.
LYING. SITTING.
Pressure on an Edge.
BETTER.
Lying on Back.
Warmth. Motion.

BRUISED, SORE ACHING AND RESTLESSNESS. Painful weariness. Heaviness; as of a weight in forehead or hanging to feet; of lower limbs. As of a rough, blunt plug in part; head, nose, etc. Nodes. Paralytic rigidity. Distortions. Rheumatism. Gnawing-burning. Neuralgia.....Dissatisfied. Fretful. Itching inner canthi. Eyes burn. Lachrymation. Dim vision. Woody taste. Swelled spleen. Urging to stool, but only rectum prolapses; < after labor, stooping, etc. Corrosive leucorrhœa. Weak, bruised feeling in small of back, hips or lower limbs in A. M. Nodes in palms. Stumbles easily. Lumbago. Deep pains. Thighs feel broken. Pains as if deep in long bones; must walk about. Bursæ. Erosive itching. Chafing. Flat warts. Contractions. Brittle bones. Cracking joints, < walking in open air. Ganglion. Glowing heat of face, skin, etc.
Complementary: Calc-p. Related: Arn. Phyt. Ran-sc. Symp.

SABADILLA.

REGION.

MUCOUS
MEMBRANES

{	NOSE.
	ANUS.
	Digestive Tract.

NERVES.

Lachrymal Glands.
Throat.

WORSE.

COLD ; Air ; Drinks.

PERIOD- ICALLY	{	Same Hour.
		Forenoon.
		New and Full Moon.

Odors.

Undeveloped Exanthema.

BETTER.

Open Air. Heat.

Eating. Swallowing.

Weak ; nervous ; easily startled. Alternate nerve and bodily symptoms. **Formication.** Twitches. Trembling. Worms..... Miserable. Anger. Erroneous (fixed), personal ideas. Pain in alternate sides of forehead. Unilateral head pains. Itching scalp. Red, itching tarsi. **Lachrymation** ; when in pain ; < open air. **Nose ; ITCHES** ; rubs or picks it ; very dry ; tickling in, spreads over whole body, then dyspnoea follows. **Persistent VIOLENT or ABORTIVE SNEEZING.** Hay fever. Influenza. **Sensitive smell.** Itching soft palate. Tongue feels burnt. Sorethroat ; l. to r. ; < empty swallowing ; > hot drinks. As of a lump, morsel, thread or skin hanging in throat. Canine hunger. Thirstless. Craves hot things, sweets or milk. Bowels feel knotted. Burning, frothy, floating stools. **Crawling, itching at anus** ; alternating with tickling in nose or ears. Pinworms. Violent coughing attacks ; muffled ; < anger. Upward jerking of arms. Cracks under toes. Cutting in bones. Itching skin—in nose and anus—with asthmatic breathing. Shivers ; as a concomitant. Thirst, after chill only.

Related : Ars. Pul. Urt-u.

SABAL SERR.

REGION.

{	Genito-	Prostate. Ovaries.
	Urinary	
	Organs	
	Mucous Membranes.	

WORSE.

Women and Old Men.

Weather	{	Cold, Damp.
		Cloudy.

Sympathy.

Sharp, stinging pains in urethra. **Debility**.....Voices seem distant. Abdominal pains into thighs. Irritable bladder and

urethra. Strangury. Enuresis. Limy urinary sediment. Testes drawn up. Enlarged or congested prostate; senile. Painful erection or emission of semen. Ovarian pains. Vulva feels open. Coldness in genitals. Absent sexual passion; with nervous irritability. Mammæ sore, tender and full, or small; < cold bath. Backache from coition.

Related: Sep. Sil.

SABINA.

REGION.

FEMALE { UTERUS.
 PELVIC { Rectum.
 ORGANS { Nerves.

Fibrous and { Small Joints.
 Serous Tissues { Heels.

WORSE.

Nightly.

HEAT { Bed. Room.
 { Exercise.

Pregnancy. Climacteric.
 Foggy Weather.

BETTER.

Cold. Cool, Open Air.

Hot, full-blooded females; with rheumatic or gouty-hæmorrhagic tendency, epistaxis, hæmaturia, etc. Violent pulsations. Fulness. Red, shifty swelling. Acutely inflamed arthritic nodes..... Music is unbearable. Bursting toothache. Craves lemonade. Abdomen plethoric; quivering, as if alive in. Piles, alternate with pains in limbs. Itching, excited gen'tals. PAIN FROM LUMBAR REGION FORWARD TO PUBES or reverse; or shooting up vagina. Gushes of fluid, hot or watery blood, mixed with (dark) clots, from uterus; < motion; with joint pains. Abortion; habitual; at 3rd. month. Bleeding between periods. Foul, acrid leucorrhœa. Pruritus of pregnancy. Crawling in nipples. Gout in r. big toe. Foul itching, burning, moist, figwarts. Intolerable, burning heat.

Complementary: Thu.

Related: Caul. Pul.

SAMBUCUS.

REGION.

Respiratory Organs.

Respiration.

Kidneys.

Skin.

WORSE.

Dry, Cold Air.

Cold Drinks, While Heated.

Head Low.

BETTER.

Pressure Over a Sharp Edge.

Motion. Wrapping Up.

Sweats or gets short of breath ; with many symptoms. Nephritis.
 Dropsy.....Fretful. Half open eyes. Snuffles. Bluish,
 puffy face ; < coughing. **SUDDEN SUFFOCATION**, or
 strangling cough, on falling to sleep or waking him after mid-
 night ; with violent sweat ; < fright. Whistling breathing.
 Spasm of glottis. Screeching voice. Croup. Icy cold feet.
 Dry, burning heat during sleep, but copious sweating on waking ;
 < cough. Debilitating sweats ; at night.

Related : Bell. Brom.

SANGUINARIA.

REGION.

RIGHT { Head.
 SIDE { LIVER.
 { Chest.
 { Deltoid.

VASO-MOTORS.

Capillaries.

Mucous Membranes.

Stomach.

WORSE.

Periodically { WITH SUN.
 { Weekly.
 { Night.

Climaxis. Odors. Jar. Light.
 Raising Arms. Looking Up.

BETTER.

SLEEP. Lying on Back.

Vomiting. Cool Air.

Passing Flatus.

Redness ; abdominal ; tongue, etc. BURNING HEAT AND
EBULLITIONS. Dry mucous membranes. Burnt feeling ;
 tongue. Burning ; in throat ; under sternum ; spot or stitches in
 chest ; palms and soles, etc. General pulsation. Congestion ; to
 head, abdomen, chest, etc. Symptoms ascend, or end in bilious
 vomiting. Migraine. Internal rawness. Acrid, blood-streaked
 or foul discharges. Lies on back with head elevated.
 Irritable and bilious. Grumbling. Borrows trouble. Pain over
 r. eye or ASCENDS FROM OCCIPUT TO OVER R. EYE, >
 free urination. Sun pains. Swelled temporal veins. Pain at root
 of nose. Coryza ; stopped, then diarrhoea. Sensitive to odors.
 Red, burning cheeks. Hectic spot. Full and tender behind angle
 of jaw. Anterior tongue looks red, like raw beef. Palate feels
 scalded. Sorethroat (r) ; pains to ear and chest. Craves spices.
 Averse to butter. Nausea, < sneezing or blowing nose, >
 eating. Tension in epigastrium. Stomach pains to r. shoulder.
 Bilious or gushing stools. Acrid leucorrhoea. Larynx full and
 dry ; in singers. Coughs ; raises foul air, tough, bloody plugs or

purulent sputum, or passes flatus ; dry, tickling—behind sternum, in evening. Pneumonia. Phthisis. Itching axillæ, < before menses. Cutting, stiff r. deltoid, < raising or turning arm. Omodynia ; < night. Wrinkled palms. Dry skin ; of jaundice. Polypi. Pain in bones near surface. **Flushes of heat, rising into face and head ;** with headache. Burning, scanty sweat. General pulsation. Heat of palms and soles, < covers.

Complementary : Ant-t. Pho.

Related : Bell. Pho.

SANICULA (Aqua).

REGION.

Nutrition.

Female Organs.

Neck.

Rectum. Skin.

WORSE.

Motion { Downward.
Of Hands Behind Him.

Cold Wind on { Occiput or
Neck.

Looks old and thin. **Marasmus.** Body smells like old cheese. Child kicks off covers at night. Enlarged feeling in throat, vagina, etc. Thick, yellow, acrid pus..... Stubborn and touchy. Can't bear cold air on occiput and neck. Eyelids stick to balls. Fluent coryza, < eating. Water smells like old, musty rain water. Aphthæ. Craves bacon, or ice cold milk. **Stool of one, large, heavy mass ;** impacted. Briny urine or leucorrhœa, < stool. **Backache, < putting hands behind him** or raising arms. Cold lumbar spine. Lumbago. Cold clammy hands and feet. Cramps in feet. Burning soles. Dry, brownish skin, < neck. Profuse sweat on occiput and neck. Foul foot-sweat ; chafes toes, destroys shoes or stiffens the hose ; sticky.

Related : Lyc. Psor. Sul.

SARSAPARILLA.

REGION.

Genito-Urinary Organs.

Skin.

Right Side ; Lower.

WORSE.

At Close of Micturition.

Spring. Cold Wet.

Mercury. Night.

Suppressed Gonorrhœa.

Yawning.

BETTER.

Uncovering Neck or Chest.

Standing.

Thin frail, shrivelled and old looking. Marasmus. Tendency to gravel and itching eruptions. Parts feel screwed together. Nightly bone pains. Rheumatism. **Very sore, gouty nodes.** Sycosis.Pain depresses him. Pain from occiput to eyes or root of nose, which is swelled. **Painful urination, extorts screams,** > standing; < before menses; passes drops of blood or white, acrid material at close. Urine dribbles while sitting. Renal colic (r). Gassy urine. **Crusty urinary sediment.** Sand in the stools. Moist, foul genitals. Bloody semen. Retracted or cracked nipples. Backache with colic. **Deep cracks** on fingers and toes, < sides. Cutting under nails. Ulcerated finger-tips. **Blotchy, hard or shrivelled skin,** < about neck. Itching, scaly spots. Irritating pus. Chill starts from region of bladder; to back.

Antidotes : Bell. Merc.

Complementa.y: Sep.

Related : Calc-c. Petr.

SCOPARIUS.

REGION.

Heart. Kidneys.

Cord.

Muscles.

Left Side.

WORSE.

Turning on Left Side.

BETTER.

Cool Air. Rapid Motion.

Passing Flatus.

Heavy ache; stomach and bowels seem filled with stones or a firm mass. **Flatulency.** Colic, then bright, acrid, foamy stools followed by burning at anus. **Very profuse,** bright, foaming urine, then burning pudendum. **Intercurrent congestion of kidneys.** Anxious oppression at heart, radiating to left shoulder and neck. Palpitation, with congestion to head. Deadness of right arm and fingers. Barber's itch.

Related : Pho.

SCUTELLARIA.

High strung neurotic women. Sleepless from nervous excitement.

SECALE.

REGION.

WORSE.

Muscles { BLOOD-VESSELS.
 { UTERUS.

WARMTH. During Menses.

Pregnancy. Loss of Fluids.

BLOOD.

COVERS.

Nerves.

BETTER.

Cold ; Bathing. Uncovering.

Cord. Limbs.

Rocking. **Forcible Extension.**

Dusky, scrawny and hæmorrhagic. Numbness, insufferable tingling, crawling, twitching, gnawing or cramping ; with stiffness ; in single parts ; starting in face or back ; in limbs ; in fingertips ; after the pains, etc. **Burnings** ; here and there, like fire. **Dark, thin, foul or exhausting discharges.** Decomposition. Petechiæ. Varicoses. Passive bleedings or discharges. Contracted arterioles. Tonic spasm.....Mental weakness after spasms. **Fear,** depressed by ; **maniacal.** Sparks before eyes. Distorted or sunken countenance ; blue rings under-eyes. **Wild look.** **Thirst ;** craves acids. Empty retching. Empty feeling in hypogastrium. **Wants abdomen uncovered.** Gushing, painless, watery, olive-green or bloody stools ; with collapse. Bloody urine. Everything seems loose and open. Senile enuresis. Inert uterus, or **bearing down with coldness.** Contracted uterus ; hour-glass contraction. Miscarriage. Green lochia. Septic placenta. Metritis. Gangrene of female organs. Leucorrhœa ; brown, foul ; continuous. Pains through chest on pressing spine. Cold limbs. Bluish fingers and toes. **Cramps** in hands, legs and feet. **Fingers spread apart ;** bent backward or clenched ; look water soaked. Boils with green pus. Blood blisters. **Cold, dry, wrinkled or bluish skin,** < over affected part. Raynaud's disease. Foul, indolent ulcers. Twitching tremor or quiver in skin. **EXTERNALLY, ICY COLD, YET BURNING HOT INTERNALLY : OBJECTS TO BEING COVERED, < ABDOMEN.** Heat, as of sparks on skin. Erysipelas. Cold or foul sweat ; destroying shoes.

Antidote : Solan-n.

Related : Nux-m. Ust.

SELENIUM.

REGION.

Nerves { GENITO-URINARY
ORGANS.
Supra-Orbital (L).

WORSE.

Debilitating Causes { Hot Days.
Sexual Excesses.
Loss of Sleep.
Singing. Drafts.
After Sleep. Tea. Lemonade.

LARYNX.

BETTER.

Liver.

After Sunset.
Inhaling Cool Air.

Easily debilitated ; by heat of sun ; a little mental or physical exertion makes him sleepy. Senility. Emaciation ; of single parts, face, hands, etc. Cramp, then stiffness. Bitings..... Loquacity. Sadness. Frets when awake and dreams of it as he falls asleep. Nervous headaches. Scalp feels gathered together. Falling hair, < eyebrows ; don't want hair touched. Ache over l. eye ; < tea. Coryza, ending in diarrhoea. Thirstless. Craves stimulants, tea, etc. Sharp stitches in or rash over liver. Abdominal pulsation ; hinders sleep. Very large stools. Coarse sand in urine. Lascivious, but impotent. Urine and semen dribble. **Easy loss of semen** ; at stool, etc. Watery semen. Chronic gleet. **VOICE HOARSE**, as soon as he sings ; affected by every cold ; rattles. Nodes in vocal cords. Hawks up clear mucus. Sudden sciatic pains (l), leave soreness behind. Oily skin ; itches in folds or about ankles. Skin remains moist after scratching. Burning spots. Acne. Imagines drafts of air. Sweat, profuse, yellow ; leaves a salty deposit, stiffens the linen or makes the hair stiff and wiry ; < genitals.

Related : Nat-m. Sul.

SENECIO.

REGION.

FEMALE { GENITO-URIN-
ARY ORGANS.
(Bladder.

WORSE.

Puberty.
Sexual Excitement.
Dampness.
Cold. Open Air. .

MUCOUS GLANDS.

Nose. Lungs.
Lumbar Spine.

BETTER.

Menstruation.

lack of reaction in genito-urinary sphere. Passive congestion, with irritation, profuse catarrhs, debilitating or vicarious discharges. Muscles draw into knots. Tightness, in nose, throat, etc. Globus.Nervous, pale, weak, and sleepless women. Whining and irritable. Self-centered. Elated and sad alternately. Sharp pain backward over l. eye. Burning in nostrils. Sneezing. Itching; caused by tears; in Eustachian tube. Twitching about mouth. , Averse to sweets. Nausea or vomiting of renal origin. Uraemia. Gripping at navel. Bloody stool or urine. Heat in neck of bladder; with renal pain. Dysuria; with dysmenorrhœa. Pains from ovaries into breasts. Functional amenorrhœa. Sexual irritations; excite discharges. Thick, yellow leucorrhœa; flows down thighs. Feels as if menses would come. Cough; tickling; with blood-streaked sputum; > menstruation. Burning in l. nipple. Lumbar backache, as if to break; < amenorrhœa, renal disease, etc. Periodical, wandering rheumatism. Many dreams; erotic. Feet cold in bed. Brittle nails. Hay fever, with anorexia. Sleepless with amenia.

SENEGA.

REGION.

MUCOUS
and
Serous
Membranes
Muscles.
Left Side.

{ CHEST.
 Eyes.
 Nose.
 Bladder.

WORSE.

Air { Open. Wind.
 Inhaling Cold.
Rest. Pressure. Touch.
Looking Fixedly.

BETTER.

Motion; in Open Air.
Bending Head Back.

Sub-acute, catarrhal or paretic states; of old people or fat, chubby children. Lax tissues. Profuse, albuminous secretions. Burning in air-passages..... Headache, into eyes, > cool air. Eye-balls feel distended. Bends head backward for > diplopia, ptosis, etc. Eye-balls feel like balls of ice. Sneezes, until dizzy. Coppery taste. Dry scraping in mouth, throat and chest; < talking. Nausea. Shreddy urine. Hoarse, unsteady voice; < sexual losses. Wheezing. Emphysema.)Cough, incessant; strangling, choking. ends in sneezing; < lying on right side or

evening. Loose rattle in chest, but the profuse, clear expectoration is tough and slips back. Blood-tinged or albuminous expectoration. Chest sore (in spots), as if bruised ; shifting pains on stooping. As of a crushing weight on or weakness starting from chest. Pleuro-pneumonia.

Related : Caus. Hep.

SEPIA.

REGION.

Venous
Circulation

{ Digestive Tract.
{ Portal System.
{ FEMALE PELVIC
{ ORGANS.

Nerves.

Skin.

WORSE.

COLD { AIR ; North Wind.
Wet. Snowy.
Sexual Excesses.
Before Menses.
Pregnancy. Abortion.
Morning and Evening.
After First Sleep.

BETTER.

VIOLENT MOTION.
Warmth. Cold Drinks.

Draggy, relaxed females—lithæmic, plethoric,—subject to prolapses or easy dislocations. **Uterine reflexes.** Symptoms settle in back ; shoot up, < rectum, vagina, etc. ; backward, head (1), ileo-cæcal region, ovary, etc., or cause shuddering. **AS OF A LUMP or a rolling over internally.** Weak, empty, hollow feeling ; in epigastrium, chest, muscles, lumbar back, hips, knees, etc., or fulness. Milky discharges. Bleedings.....Angry, sensitive and irritable and miserable. Sensitive to pain. Anxious fear ; over trifles. Averse, to one's own ; to sympathy ; to company ; yet dreads solitude. Stifled affections. Poor memory. Sad irritability, alternating with indifference or sulkiness. Sexually minded. Sad over her health and domestic affairs. Indifference. Stupid, wants to go away. Headache ; over l. eye ; alternate sides of occiput ; < lying on it ; heavy on vertex ; shootings ; bursting. Hemicrania. Jerks head back and forth. Drooping eyelids. Red, itching tarsi. Falling out feeling in eyes. Sees motes, flashes, zigzags, photopsies ; then collapse. Odors are repulsive. NOSE ; BROWN STRIPE ACROSS (Menia.) ; pressive pain at root ; foul plugs or green crusts from. Dark circles under eyes. Changing color of

face. Chloasma. Numb malar bones. Swollen, cracked lower lip. Mouth feels burnt. Hawks mucus or foul, cheesy grains in A. M. Taste cheesy, fishy or bitter-sour. Ascending throat colds. Eructates tough, foamy mucus. **Nausea** at thought or **smell of food**; in A. M. **Vomits**; solids only; milky. Gnawing hunger. Craves acids. **FAINT SINKING AT EPIGASTRIUM**, not > eating, or a lump in. Gripping in gall-bladder, < stooping. Falling out or heavy **bearing down feeling in hypogastrium**; holds it or crosses legs. Pot belly. Stool, then gelatinous mucus. **Diarrhoea**, from boiled milk. Rectum constricted and powerless; no urging for days. Obstipation. **As of a ball in anus**. Piles, prolapsing; sticking; of pregnancy. Oozing from anus. Slow urination; cutting before. Enuresis, during first sleep; < coughing, sneezing, etc. **THICK, FOUL URINE**; **ADHERENT, RED, SANDY SEDIMENT**, or white, gritty. Menses absent; at puberty; after weaning, etc. Grasping, burning or sticking in uterus (os). Sub-involution. **WEAK, DRAGGING OR BEARING DOWN FEELING**; must sit close or hold parts. Tends to abort. Labia swelled; abscessed. Leucorrhœa; in large lumps; foul; gonorrhœal. Stomach cough; < rapid change of temperature; with foul sputum. **Circulation, irregular**; seems to stagnate. Palpitation; visible; ascends to occiput. General pulsation. Ebullitions at night. Overful blood-vessels. Collar feels tight. **Aching**; inter-scapular; **LUMBAR**—paralytic—wants it pressed. Purple hands. Cold knees or heels. **Skin blotched**; raw, rough, hard or cracked, < flexures. Herpes. Ringworm. Itching vesicles. Boils in axillæ. Thick crust on elbows. Ulcers, on small joints. Epithelioma of eyelids, lips, etc. Skin; wine colored. Spots on the skin. Loud talking in sleep. Dreams if lies on l. side. Easily chilled, Chilly, with air-hunger. Cold; in spots; on vertex; **between scapulæ**; feet, in bed. Sudden weakness; then anxious, hot flushes. Hot hands, with cold feet or vice versa. Sweat, easy; with orgasms; on genitals, axillæ or back. Irregular fevers.

Complementary: Nat-m. Pho.

Related: Caus. Gel. Lil-t. Nat-m. Pul.

SILICA.

REGION

WORSE.

NUTRITION. Children.

Tissues { Elastic.
Cellular.COLD
CHANGES{ AIR. DRAFTS.
Damp.
Uncovering.
Bathing.
Checked Sweat,
< Feet.

NERVES. GLANDS.

Tubes { Eustachian.
Tear Ducts, etc.
Fistulæ.Sensi- { Nervous Excitement.
tive to { Light. Noise.
Jarring Spine.Change of Moon. Night.
Mental Exertion. Alcohol.

Bones. Cartilage.

Mucous Membranes.

BETTER.

WARM { WRAPS ; to Head.
Becoming.
Profuse Urination.

Skin.

Cachectic or senile patients. Large head, with wasted body. Fair, clear complexion. **KEENLY SENSITIVE**; to noise, pain or cold; hugs the stove. **Violent sticking pains**; localized; in ears, throat, ulcers, etc. Exaggerated reflexes. Contracted sphincters. Spasms. Tendency to easy exhaustion, abnormal sweats and suppuration. Cerebral softening (Phos.). **Slow, incomplete processes, then induration. EVERY HURT FESTERS**; stubborn suppuration; fistulæ; abscess; proud flesh; induration; cicatrices, etc. Torpid cellular tissue. Mal-nutrition. Arrested development. Late learning to walk. Swelled, diseased glands. Emaciation. Scrophulo-rachitic diathesis. Parts lain on go to sleep. Œdema in A. M. Extrudes foreign bodies.Mental acuteness, with physical weakness or torpidity. Fidgety. **Lacks grit**. Slouchy gait. Sullen and stubborn. **ASCENDING EFFECTS**; violent vertigo; **OCCIPI-TAL PAINS**, etc.; > pressure. Headache, then blindness. Migraine. Vertex throbs. Open fontanels, with distended abdomen. Lumps on scalp. Inflamed eyes. Spotted vision. Cataract. Deafness; hears again with a snap. Frothy nasal discharge. Coryza; with epistaxis. Waxy pallor. Enlarged parotids. As of a hair on tongue, in throat, etc. Bitter taste in

throat. Abscess at roots of teeth. Hawks down foul lumps. Averse to hot food. Averse to mother's milk; vomits it. **Big, hard or hot belly; with thin legs.** Rectum; cutting; cramping; pain into testes; < coition. **Stools; receding;** < menses; retained, for fear of pain. Fissure ani. Foul urethral discharge. Itching, moist spots on scrotum. Hydrocele. Cutting upward in vagina, < urinating. Nursing < uterine flow. Biting, gushing leucorrhœa. Itching vulva. Retching, shaking, gagging cough; < cold drinks. Respiration difficult from draft on neck. Profuse, foul, lumpy sputum. Rattling in chest. Sore, retracted nipples. Nodes or fistulæ in mammæ. Sharp, pains in breasts and uterus. Axillary glands swelled. Fingertips painful; dry. Panaris. Weak ankles. **FOOT-SWEAT; FOUL; itching; acrid,** destroying shoes; **suppressed.** Sore ache in arch of foot. Distorted, ingrown nails. Bunions. Soggy, wilted skin. Acuminate eruptions. Carbuncle. Ulcers; painfully sensitive; foul; spongy; on feet, toes; at nails; > heat. Osteitis. Somnambulism. Frightful dreams, wake him on falling to sleep. **CHILLY;** < lying in bed, exertion, etc. **Coldness of painful part.** Icy chills. Hectic. **SWEAT; profuse; on upper parts; head, or affected parts; at night; foul; easy; acrid.**

Follows: Calc-c. or Hepar.

Complementary: Flu-ac. Pho. Thu. Related: Calc-c. Hep. Kali-p.

SOLIDAGO.

REGION.

KIDNEYS.

Digestive Tract.

Lower Limbs.

Blood.

WORSE.

Pressure.

BETTER.

Profuse Urine.

Weak; easily takes cold. Hæmorrhage. Kidney disfunctions; chronic nephritis; uræmic asthma. Bitter taste. Profuse, involuntary, mucous stools. Difficult, dark and scanty or clear, stinking urine. **KIDNEYS, sore or tender over; ache; feel distended.** Nephritis; chronic. Cystitis. Prostatitis. Lumbar ache; makes her sick all over. **Petechiæ on lower limbs (Agava); with œdema.** Gangrene; diabetic. Eczema; < suppressed urine.

SPIGELIA.

REGION.

NERVES { TRIFACIAL.
HEART.
Neck.

Fibrous Tissue.

EYES. Teeth.

LEFT SIDE.

WORSE.

TOUCH.
MOTION. Jar.
Periodically ; with the Sun.
Tobacco.
Coition.
Raising Arms.

BETTER.

Lying on R. Side, with Head High.

Combined heart and eye symptoms, or the latter as an accompaniment. PAIN ; in violent attacks ; radiating ; from l. occiput to over l. eye ; < stooping. Neuralgia. Sun pains. Vertigo ; feet feel higher than the head. Shudders ; if touched or bruised.Stammering. Fears pointed things. Left supra-orbital or occipital pain ; boring. EYES : sore, drawing ache ; sunken ; feel large ; red ; flowing tears on affected side ; squinting ; yellow rings about. Post-nasal dropping. Feter oris. Toothache. Ravenous hunger. Pains about navel ; in children. Mucus lumps in stools. Worms. Dyspnoea, < moving arms. HEART ; violent, audible PALPITATION, attending other symptoms ; violent sticking, or compressive pains radiating to throat, arm or scapula, < least motion ; or bending double ; soreness ; purring ; crackling. Cardiac angina, etc. Neck stiff ; pains into l. temple or from l. shoulder into neck. Cutting about l. scapula. Numb l. arm. Weak, tremulous or irregular pulse. Pulsation in patellae.

Follows : Aco.

Complementary : Spo.

Related : Cact.

SPONGIA.

REGION.

HEART ; Valves.

Larynx. Trachea.

Glands.

WORSE.

DRY, COLD Wind.
Roused from Sleep.
Exertion.
Raising Arms.
Before 12 P. M.

BETTER.

Lying with Head Low
Eating a Little.

FLABBY. Weak and heavy. Feels stuffed up. Orgasms. Hard swellings; glands (ductless).Terrified, anxious look. Eyes seem to protrude. Sorethroat, < sweets. Painfully swelled spermatic cord and testes; stitches in; squeezing in. Hard testes. Noisy, whistling inspiration on falling to sleep. **SUFFOCATION**; as from a plug, leaf or valve in larynx; waking him; with violent, painful palpitation and blue lips; with heavy sweat. Anxious, gasping breathing. **HOLLOW BARKING, CROWING, SAWING OR TIGHT CROUPY COUGH**; wakes child; then burning in chest; < cold drinks or excitement; > eating. Voice gives out. **Croup**; sudden. **HOARSENESS.** Larynx pains, < touch, singing, talking or swallowing; he grasps it. Diphtheria. Neck; as if a cord about. Choking on falling to sleep. Goitre. **Fulness in chest.** Apical phthisis. **HEART**; surging mount up to neck, head and face; with closure of eyelids and tears. **Palpitation.** Goitre-heart. Valvular disease. Numb fingertips or lower half of body. Awakes in anxiety. **Heat**; in spells, with anxiety and cardiac pain, would rather die; and sudden weakness after walking in open air, he must lie down; with cold, moist thighs; < thinking of it.

Follows: Cact.

Related: Iod., Led.

SQUILLA.

REGION.

WORSE.

MEMBRANES {**MUCOUS.**
 {**Serous.**

Early Morning. Motion.

Kidneys. Heart. Spleen.

Uncovering.
Old People.

Exudations and profuse secretions. Dropsy; with **profuse urine.** Cardio-urinary effects. Gurglings.Rubs eyes, sneezes. Acidic coryza. Black spots on teeth. Sweet taste; of food, expectoration, etc. Stomach pains, > lying on L. side. Aching hypochondria. Dark brown, frothy stools. Sudden urging; passes much urine. **Bloody urine.** Erotic pollutions. **COUGH**; stubborn, rattling c. with sneezing, coryza, watery

eyes, spurting urine, or heat ; ends in gagging ; < cold drinks and inspiration. Easy, heavy expectoration ; < morning and evening. Stitches in chest (l). Pleurisy. Broncho-pneumonia. Heat, with aversion to uncover. Absence of sweat.

Complementary : Ant-c.

Related : Ars.

STANNUM.

REGION.

WORSE.

NERVES.

Using Voice. Cold. 10 A. M.

MUCOUS MEMBRANES.

MOTION { After. Gentle.
Lying on Right
Side.

CHEST.

Ascending Steps.

FEMALE ORGANS.

BETTER.

Rapid Motion.
Hard Pressure ; Over an Edge.
Expectoration.

Repeated short attacks. **EXTREME WEAKNESS** ; < IN CHEST ; in throat, stomach, upper arms and thighs ; drops into a chair ; can't even talk ; trembles on moving. **Paralytic heaviness.** Profuse, muco-purulent secretions. Emaciation. **PAINS INCREASE GRADUALLY, THEN SLOWLY SUBSIDE.** Pressive drawing. Neuralgias. Cramps. Spasms. Hysteria.....
.....Anxious, nervous and sad ; < before menses. **Weak and miserable, and discouraged.** Pressive, stupefying headache. Pale face, with sunken eyes. Malar neuralgia. Faceache. Tickling at root of tongue. Vomiting ; violent ; early morning, with odor of ingesta. Burning in liver. Painful, pinching colic, > hard pressure and stool, which exhausts. Child wants to be carried over shoulder. Worms. Atony of bladder. Easy sexual orgasms. Pollutions. Before menses, mania erotica. During menses, strong odor of body. Gushes of debilitating leucorrhœa. Prolapse, of vagina or uterus, < stool. Much mucus in trachea. Deep, hollow voice. Short breath, from every effort ; must loosen clothes. Cough ; easily expectorates quantities of sweet or bright yellow pus or balls of mucus. Catarrhal phthisis. Chest feels raw or hollow. Tremulous knees. Swelled hands and ankles.

Chill at 10 A. M.; with numb fingertips. Burning palms and soles. Hectic. Debilitating, musty sweat at 4 A. M. Night-sweats.

Antidotes : Hep. Pul.

Related : Lach. Nat-m.

STAPHYSAGRIA.

REGION.

NERVES.

TEETH.

Genito-Urinary Organs.

Fibrous Tissues { Eyelids.
Tarsi.

Glands.

Right Deltoid.

WORSE.

Emotions { Chagrin.
Vexation.
Indignation.
Quarrels.

Sexual Excesses. Onanism.

Touch. Cold Drinks.

Lacerations. Stretching Parts.

Mercury. Night.

BETTER.

Warmth. Rest. Break-fast.

Nervous trembling. Squeezing or stinging smarting, as if cut. Pains that move into teeth. Morbidly sensitive ; easily offended. Always angry. Gloomy and petulant ; throws things. Poor memory. Hypochondriasis. Sexually minded ; unsatisfied urge ; widows. Sheepish ; sensitive mentally and physically. Imagines insults. Irritable, nervous, excitable and violent. Brain feels torn. Compressive, stupefying headache. As of a heavy load in forehead. Moist, foul, eroding milk-crust ; < occiput. Dryness in eyes. Nodes in lids. Styes. Blepharitis. Sickly, peaked and hollow-eyed. Neuralgia, from caries ; pains go to eyes. Coryza, now thick, now thin ; ulcerating. Swelled sub-mental gland ; abscess. Pale, bleeding gums. Loose, aching, black, crumbling teeth ; < eating and during menses ; > hard pressure and heat. Pyorrhœa. Musty taste. Hungry ; craves milk. Colic ; flatulent ; ovarian ; < coition. Dysentery. Irritable bladder. Urinates a slender stream. Trickling or burning along posterior urethra ; < after walking or riding, > urinating. Priapism. Prostatitis. Dysuria ; of brides ; in pregnancy (Pop-t.). Itching or sensitive vulva. Pains from ovaries into thighs. Salpingitis. Crural neuralgia. Tight chest, at close of coition. Cough, < cleaning teeth or alternating with sciatica. Violent yawning : brings tears ; after headache. Pains that precede shingles. Backache ; in

bed in A. M. Fine tearing in or numb fingertips. Nodes on finger joints. Skin symptoms, alternate with joints pains. Weak knees. Biting itching; as of vermin; changing place on scratching. **LACERATED WOUNDS**; < sphincters; perineum, etc.; stitch pains. Amorous dreams, with pollutions. Sweat and flatus smell like bad eggs.

Complementary : Colo.

Related : Cham. Merc.

STICTA.

REGION.

Nerves.

Membranes { Nose.
Chest. Bronchi.
Joints.

Shoulder (R).

WORSE.

Night. Lying Down.

Motion.

Change of Temperature.

BETTER.

Free Discharges. Open Air.

Nervous, stiff and rheumatic; develops catarrhs. Painful, dry mucous membranes. Diagonal pains. Must talk. Seems to be floating. Burning eyelids. Pressure or stuffy fulness at root of nose; blows it without relief. Coryza; that dries up again. Hay fever. Tickling high up in pharynx. Incessant, dry, hacking cough; prevents sleep; < coughing and inspiration; croupy; < if tired; after measles. Numbness in air-passages. Bronchitis. Sore, stiff neck; pains to shoulder. Restless hands and feet. Rheumatism. Red spot on affected joint. Bursitis. Cold, moist limbs. Profuse sweat on hands.

Related : Cetrar. Elap. Guai. Sang. Thu.

STRAMONIUM.

REGION.

BRAIN.

Circulation. { Throat.
Skin.

Spinal { Arms. Hip (L).
Nerves { Genitals.

WORSE.

Glistening Objects. Fright.

AFTER SLEEP.

Dark, Cloudy Days.

Suppression. Intemperance.

BETTER.

LIGHT. Company. Warmth.

A remedy of **TERRORS, BUT LACKING IN PAIN**; with suppressed excretions (Ver-a.), passing neither urine nor stool (Led.). Very mobile states. Tremor; nervous. Disorderly, graceful or

rhythmic motions (Elap.), < head or arms. Chorea. Spasms, < night. DREADS DARKNESS, and has a horror of glistening objects. Fearful, desires company or wants to escape. Active, variable delirium; talks incessantly; sees many, vividly brilliant or hideous phantoms, more to one side. Wildly excited, as in night terrors or delirium tremens, or does all sorts of crazy things. Raving mania, with cold sweat, cursing and praying. Religious insanity. The talk of others is intolerable. Self accusation. Loss of reason or speech. Stupid. Imbecile. Vertigo, < in dark. Jerks head up and drops it again. Fixed, sparkling stare. Squint. Diplopia. Night blindness. Green vision. Crowding, visual hallucinations. Sees black. Delusions as to size and distance. Red, bloated or rapidly changing face; now flushed, now pale; a sardonic grin, then expresses terror. Frowning. Fine red dots on tongue. Stammering. Constantly spits saliva. Dry throat, with great thirst, yet dreads water; it chokes him. Hydrophobia. Putrid, dark, painless, involuntary diarrhoea. Sexual excitement (in males). Excessive menses, preceded by sexual excitement. Grasps the genitals. Nymphomania. Spasmodic cough. Spasm of larynx. Voice suddenly fails, in higher tones. Nervous asthma. Drawing in back. Sensitive spine. Violent pain in hip. Unilateral paralysis, with twitchings. Crawlings, as of many bugs. Non-appearing exanthema. Fiery scarlatinous rash. Sopor. Weeping, in dreams. Awakes in fear or screaming. Frightful visions.

Antidotes: Cof. Nux-v.

Related: Bell. Hyo. Op.

STRONTIUM CARB.

REGION.

Vaso-Motors { Circulation.
Heart.
Kidneys.

Marrow.

Ankles.

Right Side.

WORSE.

COLD; Changes.
Uncovering.
Walking. Sprains.
Bleedings.
Evening.

BETTER.

Heat and Light { Sun.
Wraps.
Baths.
Itching.

Congestive tension. **Fleeting pains**; seemingly in bones. **Rheumatism.** **Burning.** **Gnawing.** Pains increase and decrease gradually or make him faint and sick all over. **Violent starts.** **Immobility**; of one side. **Edema.** Sense of **paralytic weakness.** **Emaciation.** **Prostration** after operations. **Formication** in limbs. **Arterio-sclerosis.** **Headaches**; into upper jaw; with vertigo and nausea. **Violent pain** in nape, > wraps. **Very pale** or violently red face. **Numb mouth.** **Pressure** in stomach during digestion. **Cramp** about navel. **Hard, knotty,** difficult stool, then burning at anus. **Exhausting,** nightly diarrhœa, of yellow water: periodically. **Pale,** ammoniacal urine. As of a load on chest. **Heart feels smothered.** **Heart block.** **Numb hands.** **Sprained or puffed ankles.** **Cramp** in calves and soles. **Surgical shock.** **Flushes of heat**; in face; yet **averse to uncovering.** **Night-sweats.** **Climacteric.**

Related: Calc-c. Rhus-t.

STROPHANTHUS.

REGION.

HEART; Circulation.

Stomach. **Kidneys.**

WORSE.

Exertion. **Alcohol.**

Tobacco. **Tea.**

Stitches. **Twitchings.** **Increased secretions.** **Alternations**; rapid, with slow pulse; surgings to head and heart; dilated, with contracted pupils, etc. **Undulations.** **Throbbing.** **Fear of ordeals.** **Feels lifted up,** during siesta. **Vertigo,** with swimming vision. **Faintness.** **Very mobile pupils.** **Glimmering vision.** **Red spots** on face. **Throat** seems constricted. **Craves coffee.** **Anorexia.** **Vomiting.** **Rumbling,** colicky diarrhœa; with burning at anus. **HEART**; **sense of lively action**; **aching**; **anguish** at; **weak.** **Palpitation**; chronic, especially nervous. **Cardiac dyspnœa.** **Atheroma.** **Small, weak,** rapid or irregular pulse. **Heavy forearms** and fingers. **Itching feet.** **Hives**; receding.

Related: Apoc. Glo. Ign. Spi.

SULPHUR.

REGION.

CIRCULATION { VENOUS.
Portal.
Abdomen.

NUTRITIVE ORGANS.

MEMBRANES { Mucous.
Serous.

Rectum. Chest.

SKIN ; Folds.

VERTEX. SOLES.

Joints. Glands.

WORSE.

SUPPRESSIONS.

BATHING. Milk.

HEATED { EXERTION.
IN BED, by
Woolens, etc.

Atmospheric Changes.

Speaking.

Periodically { 11 A. M.
Climacteric.
Full Moon
(Cina. Sil.).

BETTER.

Open Air. Motion.

Warm Applications.

Sweating. Dry Heat.

STOOPED, LANK, UNCURED, UNTIDY AND UNWASHED.

Emaciation; with good appetite. Atrophy of children. Psora.

Scrofula. Rheumatism. DEFICIENT REACTION; effusion;

deposits; slow reabsorption. CHRONICITY. RED ORI-

FICES, or single parts; lips, tarsi, ears, etc. (Alo.). LOCAL

TROBBING, BURNING OR CONGESTION; SOLES;

VERTEX; bones; painful spots, etc. ITCHING; parts; dis-

charges cause, etc. Foul, acrid or blood-streaked discharges.

Weak, faint spells. Empty, overful, rough or asleep feeling.

ASCENDING EFFECTS; heats, orgasms, vertigo, etc.....

Slow, lazy, hungry and always tired. Hopeful dreamers; ecstatic,

religious, philosophic, etc. Peevish, mean, prying or easily excited.

Melancholic. Tired of life. Vertigo; in forehead. VERTEX,

throbs, hot, heavy, sore, etc. Nape to vertex; pain, chills, pressure,

etc. As of a band about or pain deep in brain. Sunday headache;

preceded by photopsies. Hot head, with cold feet. Sweaty scalp.

Dry, cold hair. Eyes; burn; cutting, as from sand; bursting in

balls; quivering. Halo about light. As of floating soot

before. Photophobia. Ophthalmia. Swashing in ears. Nose,

obstructed on alternate sides; drips; swelled red, < cold.

Catarrhal colds. Epistaxis, < night or lying on r. side. Sensitive

smell. Imaginary odors. Swelled veins of forehead. OLD

LOOK. Spotted face. Dry, tremulous tongue; red edges and

tip. Sensitive dental fangs. Grinds teeth. Nursing sore mouth. Throat; as of a swelling or a vapor rising in; external redness. Eructations, like bad eggs, > eating. Drinks much, eats little. Averse to meat. **SUDDENLY HUNGRY AND WEAK**; < 11 A. M.; at epigastrium. **ABDOMEN SORE**, > pressure; heavy, as of a lump; stitches; bearing down, against rectum; congested. Borborygmi. Colicky babies. **RECTUM** pains; itches; urging in; hæmorrhoidal habitus. Holds stool back from pain. **DIARRHŒEA**; **HURRIED**, **EARLY MORNING** (Tub.), changing; mushy; stinking; painless; watery; gray froth; < milk; alternating with constipation. Burning, itching urethra. Hurried or nightly urination. Bed wetting. Testes hang low. Cutting in uterus; < menses. Burning, itching, sore vulva; < sitting. Puerperal sepsis. Acrid, foul menses. **SUFFOCATIVE AIR HUNGER**. Irregular breathing. Cough; violent, in 2 or 3 incomplete bouts. Deep, hoarse voice; early. Chest; rattling and heat at 11 A. M.; as of a band about or a load on; red; brown spots on. Pain backward from 1. nipple. Pneumonia. Heart seems too big. Palpitation, < lying. Nipples crack at base. Sharp burning in mammæ. Neck weak; boils on. Heavy shoulders. Aching between scapulæ. Lumbar pains; to stomach; walks bent; supports weight on hands, when sitting. Coccyx, pains during stool. Numb l. arm, < lying. Palms crack and peel; eczema on; warts on. Numb fingers (r). Tense hamstrings (l). Cramp in calf (l). **SOLES BURN**; **STICKS FEET OUT OF BED**, **AT NIGHT** or are cold in bed; dry. Jerks one limb, on dropping to sleep. **SKIN**; dry: rough, wrinkled, scaly; **ITCHING**, violently at night; **BREAKS OUT**; festers, and won't heal; burning, when scratched; painfully sensitive to air, wind, washing, etc. Eruptions alternate with other complaints, asthma, etc. Crops of boils. Itch. Creeping erysipelas. Rhagades. Eczema. Ulcers. Skin under-nourished. Suppuration with air bubbles. Localised congestions. Hot vertex and soles. Inclined to uncover single parts. Craves fresh air. Drowsy, then migraine. Sleeps in cat naps. Sleepy by day, wakeful at night. Sleep; unrefreshing; sings during. Chills up back.

Heat; feels too hot; flushes of; with general throbbing; between scapulæ. Sweat; in axillæ; on hands or feet.

Antidotes: Merc. Pul. Sil.

Complementary: Alo. Calc-c. Sul-io. Related: Psor. Sele. Syph.

SULPHURIC ACID.

REGION.

DIGESTIVE TRACT.

Blood.

Blood-vessels.

Left Side.

WORSE.

Open Air. Cold. Spirits.

Injuries.

ODOR OF COFFEE.

Climacteric.

Toward Evening.

Excessive Heat or Cold.

BETTER.

Hot Drinks.

Hands Near Head.

Moderate Temperature.

Suited to toppers, old age, etc. Disproportionate weakness. TREMOR; INTERNAL; wants to be held. Sourness. Erosion. Profuse, acrid or stringy discharges. Hæmorrhage; violent; black, thin. Parts feel stiff and tight. Pain increases slowly, then suddenly ceases. Gnawing. Great painfulness. As of a blunt plug being driven in. Hurried, irascible, vacillating and morose. Brain feels loose. Deathly pale or wrinkled face; white of egg seems dried on it. Congestion to head. Aphthæ. Throat sore; looks white-washed. Pyrosis. Hiccough; of drunkards. Sour belching; sets teeth on edge. Nausea. Vomiting; < lying on l. side. Weak, sinking at stomach, < after stool. Drinks chill the stomach. Very foul, green, black or hacked diarrhœa. Oozing piles. Coughs, then belches; bloody expectoration. Fingers jerk when writing. Weak knees. Black and blue spots. Petechiæ. HOT flushes, then trembling or cold sweat; < after warm ingesta; < upper parts; > motion. Drenching sweats.

Complementary: Pul.

Related: Ars. Lach. Sep.

SULPHUR IOD.**REGION.**

Tissues. Skin. Glands.

Right Side.

WORSE.

Exertion ; Slight.

Heat. Lying on R. Side.

Before Storms. Night.

BETTER.

Cool Air. Standing.

Grippy feeling. Weak ; and sensitive to everything. Faint and sick.

Raw, burning heat, internally, with external coldness. Acrid discharges. Single parts, fingers, etc., turn white and insensible. Suppuration. Infiltration. Favors reabsorption.....

Headache, > sundown. Hair seems erect. Zigzags before vision. Teeth feel soft. Glazed tongue. Raw, dry mouth and throat; painful swallowing; wants to moisten it. Tremor in epigastrium on exertion. Mesenteric disease. Bright yellow stools. Stubborn obstipation. Foul anal discharge. Urine scanty; purulent; brown sand in. Soft testes. Deficient erections. Cracked prepuce. Aching soreness below knees. Itching. Ulcers. Moist eczema. Acne. Barbers' itch.

Follows : Sulphur.

SUMBUL.**REGION.**

Nerves.

Heart.

Left Side.

WORSE.

Motion. Inspiration.

Climacteric, Music.

BETTER.

Gentle Motion.

Nervous, irritable and sleepless. As of hot water flowing through part. Yellow, tenacious discharges. Early senility.....

Laughs and weeps by turns. As of a hair or cobweb on face.

Choking constriction in throat. Hysteria. Burning pyrosis. Oppressive tightness in left chest. Dyspnoea. Asthma; cardiac.

Sexual excitability. Trickling along spine. Pale, cold skin. Internal itching. Dreams of falling.

Complementary : Lact.

Related : Mos.

SYMPHYTUM.**REGION.**

CARTILAGE.
PERIOSTEUM.
 Flat Bones.

WORSE.

INJURIES. Blows from
 Blunt Instruments.
FRACTURES.

Excessively painful (old) injuries ; to periosteum or cartilage. Com-
minuted fractures. Prickling, stitching pains. Eye and face
injuries. Non-union. Deficient callus. Coldness.

Related : Calc-p.

SYPHILINUM.**REGION.**

Mucous Membranes.

Nerves.

Bones.

WORSE.

NIGHT ; Damp.
Sundown to Sunrise.
 Gradual < Then Slow > .
 Protruding Tongue.
 Extreme Heat or Cold.
 Every Alternate Full Moon.
 During Thunderstorms.

BETTER.

Changing Position.
 Continued or Slow Motion.
 High Altitudes.
 Applied Heat.

Poor reaction or it does not hold. Chronicity. Great weakness, with
but few symptoms. Multiphase symptoms. SYPHILITIC
TAINT. Weakness ; on waking. Ulceration. Bald head, pouting
lips and big belly. Dwarfish. Marasmic. Foul odor of body. Violent
or linear pains. Knots in muscles.....Antisocial. Horrid
depression or despair. Cross. Feels like going crazy. Impulse
to wash hands. Syphilitic insanity. Poor memory. Nightly
delirium. Cerebral softening. Deep, crushing head pains ; across
base. Beats head against wall. Linear headaches. Head feels
pulled back. Slowly advancing hemiplegia. Hair falls
profusely. Inflamed cornea ; > cool bathing. Ophthalmia.
Glimmering vision. Vertical diplopia. Ptosis. Abscess of middle
ear. Nose painful to inhaled air ; in sinuses. Ozæna. Snuffles.
Face wrinkled ; looks old. Pain over r. eye, < protruding

tongue. Teeth feel sticky; as of a worm in; decay at edge of gums. Salivation; at night. Putrid taste. Crack along center of tongue. Green lumps from posterior nares. Sore throat; r. to l.; < cold drinks. Capricious appetite. Craves alcoholic liquors. Rectal fissure or stricture. Frothy urine. Nocturnal enuresis. Voids urine > standing. Menses have odor of rotten meat. Profuse, acrid leucorrhœa; runs to heels; with itching. Cough, < lying on r. side. Pain from base to apex of heart. Neck feels short. Backache, < urinating. Deltoid pains. Middle fingers. Itching eruption about elbow. Cold pain in legs. Festination. Bones pain as if sawed. Bilateral exostoses. Skin; biting as from bugs; swelled and blotched, > hot bathing. Pains in shins, > heat. Wandering erysipelas. Succession of abscesses. Foul or green pus. Conical crusts. Bullæ. White cicatrices. Distorted nails. Sleeplessness. Large, soft pulse. As of hot water in veins.

Related: Mero.

TABACUM.

REGION.

Nerves { Cerebro-Spinal.
Vagus.
Sympathetic
Ganglia.
HEART.

GLANDS.

SECRECTIONS.

WORSE.

MOTION; of Riding.
Lying on Left Side.

BETTER.

Cold; Fresh Air. Twilight.
Uncovering Abdomen.

Relaxing irritant; causing prostration, free secretions and exciting muscles of hollow organs. Cramp, then paralysis; of bowels, heart, etc. Paroxysmal or jerky effects. Stormy, dangerous cases, with rapid changes. Pains, < from heat. Faintness; slides down. Tremor.....Morose, despairing and wretched or indifferent. Confusion. Mental fog. Excessive vertigo; with copious sweat (cold), < opening eyes. Retina retains images too long. Deathly pale, pinched look. Retracted lips. Spasm of lower jaw. Tetanus. Much spitting; with complaints. Clutching about throat.

Deathly nausea and violent vomiting; < least motion; with much spitting. Retching. Pregnancy. Seasickness. Acidity. Sinking at epigastrium. Wants abdomen uncovered. Heaviness in r. abdomen. Colic; with weakness. Involuntary choleraic or thick, curdled, watery stool; like sour milk. Ileus. Dribbling urine. Renal colic. Emissions. Impotency. Constricted chest. Asthma. Twisting about heart. Angina pectoris; with nausea, cold sweat and collapse. Unsteady heart beat. Backache, < lying > walking. Fuzzy fingertips. Nightmare. Icy cold skin. Thready, intermittent pulse. Cold legs. Heat; of one cheek; down spine; internal. Sudden cold sweats; with chills; in renal colic, angina pectoris, etc.

Complementary: Op.

Related: Ars. Gel. Ver-a.

TARAXACUM.

REGION.

Liver.

Stomach.

WORSE.

Rest; Sitting; Standing.

BETTER.

Walking. Touch.

Bilious, sick feeling. Stitches.....Depression. Coated tongue, with raw patches; mapped. Sour taste or hawks sour mucus. White stools. Bilious diarrhoea. Jaundice. Restless limbs, with tearing pains. Chilly after eating. Cold fingertips. Burning toes. Night sweats.

Related: Nux-v.

TARENTULA.

REGION.

NERVES.

HEART.

Spine.

RESPIRATION.

Generative Sphere.

Right Side.

WORSE.

TOUCH. Cold. Noise. Damp.

Periodically { Same Hour.
Yearly.

After Menses. Evening.

BETTER.

Relaxation { Rubbing.
Sweating.
Smoking.

Open Air. Music.
Riding Horseback.
In the Sun.

VIOLENCE; sudden. Restless, fidgety, hurried; in incessant motion, but walking <. Rolls from side to side (Am-c. Ars. Lach.); < head, and rubs it. Quivering. Numb prickling. Jerking. Twitching. Chorea. Synalgias; sexual (Ap.). Violent pain. Sepsis; deep. Emaciation; < face.Averse to green colors. Dances up and down. Sensitive and nervous. Nervous laughter, then screams. Lacks control. Erratic. Impulsive. Selfish. Suddenly changing moods, fancies or strength. Hysteria. Hateful, adroit, crafty, cunning and destructive or depraved (Buf.). Throws things. Malingerer. Kleptomania. Angry despair. Death agony. Vertigo, then spasms. As of needles pricking brain. Heavy l. parietal ache to face and neck, with impatience and nausea. Sleepless; from excitement. Violent, crushing headache, as an accompaniment. Meningitis. Thick tears. Expression of terror. Face fiery red; bloated. Craves raw foods. Heaviness in pelvis. Stool; oily; excited by washing head. Foul urine, with sandy sediment. Sensitive genitals. Sexual erethism. Hot semen. Dry, hot, raw, itching vulva and vagina, < scratching. Motions or burning in uterus. Cancer of cervix. Leucorrhœa of clear, acrid, sticky lumps. **SUFFOCATION**; must have fresh air; < coughing. Cough, > smoking. < noise. Heart, twists around; takes sudden jump. Chorea cordis, with arm symptoms; < hands in cold water. Painfully sensitive spine; touch excites pains in heart, chest, etc. (Bell). Resless arms; keeps hands busy; picks fingers. Restless legs; impulse to walk. Festination. Cold, moist feet and hands. Itching soles. Sawing bone pains. Skin, purplish (Sol-n.); ecchymotic; cold spots or, as of cold water flowing or dropping on part. Suppuration; deep; evacuates pus rapidly. Noma. Alternate chill and heat. General heat, with cold feet. Fever; septic. Sweat, profuse; excoriating.

Complementary: Ars.

Related: Agar. Ars. Mygal.

TARENTULA CUBENSIS.

REGION.

Cellular Tissue.

WORSE.

Cold Drinks.

Exertion.

Spasmodic difficulty of breathing. Shattering cough; pertussis. Slow incubation, then rapid onset, with alarming prostration, atrocious burning or sharp stinging pains, board like **HARDNESS OF PART** and copious sweat. Intense diphtheritic fever. Malig-nancy. Sepsis. Carbuncle. Felon. **Bluish abscess**. Painful absces-ses. Death agony. Paralysis, then convulsions.....Nervous restlessness. Fulness in head. Tendency to vomit. Pruritus vulvæ. Trembling hands. Fidgety feet. **Purple discoloration**. Gangrene. Pungent heat of surface. Drowsy. Unsteady gait.
Related: Anthx. Lat-m.

TELLURIUM.

REGION.

Spine. Nerves.
Ears. Eyes. Skin.
Right to Left.

WORSE.

Touch. Lying on Part.
Cold. Empty Swallowing.
Spinal Injuries. Weekly.

Offensive; like putrid fish brine or garlic. Salty; taste; mucus from throat; pus, etc. **Acrid discharges**; excite itching, vesicles, etc. Periostitis. Numbness. Sharp, quick pains, then soreness. Sense of retention.....Vertigo; < falling to sleep. Linear head pains. Thick tarsi. **Inflamed, bluish, puffy ears**. Otitis. Fluent coryza, hoarseness and watery eyes. Twitching face; pains jerk anglé (l) of mouth up. Rancid belching. Setch-ing, ends in yawning. Stomach feels hollow. Sprained pain in chest muscles, over heart, < raising arms. **Very sensitive or sore spine**. Deep sciatic pain, < coughing, sneezing, straining or lying. Itching, pricking, as from bugs. Circular eruptions. Ringworm. Burning in an old scar. Chills down spine, < lying on back.

Related: Cep. Sele.

TEREBINTHINA.

REGION.

Mucous { **KIDNEYS**.
Membranes { Bladder.
Bronchial. Respiration.
Heart. Blood.

WORSE.

Dampness. Cold. Night.
Lying. Pressure.

BETTER.
Motion.

Kidneys affected, with rheumatism. Sudden, grippy aching. Stiff, sore muscles. Pain; excites urination; along larger nerves. Burning; tip of tongue, epigastrium; small of back; kidney; uterus, etc. Congestion. HÆMORRHAGE; passive; oozing mucous surfaces.....Exhausted and sensitive. Smooth, sore, glossy tongue. Bruised, sore abdomen and bladder. Flatulence. Tympanites. Ascites. Profuse mucous stools. Burning or pains along ureters. Strangury. Urine; smoky; with coffee grounds or thick, yellow, slimy, muddy sediment; odor of violets; bloody. Nephritis; early; scarlatinal; with violent bronchitis. Cystitis. Bleeding bladder. Pains alternate between bladder and navel. Metritis. Bronchial asthma. Hands feel swelled. Cramp in knees. Advancing purpuric spots. Drowsiness. Rapid pulse. Heat under skin. Cold sweat on legs.

Antidote : Canth.

Related : Canth. Erig. Pho.

THERIDION.

REGION.

NERVES.

Spine.

Bones.

Left Side ; Head, Chest.

WORSE.

NOISE. Touch.

CLOSING EYES.

Least Motion. Riding. Jar.

BETTER.

Rest. Warmth.

Hypersensitive. NOISE IS INSUFFERABLY PENETRATING; affects the teeth; causes nausea, chills, and pains all over; strikes painful spots, etc. Water feels too cold. Bounding internally.....Startled by the least thing. Fruitless activity. Sense of duality. Hysteria. Vertigo with nausea, on closing eyes. Headache felt during sleep, < jarring. Migraine. Glittering vision on stooping. Luminosities, then blurred vision. Pain over root of nose. Yellow-green, thick, foul nasal discharge. Ozœna. Post-nasal catarrh. Nausea, < least motion. Sea-sickness. Burning in liver. Pains at end of left floating ribs. Gonorrhœa. Cough; jerks body together. Too much air seems to enter chest. Stitch back through apex of left lung. Phthisis florida. Cardiac anxiety. Spine is sensitive to pressure or jar. Burning in upper arms. Restless feel-

ing in hands; wrings them. Bones seem broken. Necrosis. Scrofula. Stinging thrusts in skin. Internal coldness. Cold sweat is easily excited.

Related : Asar. Sil.

THUJA:

REGION.

Mucous Membranes { GENITO-
URINARY.
Intestines.

Mind. Nerves.

Occiput.

Glands. SKIN.

Left Side; Ovary.

WORSE.

COLD DAMP.

Heat; of Bed.

Periodically { 3 A. M. Yearly.
Increasing Moon.
During Menses.

Urinating. Gonorrhœa.

Syphilis. Mercury.

Vaccination.

Tea. Onions.

BETTER.

Warm { Wind. Air.
Wrapping Head.

Free Secretions. Sneezing.

Motion.

Crossing Legs. Touch.

Exhausted and soft. Great prostration. Rapid emaciation. Soft, exuberant, fungoid tissue; polypi; condylomata; warts, pediculated, black, suppressed, etc. Sycotic, hydrogenoid or lymphatic constitution. Foul, acrid, musty, rancid or sweetish odors. Oily stool, skin or sweat. Trickling; in urethra. Burning, sticking, numbing, drawing or wandering pains, < warmth. Rheumatism. Jerkings, of spinal origin. Parts look dead.....Illumored; sad; loathes life. Illusions, then fixed ideas; of fragility; of a live thing internally; of some one at his side; of being in hands of a stronger power, etc. Hasty and anxious; over trifles. Can't concentrate. Neurasthenia; prostatic. Vertigo; as if in a swing. Tearing or like a nail in l. head. Neuralgia. Dry, split hair. Eyes blood red; full of tears; stand open. Scleritis. Jagged iris. Photopsies, beyond visual field. Bloody scabs or briny odor in nose. Epistaxis. Face, pale, waxy, shiny; dark under eyes; spiderlets on. Boring in zygomæ. Teeth decay at edge of gums; gnawing pains, < cold. Ranula. Mucus in choanæ. Noisy swallowing or belching. Rancid or greasy eructa-

tions. **Pushings** in abdomen. Cutting squeezing in lower bowels, groins, bladder or urethra. **Heus.** Gurgling in bowels; then painless, watery, grass green stools. Stools gurgle or **pop out**; < breakfast. Stools, of hard, black lumps mixed with gushing water; hurried; explosive; spraying; gassy. Moist anus or perineum. Urine burns; dribbles; foul; copious; frequent; must wait. Pain from l. kidney to epigastrium, < motion. Forward, cutting in urethra on urinating. **Lithæmia.** Offensive genitals. Testes seem bruised. Prepuce puffed; sloughing. **Gonorrhœa.** **Chordee.** Tearing in ovaries (l). Itching, **sensitive vagina.** Short, difficult breathing. **Asthma.** Cough by day only. Expectorates easier lying. Cheesy sputum. Anxious palpitation. Retracted nipples. Chest pains take various directions. Back; throbs; pressure over kidneys; atrophy of long muscles. Cracking joints. Numb fingers, on waking at night (Nat-m.) Crawling or inflamed finger or toe tips. Hips give way; limbs feel paralyzed. Restless knees. **Painful soles.** Foul, acrid foot-sweat. **Skin** brown; spotted; dirty; hairy. Eruptions itch or burn violently from cold bathing. Moist, foul polypi. **Prurigo.** **Nævi.** Bluish white ulcers. Stinging, jumping out feeling. Itch. Blood-boils on back. **Foul pustules,** with sunken apices. Nails ribbed, soft, brittle, crumbling, discolored or distorted. Sleepless when on l. side. Dreams of the dead. Shaking chill, with yawning; < urinating; not > heat. Heat rises into chest; **with icy hands,** nosebleed or cough. Sweat on bare parts; with dry heat on covered ones; with cold hands, > washing; **profuse on genitals**; gushing, < company; toul; pungent; staining.

Complementary: Nat-m. Nit-ac. Sabi. Sil.

Related: Merc. Nit-ac. Sabi.

THYROIDIN.

REGION.

HEART.

Central Nervous System.

Right Side. Skin.

WORSE.

Least { Cold.
Exertion.

BETTER.

Lying on Abdomen.

Splitting sensation ; chest ; ensiform appendix ; spine. Clutchings.

Chokings. Wants to lie down. Nervousness. Faintness. Rapid emaciation. Tired and irritable. Heavy ache over eyes. Falling hair. Nose dry, indoors, moist in open air (Nux-v.). Dry, red lips. Metallic taste, at tip of tongue. Dry throat and larynx. As of a splinter stuck across throat. Cutting in liver, < deep breathing. Rolling flatulence with gurgling, then a loose, gassy stool. Bearing or aching down thro' pelvis, into anterior thighs. Gnawing in uterus. Cough on entering a warm room from cool air. Heart ; palpitation, hammering ; beat felt in ears ; pains, radiating into axillæ ; clutching, causing short breath. As if blood were rushing downward through body. Hypertrophy ; after hard labor. Numb l. finger, then r. leg. Large veins on arms and hands. Very dry skin. As of a cold wind blowing on body. Icy cold l. hand. Cold clammy hands. Hot flushes, then chills, or drenching sweats (Amy-n.). Oily, musty sweat.

Related : Calc-c. Glo.

TILIA.

REGION.

Muscles. Female Genitals.
Urinary Organs.

WORSE.

SWEATING. Drafts.
After Sleep.

Dragging pains. Edema. Sore ; uterus, abdomen, etc. ; bed feels too hard. Rheumatism. Neuralgia..... Heavy drag in urethra. Scanty urine. Cough from tickle in l. throat (Hep.). Sleepy ; < during pain. Profuse sweat, without relief ; THE MORE HE SWEATS THE GREATER THE PAIN (Cham.).

Related : Ap. Calc-c. Lil-t.

TRILLIUM.

REGION.

FEMALE SEXUAL

ORGANS.

WORSE.

Motion. Climaxis.

BETTER.

Exertion in Open Air.
Tight Bandage.
Bending Forward.

Hæmorrhage; gushing. As if eyes would fall out, the bones of hips, back or thighs be forced apart, etc.; with faintness and sinking at stomach. Menses every two weeks. Bleeding fibroids. Menorrhagia. Varices of pregnancy.
Complementary : Calc-p. Related : Sabi.

TUBERCULINUM.

REGION.

LUNGS.

Mind.

Head. Occiput.

Glands.

Larynx.

WORSE.

CLOSE ROOM. Motion.

Exertion.

Weather : DAMP (Cold);

Changing.

Draft. Awakening.

Noise. Mental Excitement.

Thinking of It.

Pressure of Waistband.

BETTER.

Cool Wind; Open Air.

Obscure, changeful indications. Susceptible, given to re increasing exhaustion and lowered vitality. Rapid breakdown (Lyc.). Takes cold easily; ends in diarrhoea. **TUBERCULAR TAINT.** Scrofula. Quiverings. **SENSITIVE**; every trifle irritates; < awaking. Fits of violent temper. Dissatisfied; always wants a change; reckless. **Fear**; of dogs. Confusion. Shooting from over eyes to occiput. **Head pains**; deep; violent; tears hair or beats head, < motion. Brain feels loose. Sensitive scalp. Eczema tarsi. Sweat on nose. Old, dingy look. Aching malar bones. Teeth; feel jammed; sensitive to air. **Delayed dentition.** Dryness in mouth; in choanæ. Sticky mouth. Hawks mucus after eating. Adenoids. **Craves cold milk**, or sweets. Drum belly. Brown, foul, watery, explosive stools. Tearing in rectum on coughing. Bed-wetting. Sticky urinary sediment. Menses soon after child bearing. Frightful dysmenorrhœa. **AIR HUNGER.** Hoarseness, > talking. Dyspnoea, < cough. **Cough**; fits of; with chill and red face; < evening; < raising arms. Mucus rattle in chest, without expectoration. Pneumonia; of grippe. Asthma. Sore spot in chest. Heaviness at heart. Tension in nape. **Skin** :

dry, harsh; sensitive, easily tanned; itching in cool air. Brown fingertips. Branny scales. Many enlarged glands. Dreams, frightful, vivid; of shame; awakes in horror. Chilly; yet wants fresh air. Cold feet; < left; in bed. Heat; on cheek of affected side; flushes of; in spots; burning; on genitals; < eating. Sweat; easy; cold; clammy; in upper parts; on hands; < coughing. Clothes feel damp. Wants covers in all stages.

Complementary : Calc-c. Kali-s. Sep.

Related : Pho. Pul. Sep.

URTICA URENS.

REGION.

WORSE.

MAMMÆ.

Cool { Moist Air.
 { Bathing.

Genito-Urinary Organs.

Yearly. Burns.
Stings. Snow Air (Sep.).

Liver. Spleen.

Stinging or stinging-burning. Urinous odor of body. Uric acid diathesis. Hæmorrhage. White stool. Pinworms. Acrid urine, causing itching. Lithiasis. Swelled mammæ. **Absence of milk.** Fever at night; with vertigo and general pulsation. Acute gout. Itching-burning; on genitals. **Uric acid intoxication.** Pruritus. Nettle rash. Prickly heat. Hives; elevated; with rheumatism; after shell fish; with pinworms. Angio-neurotic œdema. Sweatiness. Vesicles.

Related : Form. Nat-m. Ocim.

USTILAGO.

REGION.

WORSE.

Epithelium { Skin.
 { Hair.
 { Nails.

Climacteric.

Touch.

Female Sexual Organs.

Motion.

Tumid tissues, tending to bleed slowly. Dark hæmorrhage. As of a knot ; in throat, bowels, uterus, etc.Depression. Loss of hair and nails. Sticky secretion matting the hair. Milk crust. Masturbation. Menses half liquid, half clots or stringy ; vicarious. The uterus seeps dark, clotted blood. Spongy cervix. Metrorrhagia. Acute ovarian pain. Burning in r. ovary ; soreness in l. and of uterus ; pains shoot down thighs. Foul, yellow or brown leucorrhœa. Pain under l. breast. Dry, hot skin.

Related : Asaf. Bov. Sec-c.

VALERIANA.

REGION.

WORSE.

NERVES {Spinal.
{Genito-Urinary.

REST. STANDING.
Excitement. Evening.

Mind.

BETTER.

Muscles, etc. {Calf. Heels.
{Tendo Achilles.

Changing Position.
Walking About. Rubbing.

Suddenly changeable disposition and symptoms. Alternations and want of reaction. Pains move outward ; are here and there or come and go. Illusions ; of smell, taste or hearing. Sense of floating ; of a ball or plug. Globus. Impulse to move. Jerks. Weak single parts ; eyes, arms, wrists, popliteæ, etc..... NERVOUS, excitable and weak ; wriggles or squirms about ; inclined to faint. Anger. Very mobile ideas, going from one extreme to another. Hysteria. Luminosities, before eyes in dark. Objects seem too near eyes. Greasy or rancid taste. As of a thread in throat. Eructations, like bad eggs. Hunger, with nausea ; as if from navel. Gastric cramp. Flatulence. Colic. Polyuria. Strangling on dropping to sleep. Crampy pain in l. humerus, wakes from sleep. Heels pain when sitting. Coldness in upper head. Chills start and go down back from occiput. Fever composed of disagreeable heat only. Sudden gushes of sweat.

Related : Asaf. Ign. Pul.

VARIOLINUM.

REGION.

WORSE.

BLOOD. Spine. Muscles.
Metabolism.

Motion. Vaccination.

General aching, < in back, occiput and legs. Calcareous deposits in the blood-vessels, spinal cord, etc. Green vision on rising. Every odor nauseates. Putrid, coppery taste. Tongue protrudes during sleep. Food seems to want to regurgitate. Tympanites, pouting upward; she looks pregnant. **Breaking backache.** As of bugs crawling under skin. Eczema of palms. Pustular eruptions; foul. Smallpox. Shingles and pains that follow. Ulcers look scooped out. As of cold water trickling down back. Violent chill. Intense burning fever. Foul sweat.

Related : Ant-t. Cimi. Maland.

VERATRUM ALBUM.

REGION.

WORSE.

NERVES { ABDOMINAL.
Heart.
Blood-vessels.

EXERTION. DRINKING.
Cold Drinks. Fright.
During Pain.
Wet Cold.

Vertex. Blood.

Respiratory and Digestive
Systems.

BETTER.

Hot Drinks. Walking About.
Covering. Lying.

VIOLENT EFFECTS; PROFOUND PROSTRATION, COLD SWEAT ON FOREHEAD, FAINTNESS OR COLLAPSE. SUDDEN, EXCESSIVE EVACUATIONS. Cramps; in chest, bowels, fingers, toes, etc.; with rigidity. Progressive weakness and emaciation; in acute diseases, eg., whooping cough, ague, etc. **Delirium; early; with violence, loquacity or lewdness; during pain.** Prays, curses and howls in turn. Acute manias, insanities, etc. Remorse. Loss of ideation. Sits in silence. Melancholia. Overpowering headache. Hair bristles; painful. Face; deathly pale on rising; **bluish**, pinched or dis-

torted ; frowning ; terrified look. Red l. cheek, as if burnt. Jaws cramp on chewing. Heaviness in teeth. Burning thirst. Craves ice water or sour drinks. Vomits or eructates froth. **EXCESSIVE VOMITING, WITH PURGING ; violent retching, cutting colic, cramps in limbs and rapid prostration. Cholera ; morbus, infantum, etc. Painful epigastrium. Watery, green, odorless or colorless (rice water) stool, or in large masses. Nymphomania. The air seems too hot. Dyspnoea. Tickling down throat, into lungs. Continuous, violent cough ; with retching ; < cold drinks. Neglected pertussis, with complications. Aphonia. Heart ; cuttings at ; weak ; visible palpitation. Fine burnings, in arms ; r. to left. Cramps in calves ; during stool (Ap. Sec-c.) ; between scapulæ, etc. > motion. Skin feels scorched. Awakes at night trembling. Thready pulse. GENERAL COLDNESS (icy) ; on vertex ; of nose ; in mouth ; of waterbrash ; limbs, sweat, etc. Blood seems to run cold or internal heat with cold (wrinkled) surface. Fevers showing external coldness only. Congestive chill.**

Complementary : Carb-v.

Related : Ars. Cam. Cup. Cyanides. Tab.

VERATRUM VIRIDE.

REGION.

Vaso-Motors { MEDULLA.
Occiput.
CHEST.
Stomach.
Heart.
Capillaries.

WORSE.

RAISING UP. Motion.
Cold. Lying on Back.
Puerperal States.

BETTER.

Rubbing. Lying with Head
Low. Eating.

SUDDEN VIOLENT CONGESTION ; cerebellar or thoracic ; with nausea and vomiting, weakness, staggering, etc. Markedly uneasy. Trembling here and there during sleep, as if on the verge of convulsions. Muscle prostration. General pulsation. Erratic motions. Spasms ; with twitchings, shrieks or opisthotonos ; before or after menses ; as a prodrome. Eclampsia. Uræmia. Burnings ; in places ; tongue, pharynx, gullet ; of skin, which is cold ; with prickling. Lies with head low.....Loquacity. Mania ; puerperal. Delirium,

with wild staring eyes and restless hands. Carphology. Head, thrown back; nodding or rolling motions; throbs on raising up; aches on vertex and between eyes. Pains up occiput, with dim vision and dilated pupils. Vision, of red spots; purple, on closing eyes. Deafness, < quick motion. LIVID, TURGID FACE, BUT BECOMES FAINT ON SITTING UP. Apoplexy. Heat stroke. Tension across malar bones. Chewing motions. Red or dry streak down center of tongue. Foul breath. Nausea, with vomiting and purging. Vomiting; violent, without nausea. Hiccough. Æsophagitis. Stomach seems to press against spine. Gastritis. Abdomen aches; cutting at navel. Slow, heavy breathing; as of a weight on chest. Dyspnœa. Violent cough from very start. Pneumonia. Dull, burning ache at heart. Aching neck and shoulders. Vesicles on hands. Cramps in feet, dorsæ, soles, etc. Dreams of water. Full, large, soft pulse or slow, with strong or violent heart beat. Hyperpyrexia or rapidly oscillating temperature; with sweat. Sepsis. Burning in chest. Clothes feel damp. Cold, clammy sweat. Cerebro-spinal fever.

Related: Aco. Gel.

VERBASCUM.

REGION.

Nerves { Orbits. Ears.
(Facial) { Zygomæ.

Respiratory Tract.

Bladder.

Left Side.

WORSE.

Drafts. Change of Temperature.
With Every Cold.
9 A. M. to 4 P. M.
Twice a Day, at Same Hour.
Talking.

BETTER

Deep Inspiration (Osm.).

Spasmodic catarrhal or neuralgic effects. Earache. Coryza; with tears (Euphr.). Cramping, squeezing, crushing, paralyzing faceache; in malar bones. As of a lump at navel. Piles. Enuresis; < coughing; nightly. Deep, hollow, bellowing or trumpet toned cough. Cough; without waking; nervous; > deep breathing. Hearseness.

Related: Aco. Plat. Sep.

VIBURNUM.**REGION.****WORSE.****FEMALE ORGANS.**

Fright. Before Menses.

Cold; Snow Air.

Lying on L. Side.

Nerves.**BETTER.****Left Side.**

Rest. Pressure. Open Air.

Violent nervous or spasmodic effects; in females. Can't keep still.

Cramping. Hæmorrhage. Faint on sitting up.

Left parietal pain. Snuffles. Frequent, profuse urination; during headache, menses, hæmorrhage, etc. Heavy ache or excruciating cramps in pelvis; > menses: Dysmenorrhœa; with flatulency, loud eructations and nervousness. Miscarriage. False labor pains. Violent, persistent after-pains. Uterine hæmorrhage. Suffocation, at night; < cold damp. Infantile asthma. Pains in back, end in a cramp in uterus or go down face of thighs. Cramps in calves before menses. Tettery spots on cheeks, arms, etc.

Related: Caul. Pul. Sep.

VINCA MINOR.**REGION.****WORSE.****Skin. Hair.**

After Swallowing.

Weak and faint, as if to die.....Foul, matted hair. Cutting in lower œsophagus. Menorrhagia; blood flows and flows, with weakness. Weeping eczema intermingled with foul, thick crusts.

Related: Ustil.

VIOLA ODORATA.**REGION.****WORSE.****Nerves** { Eyes.

Cloudy Weather.

{ Ears.

Cool Air.

Vision. Wrists (R). Skin.

Music. Puberty.

Tension. Nervous activity, then sudden exhaustion. Combined eye, ear and kidney or worm symptoms.....Pain over

brows. Pain l. eye to vertex, < cough. Cramp in eyes. Otorrhoea. Craves meat. Itching at anus. Milky urine. Enuresis. Weight on chest. Dry skin, with moist palms. Cold shoulders.

Related : Pul. Spi.

VIOLA TRICOLOR.

REGION.

Skin. Scalp.

Urinary Organs.

WORSE.

Pressing on Opposite Side.

Suppressed Eczema.

Cracked, gummy crusts on scalp, exuding profuse, tenacious, yellow fluid, matting hair together ; with swelled cervical glands. Milk crust. Eczema. Urine smells like cat's urine ; involuntary in bed. Emissions, with vivid dreams.

Related : Rhus-t.

VIPERA.

REGION.

VEINS.

Blood.

WORSE.

LETTING LIMB HANG
DOWN.

Cold. Yearly. Touch.

Bursting feeling. Hæmorrhagic tendency. Epistaxis. Excruciating pain at epigastrium. Enlarged liver. Fulness and unbearable pain, as if limb would burst ; must elevate parts ; sits with feet high. Cramps in or blue lower limbs. Varicose veins or ulcers. Phlebitis. Goitre.

Related : Elap.

VISCUM ALBUM.

REGION.

Female Sexual Organs.
Nerves.

WORSE.

Becoming Chilled While Hot.

Vertigo ; persists after epileptic attack. Vertex ; sudden throbbings in. Sore about waist. Milky urine. Bronchial asthma. Blood won't clot and wounds won't heal.

Related : Bufo.

XANTHOXYLUM.

REGION.

Nerves. Respiration.
Female Sexual Organs.
Left Side.

WORSE.

Sleeping. Dampness.

BETTER.

Vomiting.

Grinding, shooting, radiating pains. Numb l. side.....

Nervousness. Head threatens to fly to pieces. Throat feels like a hollow cavern. Violent, **agonizing**, grinding **dysmenorrhœal** pains, not > in any position; pains go into thighs or radiate over whole body, even to heart. Leucorrhœa replaces menses. Soreness of face of thighs, before menses.

Related: Ars. Lach.

ZINCUM.

REGION.

BRAIN { Occiput.
AND { Spine.
NERVES { Orbital Region.

Root of Nose.

Blood.

Inner Canthi.

WORSE.

EXHAUSTION; Mental.

Suppressions.

Noise. Touch. Wine.

After Being Heated.

BETTER.

Motion. Hard Pressure.

Warm Open Air.

FREE DISCHARGES.

Fagged, enervated or depressed; can't throw things off; develop exanthema or discharges, etc. Increasing weakness; < eating; with restlessness. Isolated effects; one part numb, another sensitive; formication; pain in spots; between skin and flesh, etc. Transverse pains. Automatic acts. Tremor. Jerkings; nightly. Spasm. Shootings. Descending paralysis. Disabling bone pains. Bloody discharges.....Fretful and sensitive; cries if vexed. Easily startled, excited or intoxicated. Muddled. Forgetful; repeats the question, then answers. Brain-fag. Screams; if moved; during sleep; with pain, etc. Violent vertigo; with stupor. Headache of varying intensity; **pressive** on vertex or root of nose; into eyes; with weak vision; < warmth, > hard pressure. Temples; heavy ache in; pain, < biting. Occiput; dragging, down back; as of a blow on, then weak legs; heat in. Crashing in head on falling to sleep. Rolls head and grinds teeth. Brain paralysis. Hair painful; on

vertex ; bristles. Eyes feel drawn together. Squint. Lachrymation on eating. Pterygium. Swelled nose. Pale, bluish, miserable face. Sticky lips. Bitter mouth. Voracity. As of a lump in liver region or at navel. Hypogastric flatulence. Itching at anus during stool. Piles draw down, > heat < walking ; ulcerate. Violent urging but urinates only in certain positions, bending backward, crossing limbs, etc. ; blood follows urine. Pressive cutting about kidneys. Grasps genitals ; with each cough, etc. Sexual excitement. Onanism ; during menses. Profuse, lumpy menses. Pain (boring) in l. ovary. Spasmodic dyspnoea, < flatulency > expectoration. Bursting, one hard throb or as of a cap over heart. Hard heart beat. Constricted chest. Nape tired ; < mental exertion ; lame, then stupor. Spine aching, burning along, < sitting ; sensitive ; inter-scapular cutting, > eructations ; weak lumbar, < standing. Spasms, from spinal injuries. Pains in limbs on becoming heated. Hands tremble ; eczema on. CAN'T KEEP FEET AND LEGS STILL ; cramp when cold. Toes feel swelled ; sore ; ache in tips. Sensitive soles. Bones of feet feel broken. Sweaty feet, with sore toes. Stumbling. Spastic gait. Varicoses ; painful ; chronic ; on genitals. Broken, unrefreshing sleep.

Antidote : Tab.

Complementary : Pul.

Related : Ign. Kali-p. Lach. Pic-ac.

ZINC ARSENITE.

WORSE.

10 A. M. and 3 P. M.

Light Exertion.

Occipital pain. Blue vision. Burning in bladder. Numb r. arm, then left, > writing. Soles ache when tired, > pressure. Lumbar pain, < exertion, sitting, jarring, or standing.

ZINC CHROMATE.

REGION.

Ears. Nose.

Throat. Left Side.

WORSE.

MOTION. Lying on Back.

Washing Head.

Gnawing, grinding ache. Wandering, shock-like pains. Catching stitches, that impede motion.....Averse to work ;

can't bring herself to it. Inward pressing ; in spot on bregma. Throbbing temples ; behind ears. Wavering vision. Bad odor within nose. Blows quantities of blood, pus and scabs from nose. Metallic taste. Indefinite cravings. Thoughts of eating are a bugbear. Can't tolerate her hands on abdomen. Dryness in vagina, with a sense of coming unwell ; 10-12 A. M. Cough from tickling in throat-pit ; expectorate sweet and loose, but had to be swallowed, or tough with spitting spells. Shooting from l. larynx up through tonsil into ear. Cutting at apex of heart ; at night. Gnawing grinding below and above l. scapula. Feet sore. Cramps in toes at night ; or grinding gnawing.

Related : Pul.

ZINC IODIDE.

REGION.

Heart. Nerves.
Valves.

WORSE.

Lying on L. Side.

Jerkings, startings, etc. Lying on left side causes vertigo, palpitation, floating sensation, etc.....Nose, obstructed at night ; blows thick, yellow chunks from ; hot, dry nares. Goitre ; presses inwardly. Myocardial exhaustion. Lower limbs feel as if floating. Cramps in calves, in ankles ; must press feet to floor.

Related : Sticta.

ZINC PHOS.

Mental fatigue, depression and paralysis. Abuse of Bromides. Epilepsy.

ZINC VALERIANATE.

REGION.

Nerves.
Ovaries.
Spine.

BETTER.

Rubbing.

Oversensitive, nervous and sleepless. Spasmodic nervous effects. Yawning. Hiccough. Excitable. Ticking over l. ear. Sour taste in A. M. Flatulent cramps ; hypogastric. Mucous colitis. Smothers on attempting to eat. Ovarian or dysmenorrhoeal pains, down limbs ; during and after menses. Aching up back. Chills after mental excitement or exertion. Cold parts burn as they warm up.

PART THREE

Comprising :—

- (a) Table of the Approximate Duration of Action of Remedies.**
- (b) Complementary Remedies.**
- (c) Antagonistic Remedies.**
- (d) Supplemental Reference Table i.e. a valuable additional table for ready reference to the Repertorial Portion in the Text.**

Table of the approximate minimum **Duration of Action of Remedies** by weeks.

Acc.³ Agar.³ Ag-c.¹ Alu.⁴ Amb.⁴ Am-c.⁴ Am-m.²
 Anac.³ Ang.² Ant-c.⁵ Ant-t.² Arg-m.² Arn.² Ars.⁴
 Asaf.⁴ Asar.¹ Aur.⁴ Bar-c.⁵ Bell.⁵ Bism.³ Bor.² Bov.⁴
 Brom.² Bry.² Calad.⁴ Calc-c.⁵ Cam.¹ Cann.¹ Canth.²
 Caps.² Carb-an.⁴ Carb-v.⁴ Caust.⁵ Cham.¹ Chel.¹ Chin.³
 Chi-s.² Cic.⁴ Cina.² Clem.⁴ Coccl.² Cof. Colch.² Coloc.⁴
 Con.³ Croc.¹ Crot-h.³ Cup.³ Cyc.² Dig.³ Dros.² Dulc.⁴
 Euphr.² Euphor.⁴ Fer.⁵ Flu-ac.³ Grap.⁵ Guai.³ Hell.³
 Hep.⁶ Hyos.¹ Ign.¹ Iod.⁴ Ip. Kali-c.⁵ Kali-n.⁴ Kre.¹
 Lach.³ Laur. Led.⁴ Lyc.⁵ Mag-c.⁵ Mag-m.⁴ Mang.⁴
 Mar-v.² Men.² Merc.² Mez.⁴ Mos. Mur-ac.³ Nat-c.⁴
 Nat-m.⁴ Nit-ac.⁴ Nux-m.¹ Nux-v.² Old.³ Op. Par.
 Petr.⁵ Pho.⁵ Pho-ac.⁴ Plat.⁴ Plb.³ Pru-s.³ Pul.¹
 Ran-b.³ Ran-sc.⁴ Rhe. Rhod.⁴ Rhus-t.⁴ Rut.¹ Saba.³
 Sabi.⁴ Samb. Sars.³ Sec-c.² Sele.⁴ Seneg.³ Sep.⁶
 Sil.⁶ Spi.² Spo.³ Squ.² Stan.⁴ Stap.³ Stram. Stron.⁴
 Sul.⁵ Sul-ac.³ Tarax. Thu.³ Valer.¹ Ver-a.² Verb.¹
 Vio-o.¹ Vio-t.¹ Zin.⁴

As long as old ailments reappear or are worse, without the appearance of essentially new symptoms which lie outside of its sphere of action, we should guard against a repetition of the remedy, or changing to a new one.—**Böenninghausen.**

Symptoms appearing last in a proving have the highest value.—**Hering.**

COMPLEMENTARY REMEDIES

ABROTANUM—Bry. Kali-bi. Lyc.	CARBO AN.—Calc-ph.
ACETIC ACID—Chin.	CARBO VEG. — Ars. Chin. Kali-c. Lach. Pho.
ACONITE—Arn. Bell. Bry. Cof. Mill. Pho. Spo. Sul.	CAUSTICUM — Grap. Lach. Petros. Sep. Stan. Siap.
ÆTHUSA—Calc-c.	CEPA—Pho. Pul. Sars. Thu.
AGARICUS—Calc-c.	CHAMOMILLA—Bell. Calc-c. Mag-c. Sanic.
ALLIUM SATIVA—Ars.	CHELIDONIUM—Lyc. Merc-d.
ALOES—Sul.	CHINA—Ars. Calc-p. Carb-v. Fer. Kali-c.
ALUMINA—Bry. Fer.	CINA—Calc-c. Dros. Sul.
ANTIMONIUM CRUDUM— Scil.	CINNABAR—Thu.
ANTIMONIUM TART.—Bar-c.	CLEMATIS—Merc.
APIS—Arn. Ars. Bar-c. Hell. Merc-cy. Nat-m. Pul.	COCCULUS IND.—Petr.
ARGENTUM NITRICUM— Calc-c. Nat-m. Pul. Sep.	COFFEA—Aco.
ARNICA—Aco. Calc-c. Nat-s. Psor. Rhus-t. Sul-ac.	COLCHICUM—Ars. Spi.
ARSENICUM—All-s. Carb-v. Lach. Nat-s. Pho. Pul. Sul. Thu.	COLOCYNTHIS—Caus. Merc. Stap.
ARUM TRI.—Nit-ac.	CONIUM—Pho. Sil.
ASAFÆTIDA—Caus. Pul.	CORALLIUM RUB.—Sul.
ASARUM—Caus. Pul. Sil.	CROTALUS HOR. — Carb-v. Lycps.
BARYTA CARB.—Ant-t.	CUPRUM—Ars. Calc-c. Iod.
BELLADONNA—Bor. Calc-c. Hep. Merc. Nat-m.	DROSERA—Carb-v. Nux-v. Sul.
BRYONIA—Abro. Alu. Kali-c. Lyc. Rhus-t. Sep. Sul.	DULCAMARA—Alu. Bar-c. Nat-s.
BUFO—Calc-c.	FERRUM—Alu. Ars. Chin. Ham.
CACTUS—Ars.	FERRUM PHOS.—Nat-m.
CALADIUM—Nit-ac.	FLUORIC ACID—Sil.
CALCAREA CARB. — Bar-c. Lyc. Sil.	GELSEMIUM—Arg-n. Sep.
CALCAREA FLUOR.—Rhus-t.	GLONIN—Bell.
CALCAREA PHOS. — Ruta. Sul. Zin.	GRAPHITES — Ars. Caus. Fer. Hep. Lyc. Sul.
CALENDULA—Hep.	HAMAMELIS—Fer. Flu-ac.
CANTHARIS—Apis.	HELLEBORUS—Zinc.
CAPSIUM—Nat-m.	HEPAR—Iod. Sil.
	IGNATIA—Nat-m. Pho-ac. Pul. Sep.

- IODINE—Bad. Lye. Sil.
 IPEACUANA—Ars. Cup.
 KALI-BI.—Ars. Pho. Psor.
 KALI CARB.—Ars-io. Carb-v.
 Nit-ac. Pho.
 KALI MUR.—Calc-s.
 KALMIA—Benz-ac. Spi
 KREOSOTUM—Sul.
 LACHESIS — Ars. Calc-c.
 Carb-v. Hep. Lye. Nit-ac.
 Pho. Zin-io.
 LACTIC ACID—Psor.
 LEDUM—Chin. Sep.
 LEPTANDRA—Pho.
 LYCOPODIUM—Calc-c. Grap.
 Iod. Kali-c. Lach. Pho. Pul.
 Sul.
 MAGNESIA CARB.—Cham.
 MARUM VER.—Calc-c.
 MERCURIUS—Aur. Bad. Bell.
 Hep. Sep. Sul.
 MEZEREUM—Merc.
 NATRUM CARB.—Sep.
 NATRUM MUR.—Ap. Arg-n.
 Ign. Sep.
 NATRUM SUL.—Ars. Thu.
 NITRIC ACID—Ars. Aru-t.
 Calad. Calc-c. Lye. Thu.
 NUX MOSCH.—Calc-c. Lye.
 NUX VOMICA—Bry. Cham.
 Con. Kali-c. Pho. Pul. Sep. Sul.
 OPIUM — Alu. Bar-c. Bry.
 Pho. Plb.
 PALLADIUM—Plat.
 PETROLEUM—Sep.
 PHOSPHORIC ACID—Chin.
 PHOSPHORUS—Ars. Calc-c.
 Cepa. Kali-c. Lye. Sang. Sep.
 Sil. Sul.
 PLUMBUM—Rhus-t.
 PODOPHYLLUM — Calc-c.
 Nat-m. Sul.
 PSORINUM—Sep. Sul. Tub.
 PULSATILLA—Ars. Bry. Kali-
 bi. Kali-s. Lye. Sep. Sil. Stan.
 Sul. Sul-ac. Zin.
 RHEUM—Mag-c.
 RHUS TOX. — Bry. Calc-c.
 Caus. Lye. Med.-Pho. Phyt.
 Pul. Sul.
 RUTA—Calc-p.
 SABADILLA—Sep.
 SABINA—Thu.
 SANGUINARIA—Ant-t. Pho.
 SASSAPARILLA—Merc. Sep.
 SCILLA—Ant-c.
 SECALE—Ars. Thu.
 SEPIA—Nat-m. Pho. Psor. Pul.
 Sul.
 SILICEA—Flu-ac. Hep. Lye.
 Pho. Thu.
 SPIGELIA—Spo.
 SPONGIA—Hep.
 STANNUM—Pul.
 STAPHYSAGRIA—Caus. Coloc.
 SULPHURIC ACID—Pul. ¹¹¹
 SULPHUR—Aco. Alo. Ars.
 Bad. Bell. Calc-c. Merc. Pul.
 Psor. Pyro. Rhus-t. Sep.
 Sul-io.
 SUMBUL—Lactuca.
 TABACUM—Op.
 TARENTULA—Ars.
 THUJA—Merc. Nat-m. Nit-ac.
 Pul. Sabi. Sil. Sul.
 TUBERCULINUM — Calc-c.
 Kali-s. Sep.
 VERATRUM ALB.—Ars. Carb-v.
 ZINCUM—Pul. Sep. Sul.

ACETIC ACID—Bor. Caus. Nux-v. Ran-b. Sars.	LACHESIS—Am-c. Dul. Nit-ac. Sep.
AMMONIUM CARB.—Lach.	LYCOPODIUM—Nux-nos.
APIS—Rhus-t.	MERCURY—Lach. Sil.
BELLADONNA—Dulc.	NITRIC ACID—Lach. Nat-na.
BENZOIC ACID—Copaiv.	NUX MOSCHATA—Lyc. Nux- v. Pul. Rhus-t. Sil. Squ.
CAMPHOR—Kali-n.	NUX VOMICA—Acet-ac. Caus. Ign. Nux-m. Zin.
CANTHARIS—Cof.	PHOSPHORUS—Caus.
CARBO VEG.—Kreosot. ♡	PULSATILLA—Nux-m.
CAUSTICUM—Acet-ac. Cof. Colo. Kali-n. Nux-v. Pho.	RANUNCULUS BULB.—Acet- ac. Kali-n.
CHAMOMILLA—Zinc.	SARSAPARILLA—Acet-ac.
CHINA—Dig. Sele.	SELENIUM—Chin.
COCCULUS—Cof.	SEPIA—Lach.
COFFEA—Canth. Caus. Coccl. Ign.	SILICA—Merc. Nux-m.
COLOCYNTH—Caus.	STAPHYSAGRIA—Ran-b.
DIGITALIS—Strop.	SULPHUR—Nux-m. Ran-b.
DULCAMARA—Bell. Lach.	ZINCUM—Cham. Nux-v.
IGNATIA—Cof. Nux-v.	
IPECAC—Chin. Op.	
KALI NIT.—Cam. Caus. Ran-b.	

**FOREWORD TO
SUPPLEMENTARY REFERENCE TABLE**

The "Supplementary Reference Table" has been enlarged considerably, especially by transferring most of the comparisons to it from the text of the respective remedies. This makes for clearness and facility of reference.

C. M. BOGER.

Parkersburg, W. Va.

ABDOMEN—76.

aches, sick in—Lept. Pod. Pul.
Rhus-t. Ver-v.
alternating with—Bry. Colo.
Nux-v. Radm. Ran-b.
ball, lump, as of a, etc.—Anac.
Kre. Verb.
band about—Caus. Chel. Chio.
Plb. Pul. Sul.
burning—Caps. Caus. Manc.
changing, about, in—Mur-ac.
chest, to—Æth. Cham.
clawing—Bell. Lyc.
cold—Cad-s.
contracted—Mag-p.
coughing, Agg.—Ant-t. Dro.
Nux-v. Pho.
covers, lifts—Bell. Lac-c. Lach.
Lil-t. Pho. Sec-c. Stap. Tab.
cramp, colic, griping—Op. Plb.
Polyg. Rad. Strop. Sul.
Zin-val.
 nightly—Cham. Chin. Cyc.
cutting in—Dios.
distended—Vario.
empty—Sec-c.
fulness—Kali-m.
grinding, boring — Flu-ac.
Polyg. Sars.
groins, to—(Kali-c.) Pul.
hands on, Agg.—Zin-chr.
hanging or fallen down—
Acet-ac. Laur. Pho. Pod.
Sep.
hard—Bar-c. Calc-c.
head, alternating with—Alo.
Bry. Calc-p. Pod. Thu.
heavy, weight, as of—Cup.
Lyc. Spl. Tab. (r.).
holds—Lil-t. Merc. Stap.
knots, lumps in—Ars. Ign.
Plb. Saba.

ABDOMEN

large—73. Alu. Carb-v. Colch.
Sil. Syph. Tub. Vario.
numb—Aco. Bry. Plat. Pul.
Sars.
pushings—Thu.
quivering—Sabi.
radiating pains—Plb.
retracted—Hyds. Plb.
rubs—Aran. Kali-c. Mag-c.
Nat-s. Pho. Plb.
sore—77. Pho. Rhus-t.
squeezing in—Ant-t. Coccl.
Colo. Scop. Stap.
standing < —Nat-p.
stiff—Lil-t. Rhus-t.
stitches—Bry. Sul.
stones in—Ant-t. Calc-c. Coccl.
Colo. Hyds. Nux-m. Osm.
Scop. Sep.
sunken—Kali-bro.
swashing—See Gurgling.
tension—Ap. Lil-t. Rhus-t.
Scop.
thighs, into—Lil-t. Mag-p.
Sabal. Stap. Thyr.
uncovering, Amel.—Cam. Med.
Sec-c. Tab. Vip.
weak—Merc.

ABORTUS—84.

Tenismus Recti, Agg.—Bell.
Calc-c. Coccl. Cón. Ip. Lyc.
Merc. Nux-v. Rhus-t. Sep.
Sul.
third month—Bell. Plb. Sabi.
Sep.

ABSCESS—46.

ABSENTMINDED—49. Calc-p.

ABSORBENT ACTION—Arn.
Kali-io.

- ACHING**—30. 56. 59. 77. Echi.
 Erig. Eucal. Kalm. Lept.
 Pyro. Radm. Rut. Terb.
 Vario.
- ACIDOSIS**—Pho.
- ACRID**—30. Chlor. Cist. Colch.
 Euphr. Flu-ac. Hyds. Iris.
 Lil-t. Mez. Mur-ac. Pru-s.
 Ran-sc. Sabi. Sang. Sul-ac.
 Sul-io. Tell. Thu. Tub.
- ACTIVE**, agile—40. Ap. Lach.
 Nux-v. Tarn. Val.
 Amel. when—Cyc. Helo. Lil-t.
- ACTIVITY**, fruitless—Ap. Bor.
 Calc-c. Stan. Ther.
- ACUMINATE**, conical—99.
- ACUTE**—See Sensitive.
- ADENOIDS**—70.
- ADHERENT**—30. 83. Bov. Ign.
 Merc-c. Ol-an. Osm. Rum.
 Ust.
- AFFECTIONS**, stifled—Sep.
- AFTER PAINS**—84. Vib.
 intolerable—Cham. Cimi.
- AIR**—19.
 blowing on—49. See Wind.
 cool, Agg.—Urt-u. Vio-o.
 Amel.—Plat. Radm.
 hot, as if—Ast-r. Bry. Pul.
 Ver-a.
 hunger—19. Fer. Pru-s. Radm.
 flatulency, with — Kali-io.
 Zin.
 inspired, cold—19.
 open, Amel.—19. 64. Tab. Tarn.
 passages, burning — Ars-io.
 Sang. Seneg.
 numb—Stic.
 sensitive—See Nose.
 penetrating, too—Calc-c. Colo.
 smoky, as if—Berb. Brom.
- ALBUMINOUS**, clear—30. 82.
 Calc-p. Phyt. Tarn.
- ALBUMINURIA**—82. Ant-c.
 Aur. Bry. Kali-c. Lach. Pul.
 Thu. Val.
 periodical—Pho.
- ALCOHOL**—23. 74. Led. Strop.
- ALCOHOLISM**—50.
 acute—Aco. Bell. Op.
 later—Carb-v. Nux-v.
 recurrent—Anac. Aur. Bell.
 Chin. Hyo. Nux-v. Op.
 Stram. Thu.
- ALIVE**, as if—30.
- ALL GONE**—See Empty.
- ALTERNATE DAYS**, on < —
 Ars. Clem. Nat-m.
- ALTERNATIONS** of—30. 80.
 Abro. Arn. Berb. Croc. Cup.
 Psor. Stro. Sul-ac. Val.
 contraction and relaxation—41.
 Cup. Lyc. Tab. Tarn.
 diarrhoea and asthma—Kali-c.
 mental—Sep.
 opening and shutting—41.
 rheumatism and hæmoptysis—
 Led.
 rising and falling—34. 71.
- AMMONIACAL**—30.
- AMOROUS**—49.
- ANÆMIA**—30. Grap. Lac-d.
 Nat-c.
- ANASARCA**—Ant-c. Ap. Ars.
 Bell. Bry. Chin. Colch. Dig.
 Dul. Fer. Hell. Kali-c. Led.
 Lyc. Merc. Pho. Pul. Rhus-t.
 Sabi. Samb. Sara. Squ. Sul.
- ANEURISM**—30. Calc-fl.
 pains of—Gal-ac. Sec-c.
- ANGER**, vexation — 22. 49.
 Kali-io. Kali-m. Kre. Lys.
 Syph. Tub.

ANGER

awaking, on—Kali-c. Lyc. Pho.
Sanic. Tub.

ANGLES—100. Mez. Nit-ac. Zin.
cracks—Grap. Merc. Petr.

ANGUISH—49.

ANIMALS—51. 61.

ANKLES—98. Rum.

break—Pho.

cold—Calc-fl. Ign. Mag-m.
Med.

cramp—Men. Rum. Zin-io.

heavy—Ant-c. Crot-t. Led.
Nit-ac. Sec-c. Sul.

inflamed—Mang.

nervous—Mag-m.

sweat, on—Crot-h. Naj.

swelled—Stro.

weak—Carb-an. Nat-s. Nit-ac.
Pho-ac. Sec-c. Sil. Stro.

ANSWERS—49.

sleeps then—Arn. Bap. Hyo.
Pho-ac.

slow—49. Bap. Hyo. Lyc.
Merc.

ANTHRAX—Lach.

ANTHROPOPHOBIA—49.

ANUS—79. Lach. Pæon. Saba.
Sep.

bubbles—Colo. Nat-m.

burning—Scop.

crusts—Pæon. Petr.

dry—Æsc. Rat.

eruption—Merc-c. Nat-m. Nit-
ac. Petr. Polyg.

fiery—Med.

itching—Vio-o.

liver, to—Dios. Lach.

long after stool—Nit-ac. Pæon.

moist—Ant-c. Hep. Nit-ac.
Op. Sep. Sul-io.

ANUS

foul—Ant-c. Sul-io.

navel, to—Colo. Lach.

open—Ail. Ap. Op. Pho. Sec-c.

retracted—Nat-p.

sore—Kali-m.

sweat—Sep.

ulcer—Carb-v. Kali-bl. Nit-ac.
Sul.

ANXIETY — 49. 92. Merc-c.
Murx. Psor.

waking, on—Spo.

APATHY—38. See Indifference.

APEX—92. Coc-c.

APHTHÆ — 72. Kali-chl.
Kali-m. Thu.

APOPLEXY—30. 41. Ant-c.
Ant-t. Ars. Aur. Bar-c. Calc-
c. Coff. Fer. Hyo. Ip. Pho-ac.
Rhus-t. Samb. Sep. Stram.
Thu. Ver-a. Ver-v.

with slow, full pulse, red face
and small pupils—Op.

weak, small pulse and pale,
bluish face—Lach.

very irritable pulse—Aco.

waves of congestion, bursting,
throbbing; holds head—Glo.

APPARITIONS—62.

APPENDICITIS—76. Pul.

APPETITE — 73. Merc-cy.
Strop.

capricious—Fer. Merc.

loathing, after first bite—Caus.
Lyc. Pru-s.

lost—Chin. Gins. Nux-v. Pul.
by day only—Arn.

nibbling—Mag-c.

ravenous—Rum.

ARMS—95.

alternating between—Mang.

ARMS

and legs alternate—95. Kali-m.
Kalm. Val. Vis-a.

behind him < —Ign. Sanic.

burning—Ther. (up). Ver-a.

chest, on, Agg.—Psor.

cramp—Old.

dead—Scop. (r). •

hanging down, Amel.—Arn.
Con. Lyc. Mag-m. Pho.
Rhus-t.

heavy—Strop.

jerked up—Saba.

motion, Agg.—26.

numb—Alo. (l) Grap. Phyt.
(r). Rhus-t. (l) Zin-ar. (r to l).

paralysis, right—Am-c. Cup.
Lyc. Sul. Zin.

raising, Agg.—27. 96. Sanic.
Tell.

restless — Kali-bro. Samb.
Tarn.

right—in heart affections—Ars.
Kalm. Merc-i-f. Merc-i-r.

swinging—Cina.

veins—Pul. Thy.

writing, Amel.—Zin-ar.

ARROGANCE—53.

ARTHRITIS DEFORMANS—

Ars. Aur. Caus. Cup. Guai.

Hep. Merc. Pul. Radm. Sabi.

ASCENDING, Agg.—19.

ASPHYXIA NEONATORUM

—Ant-t. Cam.

ASTHENOPIA — Fer-p. Jab.
But.ASTHMA—86. Eucal. Tab. Tub.
Vis-a.

bronchial—Terb.

cardiac—Laur. Naj. Spo. Sumb.

catarrhal—Calad. Caps.

ASTHMA

consumptives, of—Meph.

coryza, with—Jus.

drunkards, of—Meph.

dry weather, Agg.—Cham.

expectoration, Amel.—Ant-t.
Zin.

goitre, in—Spo.

hay fever, of—Aru-t. Chlor.

hives, from—Apis.

humid—Cann. Dul.

hysterical—Coccl.

itchings, with—Calad. Cist.
Saba.

nervous—Cham. Kali-p. Mag-p.
Stram.

sycotic—Nat-s. Sil.

ATHLETE'S FOOT—Grap. Sanic.

ATHEROMA—31.

ATONY—Op.

ATTENTION, Agg.—Ign.

ATTITUDE—31.

AUTOMATIC acts—40. Calc-c.
Hell. Hyo. Nux-m. Pho. Zin.

AUTUMN—28.

AVERSE, his own, to—50. Kali-
p. Iod. Plat. Senec. Sep.

food, in chronic diarrhoea—
Ant-c. Ars. Chin. Nux-m. Pho.
Pul.

mother's milk, to—Sil.

sweets—Radm. Senec.

tobacco—Lob.

AWAKES, Agg.—Tub.

anxious—Spo.

confusion—Pul.

cough, causes—Samb.

horror, in—Tub.

nervous—Rhus-t.

palpitation—Radm.

AWAKES

panting—Radm.

stupor, then—Hyo.

AWKWARD, drops thin

etc.—31. Agar. Bar-c.

Lol-t. Mos.

AXILLÆ—91.

abscess—Lyc. Pho.

ache in—Latro.

alternately—Colch.

glands swelled—Bar-c. Lach.

Lyc. Nit-ac. Pho. Sil.

itching—Sang.

menses, before—Sang.

stitches—Dros.

sweat—Calc-c. Lap. (cold).

Nat-m. Petr. Sep. Sil. Sul.

BACK—94.

ache—Eup-p. Phyt. Sanic. Stap.

Vario. Zin.

Comp. Spine.

acne—Rum.

alternating sides—Calc-c.

ascending—Ars. Radm. Zin-
val.

bed, early in—Stap.

bending backward—Ign.

Amel.—Plat.

breaking—Bell. Lyc. Nat-m.

Pho. Senec.

chills—Caps. Eup-p. Gel.

down—Am-c. Lac-c. Val.

up—Ol-j. Ox-ac. Sul.

and down—Eup-p. Gel. Ip.

Pul. Sul.

coition, emissions, etc., Agg.—

Fer. Kob. Nat-m. Nit-ac.

cold water trickles down—Caps.

coldness, sudden—Croc.

colic, with—Sars.

BACK

contraction—Hyd-ac. Rhus-t.

coughing, Agg. — Bell. Bry-
Nat-m.

crawling—Lac-c.

cyst on—Pho.

everything < — Kali-c. Lach.
Sep.

genitals, to—Kre.

kidneys, Agg.—Cad-s. Senec.
Solid.

menses, Amel.—Senec.

mental exertion, Agg.—Pic-ac.

muscles, atrophy—Thu.

plug, nail, etc.—Anac. Cinnab.

pressure, Amel. — Kali-c.
Nat-m. Rhus-t. Sep.

raising arms, Agg.—Nat-m.
Rhus-t. Sanic.

sitting, Agg. — Agar. Rhus-t.
Sep. Val.

spasm—Sec-c.

stiffness, ascends—Ars.

stomach, to—Berb.

thighs, down—Berb. Hep.
Kali-c. Vib.

urinating, Agg.—Syph.

Amel.—Lyc.

uterus, to—Sep. Vib.

walking, Amel.—Tab.

BACKWARD, bending, Amel.
—19. 28. 88. Med.

BALL, lump, globus, etc.—31.
56. 81. 94. Chin. Kali-m.
Kob. Lil-t. Lyc. Mar-v.
Merc-d. Merc-i-r. Mos. Plan.
Senec. Ust.

hot—Carb-ac. Phyt.

BAND—31. Ox-ac.

BANDAGE—Pic-ac. Plat. Tril.

- BAROMETER**—Merc. Pho. Rhod.
BASHFUL—49.
BATHING—19. 98. Phys. Rat. Thu.
 averse to—Ant-c. Sul.
 cold, Agg.—Ant-c. Clem. Dul. Rhus-t. Sil.
 Amel.—Ap. Bels. Bry. Fl-ac. Hypr. Iod. Led. Meph. Phyt. Pul. Sul.
BEADS—70. Æth.
 glands—Bar-c.
BEARING DOWN — 42. 85. Castor. Pall. Sil. Thyr.
BECLOUDED—51.
BED—19.
 heat of—Dros. Merc. Op. Psor. Pul. Sabi. Sec-c. Sul.
 leaves—Cham. Grap. Lac-c. Led. Merc. Ver-a.
 lumps in—Arn. Mag-c.
 sliding down in—Ap. Ars. Bap. Chin. Colch. Hell. Hyo. Mur-ac. Zin.
 sores—47.
 wetting—82.
BEHIND—Anac. Brom. Med. Sanic.
BENDING—19.
BENT—36.
BEWILDERED—50.
BILATERAL—Arn. Kali-io.
BILIOUS—49. Chio. Nat-s. Tarr. See Yellow.
BIRTHMARK—101.
BITES, cheek or tongue—Cic. Ign. Nit-ac.
BITING—19. Ign. Nit-ac. Pod. fleas, as of—Mez. Stap. Tab. Vis-a.
BITING, BUGS, like—Kali-bi.
- BLACK, dark**—31. Arn. Carb-ac. Mag-m. Sul-ac.
 and blue—See Petechiæ.
BLACK - WATER FEVER — Crot-h.
BLADDER—83. Sabal. Stap.
 aching—Terb.
 atony—Stan.
 back, to—Sars.
 burning, heat, etc.—Senec. (neck). Zin-ar.
 bursting—Par-b. Zin.
 chill—Sars.
 colds, Agg.—Dul.
 cramp—Mez. Pul.
 crawling in—Sep.
 cutting—Pall.
 gripping—Canth.
 inflamed—Polyg. Soli. Terb.
 injuries to—Stap.
 irritable—Bell. Buch. Nux-v. Sabal. Stap.
 lump in—Kre.
 neck of—Canth. Merc-c.
 sore—Ap. Canth. Equi. Terb.
 tenesmus — Canth. Equi. Merc-c. Parei. Terb.
 throbbing in neck—Epig.
 ulceration, suppuration—Petr. Pul. Sep. Sul.
- BLAND**—43.
BLISTERS—100. Sec-c.
BLOATED—67. 101.
BLONDES—Pul.
BLOOD — 92. Carb-ac. Naj. Pyro. Soli. Tarn. Vario. Ver-a.
 boils—Crot-h.
 rushes of—Bell. Fer. Glo. Lach. Sang. Spo. Sul.

SUPPLEMENTAL REFERENCE TABLE

BLOOD

downward — Aur. Meph.
Thyr.

upward — Aco. Arn. Bell.
Bry. Fer. Glo. Kali-io. Mell.
Pho. Sang. Stro.

stasis—Carb-v. Ham. Pul. Sep.
Sul.

streaked—Rhus-t. Sang. Senec.
Seneg. Sul. Tub.

watery—Nit-ac. Rhus-t. Sabi.

mixed with clots—Arn. Bell.
Caus. Pul. Sabi.

BLOOD-VESSELS—92. Sul-ac.

full, distended—Ham. Sang.

heat in—Ars. Bry. Calc-c. Med.

Rhus-t. Syph.

painful—Ham. Zin.

phlebitis—93. Vip.

vascular—Lach. Lyc. Thu.

Tril. Zin.

writhing in—Bell. Hyd-ac.

BLOTCHED—67. Kre.

BLOW, as of a—31. Cup.

BLOWING—49.

BLUE—31. Mang. Merc-cy.

with burning—Anthx. Ars.
Lach.

BOARDLIKE—Nux-m. Rhus-t.
Tarn-c.

BOGGY—101.

BOILS

arms, on—Petr.

axillæ—Lyc. Pho.

blind—Lyc.

calf, on—Sil.

crops of—Echi. Sil. Sul. Syph.

eye, over left—Nat-m.

nose, on tip—Acon. Anan.

on septum—Anthx.

small and sore—Arn. Lap.

Pic-ac. Sec-c. Tub.

BOILS

soles—Ratan.

thighs—Hyo. Ign.

BOLDNESS, daring—50.

BONES—31. 97. 98. Phyt. Pyro.
Syph.

bare, becomes—Ars. Asaf.
Aur. Calc-c. Chin. Con. Hep.
Lach. Lyc. Merc. Mez. Nit-ac.
Pho-ac. Pul. Rut. Sabi. Sep.
Sil. Stap. Sul.

breaking, injuries, bruised
pains—Arn. Eup-p. Pul. Val.

brittle—Rut.

caries—Ars. Asaf. Aur. Calc-c.
Con. Flu-ac. Hep. Lach. Lyc.
Merc. Mez. Nit-ac. Pho-ac.
Pul. Sep. Sil. Stap. Tel.

chilly, cold — Aran. Calc-c.
Eup-p. Kali-io. Pyro.

curved—Pho-ac.

cutting—Lach.

exostoses—31. Sul-io. Syph.

syphilitic — Flu-ac. Hep.
Merc.

gnawing—Bell. Stro.

growth, defective — Agar.
Calc-c. Calc-p. Fer. Pho-ac.
Sil.

heavy—Sul.

jerk in—Chin. Sil.

large, as if—Mez.

marrow—Am-c. Chel. Chin.
Naj. Sul.

necrosis—Ther.

night—Lyc. Merc.

non-union—31. Calc-fl.

pains—Eup-p. Merc. Phyt.
Pyro.

periostitis—31. Ars. Asaf. Aur.
Calc-c. Con. Hep. Lach.

BONES

Merc. Mez. Nit-ac. Pho-ac.
 Pul. Sep. Sil. Stap. Sul. Tell.
 pricking—Thu.
 rent asunder, shattered—Chin.
 Kali-c. Spi.
 sawing—Pho. Sul. Syph. Tarn.
 scraping—Chin. Pho-ac. Rhus-t.
 Thu.
 sensitive—Mang.
 skin, near—Sang.
 sore—Nit-ac.
 torn loose, flesh—31. Dros.
 Nat-c. Ol-an. Pho-ac. Rut.
 walk, must—Rut.
 weather changes, Agg.—20. Am-c.
 BORING, ding—20. 31. 68.
 Mag-p. Xantx. Zin-chr.
 BOUNDING, internal—Croc.
 Ther. Thu. Comp. Aliva. 30.
 BOWELS—Psor.
 cancer—Rut.
 inactive—Phys.
 knotted—Saba.
 obstructed, paralysis—Bry.
 Con. Lyc. Mag-m. Op. Plb.
 Rhus-t.
 BRAIN—54. 56. Bell. Hyo. Pic-
 ac. Stram. Zin.
 bruised—56. Bap. Chin. Gel.
 burning—Aco. Bell. Pho.
 coldness—Mos. Pho.
 deep in—54. 56. Syph. Tub.
 degeneration, softening—Arg-n.
 Sil. Stry-p. Zin-p.
 fag—Kali-p. Pho-ac. Pic-ac.
 humming, roaring, etc., in—
 Kre. Lach. Pho.
 locae—57 Tub.

BRAIN

needles—Tarn.
 numb—Ap. Calc-c. Hell. Kali-
 bro.
 rolling over—Plan.
 wrapped—Cyc. Op.
 BRANNY—34. Radm. Tub.
 BREAKFAST, Agg.—20.
 BREAKING—31. Ran-b.
 BREATH, cold—86.
 hot—Med.
 BREGMA—59.
 BRINY—43. See Salty.
 BRITTLE, broken—31. 68. 96.
 Cup. Flu-ac. Par.
 BROMIDES, abuse of—Zin-p.
 BRONCHITIS—91. Calc-c. Hyds.
 Stic.
 BRONCHORRHEA—Cep. Cop.
 Eucal. Grind. Phel. Pul.
 Stan. Tub.
 BROWN—31. 66. Kre. Lycps.
 Manc. Petr.
 BROWS, along—60. Echi.
 Vio-o.
 BRUISED—45.
 BUBBLING—See Gurgling.
 BUBO—Merc-i-f. Merc-i-r.
 BULLÆ—Ran-sc. Syph.
 BUNION—Agar. Sil.
 BURNING—32. 43. 45. 57. 104.
 Merc-i-r. Pic-ac.
 cold parts, in—Sec-c. Ver-v.
 heat, fiery—104. Ap. Ars. Bell.
 Carb-an. Guai. Kre. Pho. Spi.
 Vesp.
 Agg.—Zin-val.
 Amel.—Alu. Ars. Caps.
 Carb-v. Lyc.
 internal, with external cold-
 ness—Ars. Ver-a.

BURNING

pepper, like—Coc-c. Lach.
prickling—Ver-v.
raw, smarting, biting—Am-c.
Aru-t. Berb. Canth. Caps.
Carb-v. Erig. Hyds. Lyc.
Manc. Ran-sc. Sinap. Sul.
Sul-io.
shivering, with — Aco. Ars.
Bry. Chin. Ip. Samb. Ver-v.
spot, local—Agar. Glo. Sang.
Sul.
stinging—Tarn. Urt-u.
washing, Agg.—Rhus-t. Sul.

BURNS—32. Urt-u.

BURNT—32. 69.

BURR—Æsc. See **Rectum**.

BURSÆ—32. Ap. Arn. Stic.
Comp. Cysts.

BURSTING—32. Act-sp. Carb-
ac. Eup-p. Ham. Kali-m.
Lac-c. Lept. Lil-t. Lyc. Rat.
Sep. Thyr. Vip.

BUTTOCKS, jerking up—Cup.

BUZZING—38. 57.

CALCULI—32. Coc-c.

CALLOSITIES—98. 99. Radm.
Symp. Comp. Hardness.

CANCER—32. 76. Ars. Aur.
Calc-c. Carb-a. Cond. Con.
Hyds. Pho. Phyt. Sec-c. Sil.
Symp. Thu.

CAP—32. Lach.

CAPRICIOUS—50. 73.

CARBUNCLE—32. Anthx. Hep.
Lyc. Sil. Tarn.

bluish red—Lach.

scarlet—Ap. Bell.

CARPHOLOGY — 32. Tarn.
Ver-v.

CARRIED—32.

CARSICKNESS—29.

CARTILAGE—31. Rut.

CARUNCLE—83. Arg-n. Nit-ac.
Sul. Sul-io.

CATARRHAL — 88. Kali-bi.
Merc-d. Phel. Senec. Verb.

CELIBACY—Con. Pho.

CELLARS, vaulted places—21.
Aran. Ars. Calc-c. Dul. Nat-s.
Pul.

CELLULAR TISSUE — Ap.
Rhus-t. Tarn.

CEREBRO-SPINAL FEVER
—Bell. Gel. Ver-v.

CHAGRIN—22. Aur-mur.

CHANGE of temperature, —
—20. Mell. Sul-io. Tub. Ve
wants—Sep. Tub.

CHANGING—20. 50. Asaf. (touch
on). Croc. Rhod. Sep. Tab.
Tub. Val.

CHAPS—33.

CHEEK—65. Ign. Merc.
hangs down—Ap.

heat, one—Tab. Tub. (affected
side).

red—Sep. (one).

CHEERFUL—49.

CHEESY—70. Pho. Sanic. Sep.
old—Bry. Hep. Sanic.

CHEST, lungs, etc.—90. Guai.
Phel. Ran-sc. Senec. Tub.
Verb.

region—

deep in—Arn. Bry. Cep.
Dros. Eup-p. Kali-c. Kre.

intercostal — Aselp. Bry.
Cimi. Mez. Ran-b. Verb.

ribs, along—Ap.

below—Chin. Sul. Terb.

right—Am-c. Am-m. Bar-c.
Bell. Berb. Bry. Hyds.
Kali-c. Lyc. Nux-v.

CHEST

left—Ap. Ars. Asaf. Chin.
 Ign. Nit-ac.
 to right—Grap.
 right, lower — Chel. Merc.
 Merc-i-r. Sang.
 left, lower—Pho. Sul.
 air in—Chlor. Ther.
 apices, pains in—Guai. Myrt.
 (l). Pul. Ther. (l).
 sunken—Thu.
 arms, into—Bry. Dig. Dios.
 Latro. Pho. (r).
 raising—Tell.
 backward thro' right—Aco.
 Chel. Dul. Guai. Kali-bi.
 Merc. Nit-ac. Phel. Phyt.
 Sep. Sul.
 left—Bry. Kali-n. Mur-ac.
 Phys. Rhus-t. Sul-ac.
 bar across—Kali-bi.
 burning, heat, etc. — Aco.
 Euphor. Kali-m. Naj. Sul.
 Tub. Ver-v.
 bursting, as if—Bro.
 chloasmæ—Card-m. Sep. Sul.
 cold air, draft, etc., Agg.—
 Act-sp. Calc-p. Petr. Pho-ac.
 Ran-b.
 drinks, Agg.—Pho.
 coldness in—Ars. Lil-t.
 congestion—Bell. Fer-p. Ver-v.
 constriction, band, etc.—Æth.
 Helo. Ign. Lob. Pho.
 lower—Coccl. Cup. Plat.
 coughing, Agg.—Bry. Pho.
 cramp—Nux-m. Vip.
 directions of pains, various—
 Thu.
 dry—Naj. (l). Pho.
 emaciation—Petr. Senec.

CHEST

epigastrium, to—Ox-ac. (l).
 eructations, Amel. — Amy-n.
 Canth. Sep.
 fixed—Ox-ac. Strý.
 hollow, empty—Carb-an. Med.
 Naj. (l).
 load, heavy, on—Am-c. Cact.
 Nux-m. Pho. Pul. Seneg.
 Stro. Sul. Ver-v.
 numb—Stic.
 paralysis, of lungs — Ant-t.
 Carb-v. Ip. Kali-ic.
 purring in—Caus. Spi.
 rattling—Hep. Pho.
 coarse—Ant-t. Cup. Kali-s.
 fine—Ip.
 without expectoration—Am-c.
 Ant-t. Carb-v. Caust. Con.
 Hep. Ip. Kali-s. Lob. Pho.
 Sep. Sul. Tub. Ver-a.
 rushes of blood—Kali-n. Pho.
 Sul.
 scraping—Seneg.
 shuddering in—Agar. Aur.
 spine, pressure, Agg.—Sec-c.
 Tarn.
 spot—Agar. Anac. Buf. Nat-m.
 Ol-j. Seneg. Tub.
 sprains—Lyc. Rhod. Tell.
 stabbings—Kali-c.
 stitches—Myr. Ol-j. Pho. (l).
 Pix. Ran-b. Scil.
 sweat—See Sweat, Partial.
 throat into—Ap. Bell. Calc-c.
 Laur. Pho. Sul. Thu. Zin.
 tight—Asaf. Ign. Pho. Sumb.
 (l).
 ulcerative pain—Ran-b.
 uncovering, Amel.—Fer.
 wandering pains—Seneg.

CHEST

weak—Laur. Seneg.

CHEWING—19. 66. Cina.

Agg.—Euphor. Pho.

motions—Ver-v.

swallows, and; in sleep—Cina. Ign.

CHILBLAINS—36. Abro. Hep.

CHILDBED—42.

CHILDISH—51.

CHILDREN—32.

CHILL, cold, etc.—21. 32. 103.

Kali-chl. Lac-d. Phys. (water).

Thyr.

air, craves—Tub.

anticipates — Ap. Ars. Bry.

Chin. Chi-s. Nat-m. Nux-v.

becoming, while hot—21. Samb.

Vis-a.

congestive—Aco. Ver-a.

covers, averse to—Calc-s. Cam.

Led. Sec-c.

don't Amel.—Lyc.

cough, Agg.—Ap. Eup-p. Thu.

drinks, Agg.—Ars. Caps. Chel.

Chin. Eup-p. Lach. Nux-v.

Amel.—73. Manc.

drowsiness, with—Cam. Gel.

exertion, Agg.—Plb. Zin-val.

head, to—Glo.

heat and, alternate—104.

Nux-m. Ol-an.

heat, with—Gel.

lying, Agg.—Pul. Tell. (on back).

menses, at start—Jab.

motion, least—Nux-v.

motion of arms < —Rhus-t.

nervous—Gel. Zin-val.

CHILL

night, at—Pyro.

nosebleed, with—Thu.

pain, agg.—Agar. Colo. Mez.

Pul, Sep.

partial—Berb. Cist. Du. Lyc.

Nat-m. Pho-ac. Plat. Rhus-t.

one part, with heat of another

—Ap. Bry. Cham.

prominent—Men.

pressure > —Bry. Pho.

scratching, Agg.—Petr.

sleepy and—104. Chel. Gel.

stool, after—Rhe.

sweat, with—Lach.

thro' and thro'—Am-c. Aran.

Calc-c. Cinb. Elap. Kali-bi.

Mos.

uncovering, least, Agg.—Hep.

Nux-v. Rhus-t. Sil.

waves, in—Carb-an.

wet, from—Lap. Led. Rhus-t.

Thu.

wind, in—Sanic.

yawning, with—Carb-an. Kre.

Men. Thu.

CHIN, submental gland—Glech.

Led. Stap.

quivers—Agar. Ant-t. Gel.

CHLOASMÆ—Card-m. Caul.

Lyc. Rob. Sep.

CHLOROFORM, Agg.—Pho.

CHOKING—70. 86. 88. Con.

Grap. Lycps. Meph. Terb.

Thyr.

bending head back, Amel.—

Hep. Lach.

goitre, in—Meph.

sleep, Agg.—Lach. Spo.

water, Agg.—Stram.

CHOLERA—Ars. Cam. Cup.

Ver-a.

- CHOLERA**
 infantum—Med. Psor.
 morbus—Ant-t. Crot-h. Iris.
 Pod. Ver-a.
- CHOREA**—33. Agar. Cimi.
 Stram. Tarn.
- CHOROID**—Pho.
- CHRONICITY** — 32. Kali-io.
 Psor. Syph.
- CICATRICES**—39. Grap. Merc.
 Naj. Petr. Syph.
- CIRCULATION**, irregular—93.
 Sep.
 stands still—Aco. Lyc. Saba.
 Sep. Zin.
- CLAIRVOYANCE**—Aco. Med.
 Nux-m. Op. Pho.
- CLAMMY**—72. Fer.
- CLANG**—57.
- CLAVICLE**, air—Chlor. Rum.
 stitch—Pul.
 under—Calc-p. Rum.
- CLAVUS**—42. 49.
- CLENCHED**—67. 68. 96.
- CLIMAXIS**—32. Mang. Mell.
 Stro. Ust.
- CLOTHES**, Agg. — 20. Psor.
 Sec-c. Tub.
 Amel.—Psor. Saba.
 damp—Calc-c. Guai. Lyc. Pho.
 Sanic. Sep. Tub. Ver-v.
 large, too—Psor. Thu.
- [CLOUDY WEATHER**, fogs,
 etc., Agg.—Am-c. Aur. Bar-c.
 Rhus-t. Sabi.
- CLUTCHING** — Bell. Lil-t.
 Thyr.
- COAT**, wears in hot weather—
 Hep. Merc. Psor.
- COATED**—32.
- COBWEB**, hair etc., as if—36.
 Grap.
- COCCYX**—Arn. Bela. Hypr.
 Rut. Sil.
 thighs, to—Rhus-t.
- COITION**, Agg.—20. 85. Sul.
- COITION**, motions as of—Pho.
- COLD**, Agg.—20.
 and heat, Agg.—21. Mag-c.
 painful, is—Cist. Mez. Mos.
 pains—Syph.
 sores—66.
 taking—33. 70. Calc-p. Hep.
 Nat-m. Ol-j. Psor. Solid.
 wet, Agg.—Calc-c. Dul. Nat-s.
 Nux-m. Pho. Rhus-t.
- COLD becoming**, while hot—21.
- COLDNESS**—103. Symp.
 affected part — Ars. Colch.
 Lach. Led. Men. Mez. Sec-c.
 bearing down with — Castr.
 Sec-c. Sil.
 covers, Agg.—Calc-s. Cam.
 Sec-c.
- COLDS**, ascending — Aru-t.
 Brom. Lac-c. Merc. Sep.
 chill of snow and ice, from—
 Ant-c. Dros. Iod. Laur. Pul.
 Seneg. Ver-a. Verb.
- descending—Bry. Carb-v. Kali-
 c. Pho. Lyc. Sul. Tub.
- menstrual — Bar-c. Grap.
 Mag-c. Senec.
- COLIC**—33. 79. See Cramp.
 weakness, with—Castr. Tab.
- COLITIS**, mucous—Asar. Rhus-
 t. Zin-val.
- COLLAPSE**, rapid prostration,
 etc.—33. Ant-t. Colch. Con.
 Sul. Ver-v.
 dry—Am-c. Cam. Phys.

- COLLAR, Agg.—20. Ant-c. Cench.
Lach. Merc-c. See **Clothes**.
- COLORS, bright, Agg.—Sil.
- COMA VIGIL—Laur.
- CCME and go—See **Fleeting**.
- COMPANY, Agg.—21. Amb.
Ant-c.
- COMPREHENSION—50. 51.
Lycps.
- COMPRESSION — 33. Bry.
Calc-c. Cimi.
- CONCUSSION—33.
- CONDIMENTS—23.
- CONDYLES—31.
- CONDYLOMATA—100.
Med. Nit-ac. Psor. Thu.
- CONFUSION—50. Tub.
awaking, on—Bov. Chin. Gel.
- CONGESTION — 33. Amy-n.
Mill. Nat-s. Sang. Terb.
sudden—Aco. Bell. Glo. Ver-v.
- CONICAL formations — Sil.
Syph.
- CONJUNCTIVA, pouting —
Nit-ac.
raw—Kali-io. Lyc.
- CONSCIOUSNESS—See **Senses**.
- CONSOLATION, Agg.—Kali-s.
Nat-m. Syph.
- CONSTIPATION, 80. alternate
days—Calc-c. Con.
scanty stools, with profuse
nightly urination—Alu. Bry.
Caus. Grap. Hep. Kali-c. Kre.
Lyc. Nat-c. Nux-v. Rhus-t.
Sabi. Samb. Sep. Spi. Squ.
Sul.
- CONSTRICTION — 33. 56. 70.
Radm. Rat.
- CONSUMPTION—33. Kre. Nit-
ac. Ol-j. Phel. Ther.
- CONTEMPT, pride—53.
- CONTINENCE, Agg.—Calc-c.
Con. Lyc. Pic-ac. Plat.
- CONTORTIONS—33.
- CONTRACTION — 33. Anac.
Guai, Ign. Plb.
sense of general—Am-m. Cact.
Guai. Kali-m. Nux-v. Pho.
- CONTRADICTION—50.
- CONTROL, lacks—Caus. Tarn.
- CONVULSION—33. 45.
hæmorrhage, after—Ars. Bell.
Calc-c. Cina. Con. Ign. Lyc.
Nux-v. Pul. Sul. Ver-a.
fever, with—Ars. Bell. Cam.
Carb-v. Hyo. Op. Sep. Stram.
Ver-a.
sleeplessness and—Alu. Bell.
Bry. Calc-c. Carb-an. Carb-v.
Cup. Hep. Hyo. Ign. Ip.
Kali-c. Merc. Mos. Nux-v.
Pho. Pho-ac. Pul. Rhe. Rhus-
t. Sele. Sep. Sil. Stro. Thu.
suppressions, from—Abs. Mill.
- COPPER color—33.
- CORD—46. Ox-ac.
- CORNEA—59. Merc-i-f.
inflamed—Syph.
spots on—Nit-ac.
ulcer—Arg-n. Ars. Calc-c.
Euphr. Hep. Kali-bi. Merc-c.
Sil. Sul.
- CORNS—98.
- CORYZA—64.
aged, of—Ami-c. Ant-c. Cam.
autumn—Merc.
changeable—Stap.
day, by—Nux-v.
diarrhoea then—Alu. Calc-c.
Sang. Sele. Tub.
dries up—Stic.

CORYZA

eating, Agg.—Sanic.
 epistaxis, with—Sil.
 fluent, indoors—Calc-p. Cep.
 Nux-v.
 hoarseness, with—Ars-io.
 stuffy, with—Calc-c.

COTTONY—72. Onos.

COUGH—87.

abdomen, from—88. Dros.
 air, cool, Amel.—Mag-p.
 inhaling, Agg.—Rum. Sang.
 foul, raises—Calc-c. Caps.
 Dros. Guai. Lach. Mez.
 Sang. Sep. Sul.
 open, Agg.—Kali-n. Pho.
 Rum.

anger, Agg.—Cham. Saba.

arm, raising, Agg.—Tub.

auditory canal, touching, Agg.
 —Kali-c. Lach. Sil.

barking—Bell. Dros. Spo.

bellowing, trumpeting—Verb.

bouts, 2-3—Merc. Pho. Plb. Pul.
 Stan. Sul. Thu.

3 or 4—Bell.

choking—88. Lach. Samb.
 Sang. Seneg.

cold drinks, Agg.—Coc-c. Sil.

coughing, Agg.—Ign. Mar-v.
 Stic. Thy.

cries before—Bell. Bry. Hep.
 Phos.

croupy, crowing. See Voice.
 day—Calc-io. Dul.

dry and loose, alternately—Ars.

dry at night, but loose by day—
 Ars. Hep. Pul. Sil.

tickling, with burning fever

COUGH

but no thirst—Ars. Con.
 Pho. Pul. Saba. Squ.

dust, feathers, etc., as from—
 Rum.

eating and drinking >—Spo.
 eruption, receding, Agg.—Dul.
 Led. Pul.

evening, Agg.—Tub.

exertion, Amel.—Radm. Stro.

eye symptoms, with—Nat-m.

falls down—Nux-v. Pho.

hawking, Agg.—Am-m. Coc-c.

heart, from—Adon. Lycop.
 Nux-v. Spo.

heat of bed, Amel.—Arg-n.
 Nux-m.

hollow—Spo.

incessant—Crot-h. Ver-a.

jerking—Ther.

larynx, dry spot in—Con. Hyo
 Nat-m.

lying, Amel.—Calc-p. Euphr.
 Mang. Psor.

on face, Amel.—Eup-p. Med.
 side, right, Agg.—Merc.
 Seneg. Stap.

measles, Agg.—Dros. Ip. Pul.

menstruation, Amel.—Senec.

midnight, after—Aral. Lach.

morning and evening—Caus.
 Fer-p. Pho. Sep.

mouth, covers—Rum.

muffled—Saba.

neck, touch, Agg.—Bell. Brom.
 Lach.

nervous—Amb. Cimic. Ign.
 Verb.

night—Laur.

noise, Agg.—Tarn.

COUGH

painful—Arn. Bry. Eup-p. Stic.
 pregnancy, in—Cham. Pul.
 prodrome, in—Bry. Rhus-t.
 Saba. Samb.
 retching, gagging—Pho.
 Amel.—Lach.
 reverberating—Cor-r.
 room, entering or leaving
 Agg.—Pho.
 saliva runs—Am-m. Thu.
 sawing—Spo.
 shaking, shattering — Mang.
 Pho-ac. Rum.
 sides, holds—Bry. Dros. Eup-p.
 Ign. Nat-s. Pho. Sep.
 singing, Agg.—Kali-bi.
 sits up—Hyo. Pho. Pul.
 smoking Agg.—Radm.
 Amel.—Arg-n. Euphor. Hep.
 Ign. Merc. Tarn. Sep.
 spasmodic—88. Tub.
 spine, from—Agar. Nux-m. Tell.
 stomach, from—Kali-bi. Nat-
 m. (epigast). Pho. Pho-ac.
 sweets, Agg.—Bad.
 tearing--Rhus-t.
 teeth, cleaning, Agg.—Carb-v.
 Coc-c. Dig. Euphr. Sep. Stap.
 temperature, change of, Agg.—
 Kali-c. Pho. Rum. Sep. Verb.
 throat or larynx, left, from—
 Caus. Hep. Lach. Lith. Rhus-t.
 Tell.
 right, from—Agar. Dros. Stan.
 Stic.
 back of, from—Dul.
 dry, with—Thu.
 tickling—88. Phyt.
 tight—Pho. Spo.

COUGH

uncovering, Agg.—Hep. Nux-v.
 Rhus-t. Rum.
 vapor, as from—Brom. Lyc.
 violent—Ver-v.
 wakes—Spo.
 warmth, Amel.—Hep. Lys.
 Pho. Rum.
 whooping—88.
 winter—Ant-t. Nat-m.
 COVERS, Agg.—29. Lach. Lil-t.
 Sanic.
 wants—Tub.
 COWARDICE—50. Amb. Kre.
 Lach. Nux-m. Ol-an.
 CRACKS—33. 62. 71. 96. Caus.
 Cist. Flu-ac. Merc-c. Mez.
 Mur-ac.
 CRACKING—33. 63. Kali-bi.
 Kalm.
 CRACKLING—33.
 CRAFTY—Tarn.
 CRAMP—33. 76. 90. 97. Col.
 Dul. Mag-p. Rhe. Scop. Stan.
 Stap.
 coition, Agg.—Col. Cup. Grap.
 every where—Hyd-ac.
 menses, after—Chin. Cup. Pul.
 nursing, Agg.—Cham.
 pains, after—Sec-c.
 paralysis, then—Tab.
 radiating over whole body—
 Dios. Lyc. Nux-v.
 stiffness, then—Sec-c. Sele.
 CRASH—31. 56. 63.
 GRAVES—73. 74.
 apples—Ant-t.
 bacon—Calc-c. Calc-p. Radm.
 buttermilk — Bur-p. Chin-s.
 Elap. Sabal.

CRAVES

coarse or raw food—Ab-c. Alu.
Ant-c. Calc-c. Ign. Sil. Sul.
Tarn.

coffee—Ang. Strop.

cold things—Ars. Lept. Ver-a.

condiments, spices, pickles,
etc. — Caps. Nux-v. Stap.
Tarn.

finery—Lil-t. Sul.

ice water—Aco. Ars. Pho. Ver-a.

indefinite things—Bry. Chin.
Ign. Pul. Zin-chr.

lemonade—Bell.

meat—Vio-o.

milk—Rhus-t. Sanic.

refused, what is—Bry. Cham.
Kre. Phys. Stap.

relish, what can't—Bry. Ign.
Mag-m. Pul.

stimulants—Crót-h.

CRAWLING—36.

See Formication.

CREEPING—34.

CREPITATION—Aco. Calc-c.
Cof. Rhe.

CRIES—53. Hyd-ac.

anger, from—Nux-v.

cephalic—Ap. Bell. Hell.

pains, with—Aco. Bell. Cact.
Cham. Cof. Mag-p. Sep.

sleep, during—Ap. Hell. Zin.

urinating, before—Bor. Lye.
Comp. Shrieks.

CROSSNESS — Ant-c. Ant-t.
Cham. Cina. Iod.

Comp. Anger.

CROUP—88. Aco. Hep. Kali-bi.
Kali-io. Kali-s. Merc-cy. Pho.
Spo.

diphtheritic—Iod. Lach. Spo.

CROWDS—21. 51.

CRUSHING—34. 39. 56. Bry.
Kali-io. Kalm. Nat-s.

CRUSTS—99. 100. Mag-m. Manc.
Petr.

beneath (pus) — Bov. Lye.
Mez. Thu.

brown—Old.

conical—Sil. Syph.

cracked—Vio-t.

dirty—Psor.

falling—Nit-ac.

humid—Nit-ac. Stap. Vinc.
Vio-t.

shiny—Old.

tenacious fluid—Vio-t.

thick—Bov. Calc-c. Kali-bi.
Petr.

white—Ars.

yellow—Grap.

CUNNING, deceit—Tarn.

CUPPED—Thu. Variol.

CURDS—43. 75.

CURVATURE—31. 95.

CUTTING—34. Kali-m. Plan.
Polyg. Rat. Rum. Sabal.
Tell.

smarting—Canth.

squeezing—Thu.

CYSTS—34.

DAMPNESS—21. Calc-p. Form.
Sabal. Sabi. Terb.

ground—Dulc. Rhus-t.

DANCING, Amel.—Sep.

DANDRUFF—58.

white—Ars. Kali-m.

yellow—Calc-c. Kali-s.

DARK—38. 51. 66. Heil. Sec-c.
Stram.

SUPPLEMENTAL REFERENCE TABLE

DAYBREAK Amel. — Colch. Syph.	DESPAIR—50. Kali-io. Pho-ac. Syph. Tab.
DAYS, hot, with cold nights— Aco. Dul. Merc-c.	DESQUAMATION—34. Kali- m. Sars.
DAYTIME only—Agar. Euphor. Sep. Sul.	branny—Radm. Tub. brown—Am-m.
DAZED—50. 51.	DESTRUCTIVE—Flu-ac.
DEAD look—Thu.	DETERMINED—See Stubborn.
DEADNESS—34.	DEVELOPMENT—See Growth.
DEATH—34. Petr. Plat. agony—Tarn.	DIABETES—Arg. Ars. Carb-v. Colo. Kre. Nat-m. Pho-ac. Ran-b. Sep. Squ. Sul. Thu. Uran-n.
DEBAUCHERY—Ant-c. Carb- v. Lach. Nux-v. Sul-ac.	DIARRHŒA, of phthisis— Ars. Bry. Carb-v. Chin. Fer. Hep. Nit-ac. Pho. Pho-ac. Pul. Sul.
DECOMPOSITION — Mur-ac. Sec-c.	cold drink, < — Chin. nervous—80.
DELIRIUM—50. Syph. easy—Agar. Dul. hæmorrhage, after—Arn. Ars. Bell. Ign. Lach. Lyc. Pho. Pho-ac. Sep. Squ. Sul. Ver-a. sleeplessness, and—Aur. Bell. Bry. Calc-c. Chin. Colo. Dig. Dul. Hyo. Ign. Lyc. Nat-c. Nux-v. Op. Pho. Pho-ac. Plat. Pul. Rhus-t. Saba. Sam. Sele. Spo. Sul. Ver-a. variable—Lach. Stram. waking, on—Zin.	DIAPHRAGM — Cact. Ign. Stan. Stry.
DELTOID—Fer. Fer-p. Mag-c. (r). Phyt. (r). Sang. (r). Stap. (r). Syph.	DIGESTION—34. 76.
DELUSIONS—41. 61.	DIGGING—32. 56.
DEMENTIA—Anac. Bell. Lyc. Nux-v. Pho.	DINNER—22. Mag-m.
DENTITION — See Teeth.	DIPHTHERIA—70. Pho. Spo. painless—Ap. Carb-ac.
DEPRAVITY—52.	DIPSOMANIA—50. Ars. Caps. Lach. Nux-v.
DEPRESSION, sadness—53.	DIRECTION—34. ascending—Cimi. Croc. Cup. Dul. Kali-bi. Kalm. Kre. Op. Strop. Thu. backward — Bar-c. Crot-t. Kali-io. Phyt. crosswise—85. Kali-m. Zin. downward—94. Cic. Hypr. Rhod. outward — Kali-bi. Kalm. Lith-c. radiating, spreading — Berb. Cham. Kali-bi. Kali-c. Nux- v. Phyt. Plat. Sec-c. Xantz.
DESCENDING, Agg.—21. Phys.	
DESIRES — See Craving.	

DIRECTION

distant parts, to—Berb.
Cup. Dios. Mag-p. Plb.
Tell. Val. Xantx.

up and down—Osm.

DIRTY—37. 47. 52. 66. 99.

DISCHARGES, secretions—21.
43.

Agg.—Sec-c.

Amel.—Cup. Psor. Stic. Stram.

bloody, streaked, etc.—Pho.
Sang. Sul. Zin.

excessive—Ars. Pod. Ver-a.

hair, destroying—Nat-m.

hot—Bor. Kre.

increased—40.

milky—Kali-p. Nat-s. Sep.

red den parts—Ars. Kre. Merc.

retained, ceasing, etc.—Bur-p.
Cam. Hyd-ac.

vicarious—35.

yellow, tenacious—Sumb.

green—Merc. Pul.

DISCONTENT—50.

DISCORDANT—50.

DISCOURAGED—50. Kali-m.
Myr. See Despair.

DISDAIN—53.

DISGUST—73.

DISLOCATED, easily, etc.—28.
35. Ars. Carb-an. Chel. Lyc.
Pru-s. Rut. Comp. Sprains.

DISORDERLY—Stram.

DISTENSION — 32. 56. 92.
Mag-c. Ran-b. Rut.
Comp. Bursting.

DISTORTIONS — 33. Agar.
Caus. Guai. Rut.

DISTRACTION—Thu.

DISTRUSTFUL—53.

DIVERSION, Amel. — Orig.
Pall. Pip-m.

DOMINEERING—Lyc. Plat.
Ver-a.

DOUBLING UP, Amel. — 25.
Lil-t.

DRAFT—30. 49.

DRAGGING—Lil-t. Sil.

DRAWING—35.

DRAWN back—43. Croc.
together—35. 60. Merc. Naj.
Nat-m. Par. Pul.

DREAMS—103.

anxious—Kali-m.

blood, fire, etc., of — Pho.
Radm. Rhus-t.

fantastic—Calc-io.

flying, of—Latro.

frightful—Crot-h. Tub.

gloomy—Plan.

laborious, exhausting — Arn.
Echi. Rhus-t.

loathsome—Lach.

lying on l. side—Sep.

many—Ars. Senec.

shame—Tub.

sleep, first—Sil.

true—Radm.

vivid—Radm. Tub.

weeping—Plan. Stram.

DREAMY—53. Anac. Sul.

DRINKS—23.

cold—73.

Aggr.—LYC.

much, eats little—Sul.

sips, in—73. Kali-n.

DROPPING, like water—47.

DROPTINGS—See Awkward.

DROPSY, œdema, etc.—35.

Lob. Stro. Til.

Comp. **œdema.**

in A. M.—Ap. Aur. Jus. Kali-
chl. Pho. Sep. Sil.

saccular—Ap. Ars.

DRUGS—35.

DRY—35. Mell. Nat-s. Plb.
Sanic. Sang. Thy. Tub. Ust.
Vis-a.

cold—Aco. Nux-m. Samb.

internal—Bell. Bry. Grap. Op.
Petr. Rum.

profuse secretion, with—
Euphor. Lyc. Merc. Nat-m.

DUALITY—35. Pyro. Ther.

DULL—51.

DUODENUM—Pod. Uran-n.

DUPLICITY—50.

DUSKY—35.

DUST—35.

DWARFISH—35. Syph.

DYSENTERY—81. Aco. Pho.

DYSPNŒA—See Respiration.

DYSURIA—82. Pop-t.

EARS—62. Mang. Plan. Zin-chr.

abscess—Calc-pic. Merc. Syph.
alternately—Bell.

and teeth alternate—Plan.

behind—Aur. Lach. Merc.
Psor. Sanic. Zin-chr.

between—Plan.

burning, drum—Ang.

cold, Agg.—Caps.

Amel.—Bell.

colds, Agg.—Fer-p. Merc-d.

cracking in—Ars. Dig. Glo.
Phel.

crackling—Cof.

EARS

crashing—Aco. Glo. Pho.
Rhus-t. Sil.

discharge—Vio-o.
briny—Grap. Sele. Tell.

inflamed—Fer-p. Pho. Sul. Tell.
into, toward, etc.—71.

kidneys and—Thu. Vio-o.

lying on face, Amel.—Radm.

menses, before—Aco.

moisture, behind—Grap. Psor.
noises, tinnitus, Meniere's
disease—Arn. Benz-ac. Chi-s.
Eucal. Kali-m. Radm. Thy.

outward in—Agar. Calc-c.
Canth. Chel. Merc. Psor.

scabby—Radm.

scarlatina, after—Mur-ac. Sul.

swashing in—Sul.

ticking—Zin-val.

wax, foul—Caus.

wind, Agg.—Cham. Lach.

EATING—22. 37. 77.

averse to—Zin-chr.

fatigue, Agg.—Kali-c. Lyc.
Nat-m. Pho-ac.

much, too—22. Ant-t. Nat-p.
Pul.

satiety, quick—Chin. Lyc.

tired, too—Bar-c. Stan.

EBULLITIONS—See Waves.

ECHYMOSES—99.

ECLAMPSIA—Cic. Cup. Hyo.

Ign. Stry. Ver-v.

ECSTASY—53. Sul.

**ECZEMA—66. 99. Kre. Radm.
Soli.**

foul—Lap. Vinc.

moist—Sul-io.

EDGE, on an—27. Rut. Val.

EFFUSION, deposits, etc.—Ap.

Bry. Canth. Hell. Kali-n.

Ran-b. Sul. Sul-io.

Comp. Reabsorbent.

EGG, albumen—Ol-an.

foul—81. Asclp. Psor. Stap.

ELBOWS, eruption—Syph.

numb—Nat-s. Pul.

paralysis—Rhus-t.

ELONGATED—35.

EMACIATION, atrophy, etc.—

35. Bism. Caus. Led. Sanic.

Syph. Thu. Thy.

appetite, with—Abro. Ars.

Calc-c. Cina. Iod. Lyc. Nat-m.

Petr. Psor. Sul.

descending—Sanic.

senile—Flu-ac.

sensation of—Naj.

spare habit—Arg. Calc-p. Kre.

Nux-v. Sec-c.

upper parts—Calc-c. Plb.

EMISSIONS—84. Calad. Squ.

bloody—Merc. Pul.

voluptuous—Vio-t.

EMOTIONS—22. 35. 41. 51. 80.

Cof. Oroc. Pall.

EMPTY, sinking, all gone, etc.—

35. 57. 90. Kali-c. Murx. Nux-v.

Old. Tab. Ver-a.

ENAMEL, thin—Flu-ac.

ENURESIS—32. Sabal. Sec-c.

first sleep, in—Caus. Sep.

EPIGASTRIUM—75. Coccl

above—Nat-m. Pho. Pul.

burning—Terb.

chill, from—Arn.

cold—Kre

EPIGASTRIUM

cramp—Lach. Laur. Merc-c.
Vip.

cutting—Pul.

emotions—See Stomach.

lump—Agar. Arn. Chel. Con.

Cup. Lach. Sep.

pain—Vip.

pressure—Lyc. Nat-m. Pul.

pulsation—Ars. Bry. Chin.

Lach. Nat-m. Nux-v. Old.

radiating—88. Arg-n.

sinking, faint, etc. — Ant-t.

Apoc. Dig. Glon. Ign. Kali-c.

Lob. Sep. Strop. Sul. Tab.

sore—Lach. Pho.

stoppage in—Gual.

sweat—Kali-n.

swelled—Manc.

tense—Sang.

tickling in—Pul.

tremor—Sul-io.

EPILEPSY—Arg-n. Ars. Art-v.

Buf. Calc-c. Cup. Hyd-ac.

Lach. Cenan. Op. Plb. Sil.

Zin-ph.

sexual—Bar-c. Buf. Calc-c.

Vis-a.

status epilepticus—Abs. Aco.

Cenan.

EPISTAXIS—38.

heat, with—Thu.

lying on sides—Sul. (r).

menses, Agg.—Grap. Lach. Sep.

absent—Ap. Bry. Carb-an.

Cham. Dul. Fer. Lach. Lyc.

Merc. Pul. Sil.

profuse—Aco. Mell.

puberty, at—Abro. Kali-c. Pho.

sweat, with—Bry. Caus. Con.

Nux-v. Op. Pho. Tarx. Thu.

EPISTAXIS

washing face, Agg.—Bry.

ERECTIONS—85. See *Genitals*.
poor—Sul-io.

ERETHISM, false—Merc. Mur-
ac. Pho.

EROTIC—49. Lil-t. Murx. Senec.
Squ. Stan. Stap.
menses, before—Stram.

ERRATIC—50. Ver-v.

ERUCTATIONS—75.

cough, with—Amb. Arn. Carb-
v. Chin. Lob. Sang.

difficult—Calc-p. Coccl.

eggs, of bad—Arn. Cham.
Plant.

fecal—Plb.

foamy—Sep.

gall-stones, with—Dio. Lyc.

greasy—Alu. Asaf. Caus. Iris.
Mag-c. Thu. Val.

hot, acrid—Fag.

incomplete—Lyc.

loud, explosive—Arg-n. Asaf.
Thu. Vip.

putrid—Kre.

rancid—Asaf. Tell.

relief, without—Carb-v.

sour, hot—Fag. Gym.

stale—Flu-ac.

tough—Sep.

urinous—Ag-c. Ol-an.

ERUPTIONS—99. Psor.

circular—Calc-c.

clustered—Crot-t.

delayed—Ant-t. Ars. Bry. Stram.

dysentery, and—Rhus-t.

fish, after—Ars. Sep.

indented—Bov. Thu.

ERUPTIONS

patches, in—40. Ail. Ap. Sec-c.

petechiae, with—Ail. Mur-ac.

receding—Bry. Cam. Caus. Cup.
Lyc. Sul. Zin.

sparse—Ail. Mur-ac.

touch, Agg.—Ap. Chin. Coc-c.
Cof. Hep. Lach. Mang. Plb-
Thu.

ERYSIPELAS—35. Sec-c.

recurrent—Grap. Hyds. Rhus-t.

swelling, great—Ap. Bell. Merc.
Rhus-t.

wandering, creeping—Grap.
Hyds. Rhus-t. Sul. Syph.

ESCAPE—51. Mez.

EUSTACHIAN TUBE—Bar-m.
Kali-m. Merc-d. Nux-v. Petr.

itching—Nux-v. Petr. Senec. Sil.

EXACTING—50.

EXALTATION—49.

EXCITABLE—49.

EXCITEMENT—36. Pyro. Zin-
val.

EXCORIATION—30. 42. 100.

EXCRESCENCES—100.

EXCRETIONS, suppressed—
Stram. Ver-a.

EXERTION, Agg.—22. Carb-an-
Strop.

EXHALATION—22.

hot—Kali-bi.

EXPECTORATION—87.

Agg.—Coc-c.

astringent—Chio.

bluish—Pho

casts—Iod. Kali-bi.

cheesy—Kali-c. Thu.

easy—Squ. Stan.

by day—Euphr. Mang. Pho-

EXPECTORATION

flies from mouth—87.
 foamy—Ip.
 foul taste—Asaf. Lach. Pul.
 hard—Nat-c.
 heavy—Squ.
 little, a >—Bell.
 loose—Zin-chr.
 lying, Amel.—Thu.
 morning and evening—Squ.
 plugs, balls—Sang. Stan.
 profuse—Mag-c.
 purulent—Bro. Bry. Carb-v.
 Chin. Con. Dros. Fer. Kali-c.
 Led. Nat-c. Nit-ac. Pho-ac.
 Plb. Pul. Rhus-t. Samb. Sep.
 Stan. Sul.

See Suppuration, 46.

sago, like—Sil. Spo. Stan.
 slips back again—Caus. Con.
 Sang. Zin-chr.
 smeary—Nit-ac. Phel. Thu.
 sweet—Zin-chr.
 thick—Kali-s.
 tough, sticky—Kali-bi. Zin-chr.

EXPLOSIONS—31. 44.

EXPRESS herself, can't—Pul.

EXPRESSION—66.

EXTENSION—28.

EXTREMES, goes to—Val.

EXUDATION—See Effusion.

EXUDATIVE DIATHESIS—
 See Psora.

EYEGUM, sticky—Euphr. Kali-bi.

EYES—59.

arcus senilis—Calc-c. Kali-c.
 Merc. Pho. Variol.
 around—65.

EYES

ascending into — Sang. (r).
 Spl. (l).
 backward—Astr. Nic-s. Old.
 Pul. Radm. Seneg.
 balls, ache—Chio. Com. Spi.
 big, feel—Arg-n. Chel. Glo.
 Guai. Mell.
 bursting—Pho. Pru-s. Sul.
 behind—Manc. Sep.
 bloodshot—Aco. Arn. Ham.
 Nux-v.
 bones, orbital—Ang.
 brows—55. 59. 66.
 hair falling—Kali-c. Med.
 Plb. Sele
 burn—Cimi. Rum.
 canthi—Kali-n.
 closing, Agg.—Bry. Carb-an.
 Lach. Stro. Ther.
 sees visions—Bell.
 coition, Agg.—Kali-c. Nat-m.
 colds—Dul. Merc. Pul. Rhus-t.
 covered—Pul.
 cramp—Vio-o.
 crossed, as if—Kali-bi. Nat-m.
 drawn together—Op.
 dry—Igu.
 burning—Aru-t. Croc.
 ears and—Vio-o.
 fall out, as if—Carb-an. Colo.
 Guai. Ign. Pul.
 heat of fire, Agg.—Pho.
 heavy, drooping—Manc.
 injuries—Symp.
 into, pains—Stap.
 kidneys and—Vio-o,
 large—Guai.

EYES

lashes, falling—Med.
 ingrown—Grap. Tell.
 lids—60.
 adhere—Asaf. Glo. Guai.
 chemosis—Ap. Arg-n. Kali-
 io. Lyc. Rhus-t.
 closed, tight—Croc. Euphr.
 Ip. Nat-m. Sil.
 droop, left — Bar-c. Colo.
 Kali-p. Thu.
 right—Caus.
 everted—Psor.
 gummy—Psor.
 inverted—Bor. Psor. Pul. Sil.
 stiff — Ap. Kalm. Nat-m.
 Onos. Rat. Rhus-t.
 stytes—41. Calc-fl. Zin.
 swelling, inner angles, over
 —Com. Kali-c. Pul.
 lower—Ars.
 thickened—Alu.
 twitch—Agar. Cic. Phys. Sul.
 warts on—Caus. Thu.
 looks down, before him —
 Stan. Ver-a.
 menses, before—Naj.
 open—Ant-t. (one). Pho. Thu.
 opening—22.
 ophthalmia, gonorrhœal —
 Arg-n. Kali-bi. Pul.
 outward, pulled—Glo. Lach.
 ovaries with—Onos.
 over—55. Bry. (l). Senec. (r).
 Spi. (l) Syph. (r). Thyr.
 pressed apart—Asar. Pru-a.
 out—Ced. Gym. Nat-m.
 protruding—Lyeps. Nat-m.
 puckered, as if—Ars.

EYES

pupils, contracted—Op. Thu.
 dilate and contract alternately—Arn. Strop.
 red—61. 67. Merc-i-f. Myr.
 Radm.
 Agg. vomiting or hiccough—
 Ap. Arn. Asar. Bry. Chin.
 Lyc. Nux-v. Pul. Sep. Sil.
 Ver-a.
 retinitis—Kali-p.
 rubs—Gamb. Sanic. Seneg.
 small, as if—Lach.
 smart—Manc. Radm. Ran-b.
 squint, divergent—Hyo. Nat-m.
 strain, sprained, etc.—27. 57.
 Croc. Lil-t. Naj. Nat-m. Onos.
 Phys. Radm.
 sunken—Spi.
 sweat on—Mag-c. (r).
 swelled—Rum.
 upward, from—Berb. Grap.
 Lach.
 vertex to—Bur-p. Lach. Vio-o.
 wind blowing on—Cham. Flu-
 ac. Lach. Mez. Pul. Sep. Syph.
 Thu.
 wipe, must—Euphr.
 yellow—Nux-v. Spi.
 FACE—65.
 ache—Rhus-t. Stan. Stap.
 pregnancy, in—Mag-c.
 besotted look—See *Dusky*.
 blue—Kali-m.
 eyes, about—Merc-i-f. Thu.
 brown—Anthx.
 changing—Sep. Stram.
 chewing motions—Ver-v.
 chloasmæ—Caul. Kali-p. Sep
 cobweb on—Grap.

FACE

cold—Abro.
 wind on, > — Arg-n.
 cough, Agg.—Samb.
 dirty, earthy—Psor. Sul.
 dusky, sooty — Ant-t. Bap.
 Colch. Gel. Hell. Iod. Mur-
 ac. Psor. Stram. Tub.
 emaciated—Carb-v. Tarn.
 fornication starts in—Nux-v.
 Sec-c.
 frowning—Cham. Sul. Ver-a.
 fuzzy—Psor.
 glistens, waxy—Ars. Thu.
 grimaces—Agar. Hyo. Plat.
 Stram.
 heat of, affected side—Tub.
 rises into—Kali-bi. Sang.
 immobile—Lycop. Mang.
 injuries—Symp.
 mottled, spotted—Fer-p. Lach.
 Lachn. Led. Manc. CEnau.
 Strop.
 numb—Cham. Sep.
 pale—Stro.
 and hot—Cimi.
 around mouth—Aru-t. Bell.
 Cic. Merc-c.
 and nose—Carb-ac. Cina.
 Pho.
 paralysis—Caus.
 peaked—Stap.
 point, drawn to—Bism. Brom.
 Kali-n.
 puffy—Acet-ac. Apoc. Merc-d.
 Psor. Ver-v.
 red—Tarn.
 circumscribed—Chin. Fer.
 Lyc. Pho. Sul.
 cold but—Caps. Mos.

FACE

cough, Agg.—Tub.
 eating, after—Caps. Nux-v.
 Sul.
 eyes, about—Ap. Lap. Malan.
 flushes—Amy-n.
 hot and—Bell.
 one side—Spi.
 and pale, alternately—Alo.
 Fer-p. Glo. Op. Stram.
 pimples—Led.
 stool during—Caus.
 ruddy, florid—Arn. Fer.
 sickly—Sul-ac.
 stupid look—Bar-c. Hell.
 sunken—Hyds. Kali-m. Par.
 sweat, cold—21.
 eating, Agg.—Cham. Nat-m.
 hot—Cham.
 swollen—Arn. (r). Kali-chl.
 (A. M.). Lac-d. Lycps. Merc-
 i-f. (r). Poly. (r). Sang. (r).
 Tarn.
 terrified look—Aco. Spo. Ver-a.
 tongue, protruding, Agg.—
 Syph.
 twitching—Agar. Lyc. Rhe.
 Senec. Tell.
 about mouth—Op. Thu.
 wrinkled—Abro.
 yellow, eyes, about — Coll.
 Mag-c.
 hair, at edge of—Caul. Kali-p.
 Med.
 nose and mouth, about—
 Nux-v.
 red spots—Kre.
 FAG, enervation, etc.—34.
 Colch. Kali-p. Pic-ac. Tab.
 Zin. Comp. Exertion 22. 25.
 FAINT—36. 93. Strop. Thyr.

FAINT

heated, if—Tab.
 looking up, Agg.—Tab.
 pain, Agg.—Nux-m. Ran-sc.
 Storo.
 rising, on—Bry. Merc-i-f. Phyt.
 Ver-v. Vib.
 stool, at—Con. Pod. Sul.

FALLING—36. 103. Brom. Caus.
 Coll. Con. Kre. Laur. Nat-c.
 Pho-ac. Rat.

and rising—34.

backward—Bry. Chin. Led.
 Rhus-t.

out—59. Pod. Sep.

FALTERING—Arg-n.

FANCIES—41.

FANNED, Amel.—22. Xantx.

FAR OFF—Med.

FASTIDIOUS — Ars. Grap.
 Nux-v.

FASTING, Agg.—36.

FATS, fatty, etc.—23. Kali-n.

FAUCES, itching—Phyt. Rhus-t.
 sensitive—Coc-c.

FAULTFINDING—Ars. Sul.

FAVUS—99.

FEAR—51. Cist. Med. Ther. Tub.
 animals—Chin.

approach—Arn. Bar-c. Caus.
 Lyc. Petr. Pho. Plb. Sep. Tarn.

darkness—Stram.

death—Aco. Ars.

dogs, of—Tub.

evil, disease, etc.—51.

falling—Sanic. Sil. Zin.

glistening objects, water, fluids,
 etc.—Lach. Stram.

long lasting—Aco. Hyo. Op.

ordeals, of—Arg-n. Gel. Strop.

FEAR

people, yet Agg. if alone—
 Clem. Con. Lyc. Sep. Stram.
 places, buildings, etc.—Arg-n.
 Kali-p. Vis-a.

pursuit—Hyo.

sharp or pointed things—Alu.
 Ap. Ars. Bov. Merc. Plat.
 Sil. Spl.

stool, after—Caus. Kali-c.

thunderstorms, of—Lyc. Pho.

waking, on—Ant-t. Cina. Psor.
 Tub.

FEATHER—21. 22.

FEET, higher than head, as if
 —Spig.

FELON—96.

FEMALE ORGANS—22. 84.
 Onos. Senec. Til. Tril. Ust.
 Vis-a.

gangrene—Sec-c.

heart, to—Naj. Xantx.

nursing, Agg.—Cham. Pul.

pruritus—Latro.

of pregnancy—Sabi.

thighs, to—Cham. Stap. Xantx.

FERMENTATION—77. 78.

FEROCIOUS—See Mania.

FESTINATION—40. Alu. Tarn.

FETUS, lively—Lyc. Op.

FEVER—104. Fer-p.

black-water—Ars. Lyc.

gastric—Bap. Fer-p. Yucc.

hyperpyrexia—Bap. Iod. Pyro.
 Sul. Ver-v.

intermittent—Aran. ARS.
 Caps. Ced. EUP-P. Ign. Ip.
 Nat-m. Nux-v. Pho-ac. Puls.
 Sul. Ver-a.

menses, with — Pyro. Sep.

FEVER

nightly—Urt-u.
 painful—Bry. Rhus-t.
 painless—Pho. Pho-ac.
 suppression, Agg.—Cham.
 sweat Amel.—Ars. Lyc. Rhus-t.
 continues after — Calc-c.
 Chin. Merc. Pho-ac. Sep.
 Sul.

vertigo, with—Urt-u.

FIBROIDS—Calc-c. Grap. Tril.

bleeding—Calc-c. Nit-ac. Pho.
 Sul-ac. Tril.

FIBROUS TISSUE—36. Stap.

FIDGETY—Ap. Bor. Cimi. Grap.
 Sil. Tarn. Comp. Restlessness.

FIERY—62. Cinb. Sul.

FIGWARTS—100.

FILM—48. See Leaf.

FINE—36. 99. Agar. Saba. Ver-a.

FINGERS—22. 96.

alternate with gastric symp-
 toms—Kali-bi.

backward—Sec-c.

bites—Med. Plb.

blue—Agar. Carb-v. Sec-c.

burning—Mag-c.

cold—Abro. Agar.

cramp—22. Sec-c.

crossed—Carb-v. Grap.

desquamation—Am-m.

drawn together—Pho.

formication—Sec-c.

heavy—Strop.

itching—Psor.

jerking—Caus. Cyc. Rha. Stan.
 Sul.

joints, knuckles—Nat-m.

mashed—Hypr.

FINGERS

motions of—Kali-bro. Mos.

nodes—Abro. Benz-ac. Berb.
 Calc-c. Caul. Kali-m. Led.

numb—Aran. Calc-c. Lyc. Pho.
 Rhus-t. Thyr.

pale—Kre.

picks, plays with, etc.—Aru-t.
 Calc-c. Con. Crot-c. Kali-bro.
 Lach. Ther.

Comp. Carphology. 32.

runrounds—96. Psor. Syph.

sensitive—Berb. Lac-c.

sides—Sars.

spread apart—Glo. Lac-c. Lyc.
 Med. Sec-c.

stiff—Kali-c.

sweat—Lyc.

tense—Mag-p.

tips—96. Kali-c. Sec-c.

brown—Tub.

burn—Canth. Med. Nat-m.

bursting—Caus.

cracked—Cond. Med. Nat-m.

Petr. Ran-b, Sars. Sil.

heavy—Plb. Strop.

numb—Nat-m. Sul.

painful—Calc-c. Cist. Lac-c.
 Sil. Sul.

red—Aco.

sensitive—Tarn.

sweat—Pho. Sep. Sul.

ulcers—Psor.

using—22. Bov. Mag-p.

writing, Agg.—Caus. Cyc.
 Kali-c. Mag-p. Stan. Sul-ac.

FIRE, like—62. Ara. Kre.

FISHY—Calc-c. Grap. Med. Ol-an. Sanic. Tell. Thu.

FISSURE—33.

FISTULA—36. Calc-p. Nit-ac. chest symptoms and—Berb. Calc-p.

FITFUL—50.

FITS AND STARTS, pains in—Bar-m. Cup. Mez.

FIXED IDEAS—54.

FLABBY—40. 100. Merc-d. Spo.

FLUSHES, sudden—48. 104. Mang.

FLAT—72. 99.

FLATULENCE—78. 79. Scop. Terb. Val. Vib.

abdomen, upper, in—Carb-v. Pul.

lower—Aco. Lyc. Nat-m. Nux-m. Sil. Sul. Zin. Zin-val.

croaking—Colo.

food, all turns to gas—Carb-v. Kali-c. Nux-m. Nux-v.

hysterical—Asaf. Ign. Pul.

meneses, with—Kali-p. Nux-m. Vib.

painful—79. Coll. Mag-p. Ox-ac. Zin-val.

pushing—Nat-s.

upward—Asaf.

rectum, in—Hep. Nux-v. Sep.

rolling—Thyr.

wandering—Carb-v. Chin. Lye. Nat-m. Pul. Sil.

FLATUS, coughing, on—Sang. hot—Mar-v.

only passed—79. 80. -

passed up and down—Arg-n. Goss. Grap.

FLATUS

sour—Calc-c. Mag-c. Nat-c. Rhe.

FLEETING pains—Nux-m. Pall. Poth. Stro. Val.

FLESHY—37. 100.

FLEXURES—100. Sep.

FLOATING—36. 81. Coccl. Zin-io.

FLOWING—47. Buf. Lam-alb. Sumb.

FLUCTUATIONS—48.

FLUIDITY—40.

FLUTTERING—48. 63.

FLYING, to pieces—36. 44.

FOAMY—36. Kali-c. Kob. Kre. Led. Nat-s. Rhus-t. Rum. Saba. Sep.

FOGS—See Cloudy Weather.

FONTANELLES, open—Calc-c. Calc-p. Pul. Sil.

FOOD AND DRINK—23.

baked, Agg.—Carb-v. Pul.

cakes, Agg.—Ant-c. Ip. Pul.

cold, Agg.—Stap.

Amel.—Arg-n. Cann. Pho.

dry, too—Calad. Chin. Fer. Ign. Kali-io. Ox-ac. Raph.

fish, Agg.—Ars.

honey, Agg.—Pho.

ices, Agg.—21. Ars. Kali-bj. Pul.

lodges—71.

rich, Agg.—Ars.

salads, cucumbers, etc. Agg.—Cep. Pul.

sight or smell of, loathes—Colch. Nux-v. Pho.

sweets—Cina. Nat-p.

tea—Ars.

unripe, Agg.—Rhe.

FOOD AND DRINK

warm, Agg.—Phyt.

FOOT—97. 98.

arches—Rut. Sil.

bed, out of—Ars. Cham. Sang.
Sec-c. Sul.

bones—Hypr.

braces—Ign. Med.

broken, as if—Hep. Zin.

burnions—Grap. Lyc. Pæon.
Sil.

clubby—Nux-v.

cold, bed, in—Ars. (l). Calc-c.
Grap. Lyc. (r). Psor. Raph. (r).
Senec. Sep. Sil. Tub. (l).

icy—Bell.

cold water, as if in—Gel.

cramp—Frax. Rum. Ver-v.

pregnancy, in—Calc-c.

desquamation—Manc.

dorsæ—Led.

cramp—Anac. Lach. Ver-v.

swelled—Bry. Pul. Thu.

dry—Sul.

edge of—Kali-bi.

floating, as if—Spig.

hard floor, Agg.—Rut.

heavy—Rhod. Rut.

higher than head, as if—Spig.

itching—Pic-ac. Strop.

moves, for relief—Ars. Rhus-t.
Zin.

numb—Form.

œdema—Kali-c. (l).

paralysis—Caus.

restless—Ars. Rhus-t. Zin.

spasm of—Bism. Ver-a.

sweat, acrid—Manc. Sil. Thu.

backs of—Iod.

FOOT

cold—Bar-c. Calc-c. Kali-m.
Tarn.

destroys shoes—Grap. Hep.
Naj. Sanic. Sec-c. Sil.

foul—Lach. Ol-an.

sticky, hose stiff—Am-c.
Calc-c. Kali-c. Lyc. Manc.
Sanic.

suppressed—Bar-c. Sil. Zin.

vesicles—Nat-c.

FORCED apart—36.

See Separated.

FOREBODINGS—51.

FOREHEAD, alternating—Saba.

ball, lump—Ant-t. Carb-ac.
Caus. Kali-c. Stap.

band—Caet. Gel. Merc. Sul.

brown-yellow at edge of hair—
Caul. Kali-p. Med. Nat-m.

nasal discharge, Amel.—21.
Cep. Kali-bi. Lach. Zin.

nose to—Lach. Phys.

occiput to—Caus. Senec. (l).
Tub.

sweat, cold — Carb-v. Chio.
Cina. Dros. Ip. Op. Stap. Ver-a.
Amel., drinking—Ver-a.

Agg., drinking—Cup. Ip.

swelled — Ap. Hell. Nux-v.
Rhus-t.

tongue, protruding, Agg. —
Syph.

veins—Abro. Calad. Cam. Chin.
Cub. Sul.

vertigo in—Coccl. Euon. Pho.
Sul.

wrinkled—Hell. Lyc. Stram.

FOREIGN BODIES — Aco.
Calc-f. Sil.

FORGETS errand—Manc.

FORGETS

word in mouth—52. Bar-c.
Rhod.

FORMICATION—36. Carb-an.

Coca. Cenan. Op. Osm.

Stram. Stro. Tell. Vario.

sweat, with—Rhod.

FRACTURES—31.

FRAGILE—See **Breaking**.

FRAIL—Sars.

FRANTIC—50.

FRETFUL, fussy—49. Ap.

Calc-p. Samb. Sele. Zin.

FRIGHT—22. 51. 66.

FRIGHTFUL—51. Plat.

FROST—23. 24. 36.

FROTHY—36.

FULL—33. Aco. Chin. Lil-t.

Mell. Nat-s. Sul. Vip.

FUMES—48. 87.

FUNGUS GROWTHS—100.

Merc-c.

FURIBUND—50.

FURRY—32. 98.

GAGGING—74.

GAIT—36. Con. Gel.

dragging—Rhus-t.

limping—Caus. Dul. Kali-c.
Tab.

reeling—Agar. Alu. Coccl.
Lol-t. Pho.

shuffling—Ol-an.

slovenly—Sil.

spastic—Zin.

staggering—42. 43. Alu. Calc-c.
Nat-c. Onos. Pic-ac. Pul.

stooped—Am-m. Nat-m. Sul.

stumbling—Agar. Arg-n. Bar-c.
Con. Hyo. Nat-c. Nux-v. Pho.
Pho-ac. Rut.

GAIT

tottering—Pho. Rhod. Ver-a.

unsteady—Agar. Arg-n. Bar-c.

Caus. Coccl. Kali-bro. Lil-t.

Nat-c. Sec-c. Stan. Sul.

GALL BLADDER, burning—
Lept. Myr.

bursting—Bap. Lept. Myr.

clawing—Lyc. Med. Nat-s.

gripping—Sep.

septic—Bry. Buf. Lach. Pho.
Quas.

sore—Bap. Lept. Myr.

stones, etc.—78. Bell. Chio.

Merc-d. Myr. Nat-s. Sul.

stooping, Agg.—Sep.

GANGLION—36. 100.

Comp. Cysts.

GANGRENE—100. Kre. Soli.
Tarn.

diabetic—Con. Lach. Soli.

threatened, with blue parts—
Ars. Asaf. Aur. Con. Hep.
Lach. Merc. Sil. Ver-a.

traumatic—Arn. Lach.

GARLICKY—Art-v. Asaf. Lach.
Petr. Tell.GASTRITIS—Aco. Bry. Nux-v.
Pho.

GATHERED together—35.

GELATINOUS—36. Laur.

GENITALS—84. Berb. Cof.
Erig. Gel. Hyo. Sabal. Sele.

cold—Sabal.

dry—Tarn.

ejaculation, too soon—Eryng.
Lyc. Nux-v.

eruption—Petr. Radm. Rhus-t.

flaccid, suddenly—Grap. Lyc.
Nux-v.

glans—Mag-m. Nat-c.

GENITALS

fumbles, grasps — Aco. Buf.
Hyo. Merc. Sep. Stram. Zin.

heat—Tarn, Tub.

irritation of—Senec.

itching—Radm. Sabi. Tarx.

burning—Nat-m. Urt-u.

motion, Agg.—Sabi.

offensive—Psor. Sars. Sul. Thu.

prolapse—Bur-p. Pod. Sep.

raw—Tarn.

relaxed, coitus, Agg.—Nux-v.
Pho-ac. Sul.

sensitive—Cof. Plat. Stap.
Tarn. Zin.

sitting, Agg.—Sul.

sweat, moisture on—Dios.
Sars. Sele. Sep. Thu.

swelled—Rhus-t. Tarn.

thighs, down—Cham. Chel.
Cimi. Kali-c. Ox-ac. Rhus-t.
Sep. Ust.

tickling—Plat.

upward—Murx.

varicose—Zin.

GHOSTS—51.

GIRDLE PAINS—Sul.

GLABELLA, puffy—Flu-ac.

GLANDS—36. Kali-m. Tab. Tub.

cervical—Bar-c. Calc-c. Lyc.
Merc. Vio-t.

hard—Bar-m. Carb-an. Con.
Phyt. Spo.

inguinal—79. Oci.

knotted cords or beads, like—
Æth. Bar-m. Berb. Nit-ac.
Sul-io.

mesenteric—Calc-c. Iod.

submental—Glech. Led.

GLANDS

swelled—37. Carb-an. Cist. Iod.
Rhus-t. Sil. Tub.

over body, in fever—Bell.
Kali-c. Sep.

GLANS, into—Par-b.

urinating, Agg.—Pru-s.

GLISTENING—37. Calc-f. Sabi.
Syph.

objects, Agg. — Bell. Canth.
Lys. Mur-ac. Stram.

GLOBUS—31. 347.

GLOOM—See Sad.

GLOTTIS, spasm—Bell. Calc-c.
Calc-p. Gel. Ign. Mos.

GLUEY—Grap. Mez.

GLUTTONY, gross feeders, etc.
—Al-sat. Ant-c. Chin.

GNAWING—37. 77. Guai. Nat-
s. Nit-ac. Ox-ac. Sec-c. Sul-
ac. Zin-chr.

burning—Rut.

grinding—Zin-chr.

GOITRE—89. Hep. Ign. Vip.
Zin-io.

exophthalmic—Bell. Fer-p. Iod.
Lycps. Nat-m.

hard—Buf. Iod. Spo.

nodulated—Grap. Phyt.

small, Agg.—Bar-c. Brom.
Caus. Crot-h. Grap. Lach.
Pho.

toxic—Crot-h.

GONORRHOEA—37. 60. Thu.

effects of, syphilis—46. Arg-n.
Kali-io. Kalm. Merc. Pul.
Saba. Sep. Stap. Sul.

suppressed—Nat-m. Pul.

GOOSESKIN—101.

- GOUT—Colch. Colo. Kali-io.
Led. Lyc. Nux-m. Radm.
Ran-sc. Sul. Urt-u.
acute—Colch. Sabi. Urt-u.
diarrhoea, after—Ant-c. Benz-
ac. Colch. Merc-d. Nat-s.
rheumatic—Rhod.
- GRACILE—Pho.
- GRANULAR—37.
- GRANULATION, poor—Carb-v.
Hep. Kre. Nit-ac. Sil.
wartly—Arg-n.
- GRAPES, like—37. Alo.
- GRASPING—22. 84. 88. 92. Cact.
Gel. Sep.
Amel.—Cimi.
- GRAY—37. 81. Diph. Fer-p.
Merc-cy. Ox-ac. Pho-ac.
- GREASY—37. Flu-ac. Kali-p.
Ol-an. Val.
- GREED—49.
- GREEN—37. Kali-bi. Med.
Rhus-t. Sec-c. Sul-ac.
Yellow—Merc. Pul.
- GRIEF—51. Petr.
prolonged—Nat-m. Pho-ac.
- GRINDING—See Boring.
- GRISTLY—Nit-ac. Sil.
- GROANS—52. 53. Aco.
- GROINS—79.
alternating between—Colo.
body, as of a—Plan.
sore, before menses—Bry.
tense, sprained, etc.—Am-m.
Nat-m.
- GROUND, gives way—Arg-n.
Con. Kali-bro. Vis-a.
- GROWING PAINS—Calc-p.
Guai. Mang. Pho-ac.
- GROWTH—37.
disorders of—Bar-c. Calc-c.
Calc-p. Pho. Pho-ac. Sil.
- GROWLING—77.
- GRUMBLING—Sang.
- GUILT—53. Kalm.
- GULLET
burning, in typhoid—Ars. Bell.
Bry. Nux-v. Pho. Rhus-t. Sul.
constriction, acute—Nux-v.
Ran-b.
chronic—Pho. Zin.
cutting—Vinc.
inflamed—Ver-v.
lump in—Chel. Pod.
- GUMMÆ—Carb-a.
- GUMMY—Vio-t.
- GUMS—68. 69. Kali-c.
abscess—Echi. Merc. Sil.
clenches—Lyc. Phyt. Pod.
incisors, behind — Merc-cy.
Pho.
pale—Stap.
spongy — Kali-p. Kre. Merc.
Mez. Sep. Thu.
- GURGLING—37. 77. Berb.
Brach. Kali-c. Kre. Lil-t. Squ.
- GUSHING—37. 77. Berb. Ip.
Kali-bi. Mag-m. Sabi. Stan.
Tril.
- HACKING—41.
- HÆMATODES—100.
- HÆMOPHILIA — Arn. Ars.
Carb-a. Crot-h. Ham. Kre.
Lach. Nat-s. Pho. Sil.
- HÆMOPTYSIS — 38. Acaly.
Aco. Am-c. Ars. Bell. Bry.
Chin. Fer. Hyo. Ip. Mill. Nit-
ac. Pho. Plb. Pul. Rhus-t.
Sabi. Sec-c. Sul. Sul-ac.

HÆMORRHAGE—19. 38.

Lept. Lycops. Mill. Soli. Urt-u.
Ust. Vip.

acid—Kali-c. Sil.

Agg. from—Chin. Fer. Nat-m.
Sul-ac. Comp. Discharges.

Amel.—Ars. Fer-p. Ham.
Lach. Mell. Sars.

bright—Arn. Bell. Carb-v. Fer.
Hyo. Ip. Pho. Plb. Sabi. Sul.

clots, mixed with—Sabi. Ust.

dark—Aco. Canth. Chin. Crot-
h. Ham. Lach. Nux-m. Nux-v.
Pul. Sep. Sul-ac. Ust.

gushing—Bell. Cham. Ham.
Lac-c. Pul. Sabi. Tril.

heart symptoms, with—Cratae.
Lycops.

hot blood—Bell. Sabi.

lumpy, clots—Arn. Bell. Canth.
Chin. Fer. Hyo. Ip. Nux-v.
Pul. Sabi. Sul.

menses, between—Sabi.

oozing, passive—Bov. Buf.
Carb-v. Sec-c. Terb. Ust.

scratching, Agg.—Psor.

streaked—Crot-h. Lach. Nit-ac.
Pho.

stringy—Croc. Merc. Ust.

thin—Crot-h. Laur. Sec-c.
Sul-ac.

clot, won't—Lach. Pho.

watery—Nit-ac. Sabi.

weakness, undue—Alu. Bry.
Carb-an. Ham. Hyds.

HAIR—24. 3. 58. 59. Ust.

body, over—Thyr.

bristling—Aco. Canth. Laur.
Men. Ver-a. Zin.

cold—Sul.

combing—Carb-ac.

HAIR

destroying—43. Nit-ac. Sil.

dry—Psor. Sul. Thu.

edge of—59. Kali-p. Med.

falling—34. 58. Thyr.

foul—Vinc.

gray early—58. Ars. Lye. Nat-
m. Pho-ac.

letting down, Amel.—Bell. Fer.
Kali-m.

matted—59. Ant-c. Ust. Vinc.
Vio-t.

painful, touch to, etc.—Chin.
Sele. Ver-a.

pulls the—Ars. Bell. Cup.
Med. Tarn. Tub. Xanth.

sensation of—See Formication,
36.

split—Thu. ZINC.

stiff—Sele.

tangled, tousy—Flu-ac. Lye.
Med. Nat-m. Sul.

HALLUCINATIONS—41. 42.
Pyro.

HAMMERING—57. Ham.

HAMSTRINGS, short, tense
—Bry. Dios. Nat-m.

HANDS—96.

and feet, burning—Flu-ac.

cold sweat on—Cimi. Ip.
Kali-bi.

cramps—Lys.

restless—Stic.

sweaty—Naj.

and knees, on, Amel.—25.

behind him—Ign. Sanic.

clammy—Sanic. Tarn. Thyr.

cold—Ip. (one). Kali-m. Thyr.
(l).

sweat, during—Thu.

HANDS

water, in, Amel.—20. Flu-ac.
Gel.
cracks, also fingers—Calc-c.
Grap. Petr. Sars.
cramp—Anthx. Mag-c. (dorsum). Pyro. Ver-a. (dorsum).
dorsum—Kre. Mur-ac. (eruption). Nat-c. (eruption). Pix. (eruption). Pul. (eruption).
dry—Bism. (palms). Lyc. Sul.
eczema—Cor-r. Nat-c. Pix. Sep. Zin.
hot—Coccl. (then cold). Kali-c. (chill with). Mez. (one).
with cold feet—Sep.
icy—Thu. (heat). Thyр.
lame—Caus.
numb—Echi. (alternating). Form.
offensive—Phys
purple—Sep.
restless, busy—Kali-bro. Sul. Tarn. Thyр.
sweat on—Calc-c. Nux-j. Sul. Thu. Tub.
cold, on dorsæ—Both-la. Chlo. Zin-a.
during heat—Am-c. Fer-p. Nit-ac.
swelled, as if—Coll. Kali-n. Stro. Terb.
tremble—Lol-t. Tarn.
vesicles—Kre. Ver-v.
washes the—Coca. Lac-c. Syph.
water, in, Agg.—20. Ign. Nat-m. Pho.
weak—Zin.
working with—22.
wrings—Ars. Kali-bro. Sul. Ther.

HANG NAILS—96.

HANGING—37. 77. 92. 96.
Kali-c. Lil-t. Med. Merc. Sep.
down, Agg.—Calc-c. Mag-p-au. Sabi. Vip.

Amel.—26.

HARD—37. 47. Brom. Flu-ac. Merc-i-r. Spo.
bed—37. Til.

pain—See Aching.

stony—Calc-f. Carb-v. Kali-bi. Kali-m. Merc-i-r. Sul. Tarn-c.

HARSH—Kali-io.

HATEFUL—Lyc. Nit-ac. Tarn.

HATRED—52.

HAUTEUR—53. Plat.

HAWKING (nares, from)—71.
Hep. Mag-c. Sele.

Agg.—Nux-v.

lumps, foul—Kali-m. Med.

solid—Calc-c. Mar-v. Merc-i-f.

mucous—Merc. Nat-m. Rum. Sele.

bitter—Arn. Ars. Cist. Menis. Nat-m.

cold—Sinap.

eating, Agg.—Sil. Tub.

salty—Nat-m.

tough—Æsc. Ol-an. Par.

HAY FEVER—64. Chen. Saba.

asthma—Ars. Chlor. Naj. Sep.

HEAD—54. 55. 56. 57. 58. 59.
Par. Sang. Tub.

alternating with—Alo. Alu. Ars. Cina. Gel. Glo. Ign. Psor. Strop.

arms over—Ars. Lac-c. Pul.

ascending into—Kalm. Plb.

backward—Cimi. Syph. Tub. Ver-v.

HEAD

bald—Syph.
 ball, lump, etc., in—Con.
 base—Cimi. Gel. Syph. Ver-v.
 beats the—Aco. Hyo. Syph. Tub.
 big, with big belly—Calc-c.
 binding up, Amel.—Arg-n. Pul. Sil.
 bores into pillow, drawn backward, etc.—Ap. Bell. Cic. Hell. Med. Op. Pod. Syph. Tub. Ver-v. Zin.
 burning—CEnan
 bursting—Sep.
 cap, on—Eup-p.
 clang in—57. Ars. Cop. Lyc. Phel. Pul. Sars. Sil.
 compression, cap, etc.—56. Berb. Cact. Crot-c. Glo. Onos. Pho-ac. Stap.
 cover, must—Brom. Rum.
 cough, Agg.—Bry. Nat-m. Pho. Vio-o.
 crashing in—Alo.
 crushing in—Bry. Nit-ac. Syph.
 downward—Calc-p. Guai. Hypr.
 drafts, Agg.—Bor. Mag-m. Naj. Psor. Sil.
 drawn to a point—Grap. Hypr. Lachn. Stro. Ther.
 eating, Amel.—Cist. Lyc.
 enlarged—57.
 expanding and contracting—Calc-c. Glo. Lac-c.
 explosions—Glo. Pho. Zin.
 eyes and—Bell. Gel. Kali-c. Nat-c. Sang. Zin.
 motion of, Agg.—Bry.
 out thro'—Nat-c. Sil.

HEAD

strain, Agg.—Gel. Nat-m. Onos. Pho-ac.
 fear, with—Aco. Cimi. Glo.
 feet and—Mag-m.
 fly in pieces—Xantx.
 hair down, Amel.—Bell. Cina. Fer. Kali-p. Pho.
 hammering—Fer. Ham.
 heart and—Cact. Dig. Glo. Kalm. Naj. Spi.
 heat, Agg.—Nit-ac. Zin.
 heavy on pillow—Buf. Glo. Sang.
 hot, air about—Ast-r. Flu-ac. Plan. Pul. Ver-a.
 with cold limbs—Bell. Bry. Gel. Lach. Mur-ac.
 hot spots on—Con.
 injuries to—Arn. Cic. Con. Hep. Lach. Pul. Rhus-t. Sul-ac.
 stupefaction, after—Arn. Cic. Con. Pul. Rhus-t.
 delirium after—Bell. Hyo. Op. Stram. Ver-a.
 jaw into—Pho. Stro.
 left to face and neck—Tarn.
 low, Agg.—Pul. Sang.
 Amel.—Bry. Phys. Ver-v.
 lying on side—Pho. (r).
 milk, Amel.—Bry. Ver-a.
 motion, Agg.—Tub.
 nervous—Sele.
 nodding to and fro, etc.—Chin. Hypr. Ign. Nat-m. Sep. Stram.
 noises—57. 225. See Clang.
 nose, into—Cimi. Lach. Mez.
 polyuria, with—Gela. Ign. (>). Lac-d. Ol-an. Sele. Sil.

HEAD

pressure, Amel.—Nux-n.
 separated from body, as if—
 Alu. Cann. Nux-m. Psor.
 shaking, Agg.—Bell. Glo. Nux-v.
 Amel.—Lach. Pho.
 shattered—Calc-c. Rhus-t.
 shooting—Tub.
 sick headache—67.
 sleep, during—Ther.
 standing on, as if—Ars. Dios.
 Elap. Glo. Lach. Pho. Pho-ac.
 Thu.
 stomach, alternating with—
 Ars. Bism. Ox-ac. Plb. Ver-a.
 stool, Agg.—Manc.
 stupefying—Spi.
 sundown, Amel.—Gel. Sul-io.
 sunshine, Agg.—Bell. Glo.
 Lach. Nat-c.
 suppressions, from—Ant-t.
 sweat on — Am-m. Calc-c.
 Kali-m. Pul. Rhe. Sanic.
 Sil.
 turning, Agg.—27.
 twisting in — Kali-c. Mur-ac.
 Til.
 urination, Amel.—Gel.
 uterus, with—Helo. Plat. Pul.
 Sep.
 variable—Zin.
 vertigo, after—Rhus-t.
 violent—Tub.
 vise, as if in a—33.
 vomiting, with—Dig. Eup-p.
 Ip. Sang.
 washer-woman's headache—
 Bry. Pho.
 weakened by pain—Ars. Nux-v.

HEAD

weekly—Calc-c. Epip.
 wrapping, Amel.—Cor-r. Hep.
 Led. Nux-v. Pho. Rhus-t. Rum.
 Sil.
 HEADSTRONG, stubborn—53.
 HEALING, difficult—101. Grap.
 HEARING—63.
 acute—Caus. Op. Sabal.
 and dull alternately—Cic.
 deafness — Kali-m. Mag-c.
 (sudden). Ver-v.
 spinal fever, after—Sil. Sul.
 colds, Agg.—Fer-p. Kali-m.
 Merc-d. Pho.
 echoes, reverberations — 63.
 Caus. Colo. Pho.
 illusory sounds, tinnitus—
 Grap. Kali-io. Kali-m.
 motion, Agg.—Ver-v.
 noise, Amel.—Calend. Grap.
 Jab. Nit-ac.
 snap, Amel.—Sil.
 sounds, location of — Arg-n.
 Carb-an. Kali-bi.
 ticking sounds—Zin-val.
 variable—Chenop.
 HEART—92. 93. 94. Aur. Pru-s.
 Scop. Squ. Strop. Tab. Tarn.
 Thy. Zin-io.
 aching, etc.—Lith-c. Spo.
 Strop. Tab. Ver-v.
 alternating with—Benz-ac. Glo.
 Kalm. Nat-m. Nat-p. Strop.
 Vis-a.
 anger, Agg.—Cup.
 angina—Ars. Cup. Latro. Ox-
 ac. Spi. Tab.
 anguish—Strop. Ther.
 arms, to—Pho. Stic.

HEART

to left—Ars. Kalm. Lach. Latro.
 Lil-t. Pho. Pul. Strop. Tarn.
 to right—Bor. Ox-ac.
 ascending, Agg.—Ars. Calc-c.
 audible—Ars-io.
 axillæ to—Kali-n. Latro.
 Thyr.
 backward from—Cimi. Kali-c.
 Ther.
 ball, as of a—Lil-t.
 base to apex—Syph.
 burning—Cup. Pho.
 bursting, distended, etc.—Glo.
 Pho. Zin.
 clutched and released alternately,
 grasped, etc.—Cact. Iod. Lil-t.
 clutching—Thyr.
 cold—Bov. Helod. Kali-m. Sul-io.
 compression—Am-c. Ars. Colch.
 Spi. Zin. (cap).
 congested—Pho.
 coughing, Agg.—Aur. Pho.
 crackling—Spi. Spo.
 cutting—Ver-a. Zin-chr. (apex).
 drinking, Agg.—Cup.
 drops—Hypr.
 ears to—Thyr.
 endocarditis—Aur. Lach. Spi.
 Zin-io.
 eyes with—Lith-c. Spi.
 floats—Bov. Buf. Crot-c. Kali-io.
 Pip-m. Sumb.
 full—Ver-v.
 goitre heart—Ars. Buf. Crot-h.
 Lach. Latro. Lycps. Pho. Spo.
 Thyr.
 hands over—Buf. Hyd-ac.
 Laur. Naj. Tarn.

HEART

hangs by a thread—Kali-c.
 Lil-t.
 head, alternating with—Glo.
 Nux-m. Stro.
 congested—Scop.
 extending to—Glo. Med.
 Nux-m. Pho. Sep. Spi. Spo.
 Strop.
 heavy—Aur-m. Tub.
 hollow—Med.
 hypertrophy—Thyr.
 impeded—Rum.
 jumping—Aur. Merc-i-f.
 lively—Strop.
 lying on r. side, Agg.—Alu.
 Bad. Cimi. Kali-n. Lach.
 metastasis to—Aur. Kalm.
 Lach.
 motion, Agg.—Mag-m. Spi.
 Amel.—Gel. Mag-m. Rhus-t.
 muscle exhaustion—Zin-io.
 neck and throat to—Ars. Bell.
 Glo. Naj. Pho. Phys. Scop.
 Spi. Spo.
 needles at—Cimi.
 oppression—Nat-nit. Scop.
 palpitation—93. Glo. Kali-c.
 Spo. Strop. Thyr. Zin-io.
 attacks of—Cann. Old. Pho.
 chill, during—Nat-m.
 cough, Agg.—Ol-j.
 faintness with—Crot-h.
 Hyd-ac. Laur. Nux-m.
 fright, Agg.—Dig.
 hammering—Thyr.
 ng, Agg.—Merc. Pal. Sul.
 hyr. Zin-io. (1).
 metastasis to—Abro. Aur.
 Cact. Colch. Dig. Iod.

HEART

Kalm. Lach. Naj. Pho. Spi.
 Spo. Sul.
 motion, Amel.—Fer. Lob.
 nervous, anxious—Ol-an. Pho.
 Strop. Sumb.
 occiput to—Cimi. Sep.
 painful—Spo.
 stiff, as if—Aur-m.
 stooling, Agg.—Con. Grat.
 stooping, Agg.—Thyr.
 sweat, with—Spo. Tab. Ver-a.
 violent, shakes body — 93.
 Mur-ac.
 visible—Glo. Kalm. Naj. Sep.
 purring—Glo. Iod. Spi.
 radiating—Aco. Glo. Kalm.
 Spi.
 reflex from—Naj.
 rheumatism—Aur. Benz-ac.
 Gel. Kalm. Lach. Spi.
 rising, as if—Pod. Val.
 scapula to, left—Kali-c. Kalm.
 Lach. Spi.
 short breath—Stro. Thyr.
 shoulder to—Scop.
 side, on right—Bor.
 sore—Ap. Arn. Bap. Bar-c.
 Cimi. Lycop. Nat-m.
 spine, touch, Agg.—Tarn.
 squeezing—Arn. Cact. Iod.
 stop, as if to—Dig. Lob.
 surging upward—Spo.
 swelled, as if—Lach. Pyro.
 symptoms vary with—Lycop.
 tension—Radm.
 throb, one—Zin.
 tired—Pyro. Rhus-t.
 tobacco, Agg.—Cact.

HEART

tremor, quiver — Cic. Naj.
 Strop.
 tumultuous — Aco. Amy-n.
 Lycop.
 turns over, twists, etc.—Ap.
 Arn. Cact. Caus. Lach.
 Rhus-t. Sep. Tab. Tarn.
 unsteady—Tab.
 valves—Spo. Zin-io.
 weak—93. Op. Pho. Strop.
 HEARTBEAT—92. Ap. Arn.
 hard—Spo. Zin.
 heavy—Lycop.
 one hard—Sep. Zin.
 thumping—Aur. Iod. Rhod.
 violent—Gel. Ver-v.
 HEARTBURN — 74. 92. Pal.
 Sumb.
 HEAT—24. 104. Kali-s. Pic-ac.
 Agg.—Rat.
 burning—Ap. Ars. Carb-an.
 Mez. Radm. Spi. Tub. Vesp.
 chest into—Thu.
 chill, alternates with—Hyds.
 then—Thyr.
 and cold, Agg.—Phys.
 eating, Agg.—Tub.
 exhaustion—Aco. Helo. Ver-v.
 Zin-io. Comp. Sunstroke.
 feet, cold, with—Tarn.
 flushes—48. 104. Coll. Flu-ac.
 Thyr. Tub.
 hands, cold, with—Thu.
 internal—Sul-io. Tab.
 with cold external parts—
 Aco. Ant-t. Ap. Arn. Ars.
 Bell. Calc-c. Cam. Carb-v.
 Cham. Cof. Cina. Dig. Dros.
 Hyo. Ign. Iod. Ip. Kali-c.

SUPPLEMENTAL REFERENCE TABLE

HEAT

Mez. Mos. Nit-ac. Nux-v.
Pho-ac. Plat. Rhus-t. Sul.
Ver-a.

intolerable—Sabi.

mental exertion, Agg.—Spo.

only—Val.

painful—Canth.

partial—Ap. Bor. Par. (one
side). Pho-ac.

pungent, glowing—Rut. Tarn.

shivers with—Ars. Sec-c.

sleep, during—Calad. Samb.

spots—Tub.

sweat, then chill—Calad.
Kali-bi.

with—Med. Pho-ac. Psor.
Spo. (thighs). Ver-v.

thirstless—Cham. Cina. Ign.
Pul.

uncover, can't—Kali-io. Nat-s.

weakness, with—Spo.

HEATED, being—24. Bor.

easily—Kali-n. Nit-ac.

HEAVY—37. 38. 48. 57. Alet.
Helo. Lil-t. Lith-c. Scop.
Stan.

HECTIC—66. Ol-j.

HEELS—97. Am-m. Con. Fer.

cold—Merc. Sang. Sep.

elevating, Amel.—Phyt.

pain—Mang. Pul. Rhod. Val.

sore—Cep. Lac-c. Led. Polyg.

stone under—Aur. Berb. Brom.

Cann. Hep. Lyc. Rhus-t.

throbbing—Nat-s.

HELD—24. 77. Diph. Sul-ac.

Comp. Carried.

HEMIORANIA—55.

HEMIOPIA—62.

HERE AND THERE—38. 94.

Cimi. Mag-c. Mag-p. Op. Pho.
Rat. Sec-c. Ver-v.

HERNIA—79.

infantile—Calc-c. Cham. Lyc.
Nit-ac. Nux-v. Sul-ac.

strangulated—Aco. Alu. Aur.
Bell. Calc-c. Caps. Cham.
Colo. Lach. Lyc. Nit-ac. Nux-
v. Op. Plb. Sil. Sul. Sul-ac.
Ver-a.

HERPES—96. 99. Manc. Petr.
Ran-b.

HESITATES—Arg-n. Kali-bro.

HICCOUGH—24. 74. Gins. Zin-
val.

breath, short with—Phys.

eructations, with—Dios. Ign.

fevers, after—Ars. Lach.

vomiting, before—Cup.

with—Bell. Bry. Lach. Rut.

Hips—97. 98.

above—Caus.

bruised—Rut.

change of weather—Phyt.

contracted—Polyg.

cramp in—Led.

forced apart, disjointed, etc.—
r. Calc-p. Con. Sep. Sul.

to hip—Arn. Cimi. Colo. Lac-c.
Lil-t. Onos. Thu. Ust.

morbus coxarius—Aco. Amb.
Ap. Arg. Arn. Ars. Asaf. Aur.
Bell. Bry. Calc-c. Canth.
Caus. Cham. Colo. Dig. Dros.
Grap. Hep. Kre. Led. Lyc.
Merc. Mez. Nux-v. Old. Petr.
Pho. Pul. Rhus-t. Rut. Sabi.
Sep. Sil. Stap. Sul. Thu. Zin.

pregnancy, in—Calc-p.

weak—Calc-p. Rat. Tril.

wrenched—Iris.

HIVES—100. Urt-u.

receding—Strop.

shell fish, after—Urt-u.

HOLE, blowing thro'—49.

HOLLOW—35. 77. 92. Kali-c.
Tab. (organs).

HOMESICK—51. Op.

HOPEFUL—Sul.

HOPELESS—50. Lept.

HORNS—37. 99.

HORROR—Calc-c. Plat. Zin.

HORSEBACK—27.

HOT—43. Euphr. Kre. Op. Sul.
applications—24.

bath, Amel. — Mag-p. Mez.
Pyro. Radm.

bath, Agg.—Apis.

days, weather, etc.—28. Hep.
and cold nights—Aco.

drinks, Amel.—Ars. Nux-v.
Sul-ac.

iron, wires, needles, etc., as of
—Alu. Ap. Ars. Bar-c. Mag-c.
Naj. Nit-ac. Ol-ani. Rhus-t.
Spi. Vesp.

HOWLS—51. Ver-a.

with anger—Arn.

HUMERUS, aches—Bry. (r).
Gel. (r).

broken, seems—Bov. Coccl.
Pul.

cramp—Val. (l).

crushing—Stan.

HUMID—24.

HUMMING—38. Kali-m. Kre.
Mos.

HUNGER—73. Saba. Sul.

11 A. M.—Hyds. Pho. Sul.
Zin.

eating, after—Kali-p. Murx.
Pho. Sara. Sil.

HUNGER

headache, with—Bry. Pho.
Psor. Sele.

nausea, with—Val.

navel, from—Val.

nightly—Pho. Psor.

spine, from—Lil-t.

stools, after—Kali-p.

sudden—Sul.

weak and—Pho. Sul. Zin.

HURRY—51. 81. Lycps.

HURT, fears being—Arn. Chin.
Hep. Kali-c. Rut. Spi.

HYDROÆ—See Eruptions,
Herpetic, 99.

HYDROCELE—Rhod. Sil.

HYDROCEPHALUS — Ap.
Calc-c. Calc-p. Sil. Zin.

HYDROGENOID—Dul. Nat-n.
Nat-s. Thu.

HYDROPHOBIA—Bell. Canth.
Cup. Hyo. Merc. Pho. Saba.
Stram.

prophylactic—Bell. Hyo. Stram.

HYGROMA—See Ganglion, 36.

HYPOCHONDRIÆ—78. Stap.
ache—Squ.

band about — Aco. Card-m.
Dros. Ign. Nux-v.

bruised, sore—Bry. Chin. Eup-
p. Ran-b. Vis-a.

holds—Dros.

HYPOGASTRIUM, bearing
down—Dict. Lil-t. Sep.

heavy—Med. Sul.

weak—Am-c. Apoc. Calc-c.
Chio. Pho. Plb. Sul. Ver-a.

HYPOSTASIS—Rhus-t.

SUPPLEMENTAL REFERENCE TABLE

HYSTERIA — 38. 51. Coccl.
Mag-m. Plat. Tarn.

coition, Agg.—Lac-c.

HYSTERICAL twitchings, before menses—Cup. Kali-c.
Nat-m. Pho. Pho-ac. Plat.
Pul. Sep. Sul.

during menses — Aco. Bry.
Calc-c. Caus. Cham. Chin.
Coccl. Cof. Cup. Form. Hyo.
Ign. Ip. Lyc. Mag-m. Merc.
Nat-m. Nux-v. Pul. Sul.

after menses — Chin. Cup.
Pul.

ICHTHYOSIS—Ars-io.

ICY COLD—Agar. Ap. Carb-v.
Elap. Helod. Hyd-ac. Med.
Men. Nit-ac. Ol-an. Pho. Sil.
Ver-a. Comp. Chill, Collapse.

IDEAS—51.

compelling—Nit-ac.

erroneous—Saba.

fixed—54. Nat-m.

strange—54.

vanish—Anac. Nux-m. Ver-a.

wander—Dul. Pho. Thu.

ILEO-CÆCAL REGION—76.
Pul.

ILEUS—77. Tab.

ILIACS, down thighs—Berb.

ILL—38. Ant-t.

ILLUSIONS—51. 61. 62. Mos.

IMAGINARY disease—Mos.
Saba.

IMBECILE—51. Stram.

IMMOBILE—Lycps. Mang.
Stro.

IMPATIENCE—51. Rhe.

IMPETIGO, contagiosa — 99.
Ant-t. Aru-t.

IMPOTENCY—84. 85. Tab.

IMPOTENCY

after onanism—Arg-n.

imaginary—Stry-p.

IMPULSES—51. Arg-n.
fears his—Alu.

INACTIVE—38.

INATTENTION—24.

INCISORS, behind—Pho.

INCOHERENCE—50. Cimi.
Colo. Plb.

INCONTINENCE—38.

INCOORDINATION—39. Gel.

INCREASES gradually, ceases
suddenly—38. Ign. Pul. Sul-
ac.

suddenly and leaves suddenly
—Bell. Kali-bi. Nit-ac.

leaves gradually—Sabi.

INDIFFERENCE—52. Clem.
Tab.

to his own—Pho. Sep.

INDIGNATION—Stap.

INDOLENCE—52. Kali-bi.

INFANTS—32.

INFERIORITY—See Cowardly,
Anthropophobia and Company.

INFILTRATION—Calc-c. Carb-
an. Grap. Kali-m. Rhus-t. Sul.
Sul-io.

INFLAMMATION—38. 39.

INFLUENZA—39. Ars-io. Eu-
cal. Saba.

INGUINAL GLANDS, swelled
—Clem. Hep. Merc. Nit-ac.
Sul.

INJURIES—39. Bels. Kali-io.
bones or cartilage—Rut. Symp.

crushing—Rut.

cuts—39. Stap.

gaping wounds—Hypr.

INJURIES

head, to—Calc-c. Sil. Symp.
 lacerations—Hypr.
 old—Cep. Symp.
 pains in—Cep. Kali-io. Sil.
 twitching—Led.

INQUISITIVE—Agar. Aur.
 Laur.

INSANITY, craziness—52. Amb.
 Med. Syph. Tarn.

INSTEP, ulcer—Lyc.

INSPIRATION, Agg.—Crot-h.
 Ip. Kali-n. Lob. Mez. Spo.
 Amel.—Colch. Cup. Ign. Lach.
 Spi. Stan. Verb.

INSUSCEPTIBILITY—41.

INTERMITTENCY—39,

INTERTRIGO—99.

INTOXICATION, easy—Bov.
 Con. Zin.

INTROVERTED—52. Ol-an.

IRIS, jagged—Sil. Stap. Thu.

IRREGULAR—39. Con. Echi.
 Fer. Glo. Grap. Kali-p. Plat.

IRRESOLUTE—50. Onos.

IRRITABLE—49. Hep. Senec.
 Sul-ac. Thyr.

ISCHIAS ANTICA—Pod.

ISOLATED EFFECTS—Agar.
 Gel. Ver-a. Zin.

Comp. Spots.

ITCH, BAKER'S, barber's—
 Grap. Lith-c. Rhus-t. Sul-io.

ITCHING — 101. Fag. Psor.
 Sul-io.

affected part, over—Agar.

air, Agg.—Hep. Rum.

Amel.—Stro.

bathing, after—Bov. Calc-c.
 Clem. Mag-c.

ITCHING

bed, in—Kali-ar. Led. Pic-ac.
 Sil. Sul.

biting—Old. Stap.

crawling—Tell.

discharges—Tell.

here and there—Am-c.

internal—39. Ap. Coc-c. Pho.
 Rhus-t. Sang. Sumb.

scratching, Agg.—Crot-t.

bumps, form—Dul. Mez.
 Rhus-t. Ver-a.

eruption follows—Am-c.
 Old.

moisture follows—Grap.
 Old. Rhus-t.

must—Agar. Arg-m. Cof.
 Psor. Stap.

uncovering, on—Nit-ac.
 Rum.

JARRING—24.

Amel.—Gel. Nit-ac.

JAUNDICE—49. Tarx.

infants, of—Myr.

urinary symptoms, with—
 Carb-v. Cham. Chin. Ign.
 Lyc. Nux-v. Plb.

JAWS

ache—Merc. Phyt.

angles of—Ign. Merc. Phyt.
 Sang.

boring—Plat.

clenched—67. Cham. Merc-i-f.

cracking—Nit-ac. Rhus-t.

cramp—Tab. Ver-a.

dislocation, easy—Ign. Petr.
 Rhus-t.

drop — See Mouth, Open.

lower—65. Coccl. Lach.

painful—Caus.

JAWS

snap shut—Bell. Cic. Ign. Lys.
Merc. Nux-v. Plat. Rhus-t.

spasms—Tab.

thickened—Hekla (lower).

throbbing, lower—Nat-m.

upper—Pho.

wagging—Bry.

JERKS—39. Bor. Merc. Nux-v.
Rat. Tab. Zin-io.

Comp. Spasmodic.

pain—Rhod.

sleep, on falling to—Ars. Ign.

together—Ther.

JOINTS—39. Radm.

colds, Agg.—Calc-p. Rum.

crack—33.

deep in—Cimi. Radm.

digging—Colch.

loose—Chel. Pho-ac. Psor.
Thu.

quaking—Colch.

red spot on—Bell. Stic.

small—Act-sp. Benz-ac. Led.
Nat-p. Ran-ac. Sabi. Sal-ac.
Stic. Thu.

sores, blisters, ulcers on—Ars.
Bor. Lap. Mez. Nat-c. Psor.
Sep.

sprained, easily—Pho. Rhus-t.

suppurating—Calc-hyp. Merc.
Pho. Psor. Sil.

swelled—Pul.

synovitis—Ap. Bry. Iod. Pul.
Sil. Sul.

tuberculosis of—Ap. Calc-c.
Calc-p. Kali-c. Kali-io. Pho-
ac. Pul. Sil.

weak—Bov.

KERATITIS—Merc-c.

KIDNEYS—83. Polyg. Samb.
Scop. Soli. Squ.

abscess—Ars. Canth. Chin.
Hep. Lyc. Pul. Sil.

ache—Helo. Phyt. Sep. Soli.

boring—Kra.

bubbling—Berb. Med.

burning—Phyt. Sep. Terb.

colic—Berb. Colo. Oci-c. Par-b.
Polyg. Sars. Tab. Terb.

congestion—Aco. Ars. Canth.
Kali-bi. Scop. Soli. Terb.

distended—Helo. Soli.

epigastrium to—Thu. (1).

fluttering—Brach. Chim.

heavy—Kali-bi.

inactive—Helon. Solid.

nephritis—Aco. Ap. Cann.
Canth. Fer. Hep. Kali-chl.
Med. Merc-c. Nit-ac. Pul.
Rhus-t. Soli. Stro. Sul. Terb.
Thu.

bronchitis, with—Terb.

frequency of—Gel. Kali-p.

scarlatinal—Ars. Canth. Hell.
Hep. Terb.

suppurative—Canth. Lyc.
Pul. Sul-io.

sore—Cad-s. Senec. Soli. Vis-a.

thigh to—Ip.

KLEPTOMANIA—Tarn.

KNEES—98.

ascending and descending < —
Ver-a.

cramp—Terb.

effusion—Ap. Iod. Sul.

elbow or chest position—25.
Lob. Petr.

eruption—Led.

numb—Merc-i-f. Nat-p.

KNEES

shocks through—Pul. Val.
spread apart—Lyc. Plat.
tremble—Chin. Zin.

KNOT—31.

LABIÆ, abscess, swelled—Sep.
eruption—Sep.

LABOR—42. 85. Caul. Kali-c.
Kali-p.

easing—Caul. Cimi. Vib.
pains, upward—Cale-c. Cham.
Gel. Lach.

weak—Kali-c. Kali-p. Op.

LACERATIONS—Stap.

LACHRYMAL DUCT—Ap. Fag.
Hep. Merc-d. Petr. Pul. Sil.
Stap.

LACHRYMATION, affected
side, Agg.—Lach. Nat-m.
Nux-v. Pul.

biting—Com.

eating, Agg.—Ol-an. Zin.

pain, Agg.—Chel. Nat-m.
Ran-b.

LAIN ON, parts, Agg.—27. 44.
Cimi. Grap. Nat-m. Phys.

LAMENTING—50.

LANCINATING, darting, light-
ning—44. 94. Cup. Hyd-ac.
Hyo. Kali-m. Mag-m. Radm.

LARYNX—88. 89. Sele.

constriction—Mang. Meph.
Samb.

cutting—Manc. Merc-c. Merc-
cy. Nit-ac. Vinc.

downwards—Cham. Glo. Ip.
Ver-a.

dry—Thyr.

ear, to—Zin-chr. (l).

grasps the, clutches—Aco.
Ant-t. Aru-t. Asaf. Naj. Spo.

LARYNX

hanging in—Lach. Pho. Spo.
lifting, Agg.—Sil.

plug, wedge, valve, etc.—Lach.
Pho. Spo.

spasm—See Glottis.

speaking, singing, etc., Agg.—
Pho. Spo.

spot in—71. See Throat.

streak—Caus. Ol-an.

tearing—Cap.

touch, Agg.—Lach. Pho. Spo.

upwards—Stan.

LASCIVIOUS—49.

LASSITUDE, lazy—38. 52.

LAUGHS, Agg.—24. Hyo.

and cries by turns—Asaf. Croc.
Ign. Mos. Nux-m.

screams then—Tarn.

LEAD, Agg.—21.

LEAF—48.

LEANING on—26.

Agg.—Cimi. Ther.

Amel.—Kali-c. Nat-m.

LEARNS poorly—Anac. Ars.
Bar-c. Pho.

LECHEROUS, lewd—Flu-ac.
Pic-ac.

LEGS, lower limbs—96. 97. 98.

left to right—Mag-c.

ache—Ars-io. Eup-p. Guai.
Helo. Nit-ac. Pic-ac. Phyt.
Polyg. Rhus-t. Stil. Sul-io.
Vario.

blood rushes to—Arg-m. Aur.
Meph. Phel. Thyr.

blue—Vip.

bruised, as if—Caus. Eup-p.
Gel.

burning—Crot-h. Nat-s.

LEGS

calf—Ap. Eup-p. Jat.
 bruised—Eup-p. Stap.
 cramp—Cup. Plat. Ver-a. Vib.
 Vip. Zin-io.
 clammy—Lil-t.
 coition, Agg.—Calc-c. Nat-m.
 cold—Carb-v. Lil-t. (night in bed).
 cramp—Stro. Sul.
 crosses the—Gel. Lil-t. Murx.
 Rhod. Sep. Thu.
 elevating. Amel.—98. Bar-c.
 Grap. Ham. Sep.
 elongated—Colo. Kre. Rhus-t.
 Sul.
 eructations, Amel.—Pul.
 floating—Aco. Spi. Zin-io.
 fulness, bursting—Ham. Vip.
 heavy—Alu. Calc-c. Gel. Nat-c.
 Pic-ac. Rhus-t. Sul.
 inversion—98.
 numb—Grap. Plan. Thyr.
 petechiæ—Ap. Led. Soli.
 presses foot to floor—Ign.
 Med. Zin-io.
 restless—Agar. Ars. Carb-v.
 Kali-c. Rhus-t. Tarn. Zin.
 rotation Agg.—Bry. Coccl.
 Colo. Kali-c.
 shooting up—Nux-v.
 shortened—Amb. Colo. Mez.
 Old. Pho. Sep.
 stool, Agg.—Ap. Sec-c. Ver-a.
 stretching >—Med.
 sweat, cold, on—Pul. Terb.
 tremulous—Plan.
 twitching—Phys. Tarn.
 ulcer—Flu-ac. Lach. Sul-io.

LEGS

weak—Coccl. Cur. Gel. Mang.
 Rhus-t. Zin.
 weather changes, Agg.—Phyt.
LETHARGY—38.
LEUCORRHEA, moistness—
 40. 86.
 acrid, eroding—Alu. Kre. Pho.
 Pul. Sec-c. Syph.
 blistering—Pho.
 bloody water—Calc-c. Mang.
 Nit-ac.
 brown—Ust.
 burns, hot, etc.—Bor. Kre.
 Lept. Lil-t.
 children, of—Calc-c. Caul. Merc.
 Senec.
 colic, after—Am-m. Con. Lyc.
 Mag-m. Sil. Sul. Zin.
 dirty—Sec-c.
 exhausting—Coccl. Frax. Senec.
 Vis-a.
 flowing down thighs—Alu. Lept.
 Lyc. Onos. Senec. Syph.
 gonorrhœal—Sabi. Sep.
 gushing—Calc-c. Grap. Kre.
 Lyc. Mag-m. Sil. Stan.
 itching, with—Helo. Kre. Stap.
 Syph.
 lumpy, curdy—Bor. Helo.
 Radm. Sil. Tarn. (clear).
 menses, after—Grap. Kre.
 before—Graph. Sep.
 instead of—Grap..Nat-m.
 Xantx.
 milky—Pul.
 purulent—Hep. Kali-p. Pru-s.
 sticky—Kali-bi. Tarn.
 thick—Merc. Senec.
 acrid—Bov. Hyds.
LEVITATION—36.

- LIES DOWN**—38. Fer. Radm. Thyr.
- LIFE, SATIETY OF**—53. Ant-c.
- LIFTED UP**—Pho. Strop.
- LIFTING**, Agg.—28.
- LIGAMENTS**—36.
- LIGHT**—24. 44.
- LIGHTNING**—44. Alu. Sec-c. Ver-a. Comp. **Laucinating**.
- LIMBS**, alternating between upper and lower—95. 225.
clammy—Cam. Carb-v. Pic-ac.
cramp—Cimi. Vip.
diarrhœa, with — Cup. Jat. Sec-c.
crossing, Agg.—26.
deep, breathing, Agg.—Cann.
detached—35. Hypr.
elevating, Amel.—98.
hanging down—36.
lying, Agg.—Kali-c.
numb—Echi. Pul. (1).
- LINEA NASALIS**—67.
- LINEAR PAINS**—Syph. Tell. Comp. Streaks.
- LIPS**—65. 66.
bleeding—Aru-t. Lach.
blue—Spo.
changing color—Sul.
cracked, chapped—Calc-p. Men. Mur-ac. Sep.
angles—Mag-p. Merc-c. Mez.
middle—Calc-c.
crusty, scabby at angles—Grap. Merc. Thu.
drawn, retracted—Ant-t. (up). Cam. Nux-m. Nux-v. Tab.
droop—Bar-c. Merc. Nux-v.
- LIPS**
dry—Caus. Nux-m. Pul. Rhus-t. Thyr.
egg, albumen on—Ol-an. Pho-ac.
herpes, on—Ars. Nat-m. Rhus-t.
jerked up—Tell.
licks—Agar. Alo. Ars. Lyc. Nat-m. Pul. Stram.
peeling—Nat-c. Nit-ac.
picking at—Ars. Aru-t. Kali-bro. Tarn.
pouting, thick—Bar-c. Calc-c. Grap. Merc. Nat-m. Psor. Syph.
raw, angles — Ant-c. Aru-t. Grap.
red—Sul. Thyr.
upper—Ars-io.
salty—Merc. Nat-m. Sul.
shrivelled—Ant-t.
sore—Mur-ac.
sticky—Merc-i-r. Nux-m. Zin.
sweat, upper—Med.
twitch, spasm—Ol-an. Senec. Vip.
ulcerated—Bor.
- LITHÆMIA**—See Uric Acid.
- LIVELY**—49.
- LIVER**—78. 93. Lept. Sang. abscess—Bell. Bry. Lach. Nux-v. Pul. Rut. Sep. Sil.
backward, scapula, etc, to—Berb. Chel. Dul. Lept. Merc. Myr. Sep.
bile ducts—Chel. Gel. Merc-d. Rhe.
burning—Aur-m.
bursting—Bry. Lept. Nat-s.
cramp—Canc-fl. Mag-m.

SUPPLEMENTAL REFERENCE TABLE

LIVER

cutting—Hyds. Thyr.
 deep in—Lach.
 breath, Agg.—Ptel. Thyr.
 epigastrium to—Mag-m.
 eye symptoms, with—Con.
 griping—Phys.
 heart, with—Myr.
 heavy—Bry. Nat-s.
 lump—Æsc.
 below—Arn. Bor. Echi. Gel.
 Lach. Nat-s. Thu. Ver-a. Zin.
 lying on left side, Agg.—Bry.
 Sep.
 navel to—Berb. Dul. Lept. Myr.
 Sep.
 posterior—Arn. Bor. Echi. Thu.
 rash over—Sele.
 shoulder to—Kali-c. Nux-v.
 Sep.
 sore, sensitive—Aur-m. Bell.
 Bry. Iod. Iris. Kali-io. Lach.
 Lyc. Nat-s. Nux-v.
 spine to—Lept. Sil.
 sticking—Nux-v.
 swelled—Alo. Chin. Lyc. Mag-
 m. Merc. Nat-s. Nux-v. Pod.
 Sep. Vip.
 tension—Chel.
 throbs in—Crot-h. Lapp.
LIVID—31. Ox-ac. Rhus-t.
LOAD—37. 38. 77. 91. 95.
LOATHING—73.
LOCATION, lost—50.
LOCHIA, foul—Echi. Kre. Sec-c.
 green—Lac-c. Sec-c.
 nursing, Agg.—Sil.
 suppressed—Bry. Hep. Ful. Sul.
LOCKJAW—67.

LOINS—Plb.

burning—Bar-c.
 hollow—Pall.
 sticking—Berb. Plb.
LONELY—51.
LOOKED AT—52.
LOOKING intently—27.
 running water, at—24.
 sidewise—Merc-c.
LOOSE—39. Bov. Kali-m. Med.
 Psor. Thu.
LOQUACITY—52. Ver-v.
 chill and heat, with—Pod. Zin.
 rambling—Amb. Arg-n. Cimi.
 Hyo. Lach. Mar-v. Onos. Pod.
 Sele. Tub.
 sweat, with—Sele.
LOVE, unhappy—Aur. Ign.
LUMBAR BACK—95. Sanic.
 Soli. Zin-ar.
 affected by everything—Kali-c.
 Sep.
 breaking, as if—Bell. Eup-p.
 Kali-io. Lyc. Nat-m. Rut.
 Senec.
 burning—Æth. Pod.
 coldness—Eup-p. Lach. Sanic.
 compression—Æth.
 cough, Agg.—Aco. Nit-ac.
 cracking—Sec-c. Sul.
 cramp—Ant-t.
 dislocative pain—Eup-p. Lach.
 exertion, Agg.—Zin-ar.
 heavy—Cimi.
 hot iron—Act-sp. Alu. Cann.
 Grap.
 jarring, Agg.—Zin-ar.
 lame—Berb. Gel. Kali-io. Lach.
 Ox-ac. Pho-ac. Rhus-t. Sul.

SUPPLEMENTAL REFERENCE TABLE

LUMBAR BACK

numb—Aco. Ap. Berb. Grap.
Lapp. Plat. Sil.
pain—Æsc. Ant-t. Bry. Caus.
Dul. Grap. Led. Mur-ac.
Nux-v. Rhus-t. Sele. Sep. Sul.
paralysis—Coccl. Kali-c. Sep.
pressure, Amel.—Kali-c.
pubes to—Pho. Sabi. Vib.
radiating from—Bap. Berb.
Laur. Sep.
raw, as if—Nat-c.
renal disease, in—Calc-ar.
Senec. Soli. Vis-a.
short, tense, as if—Am-m.
sickens all over—Soli.
sitting, Agg.—Zin-ar.
standing, Agg.—Psor. Zin.
Zin-ar.
stiff—Bar-c. Caus. Lach. Rhus-t.
stomach to—Sul.
sweat—Naj.
touch, Agg.—Cimi. Lil-t.
vertebræ of—Kre. Stan. Zin.
walking, Agg.—Psor.
wind, as of a—Sul.

LUPUS—101.

LYING—24. 38. 50.

Amel.—Form. Nat-m. Sil. Stan.
abdomen, on, Amel.—24. Psor.
Stram. Thyр.
back, Agg.—25. Merc-i-f.
on, with head elevated—Gel.
Sang.
hard surface, on, Amel.—Nat-
m. Sep.
horizontally, Amel.—25. Laur.
on it, Agg.—27. Tarn.
pains go to side lain on—Bry.
Pho.

LYING

painful side, on, Agg.—Cyc.
Lach. Laur. Mag-m.
painless side, on, Agg.—Chin.
pillow, on—Glo.
side, on—25. Hyds. (r). P' (l).
Tub. (l). Zin-io. (l).

MADDENING—50. 57. Calc-c. Nat-m.

MALAR BONES—65. Ars-io. Colo. Glo. Kali-bi. Kali-io. Mag-c. Mez. Ol-an. Sep. Stro. Thu. Tub.

MALIGNANCY—Crot-h. Lach. Nit-ac. Tarn.

MALINGERING—Saba. Tarn.

MAMMÆ—91. Oci. Phel Urt-u.

abdomen, to—Phel.
abscess—Pho.
aching—Pul.
arms, to—Lith-c.
below l.—Cimi. Pho. Sul. Ust.
burning—Sul.
under—Æth. (r). Laur. (l).
Mur-ac. (l). Pho. (r). Rum. (l).
cold, Agg.—Sabal.
congested—Aco. Ap. Fer. Pho.
with milk, in insanity—Bell.
Stram.
dwindling—Cham. Chin. Cou.
Fer. Iod. Nit-ac. Sec-c. Sil.
flowing in—Dict. Kre.
hard—Bry. Carb-an. Grap
Phyt. Sil.
heavy—Bry. Chin. Iod. Lac-c.
Phyt.
inflamed—Bell. Phyt.
menses, before, Agg.—Bry.
Calc-c. Con. Kali-m. Lac-c.
Lyc. Ol-an. Pul.

MAMMÆ

milk, present with absent menses, etc.—Bell. Bry. Calc-c. Lyc. Pho. Pul. Rhus-t. Sabi. Stram.

increased—Calc-c. Sabi.

in virgins—Cyc. Merc. Pul.

nodes in—Bels. Carb-an. Con. Phyt. Sil.

outward dartings — Arg-m. Clem. Ol-an.

radiating—Phyt.

small—Onos. Sabal.

sore, painful—Bry. Kali-m. Sabal.

stitches in—Con. Nit-ac.

suckling, Agg.—Ant-t. Bor. Bry. Crot-t. Lac-c. Lil-t. Phel. Phyt. Pul. Sil.

swelled—Urt-u.

MANIA—50. Bell. Ver-a. Vip.

erotic—Buf. Canth. Hyo. Pho. Stram. Zin.

MARASMUS—Nat-m. Sanic. Syph. Comp. Emaciation.

MASSETERS—Hyd-ac. Ign.

cramp.—Coccl. Cup. Stram. Stry.

MASTOID, nape to—Mur-ac.

MASTOIDITIS — 62. Calc-p. Caps. Fer-p. Lach. Pho. Sil.

MASTURBATION—Con. Sep.

MAXILLÆ—65.

cracks—Rhus-t.

MEAN—Sul.

MEASLES—40. Kali-m.

complications or sequelæ of—
Am-c. Ant-t. Ars. Bry. Cam.
Cup-ac. Kali-c. Puls. Sul. Zin.

hæmorrhagic—Crot-h. Fer-p.

MEAT WATER, like — Ars.
Kali-io. Nit-ac. Rhus-t. Stro.

MEATUS, morning drop, clear
—Pho.

green—Merc.

yellow—Flu-ac.

red—Merc. Sul.

MEDICINE—40.

MEDULLA—Ver-v.

MELANCHOLY—52. 53. Plb.
Sul. Ver-v.

MEMBRANES, dark—40. Cham.
Nit-ac. Phyt.

MEMORY—52. Rhod. Syph.

bad, suddenly from pain, etc.—
Am-c. Arg-n. Bell. Hep.

Laur. Nux-m. Pall. Pru-sp.
Pul.

MENINGITIS—57. Aco. Nat-s.
with clear, pale urine—Bell.
Hyo. Lach. Pho.

MENSES—85. 86.

absent—Gins. Lac-d. Nat-s.
Pul. Senec. Sep.

cold, from—Hell. Senec.

emigrants, in—Plat.

puberty, at — Ap. Kali-c.
Mang. Pul. Senec. Sep. Sul.

tuberculosis, in—Solid. Ust.

acid—Kali-c. Nit-ac. Stram.

alternate months — Bur-p.
Syph.

before and after—25. Lach.
Lil-t. Pall.

between periods, flow—Amb.
Bov. Hyds. Lyc.

bladder, Agg.—Canth. Sabal.

brown—Bap. Bry. Thu.

burning—Kre. Sul.

childbirth, after—Tub.

MENSES

choleraic symptoms, with—
Am-c.
clots and serum—Lyc. Ust.
cold baths, Agg.—Ant-c.
collapse at—Merc.
day only—Caus. Cof. Ham.
Pul.
diarrhoea, Agg.—Bov. Castr.
Kre. Mag-c.
evening only—Cof. Phel.
faints at—Sep.
fearsome—Nat-m.
feel like coming — Carb-an.
Lil-t. Mos. Pho. Pul. Senec.
Vib. Zin-chr.
feverish during—25. Pyro.
foul—Syph.
gushing—38. See Hæmorrhage.
hot—Bell.
indelible—Mag-c.
intermittent—Amb. Bov. Fer.
Kre.
irregular in time and amount
—Cimi. Coc-c. Ign. Nux-m.
Plat.
itching—Sul. Tarn.
leucorrhœa, with—Kre. Sep.
lumbar pain—Nux-m.
lying, ceases on—Cact.
more on—Kre. Mag-c.
mammæ, Agg.—Bry. Calc-c.
Lac-c.
morning, more—Carb-an. Sep.
motion, less in—Bov. Cyc.
Mag-c. Sabi.
only during — Cact. Caus.
Lil-t. Manc.
night only—Bov. Mag-c.
nursing, Agg.—Pall.

MENSES

painful—86. Ver-v. Zin-val.
bending back, Amel.—Lac-c.
fainting, with—Nux-m.
over body—Nux-v.
more flow more pain—Cann.
Cimi. Pho. Tarn. Tub.
pale—Fer. Grap. Nat-m.
pregnancy, during — Asar.
Cham. Coccl. Croc. Ip. Kali-c.
Lyc. Pho. Rhus-t. Sabi. Sec-c.
puberty, before—Calc-c. Sabi.
Sil.
putrid meat, like — Lachn.
Syph.
skin, Agg. — 101. Bor. Dul.
Stram.
tarry—Kali-m.
throat, Agg.—Gel.
watery—Dul. Goss.
weeks, every two—Bov. Brom.
Calc-p. Lyc. Mag-c. Pho. Tril.
MERCURY, Agg.—25. Guai.
Phyt. Sars.
MESENTERY—Calc-c. Sul-io.
METASTASIS — Abrot. Cup.
Pul.
MIGRAINE — 67. Chio. Gel.
Kali-bi. Nat-m. Nat-s. Onos.
Psor. Rob. Sang. Sil. Ther.
sleepy before—Sul.
MILK—91.
Agg.—23.
Amel. — Aco. Chel. Cina. Fer.
Iod. Merc. Pho-ac. Squ. Stap.
Ver-a.
crust—58. Ol-j. Sep.
eroding—Stap.
MILKY—43.
MIND—49. 50. 51. 52. 53. 54. Val.

MIND

active—49. Phys.
 alternating with—Arn. Cere-b.
 Cimi. Ign. Lil-t. Murx. Plat.
 blank—Cor-r. Stan.
 borrows trouble—Sang.
 exertion, Agg.—Plb.
 fatigue of—51. Agar. Pul.
 menses, before, Agg.—Stan.
 pain, Agg. — Cham. Sars.
 Ver-a.
 syphilis, Agg.—Aur. Asaf. Hep.
 Lach. Merc. Nit-ac. Phyt.
 weak, after spasms—Sec-c.

MISERABLE—Kre. Saba.

MISERLY—49.

MISFORTUNE—51.

MOBILITY—Cam. Croc. Stram.

MOCKERY—Nux-m.

MOIST—40. Grap. Ip. Jab. Med.
 Nat-s. Squ. Strop. Sul-ac.

MOISTURE, Agg.—
 See Dampness.

MOLASSES, like — Croc. Ip.
 Mag-c. Pho.

MOODS—50. Sence.

MOON, new — Nux-v. Rhus-t.
 Sil.

first quarter — Ars. Bry.
 Nat-m.

full—25. Calc-c. Pho. Sul.

last quarter—Lyc. Sep.

MORBID—Stap.

MOROSE—52. Sul-ac. Tab.

MORTIFICATION—22. Caus.
 Gel.

MOTION Agg. — 26. 40. Pyro.
 Tab. Tarn Tub. Vib. Zin-val.

after, Agg.—Spo.

Amel.—Gel. Helo. Lil-t.

MOTION

air, open, in, Amel.—Dios. Iod.
 Kali-io. Lil-t. Mag-c. Mag-m.
 Pul.

continued—26. Anac. Kob.

distant parts, of, Agg. — Ap.
 Bry. Coccl.

erratic—Ver-v.

exaggerated—Agar.

gentle, Amel.—26. Sumb. Syph.

rapid, Amel. — 26. Aur-m.
 Scop. Stan.

MOTTLED—40. 69. Kali-m.
 Led. Lil-t. Manc. Merc-p-r.
 Sars. Syph.

MOULDY—Crot-h.

MOUTH—70. 71. 72. 73.

aphthæ—Ars. Bap. Bor. Mere.
 Rhus-t. Sul. Sul-ac. Thu.

around—65. Cina. Kali-n.

bitter—Menis. Zin.

brown-red—Lyc.

burnt—Iris. Pul. Sep.

clammy—Bell.

cold—Kali-n. Tell. Ver-a.

covers it—Am-c. Arg-n. Cor-r.
 Cup. Ip. Kali-bi. Lach. Rum.
 Thu.

dry—Sul-io. Tub.

anterior — Ars. Bry. Nux-v.

posterior—Mez. Thu.

with chill—Petr.

without thirst—Nux-m. Pul.

greasy—Iris.

heat—Cham. Med.

itching—Phyt. Rhus-t.

loose skin, in—Phys.

numb—Bap. Mag-m. Stro.

MOUTH

odor from—Ail. Aru-t. Crot-h.
Hell. Kali-chl. Lach. Merc-
cy. Pyro. Rhe.

open, hangs — 71. Bap. Bar-c.
Carb-v. Lach. Lyc. Merc-c.
Nat-c. Op.

opening—26.

raw—Sul. (nursing). Sul-io.

sleep, after—Rhe.

slimy, sticky — Kali-bi. Lach.
Pul. Tub.

wipe, must—Kali-bi. Sec-c.

yellow—Plb.

MOVEMENTS—Agar. Elap
Stram.

MUCOUS MEMBRANES—40.

Eucal. Rum. Saba. Sang.
Senec. Squ. Syph. Terb. Thu.

dark — Æsc. Bap. Carb-v.
Ham. Lach. Merc-i-r. Mez.
Pho.

dry—Alu. Bell. Bry. Caus.
Kali-c. Nux-m. Stic.

pale—Ars. Chin. Fer. Kali-c.
Mang. Pho.

patches—Arg-n. Lach. Merc-
i-f. Merc-p-r. Nit-ac. Phyt.
Pul.

raw—Aru-t. Nux-v.

red, bright—Aco. Bell. Canth.

spongy—Caps. Phyt.

ulcerated—Arg-n. Ars. Hyds.
Kali-io. Kre. Merc-c. Nit-ac.
Phyt. Sil. Sul-ac.

vesicles — Ap. Bor. Canth.
Carb-v.

wrinkled—Ars. Elap. Merc.

MUCOUS, colitis—Colch. Kali-p.
Rhus-t. Zin-val.

increased—40. Cist.

MUMPS—Merc. Phyt.

MUMPS

septic—Anthx. Lach. Syph.

MUSCÆ VOLITANTES—62.

MUSCLES—40. Sec-c. Til. Val.

atrophy—Ars. Caus. Plb. Thu.

belly of—Cimi. Thu.

jumping—Colch. Dio. Hyas.
Pul.

knots — Cup. Phys. Senec.
Syph.

obey feebly—Gel. Hell. Phys.

weak—89. Calc-c. Cimi. Coccl.
Gel. Kali-c. Phys. Radm. Sil.
Sul-ac. Ver-v.

MUSIC, Agg.—26. Aco. Croc.
Med. Sabi.

MUSTY, moldy—Bor. Crot-h.
Mar-v. Rhus-t. Sanic. Stan.
Stap. Thu. Thy.

NÆVI—101.

NAGGING—Lyc. Nux-v. Plat.

NAILS—42. 57. 96. Ust.
bites—Aco. Ars. Aru-t. Cina.
Lyc. Med. Senec. Stram.

blue—Nux-v. Ver-a.

brittle—Lept. Senec.

corner of—Lach.

crumble—Flu-ac. Grap.

cutting—Petr. Sars.

discolored—Thu.

distorted, crippled — Ant-c.
Grap. Sil. Syph. Thu.

edge of—Calc-p. Radm.

falling off—Grap. Sil. Squ.

gnawing—Alu. Berb. Lach.
Lapp.

ingrown—Flu-ac. Graph. Hep.
Mag-p-au. Mar-v. Sil. Sul-io.

loose, as if—Ap. Pyro. Ust.

ribbed—Flu-ac. Thu.

NAILS

run rounds—Nat-s. Syph. Thu.
 scaling—Alu.
 soft—Thu.
 splitting—Ant-c. Flu-ac. Lept.
 Rut. Sil. Thu.
 spotted—Nit-ac.
 thin—Lept.
 ulcers—Sil.
 under—Alu. Berb.
 yellow—Con. Sep. Sil.

NAPE—55. 89.

ascending, from—Men. Sul.
 boils—Pic-ac. Sul.
 cramp—Hyd-ac. Nux-v.
 heavy—Men. Nux-v. Par. Rhus-t.
 lame—Zin.
 pain in—Stro.
 stupor, with—Zin.
 tense—Tub.
 tired—Zin.

NARCOTICS, Agg.—26.

NARROW—36. 70.

NASO-PHARYNX—Elap. Merc-c. Spi. Thu. Zin-io.

discharges from—Mag-c. Nat-c. Phyt.
 dripping—Cep. Hyds. Merc-c. Spi.
 hot, dry—Aco. Æsc. Lyc. Sep. Zin-io.
 itching—Ail. Kali-p. Nux-v.
 lump in—Æsc. Cist. Lapp.
 lumps from—Cimi. Mar-v. Merc-i-f. Sep. Syph.
 mucus drops into—Cinb. Lith-c.

NATES, boils—Sul.

NAUSEA—74. Tab.

in A. M.—Med.
 abdomen, in—Polyg
 chest, in—Ant-t.
 chill, with—Echi.
 deathly—Ant-c. Coccl. Crot-h.
 Ip. Lob. Pul. Tab.
 eating, Amel.—Sang.
 eyes, closing—Ther.
 using, Agg.—Jab. Pul.
 head, felt in—Colch.
 hunger, Agg.—Petr.
 lying on r. side, Agg.—Cann.
 Crot-h. Iris. Sang. Sul-ac.
 nose, blowing, sneezing, etc.
 Agg.—Hell. Lach. Sang. Sul.
 odors, Agg.—26. Vario.
 spine, pressure on, Agg.—Cimi.

NAVEL—76. Spi.

breasts, to—Pall.
 bubbling—Hypr.
 cramp, colic, etc.—Colo. Dios.
 Ip. Nat-s. Rhod.
 cutting—Colch. Colo. Nux-v. Ver-v.
 empty—Kob.
 festers—Abro. Calc-p. Nux-m.
 hard—Pul.
 hernia—Plb.
 inflated—Calc-c.
 lump at—Kre. Nux-v. Rhus-t
 Sep. Verb. Zin.
 moisture at—Calc-p.
 pelvis, uterus, etc., to—Pall.
 Rum. Sep.
 pouting—Dul.
 rectum to—Alo. Ars. Crot-t.
 Dios. Lach. (reverse). Lyc.

NAVEL

retracted—**Plb.** **Pul.** **Stan.** **Ver-a.**
Zin.

rumbling—**Tarx.**

sore—**Nux-m.**

NECK—55. 89. **Sanic.**

ache—**Chin.** **Cimi.** **Gel.** **Hyds.**
Kali-p. **Lyc.** **Sil.** **Ver-v.**

air on, Agg.—**Calc-p.** **Lach.**
Psor. **Sanic.** **Sil.** **Stro.**

burns, heat, etc.—**Lach.**

chloasma—**Caul.** **Sanic.**

clothes, Agg.—27. **Caus.**

constriction, cord, etc.—**Spo.**

draft, on <—**Sil.**

emaciated, shrivelled—**Nat-m.**

eruption—**Arn.** **Sil.** **Sul-io.**

exertion, Agg.—**Arg-n.** **Calc-e.**
Lil-t. **Sep.**

mental, Agg.—**Zin.**

formication starts — **Nux-v.**
Sec-c.

full—**Glo.**

left head or shoulder to—**Spi.**

red—**Grap.** **Pho.** **Ver-a.**

short—**Syph.**

shoulders and—**Guai.** **Lachn.**
Nux-v. (r). **Stic.** **Sul.** **Ver-v.**
Zin. (r).

sides, alternating—**Calc-p.** **Pul.**
sore—**Stic.**

stiff—**Chel.** **Merc-i-r.** **Stic.**

side, on one—**Colo.** **Stic.**

right—**Agar.** **Caus.** **Nat-m.**

left—**Bell.** **Carb-an.** **Chel.**
Colo. **Glo.** **Guai.** **Kre.**
Lyc.

sweat—**Calc-c.** **Sanic.**

throbbing in—**Bell.** **Pyro.** **Spi.**

NECK

touch, Agg.—**Lach.**

vertebrae crack—**Chel.**

weak—**Abro.** **Æth.** **Ant-t.** **Caul.**
Nat-m. **Sep.** **Sul.** **Ver-v.**

then stupor—**Hyo.** **Zin.**

wry neck—**Bell.** **Dul.** **Glo.** **Hyo.**
Lyc. **Nux-v.** **Rhus-t.**

NECROSIS—**Calc-io.** **Radm.**

NEEDLES—36. **Agar.** (cold). **Ars.**
(hot). **Bry.**

NERVES, nervous — 40. **Bor.**
Castr. **Caul.** **Mag-c.** **Mag-p.**
Pru-s. **Sabal.** **Senec.** **Stap.**
Stic. **Thyr.** **Vis-a.** **Zin.** **Zin-val.**

alternating with—**Saba.**

injured—**Hypr.**

paralysis—**Pru-s.**

prostration — **Ol-an.** **Onos.**
Kali-p. **Pic-ac.** **Pho.** **Vio-o.**

NETTED—101.

NETTLE RASH—**Dul.** **Urt-u.**

NEURALGIA—40. 67. **Mag-c.**
Ran-b. **Stan.** **Thu.**

orbital—**Ced.** **Chi-s.**

shingles, after — **Kali - chl.**

Kalm. **Mez.** **Zin.**

stump, of—**Arn.** **Cep.** **Hypr.**

NEVUS—101. **Arn.** **Calc-c.** **Calc-f.**
Carb-an. **Lach.** **Ust.**

NIBBLING—73. **Mag-c.**

NIGHT—18. **Sabi.** **Terb.**

blindness—**Stram.**

mare, terrors, etc.—102. 103.
Pæon. **Sep.** **Stram.**

sweats, of phthisis—**Ars.** **Bry.**
Calc-c. **Carb-v.** **Chin.** **Fer.**
Pho. **Pho-ac.** **Samb.** **Sep.** **Sil.**
Stan. **Sul.**

first sleep, in—**Ars.**

after—**Lach.**

NIGHT

all night—Pho.

awaking on—Samb.

watching—See Sleep, loss of.

NIPPING—47.

NIPPLES—92. Nat-s. (l). Rat.
Rum. (l).

air, from—Cyc.

backward, from—Crot-t. Phel.
Sul. (l).

burning—Senec. (l).

cracked—Æsc. Carb-an. Caus.
Grap. Petr. Rat. Sars.

crawling—Sabi.

inverted—Grap. Nat-s. Phyt.
Sars.

oozing—Med.

outward darts—Gel. Kali-bi.
Lyc. Mez. Ol-an. Stan.

sore, tender—Arn.

under—Rum. (l).

NODES—41. Cinb. Kali-s. Mag-
c. Rut.

NOISE—26. 44. Tarn. Tub.

Amel.—Grap.

penetrating—Asar. Bar-c. Chin.
Coccl. Iod. Lil-t. Lyc. Mur-ac.
Sabi. Ther.

Comp. Hearing.

NOMA—Tarn-c.

NOSE—63. 64. 65. Saba. Zin-chr.

abscess, septal—Anthx.

tip—Aco. Anan.

alæ, fanning—Diph.

motions of—Bap. Bell. Rhus-t.

behind—Merc-c.

bleeding—Pho. Vip.

blowing—Mang. Stic.

but no relief—Kali-bi. Mar-v.
Psor. Stic.

NOSE

boring—Anac. Aur. Hep. Mar-
v. Nat-p. Saba. Thu.

bridge, bones—Kali-bi. Rhus-t.

burning, external—Agar.

internal—Ars. Merc. Sang.

caries—Aur. Nit-ac.

cold—Ap. Ver-a.

Agg.—Sul.

crawling, formication—Mar-v.
Merc. Nat-m. Ran-b.

cutting—Nit-ac.

discharges, acrid—Ars. Ars-io.
Aru-t. Merc. Nit-ac.

burning, hot, etc.—Aco.
Nat-m.

changing—Stap.

cold—Ambros. Ichy. Lach.

cough, Agg.—Agar. Lach.
Nat-m. Nit-ac.

crusts, scabs, from—Kali-bi.
Sep. Thu. Zin-chr. Zin-io.

dark—Cinb. Merc-d.

eating, on—Carb-an. Clem.
Nux-v. Plb. Sanic. Sul.
Throm.

frothy—Merc. Sil.

green—Kali-bi.

lumpy—Cinb. Merc-d. Pho.
Soli. Zin-io.

musty—Nat-c.

night—Nat-s.

salty—Aral. Cimi. Nat-m.

stopped and—Bry. Kali-bi.
Lach. Merc. Nux-v. Pul. Sil.

yellow green—Kali-bi. Merc.

dripping—Am-c. Ars-io. Cep.
Rhus-t.

dry—Bell. Calc-c. Grap. Kali-
bi. Nux-m. Samb. Sil. Stic.
Thyr. Zin-io.

NOSE

dyspnoea in—Ars. Kre. Lach.
Pul. Saba. Sul.
flows, but is stopped—Ars.
Calc-c. Osm.
foreign body, plug, etc., in—
Psor. Rut. Sep.
foul, ozæna—Aur. Cad-s. Calc-
c. Kali-bi. Kali-io. Merc-c.
Sep. Thu.
gushes from—Agar. Euphr.
Nat-m.
heavy—Kali-bi. Merc. Phyt.
hot—Saba.
itches—Caus. Cina. Saba.
lying, Agg.—Pul.
numb—Aco. Bell.
obstructed, at night—Am-c.
Lyc. Zin-io.
fresh air, by—Dul.
odors in—Pul. Zin-chr.
peeling—Nit-ac. Pho.
polypus—Calc-c. Mar-v. Zin-
chr.
posterior nares—63. 71. Cinb.
Elap. Rum. Ther.
discharge—71. Syph.
lumpy—Calc-c. Mar-v.
dripping—47.
hot—Zin-io.
itch—Ail. Kali-p.
lump in—Cist. Hyds. Kali-bi.
Lach. Mar-v. Nat-m. Pho.
Sep. Spi. Stic. Sul. Zin.
pressure (of glasses), Agg.—
Arg-n. Chin. Cinb. Con. Cup-
ar. Flu-ac. Kali-bi. Merc. Pho.
root—Cimi. Sep. Stic. Zin.
pus from—Zin-chr.
raw—Aral. Aru-t. Caus. Nat-m.

NOSE

red—Agar. Nit-ac.
root of—Cimi. Cup. Iod. Par.
Sars. Stic. Ver-v. Zin.
rosaceæ — Carb-an. Kali-io.
Rhus-t.
saddle pain—Cinb. Thu.
sensitive to inspired air—Aco.
Aur. Brom. Cam. Cimi. Cist.
Cor-r. Ign. Med. Nux-v.
septum, perforated — Kali-bi.
Merc. Merc-c.
sides, alternating—Phyt. Sinap.
Sul.
sinuses—Cinb. Kali-bi. Lach.
Pho. Syph.
snuffles—Kali-bi. Med. Pho.
Saba. Samb.
swelled, thick—Bar-c. Calc-c.
Nat-c. Pho. Sars. Sul.
syphilis—Aur.
tension—Eucal. Ham. Kali-io.
ulcers—Nat-m.
NOSTRILS, dark—Ant-t. Colch.
Hell.
dirty—Merc.
drawn in—Cina.
sore—Nux-v.
NOTHING ails him—Arn. Iod.
Op.
NUMB, painless, etc.—41. 69.
Anac. Cad-s. Con. Diph.
Lapp. Mag-c. Med. Nat-m.
Radm. Sul-io. Tarn. Tell.
Xantx.
diagonal—Thyr.
general—Chel.
one-sided—Ars. Caus. Chel.
Nat-m. Pho. Pul.
pain, from—Cham. Colo. Kalm.
Plat. Pul. Rhus-t.

NUMB

part lain on—Pul. Rhus-t.
 partial, spots, etc.—Lyc. Sul-io.
 wooden feeling—Kali-n.

NUTRITION — Calc-c. Calc-p.
 Sil.

NYMPHOMANIA —85. Orig.
 Stan. Stram. Sumb.

OBESITY—41. Seneg.

OBSTINATE—53.

OCCIPUT—55. Coccl. Vario.
 Ver-v. Zin-ar.

air on, Agg.—Sanic.

band—Arg-n.

blow on—Ap. Bell. Cimi. Kali-
 m. Lach. Naj. Tab. Tarn. Zin.

bursting—Gel.

cold—Chel.

cough, Agg.—Pul.

downward—Pho. Zin.

enlarging, swelled, as if—Bry.
 Coccl.

eyes to—Med.

forward from—Sang. Sil.

left — Arg-n. Cimi. Lach.
 Lil-t. Spl. Thu.

right—Bell. Gel. Sang. Sil.

hair falls from—Merc.

heat—Aur.

heavy — 57. Calc-c. Kali-m.
 Merc-i-r.

legs, weak, with—Zin.

lying on, Agg.—57. Carb-v.
 Coccl. Nux-v.

nose, root of—Sars.

pillow, Agg.—Buf. Glo.

pressure, outward—Æsc.

shoulder to — Kali-bi. Onos.
 Stic.

OCCIPUT

side, left—Lyc. Nux-v. Sep.

Spi. Sul.

sore, bruised—Pru-s. Stap.

tension—Lyc.

up and down from—Onos. Sep.

ODORS, Agg.—26. 44. Carb-ac.
 Dros. (sour). Ther. Vario.

CEDEMA — 35. Acet-ac. Agar.
 Ap. Ars. Aur. Just. Phos.
 Rhus-t. Sep. Sil.

angio-neurotic—Ap. Ars. Rhus-t.
 saccular—Ap. Ars.

ESOPHAGUS—See Gullet.

OFFENDED, easily—53. Coccl.
 Ign. Pall.

OFFENSIVE—41. Ail. Asaf.
 Carb-an. Con. Crot-h. Eucal.
 Grap. Kre. Mep. Merc. Mur-
 ac. Osm. Pho. Sabi. Sul-ac.
 Til. Tub. Ust.

body—Bap. Guai. Grap. Hep.
 Kali-io. Kali-p. Med. Nit-ac.
 Psor. Pyro. Sep. Sil. Stan.
 Sul. Syph. Thu.

OILY—37.

OLD age, look, etc.—41. 67.
 Sanic. Sars. Sul-ac. Syph.
 Tub.

maids—Plat.

ONANISM—26.

menses, Agg.—Zin.

ONIONS—Kali-p.

OPISTHOTONOS—Ign. Ver-v.

ORBITS—55. 60. Aur. Bar-c.
 Cinb. Zin-s.

neuralgia—Ars. Ced. Chin-s.
 Kali-bi. Nat-m. Spi. Stan.

OPENING AND SHUTTING
 —41. Spo.

ORDEALS—51. Kali-bro.

ORGASMS—48. Spo.
sexual—Stan.

ORIFICES—41. See *Skin, Edge*.

OSCILLATIONS—59. Elap.

OSTEO-MALACIA—Iod. Merc-c.

OVARIES—84. Colo. Lil-t.

Mag-p. Sabal. Zin-val.

alternating between—84. Cimi.

Colo. Lac-c. Lil-t. Onos. Ust.

back to—Rum. (r).

breasts to—Murx. Senec.

congested—Ap.

cystic—Ap. Apoc. Aur. Form.

left to heart—Brom. Cimi.

Lac-c. Lach. Lil-t. Naj. Sul.

Vib.

legs, stretching, Agg.—Pod.

mammæ to—Murx. Senec.

pains in—Naj.

swelled—Lyc.

tearing—Thu.

thighs to—Colo. Grap. Pod.

Stap. Ust. Xantx. Zin-val.

OVERLIFTING—28.

OVERPOWERED, as if—Thu.

PAINS—44. Sul-ac.

Agg.—26. 87. Ign. Onos. Ver-a.

absence of—Ant-c. Ant-t.

See *Numbness*, 41.

can't stand—44. Vip.

cold—Arn.

maddening—50. Ver-a.

many—Med.

sudden—See *Shooting*.

symptoms, Agg.—Nat-c.

violent—46.

PALATE—69. Crot-h.

abscess—Pho.

PALATE

aphthæ—Bor. Kali-bl. Sars.

crawling—Ars. Carb-v. Pho.

Polyg. Ran-b. Sil.

greasy—Asaf. Card-m. Kali-p.
Ol-an.

itching—Arn-t. Kali-p. Mar-v.

Nux-v. Polyg. Saba. Stry.

œdema—Ap. Kali-io.

raw—Caus.

scalded—Sang. Sanic.

stiff—Crot-h. Grat. Nat-m.

PALMS—96.

abscess—Tarn.

contractions in—Grap. Guai.

crack—Kre.

cramp—Sabi.

desquamate — Elap. Grap.
Rhus-t.

dry—Ars. Bis. Cham. Nux-m.
Sul.

eczema—Sul. Vario.

hot, burn—Crot-t. Diph. Ol-j.
Sul.

and soles—Bism. Lil-t. Lyc.

Petr. Pho. Sang. Stan. Sul.

itch—Anac. Kre. Sul.

moist, sweat—Naj. Vio-o.

nodes—Caus. Rut.

sore—Rhus-t.

vesicles—Kre.

warts on—Sul.

washing, Agg.—Rhus-t.

withered—Diph. Sang.

PANARIS—96.

PANCREAS—78.

PARALYSIS, etc.—41. Helod.
Sang. Verb.

PARALYSIS

agitans—Agar. Ant-t. Arg-n.
Bar-c. Gel. Lol-t. Merc. Nux-v.
Phys. Rhus-t. Zin.

apoplexy, after—Coccl.

ascending—Con.

cold bathing, Amel.—Con.

descending—Zin.

diphtheritic—Coccl. Diph. Gel.
Lach. Rhus-t.

localized—Caus. Plb.

painless—Plb.

side, right — Chel. Crot-h.
Merc-i-r. Nat-m. Plb.

left—Gel. Op. Stro. Vip.

spasms then—Tarn.

twitching—Stram.

PARAPLEGIA — Arg-n. Ars.
Nux-v.

PARCHMENT—101. Petr.

PAROTIDS—62. 89. Lach. Sil.

PAROXYSMS—41. Tab.

PASTY—45. 71. 81.

PATCHY—40. 69.

PATELLÆ—98.

plug under—Cham.

PEDUNCULATED—99. 100.

PEEVISH, petulant—53. Cina.
Coccl. Kali-c. Stap.

PELVIS, to—94.

heavy—Alo. Pall. Tarn.

thighs to—Thyr.

PENIS—84. Cop.

constriction—Kali-bi.

priapism—Caps. CEnan. Pho.
Pic-ac. Stap.

pulsation—Coc-c. Con.

warts—Ant-t. Med. Thu.

PERCEPTIONS—41. 42.

PERINEUM—80.

abscess—Crot-h.

ball—Cann. Chim. Kali-m.

laceration—Stap.

moist—Pæon. Thu.

PERIODICITY—17. 18. 19. 42.
Tarn.

alternate days—80.

exact—Ars. Ced. Chi-s. Nat-m.
Tarn.

yearly—Psor.

PERIOSTEUM, pains in—Merc.
Rhus-t.

PERISTALSIS — Asaf. Nux-v.
Rhus-t.

PERITONITIS—See Abdomen.
inflamed—77.

PERSECUTION, ideas of—Con.
Thyr.

PETECHIÆ—99. Ham. Mur-
ac. Soli.

PHAGEDENA — 42. Merc-cy.
Merc-p-r.

PHARYNX, burning — Bell.
Carb-v.

chronic conditions—Æsc. Cinb.
Rum. Sep.

dry—Bell. Nux-m.

fissured—Elap. Kali-bi.

glistening—Ap.

inflamed—Bell. Merc.

scraping—Mez. Sang.

tickling—Stic.

PHILOSOPHIC—Sul.

PHLEGMASIA DOLENS—98.
Ars. Bell. Lyc. Merc. Sul.

PHLYCTANÆ—59.

PHOTOPHOBIA—See Light.

PHTHISIS—33.

relapsing—Fer-p. Kali-n.

PIANO playing—22. Nat-c.
 PICKING—32. Hell.
 bleeds, until — Arg-n. Aru-t.
 Cina. Con. Pho.
 one spot, sore—Aru-t. Pho-ac.
 Zin.
 PIECES, in—35. See *Duality*.
 PIERCING—Ap. Nat-s.
 PILES—79.
 alternating with—Abro. Coll.
 Sabi.
 bathing, cool, Amel. — Alo.
 Nux-v.
 bleeding — Am-c. Caps. Fer.
 Kali-c. Pho. Pho-ac. Pul.
 Sabi. Sep. Sul.
 bluish—Æsc. Carb-v. Lach.
 Mur-ac.
 bursting—Ham.
 cough, Agg.—Lach.
 foul—Pod.
 heat, Amel.—Ars. Lyc. Mur-ac.
 Petr. Pho. Zin.
 lifting, Agg.—Rhus-t.
 reflex from—Coll.
 sitting, Amel.—Calc-c.
 sore—Ham.
 sticking—Sep.
 ulcerate—Carb-v. Zin.
 urinating, Agg.—Bar-c.
 walking, Agg.—Zin.
 PINCHING—33.
 PINK EYE—Euphr.
 PINWORMS—Naph. Rat. Saba.
 Sinap. Urt-u.
 PITCHY—See *Tarry*.
 PLACENTA, retained—84. Pul.
 ic—Sec-c.
 PLAINTIVE—Crot-h.

PLETHORA—42.
 PLEURISY—91. Arn. Guai.
 Merc-d. Pho.
 PLEURODYNIA—Aco. Arn.
 Bry. Chin. Lach. Nux-v. Pul.
 Saba. Sul.
 PLICA POLONICA — Grap.
 Vinc. Vio-o.
 PLUGS—42. Lith-c. Mos. Rat.
 of pus, etc.—Kali-bi. Nit-ac.
 PNEUMONIA—91. Fer-p. Iod.
 Pul. Seneg. Sep. Tub.
 catarrhal—Ant-t.
 cerebral type—Aco. Arn. Bell.
 Bry. Cann. Canth. Hyo. Lach.
 Merc. Nux-v. Pho. Pul. Rhus-
 t. Stram. Sul.
 secondary—Fer-p. Pho.
 unresolved — Lyc. Pho. Sul.
 Sul-io.
 POISON, feeling—42. Lac-c.
 Lach. Vip.
 POLLUTIONS—84.
 POLYPI—⁶⁴100. ⁶⁴Coc-c. Sang.
 POPLITEÆ—98. Con. Mez. Nat-
 c. Onos.
 sweat—Bry. Carb-an. Con. Dros.
 Sep.
 POSITIONS—20. 31. 37.
 hanging down, Amel.—Merc.
 knee chest—25.
 rest, can't in any—Lyc. Rhus-t.
 Sanic. Sul.
 POWER, higher—Lach. Thu.
 POWERLESS—48. Anac.
 PRAISE, Amel.—Pall.
 PRAYING—53. Ver-a.
 PREGNANCY—42. Alet. Helo.
 Tab.
 diarrhoea of—Ant-c. Chin. Dul.
 Lyc. Merc. Petr. Pho. Pul.
 Rhe. Sep. Sul. Thu.

- PREPUCE, cracked—Hep. Sul.
io.
cedema—Nit-ac. Rhus-t.
slough—Thu.
warts—Cinb. Sep. Thu.
PRESENTIMENTS—51.
PRESSURE, Agg.—27. Arg-n.
Fer. Psor. Vib. Zin-chr.
Amel. 27.—Castr. Cup-ar.
on opposite side—Vio-t.
PRICKINGS—Crot-h. Nit-ac.
PRICKLING — 42. 46. Bry.
Kali-p. Symp. Tarn. Ver-v.
PRICKLY HEAT—Ant-c. Urt-u.
PRIDE—53. Lyc.
PRIM—Plat.
PRODROME — Chel. Chin.
Corn. Eup-p.
PROLAPSE—See Falling.
PROPORTION—Agar. Calc-c.
Cann. Onos. Plat. Stram.
PROSOPALGIA—67.
PROSTATE—80. Crot-h. Med.
Par-b. Polyg. Pop-t. Soli.
inflamed—Aur. Fer-pic. Sabal.
Thu.
PROSTATORRHOEA—Con. Lyc.
Sele. Sep.
PROSTRATION—48.
PROTRUSION—42.
PROUD FLESH—100. Alu.
PRURIGO—101. Sabi. Thu.
Urt-u.
PRURITIS senilis—Alu. Ars.
Dul. Fag. Mez. Urt-u.
of diabetes—Mang.
PRYING—Sul.
PSORA—Ars. Bar-c. Calc-c.
Grap. Hep. Iod. Merc. Pho.
Psor. Sil. Sul. Tub.
PSORIASIS—100. Radm.
PTOMAIN POISONING—Ars.
PUBERTY — 42. Caus. Croc.
Fer. Gual. Vio-o.
PUBES backward, lumbar re-
gion, etc., to—Calc-c. Pho.
Sabi.
PUDENDUM, urine burns—
Scop.
pulsates—Pru-s.
PUERPERAL SEPSIS—Lyc.
Pho. Pul. Pyro. Rhus-t. Sul.
PUFFINESS—42. 101. Kre. Led.
Phyt. Ust.
PULSATION—47. Asaf. (hard).
Ast-r. Jab. Kali-c. Kre. Polyg.
Strop.
fever, with—Urt-u.
general—47. Aco. Grap. Lyc.
Sang. Sul. Ver-v.
lying, Agg.—Glo. Sel.
PULSE—92. 93.
changeable, variable — Cina.
Dig. Laur. Naj.
dicrotic—Gel. Kali-c.
flowing — Fer-p. Gel. Syph.
Ver-v.
intermits, drops beats—Mur-
ac. (3rd). Nat-m. (3rd). Nit-
ac. (4th). Tab.
irregular—Strop.
large — Lycps. Manc. Syph.
Ver-v.
rapid—Thyr.
more than heart—Spi.
sharp—Rhus-t.
slow—Ol-an.
and quick, alternately —
Strop.
small—Strop.
soft—Fer-p. Gel. Syph. Ver-v.

PULSE

temperature, discordant—Pyro.
 thready—Tab. Ver-a.
 tremulous—Ant-t. Spi.
 unequal—Kali-chl.

PUNCTURED wounds—Led.
 Plan.

PUPILS, dilate and contract—
 60. Strop.

mobile—Strop.

unequal—Colch. Hyo.

PURGATIVES, Agg. — Hyds.
 Nux-v. Op. Sul.

PURGING, with vomiting—75.

PURPLE—31.

PURPURA—99. Kre. Pyro. Terb.

PURSUED, as if—Hyo. Lach.
 Rhus-t.

PUS—46. 64. 100. Merc-d.

acid—Ail. Ars. Bels. Brom.
 Echi. Euphr. Gel. Kali-io.
 Nit-ac. Ran-b. Saba. Sanic.
 Sars. Sul.

bloody—Merc. Nit-ac.

burrowing—36. Asaf. Sil.

foul—Ars. Asaf. Bap. Carb-v.
 Hep. Lach. Led. Nit-ac. Psor.
 Pyro. Sep. Sil. Sul. Syph.

green—Sec-c. Syph. Tub.

hair, destroys—Bels. Lyc. Merc.
 Rhus-t.

profuse—Ars. Calc-c. Dulc.
 Kali-io. Merc. Nat-m. Nux-v.
 Pul.

salty—Iod. Kali-io.

scanty—Aco. Bry.

slimy—Merc.

sour—Sul.

suppressed—Bry. Dulc. Lach.
 Puls. Sil. Stram. Sul.

tenacious—Bor. Coc-c. Hyds.
 Kali-bi.

PUS

thick — Arg-n. Euphr. Hep.
 Kali-bi. Pul. Sanic.

thin—Ars. Asaf. Flu-ac. Nit-ac.
 Pho. Sil.
 tubes—84.

yellow—Euphr. Mez. Pul.

green—Ars-io. Kali-bi. Kali-s.
 Merc. Pul.

PUSHED DOWN—Lyc. Psor.

PUSTULES—100. Nat-c. Thyr.
 Vario.

apices, black—Anthx. Kali-bi.
 Lach.

brown—Ver-a.

PYÆMLA—Pho.

PYELITIS — Kali-s. Rhus-t.
 Sul-io.
 coma, with—Bap.

PYORRHOEA—68. Calc-c. Pho.

PYROSIS—74.

QUARRELSOME—Nux-v.

Comp. Anger.

QUICK—44.

QUININE, Agg.—27.

QUINSY—Hep. Lach. Lyc. Nat-
 m. Psor. Sil.

QUIVERING—42.

See Trembling.

RAGE, raving—50.

RAGING PAIN—Led.

RAISING UP—27.

Amel.—Aral. Kali-c.

RANCID—Alu. Carb-v. Pul. Tell.
 Thu. Val.

RANULA—Merc. Thu.

RATS, sees—61.

RATTLING—Lob. Sil.

RAW—42. 100. Cist. Flu-ac. Iod.
 Kre. Mell. Nit-ac. Ol-an.

RAW

internal—Brom. Carb-v. Nux-m. Nux-v. Pho. Sang.

scratches himself—Aru-t. Psor.

REABSORBENT—Arn. Kali-io.

Sul. Sul-io.

REACTION—42. Æth. Am-c.

Calc-c. Dig. Laur. Med. Tub.

READING—27.

Agg.—Croc. Kali-c. mang. Sil

aloud, Agg. — Carb-v. Sele.

Verb.

RECKLESS—50. Tub.

RECLINING, half—Gel. Sang.

RECOVERY, despairs—Ars.

Calc-c. Psor.

RECTUM—79. 80.

aching—Rat.

boring—Bry.

coition, Agg.—Merc-c. Sil.

constriction, spasm, etc.—Ign.

Lach. Lyc. Merc-c. Nit-ac.

Nux-v.

cough, Agg.—Ign. Nit-ac. Tub.

crawling in—Sul.

cutting—Sil.

fistula—Calc-p. Sil. Sul.

fulness, with frequent urina-

tion—Fer-pic.

genitals to—Chin. Lil-t. Rhod.

Sil. Zin.

labor, after—Rut.

pain, continuous — Kali-chl.

Phyt.

pains long after stool—Am-c.

Grap. Pœon. Sil.

pressing down on—Sul.

prolapsed—Alo. Mur-ac. Pho.

Radm. Rut.

sore—Onos. Radm.

RECTUM

sticks, burr, splinter, etc.—Æsc.
Hell. Iris. Sanic.

stooping—Rut.

stricture—Syph.

tenesmus—Erig. Merc-c.

upward in—Pho.

urinating, Agg.—Mur-ac.

wrist, alternates with—Sul.

RED—42. Jab. Sabi.

bluish, dark, etc.—Bap. Phyt.
Rhus-t.

discharges—Ars-io. Kre. Merc.
Rhus-t.

fiery—Med. Stram.

orifices—Alo. Sul.

rosy—Ap. Pyro.

spot—Stic.

streaks—Bry. Buf.

REELING—42. 43. See Gait.

REGURGITATION — 71. Fer.
Hyds. Vario.

RELAPSES, recurrences—Bar-c.
Bar-m. Colo. Hep. Kali-io.
Mez. Pho. Psor. Sul.

Comp. Reaction.

RELAXATION, Amel.—Tarn.

RELAXED—43. 54. Grap. Lob.
Seneg. Sep.

RELIGIOUS—53.

REMORSE—53.

RENDING—44.

REPEATED—Lyc. Zin.

REPRIMANDS, Agg — Colo. Ign.
Stap.

RESERVE—Lyc. Nat-m.

RESPIRATION—86. 87.

air, open, Agg.—Psor.

air, open, Amek—Ant-t.

RESPIRATION

anxious—Ran-b.
 arms apart, Amel.—Lach. Laur.
 Nux-v. Psor. Spi. Sul.
 motion, Agg.—Spi.
 asthmatic—Hep. Stram.
 back, touching, Agg.—Adon.
 cardiac—Oratæ. Strop.
 choking—Naj.
 closing eyes, Agg.—Carb-an.
 coition, Agg.—Amb. Stap.
 colic, Agg.—Berb.
 cough, Agg.—Ars. Cup. Dros.
 Ip. Jus. Merc-cy. Naj. Pho.
 Tarn. Tub.
 deep—20. 53. 86. Coca.
 deep enough, can't get—Lach.
 difficult, short—Kali-m. Nat-s.
 Spo. Stan. Sumb. Tarn. Ver-a.
 Vib.
 coryza, with—Ars. Calc-c.
 Ip. Nit-ac. Pho. Sul.
 exhalation—22. Chlor. Kali-io.
 Med.
 inhalation—Brom.
 motion, Amel.—Bell. Brom.
 Fer. Lob. Pul. Rhus-t. Samb.
 nervous—Arg-n. Ars.
 nausea, with—Ip. Kali-n.
 sneezing, Agg.—Naj.
 dust, Agg.—Nat-ar. Poth.
 eating, Agg. — Lach. Nat-s.
 Pho. Zin-val.
 emphysema, Agg.—Sars.
 epigastrium, from—Guai. Lach.
 Nat-m. Sul.
 exertion, least, Agg.—Calc-c.
 Nat-s.
 expectoration, Amel.—Ant-t.
 Aral. Lach.

RESPIRATION

gasping—Carb-v. Cor-r. Kali-n.
 Lob. Mep.
 heart symptoms, with—Carb-v.
 Kalm. Strop. Sumb.
 heavy—Glo. Ver-v.
 hissing—87.
 holds something to, Amel.—
 Grap.
 humid air, Agg.—Aur. Bar-c.
 Nat-s.
 inspiration, double—Led.
 irregular—Sul.
 itching, with—Saba.
 jerky—Bell. Ign. Laur. Ox-ac.
 Tab.
 kyphosis in—Aco. Ant-c. Asaf.
 Aur. Bar-c. Bell. Bry. Calc-c.
 Cam. Cic. Clem. Colo. Dul.
 Hep. Ip. Lach. Lyc. Merc.
 Mez. Pho. Pho-ac. Plb. Pul.
 Rhus-t. Rut. Sabi. Sep. Sil.
 Stap. Sul. Thu.
 last breath, cease as if—Ap.
 Bell. Dros. Helo. Laur. Rum.
 long—Lil-t.
 Amel. — Dig. Kali-bi.
 Psor. Terb.
 lying on left side, Agg.—Merc.
 lying on right side, Amel.—Naj.
 motion, Amel.—Lob.
 night, Agg.—Ox-ac. Vib.
 midnight—Ars. Fer. Grap.
 Samb.
 oppressed—Kali-m.
 pain, during—Ars. Nat-m.
 Pru-s. Pul. Ran-sc. Sep. Sul.
 palpitation, with—Kalm.
 Merc-i-f.
 puffing—Naj. Op.
 shallow—Laur.

RESPIRATION

- sleep, falling to, on—Am-c.
 Ars. Cad-s. Carb-v. Gel.
 Grind. Kali-c. Lach. Pho. Sul.
 Tab.
 sneezing, with—Ambro. Ars-io.
 Pho.
 stomach, from — Ars. Chin.
 Coccl. Pho. Rhus-t.
 stool, Amel.—Poth.
 sweat, with—Samb.
 unequal—Ant-t. Op.
 urinating, Agg.—Chel.
 whistling—87. Ant-s-au. Aur.
 Caus. Ip. Kali-io. Stram.
RESTLESS — 43. Cup. Mag-p.
 Mar-v. Vib.
 in blood—Iod.
RETCHING—74.
 empty—Sec-c.
 hawking, Agg.—Arg-n. Nux-v.
 yawns then—Tell.
RETICENT—53.
RETRACTION—43.
REVENGE—53.
REVERBERATION—57. Iod.
 Phel. Pho.
RHEUMATISM—39. Aco. Bell.
 Bry. Caus. Colch. Fer-p. Led.
 Lyc. Merc. Phyt. Pul. Rhus-t.
 Sul.
 cold, Amel.—Am-c. Led. Sec-c.
 hives, with—Urt-u.
 hot weather—Rhod.
 paralysis—41. Colch.
 tonsillitis, after—Echi. Guai.
 Lach. Phyt.
RHUS POISON—Rhus-t.
RHYTHMIC—Lyc. Stram.
RIBS, dislocated, broken, as if—
 Agar. Caps. Kali-bi. Naj.
 Petr. Psor. Stram.

RIBS

- fifth and sternum—Mag-c. (r).
 Ox-ac. (l). Thu. (r).
 floating—Benz-ac. Berb. (r).
 Ther. (l).
 plug between — Anac. Aur.
 Caus. Coccl. Lyc. Ran-sc.
 Ver-a.
RICKETS—43. Kali-io. Sul.
RIDING—24. 27. Tab.
RIGID—45. See **Stiff**.
RINGWORM—99. Ol-j.
RISING, efforts at—26. 27. Æsc.
 Agar. Petr. Rut. Sul.
 from bed, Amel.—Pho-ac.
 Pul.
RIVET—Lil-t.
ROAMING—Lys.
ROARING—57. 63.
ROBUST HABIT—Aco. Asaf
 Bell. Caps.
ROCKING—Cina. Merc-c. Sec-c.
 Agg.—Bor. Coccl.
 Amel.—Pyro.
ROLLING—43. 59. Am-c. Ars.
 Pho.
ROOM full of people, Agg.—
 Lyc. Pho. Sep.
ROTATION, Agg.—Colo.
ROUGH — 43. Am-m. Arg-n.
 Calc-f. Grap. Mang. Par. Rut.
RUBBING, Amel.—27.
RUMBLING—63. 78.
RUNNING—34.
RUSTY—31. 32.
SACCULAR—46. 59. 420.
SACRUM—95.
 bruised—Æsc.
 thigh, into—Colch. (r). Kali-
 c. (l).

SAD, depressed—53. Cimi. Kali-bro. Kali-p. Nat-s. Rhus-t. Sele. Tarx. Zin.

eating, Agg.—Grap.

waking, on—Coc-c.

SALIVA—72.

cottony—Berb. Nux-m. Pho.

flows, pain, headache, etc. during—Epip. Gran. Helo. Merc. Pho. Plan.

in sleep—Cup. Merc. Pho. Rhus-t. Syph.

increased, dryness, with—Lyc. Merc. Nat-m.

menses, Agg.—Phyt.

ropy—Coc-c. Saba. Sul.

salty—Sanic.

soapy — Ign. Iod. Kali-bi. Pho-ae.

sour—Con.

sticky—Bell. Kali-bi. Lach. Plb.

swallow, must—Ip. Merc.

thick—Cimi. Glo. Lach. Lyc.

SALIVARY GLANDS—Calc-f. Cham. Iod. Merc. Phyt. Pul.

SALPINGITIS—Pul. Stap.

SALT, Agg.—Ars. Nat-m. Pho. Sele.

SALTY—43. Flu-ac. Grap. Iod. Sanic.

SALVATION—53.

SANDY—81. Ap. Ars. Berb. Bov. Cist. Coll. Thu.

SARCASM, satire—Ars. Lach.

SARCOCELE—Iod.

SAWING—43. Brom. Spo.

SCABS—64. 100. Psor.

SCALDED—32.

SCALES—34. 101.

SCALP—58. 59. Rhod.

SCALP

damp, Agg.—Led.

dandruff—58. Kali-m.

eruption — Grap. Mez. Old. Vio-t.

fissure—Kali-io.

gathered, as if—Chin. Sele.

lumps, nodes—Grap. Sil.

milk crust—Calc-c. Grap. Lyc. Ol-j. Psor. Sep. Sul. Tub. Ust.

eroding—Stap.

foul—Stap.

numb, one side—Mez.

stiff—Rhus-t.

sweats—Calc-c. Cham. Pul. Rhe.

SCAPULÆ — 95. Bry. (r). Chel. (r). Nux-j. (r). Ol-an. (r). Rum. (r). Zin-chr. (l).

between—Caps. Helon. Nit-ac. Sep.

ache—Carb-ac. Helo. Sep. Sul.

broken, as if—Crot-c. Lil-t. Mag-c. Nat-m. Plat. Ver-a.

burning — Ars. Lyc. Med. Pho. Rob. Sul.

coldness—Ars. Caps. Caus. Pyro. Sep.

cramp—Grat. Pho. Ver-a.

cutting—Canth. Nat-s. Zin.

eructations, Amel.—Zin.

heart to—Bry. Sul.

heaviness — Calc-c. Chin. Gran. Lach. Nux-v. Rhus-t.

lump—Chin. Lyc. Mag-c. Nux-v. Rhus-t.

soreness—Chin. Cimi. Hypr. Pho. Quas. Sep.

swallowing, Agg. — Kali-c. Rhus-t.

SCAPULÆ

weak—Alu. Ap. Bur-p. Cocel.
Kali-io. Nat-m. Radm. Raph.
Sul-ac.

boring, left—Aur. Dig Hypr.
Men. Mez. Nat-c. Pho-ac.
Rut. Spi.

bruised—Calend. (r). Crot-c.
(r). Kali-c. (r).

burning—Echi. Lycps. (r).
Med.

chilly, below—Cam.

crawling—Med. (l).

cutting—Lac-c. Med. Spi.

edge of—Ran-b.

forward from—Bar-c. Merc.
(r). Mez. (l). Pho. Ran-b. (l).
Sul.

itching—Caus. (l).

lump—Pru-s. (l).

throbbing—Mag-m. (l).

under—Gel.

SCARLATINA—100. Stram.

maligna—Ail. Lach.

SCARS—Dros.

burn—Tell.

pimples about—Flu-ac.

SCIATIC NERVE, sciatica—
97. 98. Sele. Sep.

ascending pain—Led. Nux-v.

boring—Lach.

deep pain—Kali-bi. Rut.

emaciated parts—Calc-c. Caus.
Plb.

heat, Agg.—Fer. Merc. Vis-a.
Amel.—Ars. Mag-p.

move, must—Bry. Caus.
Lyc. Mag-c. Rhus-t. Zin-val.

numbness, with—Aco. Cham.
Gnap.

SCIATIC NERVE

shootings—Aco. Colo. Iris.
Mag-c.

sitting, Agg.—Am-m. Bell.
Hypr. Indm. Lept.

sprained, Agg.—Tell.

touch, Agg.—Chin. Cof. Plb.
Vis-a.

wetting, after—Dul. Rhus-t.

SCLERODERMA—Radm.

SCLEROSIS—Plb.

SCLEROTITIS—Thu.

SCOLDING—Cham. Dul. Lyc.
Merc. Mos. Nit-ac. Nux-v.
Sep. Sil. Stap.

SCOOPED OUT—Thu. Vario.

SCORBUTUS—43. Kali-m.

SCORCHED—32. See Burnt.

SCRATCHING—28. 43. Sang.

SCRAWNY—Calc-p. Nux-m.
Sec-c.

SCREAMS—53. Jal.

night, at—Kre.

touch, on—Kali-c. Rut.

urinating—Lyc. Sars.

SCREWED TOGETHER—Colo.
Sars.

Comp. Compression.

SCROFULA, Psora of child-
hood—43.

erethistic—Calc-p. Psor. Tub.

torpid—Calc-c. Sul.

SCROTUM, bluish—Pul.

excoriated—Polyg. Sil.

moist—Cinb.

œdema—Flu-ac.

scaly—Calc-c.

spots—Sil.

SCURFS—101. Kre.

- SEA AIR, Amel.—Brom. Med.
- SEASICKNESS—29 43.
- SEASONS, change of—20.
- SECRETIONS—43. 44. Tab.
See Discharges.
- SEDENTARY—28.
- SELF, selfish, etc.—Senec.
reproaches—Kali-bro. Stram.
torture—Aco. Ars. Bell. Lil-t.
Plb. Tarn. Tub.
- SEMEN, bloody—Flu-ac. Lyc.
hot—Calc-c. Tarn.
painful—Cann-s. Canth. Sabal.
watery—Sele. Sul.
- SENILITY—41. Sumb.
- SENSES—44.
blunted—Hell. Laur.
special—Asar. Cimi.
vanishing, as if—Alu. Calc-c.
Cann. Carb-a. Cup. Plat.
Stram. Comp. Faint.
pains, from—Plb.
- SENSITIVE, susceptible, etc.—
44. Coc-c. Croc. Mang. Pæon.
Sul-io. Tarn. Tell. Terb. Tub.
- SENSORIUM, depressed—Bap.
Hell. Pho-ac. Pyro. Rhus-t.
- SENTIMENTAL—See Reverie.
- SEPARATED—44. 57. Agar.
Coccl. Daph. Hypr. Sabi.
Ver-a.
- SEPSIS—92. Echi. Merc-cy.
Tarn. Terb. Ver-a. Ver-v.
- SEROUS MEMBRANES — 40.
Seneg.
- SEWING—22.
- SEXUAL—85.
appetite, decreased, etc.—Sabal.
increased—Murx. Orig.
disturbances—85.
- SEXUAL
excitement—Bur-p. Manc. Orig.
Sumb. Zin.
menses, before—Calc-p. Pho.
Ver-a.
during—Canth. Hyo. Lach.
Plat. Pul.
after—Kali-p.
exhaustion—20. Lyc. Stap.
minded—Sep. Stap.
orgasms—Stan.
touch, mere, Agg.—Jon. Grat.
Nat-c. Plat.
urge, futile—Stap.
- SHADE—See Twilight.
- SHAKING, Agg.—24.
- SHALLOW—48. 86.
- SHARP, pressure—Ign.
See Cutting, Fear.
- SHATTERED—44.
- SHAVING—28. Pho-ac. Radm.
- SHIFTING—48. See Wandering.
suddenly—Amb. Colch. Radm.
- SHINGLES—100. See Zoster.
- SHINY—37. See Glistening.
- SHOCK—31. 39. 44. 56. Stro.
Zin-chr.
mental—38. Aco. Arn.
nervous—Aco. Am-c. Arn.
Cam. Cof. Gel. Hyo. Ign.
surgical—Aco. Cam. Stro.
- SHOCKS, as of—44. Pod. Thu.
Val.
- SHOOTING—44. Hypr. Kali-bi.
Mag-c. Pæon. Plb. Ran-b.
Sabi. Xantx.
laming pain—Colch. Iris.
- SHORT—44. Am-m. Dig. Merc.
- SHOULDERS—95. Fer-p. Rum.
(l). Stic. (r).
cold—Vio-o.

SHOULDERS

cough, Agg.—Rum. (l).
 heavy — Anac. Chin. Pho.
 Rhus-t.
 higher, as if — Hell. (l).
 Merc. (l).
 night, Agg.—Flu-ac. Sang. Ust.
 uneasy—Asclp.

SHREDDY—81. Merc. Phyt.

SHRIEKS—53. Comp. Cries.

SHRIVELLED—102. Bor.

See Withered.

SHUDDERING, shivers — 44.
 Ars. Cham. Cimi. Dios. Hell.
 Hypr. Mos. Phys. Ran-b.
 Rhe. Thu. Zin.

emotions, Agg.—Asar.

SHY—49. 54.

SICK, feeling—38. Cimi. Lach.
 Lob. Petr. Psor. Sang. Serp.
 Tab. Tarx.

SICK, says, is not—Arn. Iod.
 Op. Comp. Nothing.

SICKLY, delicate—34. 67. Mar-v.
 Psor.

SIDE, alternating—30. 63. 67. 89.
 90. 91. Radm.

left—44. Mag-s.

to right—Ars.

one—44. Mez.

right—44. Kalm. Naj.

to left—Saba. Syph. Verat-a.

uppermost, Agg.—Bry. Grap.
 Ign. Rhus-t.

SIGHING—53. 87. Apoc.

SIGHT of knives, Agg.—Alum.
 Plat.

SILENT—53. 54. Kali-m.

SILLY—51.

SINGING—28. 53. Fer-p. Sang.

SINGLE PARTS, in—Plb.

SINKING, falling, etc.—36. 44.
 77. Cup. Glo. Hyd-ac. Laur.
 Ver-a.

SITTING, Agg.—26. 27.

desires—44. Caps. Coccl. Lil-t.
 Merc. Stan.

hands, support body — Berb.
 Sul.

SIZE—See Proportion.

SKIN—47. 98. 99. 100. 101. 102.
 Amb. Ran-b. Ran-sc. Saba.
 Sara. Thu. Thy. Ust. Vio-o.
 Vio-t.

acne—Grap.

alternating with—Ant-c. Ars.
 Calad. Grap. Hep. Stap. Sul.

biting—Syph.

black and blue spots—99.
 Colch. Led. Sec-c.

bleeds on scratching—Aru-t.
 Lyc. Psor.

blotchy—40. Sep.

bluish—31. Sul.

affected parts—Lach.

injury from—Arn. Bell. Con.
 Lach. Pul. Sul-ac.

branny—Calc-p. Thy. Sanic.

brown (spots)—31. 32. Crot-h.
 Sanic.

burning, heats, etc.—Aco. Ars.
 Bell. Flu-ac. Lach. Radm.
 Sul. Terb. Ust.

burnt, scorched, as if—32.

Ars. Canth. Ran-b.

chapped—33. Rat.

clammy—Æth.

cold—Kali-n. Med. Ver-a.

Agg.—Agar. Hep. Lac-d.
 Petr. Psor. Rhus-t.

bathing, Agg.—Ant-e. Thu.

SKIN

and dry—Cam. Nux-m.
 icy—415. Tab.
 crawling like a bug or worm
 under—Calc-c. Cocain. Cenan.
 Stram. Vario.
 dirty — 66. 99. Fer-pic. Petr.
 Psor. Sul.
 dusky—Ars-io. Calc-p. Merc.
 edges—Grap. Hep. Nat-p. Nit-
 ac. Petr. Psor. Sul.
 itching—Amb. Caus. Petr.
 exhalations, foul—Stram.
 flexures—100. Ol-an. Sele.
 fragile—31. Petr.
 hairy—Med. Thu.
 hard—37. Petr. Sars. Sep.
 heal, won't, suppurates, un-
 healthy—Ant-c. Hep. Mez.
 Sil. Sul. Thu.
 Comp. Suppuration, 46.
 hot—Ust.
 indented—Ap. Ars. Bov. Caps.
 Pho. Ver-a.
 internal symptoms, alternating
 with—Ars. Crot-t. Rhus-t.
 irritable—Radm.
 loose—Carb-an.
 menses, Agg.—Grap. Sep.
 mottled—Ail. Lach. Pul. Sul.
 nodes, under—Alu. Mag-c.
 numb, insensible—Anac. Arg-
 n. Sec-c.
 painful, cold, to—Agar. Aur.
 Plb. Rhus-t.
 parchment like—Petr.
 prickling, tingling—Kali-c.
 quivering, twitching — Mang.
 Pho. Sec-c. Tab.

SKIN

rough, ragged—Calend. Flu-ac.
 Nit-ac. Petr. Psor. Sep. Sul.
 Tub.
 scaly, scurfy—34. 101. Manc.
 Med. Nat-c. Nit-ac. Thyр.
 sensitive, painful — Coc - c.
 Mang. Plan. Tub.
 soft—Caps. Kali-c. Thu.
 soggy, wilted—Rum. Sil.
 spots, blue — 31. Agar. Pho.
 Sep. Vip.
 brown—31. 32. Lach. Merc.
 coppery—33. Lach.
 pigmented—Iod. Lyc. Sep.
 red—Merc. Pic-ac. Rhus-t.
 blood—Cor-r.
 wine—Sep.
 stinging—Ther.
 swelled—Syph.
 swellings on—Ant-c. Arg. Ars.
 Bar-c. Grap. Thu.
 tanned—Tub.
 tense—Cact.
 thick—Petr. Radm.
 washing, bathing, Agg.—Ars.
 Sul.
 wind, Agg.—30. Psor.
 wine colored—Sep.
 wrinkled, shrivelled—Abro.
 yellow—49.
 SKULL, painful—Mez.
 SLEEP—28. 102. 103.
 Amel.—28. Med.
 answers, then sleeps at once—
 Bap. Hep.
 broken—Zin.
 can't fall to—Laur. Pho.

SLEEP

- catnaps—103. Op.
 cries out in — Bor. Hyo. Lye.
 Rhe.
 day, by night wakeful—Fer.
 Mos. Op. Pho-ac. Rhus-t.
 during, Agg.—Op.
 falling to, on—28. Merc-p-r.
 Samb.
 dreams awake—Bell. Lach.
 Sil. Sul.
 jerks on falling to—Ars. Bell.
 Ign. Nit-ac. Op. Sep.
 during—Carb-v. Dig. Kali-c.
 Op. Rhe.
 laughter, during—Lyc.
 light, hears every sound—Aco.
 Alu. Am-c. Ars. Ign. Lach.
 Merc. Pho.
 loss of—28. Carb-v.
 pains, during—Ars. Aur. Bell.
 Carb-a. Cham. Grap. Lyc.
 Merc. Nit-ac. Sul. Sul-ac. Til.
 sings in—Sul.
 soporous—102. 104. Stram.
 unrefreshing — Lach. Mag-c.
 Rhus-t. Zin.
 waking from and on falling
 both Agg.—Stan.
 whining in—Rhe.
- SLEEPINESS**—102. Clem.
 by day—Pho.
 exertion, Agg.—Sele.
 lying on side—Thu. (l).
 menses, with—Mag-c.
 absent—Senec.
 migraine then—Sul.
 pneumonia, in—Ant-t. Chel.
 Op. Pho.
 stool, after—Æth.

SLEEPINESS

- sudden—Rum.
- SLEEPLESS**—103. Ox-ac. Zin-
 val.
 after 3 A. M.—Nux-v. Sep.
 drunkards—Lach. Op.
 excitement, nervous, Agg.—
 Calc-c. Cof. Hyo. Mar-v.
 Nux-v.
 exhaustion, Agg. — Avena.
 Coca. Coccl. Cof.
 heart symptoms—Cratæ.
 lying on side—Card-m. (l).
 Thu. (l).
 restless, from—Aco. Iod.
- SLIDES DOWN**, in bed—45.
 Hyo.
- SLIMY**—43. Merc-d. Pho-ac.
- SLOUGH**—42.
- SLOVENLY**, slouchy, shabby—
 52. Coca. Kali-bi. Sil.
- SLOW**, sluggish — 52. 53. Kali-
 bi. Kali-m. Old. Onos. Plb.
- SLY**—Tarn.
- SMALL**—62. Berb. Carb-v. Cyc.
 Nat-c.
- SMALLER**, seems—Agar. Cact.
 Tab.
- SMALL POX** — Ant-t. Ars.
 Bap. Merc. Rhus-t. Sul. Thu.
 Vario.
- SMARTING** — 42. 45. Berb.
 Polyg. Stap.
- SMELL**—64. 65.
 acute—Saba.
 and taste, lost—65. Anac. Crot-
 t. Jus. Mag-m. Nat-m. Pul.
 Sil.
- SMOKE**—28. 48. 87. Pho.
- SMOOTH**—Alu. Pho. Terb.
- SNAKES**, imagines—Jac-c. Tub.

SNAPPISH—Lil-t.

SNEEZING—28. 65. Ign. Seneg.
Squ.

abortive—Nux-v.

odors, Agg.—Pho.

persistent—Cyc. Saba. Sang.

violent—Agar. Nux-v.

SNEEZING, Agg. least uncover-
ing—Nux-v. Pyro. Rhus-t. Sil.

SNOW AIR—Mag-m.

SNUFFLING — Kali-bi. Med.
Osm. Samb. Vib.

SOLES—98.

ache—Zin-ar.

burn—Psor. Sanic.

cramp—Calc-c. Cup. Sul.
Ver-v.

itch—Cimi. Tarn.

pains in—Kali-p.

pressure, Amel.—Zin-ar.

tender—Ant-c. Calc-c. Led.
Med. Nat-c. Thu.

vesicles—Nat-c. Nat-s.

SOMNAMBULISM—103.

SOOTY—64. 66.

SORE—45. Ham. Hypr. Kali-m.
Lap. Ol-an. Onos. Plan. Pyro.
Terb. Til.bruised—39. Chio. Kalm. Mill.
Pyro.pains, after—Aco. Arn. Grap.
Onos. Plat. Sele. Tell.SOUR—45. Iris. Kali-c. Kob.
Lap. Lith-c. Nat-s. Ox-ac.
Pho-ac. Rob. Tarx.

bitter—Iris. Nux-v.

kraut, Agg.—23. Lyc. Pul.

SPARKS—Lyc. Sec-c.

SPASM—45. Castr. Med. Mill.
Strop. Tarn. Verb. Vib. Zin-
val.

SPASM

clonic and tonic alternately—
Ign. Mos.degenerative — Aur-m. Pho.
Zin-ph.dention, Agg.—Calc-c. Cham.
Gel. Zin.pain, Agg.—Bell. Colo. Ign.
Kali-c. Lyc. Nux-v.

uræmic—Ap. Ars. Ver-v.

worms—Art-v. Cic. Cina. Ind.

SPEECH, speaking, etc.—28. 45.
89. Arg-n. Coll. Kali-in.
Merc-c.

babbling—Lyc.

jerky—Agar.

lost—Caus. Laur. Onos. Stram.
thick—Agar. Caus. Dul. Gel.
Lach.

SPERMATIC CORD—84. Ham.

abdomen to—Rhod.

burns—Pul.

sore—Ham. Kali-c. Ox-ac.
Phyt.

thigh to—Rhod.

SPHINCTERS—Sil. Stap.

SPINE—94. 95. Par. Ther. Val.
Vario. Comp. Back.burning, heat, etc.—Alu. Coccl.
Phys. Tab.

congested—Gel.

cracking—Sec-c.

cutting, up—Nat-s. Polyg.

descending—Pic-ac. Tab. Tell.

eructations, Amel.—Zin.

hot iron—Aln. Buf. Cam.

icy needles in—Agar. Coccl.

injuries—Con. Hypr. Sil. Zin.

sensitive—Chin-s. Lach. Nat-m.
Pho. Ther. Zin.

SPINE

sexual excesses, Agg.—Calc-c.
Croc.

spots, in—Agar.

standing, Agg.—Zin.

tickling—Sumb.

up and down—Gel. Phyt.

SPITEFUL—53.

SPITTING—Ant-t. Bar-c. Lys.
Stram. Tab. Zin-chr.

SPLASHING—46.

SPLEEN—78. Ars. Cean. Helian.
Kali-bi. Polym. Rut. Squ.

SPLINTER—36. 71. Agar.
Pæon. Rat. Thu.

SPLITTING—32.

SPOKEN TO, addressed, Agg.
—Cham.

SPOTS—45. Glo. Lyc. Ol-j. OX-
ac. Ran-b. Sara.

cold—Calc-p. Petr. Sep. Tarn.
moist—Petr.

painful, sore—Glo. Kali-bi.
Merc. Pho. Sul.

SPRAINED—28. Carb-an. Onos.

SPRING—28.

SQUEEZING, cramp—33.34. Stap.

SQUINT—61.

SQUIRMS—Val.

STAINS, fast—43. Carb-ac. Lach.
Mag-e. Mag-p. Med. Pulex.
Thu. Vib.

yellow—Bell. Carb-an. Grap.
Lach. Merc. Sele.

STAMMERING—89. Agar. Caus.
Coccl. Merc.

STANDING, on head—27. Glo.

STARTLED—44. See Sensitive.

STARTS—39. 103.

pain, Agg.—Arg-n. Lyc.

STEPPING, backward—40.

hard—24.

high—Agar. Bell. Carb-v.

Merc. Nat-m. Onos. Rhus-t.

STERILITY—85.

STERNUM, back to—Kali-bi.
Kali-io. Merc-sul.

twisting—Pho-ac.

under—Am-c. Aur. Calc-c.
Caus. Cham. Gel. Iod. Pho.
Rhus-t. Rum. Sang.

heaviness—Aur.

lump—Ab-n. Aur. Bur-p. Chin.
Echi. Gel. Pho. Pul. Si¹.

STERTOR—Op.

STICKY, stringy—45. 71. Ant-t.
Lap. Mez. Osm. Plat.

STIFF—45. Ign. Kalm. Onos.
Rat. Stic. Sul-ac. Terb.

cramp from—Ver-a.

pain, Agg.—Nit-ac.

STIFFENS OUT—45. Cham.
Jus. Pho.

STIFLING—46.

STINGING—45. 57. Bry. Merc.
Sabal. Ther. Zin.

smarting—Stap.

STINGS—Ap. Hypr. Latro. Led.
Pulex.

STITCHES—45. 46. Kali-m.
Strop. Symp. Zin-chr.

sides, loins, etc.—Abro. Aco.
Bry. Chel. (r). Kali-c. (r).
Nat-s. (r). Pul. Ran-b. Sang.
Sul.

STOMACH—76.

anxiety, emotions—Colo. Ign.
Kali-c. Mez. Nat-m. Tarn.

backward—Berb. Bism.

chest to—Nux-v.

STOMACH

cramp, squeezing, etc.—Kre.
 Rob. .
 cutting—Rat.
 digestion, disordered—Carb-v.
 drinks, Agg.—Rhod.
 dryness in—Calad.
 eating, Amel.—77. Chel. Grap.
 Petr.
 no relief—77. Carb-an.
 empty, weak—Sul-ac.
 at 11 A. M.—Ign. Petr. Pho.
 Sep. Sul.
 enlarged—Bar-c. Sil.
 extending to—Bism. Colch.
 Dul. Kali-bi. Lap.
 fever, Agg.—Ip. Ver-v.
 from, as if—88.
 gnawing—Colo.
 eating, Amel.—Anac. Kali-p.
 griping—Rat.
 heavy, weight, oppression, etc.
 —Bry.
 ice—Aco. Caus.
 inflamed—Merc-c.
 lump—Ab-n. Arn. Bov. Nux-m.
 Osm. Pul.
 lying, side, Amel.—Squ. (l).
 milk, Amel.—Grap. Merc. Mez.
 overloading, Agg. — Nux-v.
 Stap.
 plug—Chel.
 raw—Carb-v. Nux-v.
 reflexes—Ol-an.
 shoulder to—Sang. (r).
 sour—75. Caps. Carb-v. Rob.
 Sep. Sul-ac.
 spine to—Arn. Ver-v.
 spot in—Arg-n. Bar-c. Bism.
 Kali-bi. Lyc.

STOMACH

stitches, worse from motion—
 Bry. Spi.
 stones in — 77. Ant-t. Buf.
 Coccl. Hyds. (sharp). Manc.
 Naj. Nux-m. Osm.
 stool, Agg.—Sul-ac.
 sweat on—Bell. Bor.
 throbbing—Nat-m. Ol-an.
 trembling—Sang.
 upward from—Kali-m. Pho.
 STONECUTTERS (phthisis)—
 Calc-c. Lyc. Sil.
 STOOL, diarrhoea, etc.—80.81.82.
 acrid—Arn. Scop.
 destroys hair—Coll.
 alternate days, on—Calc-c.
 Coccl. Con. Kali-c. Nat-m.
 ashy—Merc. Pod.
 balls, of—Op. Pyro. Sanic.
 Syph.
 bilious — Cham. Merc. Pul.
 Ver-a.
 black—Op. Thu.
 foul and — Chio. Crot-h.
 Lept.
 bladder, symptoms with —
 Merc-c.
 blood only—38. Aco. Alu. Erig.
 Merc-c. Rhus-t.
 bloody—Colch. Fer-p. (water).
 Merc-c. (water). Pho.
 blue—Bap. Pho.
 breakfast, Agg.—Nat-s. Thu.
 bright—Sul-io.
 brown gushes—Ast-r. Kali-bi.
 burning, hot—Ars. Gamb. Iris.
 Scop. Strop.
 chopped—81.
 cold—Cub.
 colds, Agg.—Calc-c. Rum. Tub.

STOOL

colors, several—Æsc. Colch.
Euon. Kali-p. Menis. Sul.
Zin-cy.

crumbling—Am-m. Mag-m.
Nat-m. Sanic.

curdled, cheesy—Iod. Tab.

dark—Kali-n. Stram.

debility none—Calc-c. Pho-ac.

diarrhea, then rheumatism—
Dul.

difficult, altho' soft—Ign. Plat.
Psor.

dirty white—Pho-ac.

diuresis, with—Mag-s.

drinking, Agg.—Arg-n. Ars.

Crot-t. Pho. Rhus-t.

dropsy, with—Apoc.

early morning — Rum. Sul.
Tub.

rising, after—Lil-t. Nat-s.

eating, Agg.—Ars. Chin. Pod.
eggs, like bad—Cham.

flatulent, gassy, noisy, splut-
tering — Arg-n. Colo. Fer.
Gamb. Nat-s. Nux-m. Strop.
Thu. Thy. Tub.

fatus, passing, Agg.—Ars-io.
Caus. Mur-ac.

floats—Colch. Mag-c. Saba.

flocculent—Kali-m.

foamy—36. Arn. Form. Kali-bi.
Mag-c. Merc. Pod. Sul.

fluent coryza, with—Calc-c.
Canth. Cham. Chin. Colo.
Iod. Lach. Mag-c. Merc.
Op. Rhus-t. Rut. Sul.
Sul-ac.

gushes—Chin. Crot-t. Elat.

foul, putrid—41. Calc-fl. Grap.
Pod. Psor.

STOOL

gelatinous—36. Alo. Colch. Kali-
bi.

glistens — Alo. Alu. Calc-c.
Caus. Mez.

particles—Cina. Mez. Pho.

granular, sandy—37. Ap. Cub.
Lac-c. Lyc. Pho. Plb. Pod.
Sars. Zin.

gray—37. Pho-ac. Stil.

green—37. Gel. (tea). Thu.
(grass).

dark—Ars.

scum — Asclp. Bry. Grat.
Mag-c. Merc. Sanic.

turns—Arg-n. Bor. Calc-fl.
Nat-s. Psor. Rhe. Sanic.

gurgles out—Alo. Gamb. Thu.

gushing—37. Psor.

hacked—Aco. Nat-p.

heavy—Sanic.

holds back—Nit-ac. Sil. Sul.
Thu.

impacted — Calc-c. Nat-m.
Sanic. Sele. Sep. Sil.

involuntary—Thu.

urinating, on—Ap. Mur-ac.

lumpy—81. Sele. Thu. Ver-a.

mealy—Pod. Stro.

menses, Agg.—Bov. Colo. Pho.
Pho-ac. Sec-c. Sul. Ver-a.

milk, Agg.—Nat-c. Sep.

milky—Tab.

misshapen, angular, square, etc.
—Plb. Sanic. Sele.

mucus—Soli. Spi.

after—Bry. Sep. Thu.

coated—Nat-m.

green—Aco. Arg-n. Cham.
Gamb. Iris. Merc.

STOOL

lumps—Ip. Mag-c.
 muddy, dirty water, etc.—Ars.
 Bro. Fer-p. Jal. Ox-ac. Pho-
 ac. Pod.
 mushy—Bry. (yellow). Onos.
 Sul.
 musty—Colo.
 nervous—80. Pho.
 nightly—Rhus-t. Stro.
 odorless—Ver-a.
 oily—37. Asclp. Dul. Iris.
 Mag-c. Nat-s. Tarn.
 orange, tomato sauce, etc., like
 —Ap. Nat-c.
 pain, long after—Æsc. Nit-ac.
 Peon. Rat.
 painless—Bap. Pod.
 penetrating odor—Pod. Psor.
 Stram.
 periodical—Stro.
 peristalsis, inactive—Bry. Nux-
 v. Op. Thu.
 phthisis—Kali-io.
 pops out—Thu.
 putty like—Dig. Plat.
 receding—Mag-m. Op. Sanic.
 Sil Thu.
 red—Chel. Sul.
 removed, must be—Lyc. Nat-
 m. Plat. Sanic. Sele. Sep. Sil.
 rice water—Ars. Cana. Jat.
 Ver-a.
 rising, after—Bry. Nat-s.
 rumbling, with—Colo. Strop.
 running thro' diaper—Benz-ac.
 Pod.
 sago, like—Colch. Pho.
 sand in—Lyc. Sara.
 scum of—Mag-c.

STOOL

sheep dung—81. Chel. Nat-m.
 Thu.
 shreddy—Carb-ac. Colch. Colo.
 standing, Amel.—Alu. Caus.
 starch, like—Arg-n. Bor.
 sticky—Bry. Chel. Lach. Plat.
 Rhus-t. Sul.
 strain, must—Alu. Chin. Nat-
 m. Nux-v. Rat. Sil.
 stringy, tough—Colch. Lept.
 Pho.
 suds, like—Benz-ac. Colch.
 Elat. Glo. Iod. Sul.
 summer, Agg.—Bry. Pod.
 tarry—Chio. Lept. Phys. Ptel.
 tearing anus—Mez. Nat-m.
 triangular—Nat-m. Plb. Sanic.
 Sep.
 undigested—81. Calc-p. Grap.
 Pho.
 brown—Kre. Psor.
 unsatisfactory—Alu. Grap.
 Lyc. Mag-m. Merc-c. Sep.
 Sul.
 urging, cramp—Plb.
 flatus only, passes—Alo.
 fruitless—Nux-v.
 in sleep—Phyt.
 urinating, when—Alo. Ap.
 Mur-ac.
 watery—Tub.
 waxy—Kali-bl. Lept.
 white—Tarx.
 yellow—81. 83. Nuph.
 bright—Gamb. Nux-m. Sul-
 io.
 water—Gamb. Pod.
 STOOPING—27. 36.
 STORMS, Agg.—20.
 after, Agg.—Calc-p. Rhus-r.

- STOVE heat, Amel.—Bov. Hep. Lach.
- STRAINING—42.
- STRANGE—50.
- STRANGERS, Agg.—21.
See Company.
- STRANGLING—46. Val.
- STRANGURY—Canth. Terb.
- STREAKS—38. 61. 101. 102. Bell.
Caus. Ox-ac. Pyro.
Comp. Linear.
- STREPTOCOCCUS infection—
Arn.
- STRETCHING—27. 28. 29. 46.
Agg.—Radm.
with chill—Fer-p.
- STRICTURE—33. 84. Flu-ac.
- STRINGY—38. 45. Coc-c. Graph.
Kali-bi. Phyt. Sul-ac. Ust.
- STROPHULUS—102.
- STUBBORN—53. Ant-c. Cina.
- STUFFED UP—Coc-c. Spo.
- STUMP painful—Hypr.
- STUNNING—Flu-ac.
- STUPID—51. 58.
- STYES—60. Calc-fl. Kre. Sil.
- SUBSULTUS—See Twitching.
- SUCKLING, Agg.—Calc-c. Calc-p. Kali-bi. Pho-ac. Pul. Sul.
- SUDDEN—Aco. Ap. Ars. Bell. Colo. Cup. Hyd-ac. Mag-c. Mag-p. Nat-s. Tab. Taru-c. Ver-a.
changing about—Berb. Cimi. Dios.
- SUICIDAL—53.
- SULCI—40.
- SULLEN—52.
- SUMMER—28. Dul.
- SUN—24. 29.
light, Agg. — Ant-c. Bell.
Euphr. Glo. Nat-c. Sele.
Amel.—Thu.
pains—38.
- SUNBURN—Cam.
- SUNSET, Agg.—Merc. Phyt. Syph.
Amel.—Med. Sele.
to sunrise—Colch. Syph.
- SUNSTROKE—Aco. Bell. Glo. Hyo. Nat-c. Nux-v. Ver-v.
Comp. Heat Exhaustion.
- SUPPORT, Amel.—Fer. Kali-c. Nat-c. Nat-m. Pho-ac. Sep.
- SUPPRESSION—41. 82. 86. 100.
Mez. Stram. Thu. Ver-a.
Comp. Discharges, Amel., 21.
- SUPPURATION, abscess—46. 78. 84. Calend. Echi. Rhus-t. Sul-io. Syph.
chronic—Sul.
deep—Caps. Tarn.
impending, suppressed, etc.—
Ars. Bell. Calc-c. Hep. Kre. Lach. Lyc. Merc. Sil.
slow—Merc.
- SURGINGS—See Waves.
- SUSPENDED—37.
- SUSPICIOUS—53. Nat-s.
- SUTURES—See Fontanelles.
- SWALLOWING—29. 71. Caus. Cina. Hyd-ac. Laur. Mep. Sul-io. Comp. Throat.
Amel.—Alu. Mang. Nux-v. Pul.
drink, must — Bar-c. Bell. Calad. Nat-c.
empty—29. Nux-v. Pul. Saba.

SWALLOWING

liquids, Agg.—Bro. Ign.
 Amel.—Alu. Nit-ac. Nux-v.
 warm, Amel.—Alu. Nux-v.
 noisy—71. Arn. Ars. Cup. Hell.
 Hyd-ac. Laur. Pho. Thu.
 painful — Ars. Bell. Canth.
 Lac-c. Lach. Merc-c. Phyt.
 Sul-io.
 painless—Ap. Carb-ac.
 sleep, in—Calc-c. Cina.
 solids, Agg.—Bap. Sil.
 Amel. — Bro. Hyo. Ign.
 Lach. Merc-cy. Rhus-t.
 strangling—Ant-t. Dig.

SWASHING—46. Nat-m.

SWAYING—29. Kre.

SWEAT, also easy—104. Med.
 Merc-cy. Tub.

Corrip. Moistness.

acid—Tarn.
 Agg.—29. Til.
 Amel.—Bap. Canth. Cup. Iod.
 Psor. Comp. Discharges, 21.
 chill, alternating with—Ars.
 Chin. Mez. Nux-v. Spi.
 followed by—Carb-v. Hep.
 Nux-v.
 chill, with—Tab.
 clammy — Lye. Merc. Pho.
 Ver-v.
 cold—Castr. Dros.
 cough, Agg.—Ant-t. Ver-a.
 colds, from—Nit-ac.
 company, Agg.—Thu.
 coughing, Agg.—Carb-v. Hep.
 Tub
 debilitating—Calc-p.
 Comp. Discharges, 21.

SWEAT

gushing—Amy-n. Jab. Merc-
 cy. Nat-c. Tab. Thu.
 heart symptoms, with—Spo.
 hot, burning—Sang.
 lying on r. side, Agg.—Lach.
 menses, Agg.—Grap. Nux-v.
 Ver-a.
 motion, Agg.—Merc-c.
 musty—Thu. Thyi.
 nervous—Jab. Rhus-t.
 night—395. Calc-c. Hep. Kali-c.
 Merc. Petr. Pru-s. Samb. Sil.
 offensive — 41. Bap. Bar-c.
 Merc. Petr. Stap. Sul. Vario.
 oily—37. Merc. Thyx.
 onions, garlic, etc., like—Art-v.
 Bov. Kali-p. Lye.
 pain, Agg. — Cham. Merc.
 Rhus-t.
 partial—Merc-c.
 parts, bare, on—Thu.
 upper—Calc-c. Tub.
 profuse, drenching—Calc-hyp.
 Chin. Coca. Jab. Pho-ac. Sil.
 Sul-ac. Tarn. Thyx. Til.
 prolonged—Merc.
 relief, no—29. Benz-ac. Chel.
 Dig. Hep. Pho. Pyro. Tarn-c.
 Sal-ac. Tub.
 salty deposit—Nat-m. Sele.
 scanty—Alu. Grap.
 See Dryness.
 spots, in—Merc. Petr. Tell.
 steaming—Psor.
 sticky—Kali-bi. Lye.
 stiffens, hose, linen—Nat-m.
 Sele.
 stool, Agg.—Nat-c. Plb. Ver-a.
 upper parts—Calc-c. Sil.

SWEAT

urinous—Canth. Nit-ac.
washing, Amel.—Thu.

SWEETISH—Thu.**SWELLING**—46. 60.

absent, in affected or inflamed
parts—Ars. Cam. Carb-v.
Con. Laur. Op. Pho-ac. Sul.

baggy—Ap. Ars. Kali-c.

feeling, large, as if—46. 61. Coll.
Op. Sanic.

hard—Ars. Bell. Hep. Lach.
Merc. Pul. Sil.

receding—Ars. Calc-c. Hep.
Kre. Lach. Lyc. Merc. Sep.
Sil.

SWINGING—29. Thu.**SYCOISIS**—37. 46.

suppressed—Merc. Nit-ac. Stap.
Thu.

SYMMETRICAL—Arn. Kali-io.**SYMPATHY**—24.

SYMPTOM groups, recurring—
325. Anac. Caus. Cham. Coccl.
Ct.p. Pib. Sil.

SYNALGIAS—Ap. Tarn.

SYPHILIS—46. Aur. Iod. Kali-
bi. Kali-io. Nit-ac. Phyt.

phagedenic — Ars. Merc-p-r.
Nit-ac.

TACITURN—53. 54. Coccl.**TALK**—28. 29. Seneg.

can't—89. Dig. Pho. Stan. Sul.

fast—Bell.

must—Frax. Stic.

troubles, of her—Arg-n. Mag-p.

TARRY—43. 80. Mag-m.**TARSI**—60.

eczema—Tub.

inflamm—Grap. Mag-m, Fotu.

TARSI

itching—Calc-c. Saba.

pustules—Ant-c.

red—Euphr. Sep. Sul.

scaly—Grap. Mag-m. Med.

thick—Tell.

TASTE—72. 73.

astringent—Hyd-ac.

bad, to water—Pul.

bitter—Nat-s. Pod. Soli.

sour—Arg-n. Asar. Cup. Lyc.
Merc. Nux-v. Pho. Stan.

cheesy—Sep.

coughing, Agg.—Lach. Nux-v.
Sang.

fishy—Sep.

greasy—Iris. Kali-p. Petr. Pul.
Tril.

metallic, coppery, etc.—Iod.
Kali-bi. Seneg. Thy. Vario.
Zin-chr.

musty—Mar-v. Stap.

peppery—Lach. Radm.

putrid, filthy — Psor. Syph.
Vario.

salty—Con. Kali-io.

sour—Zin-val.

salty—Cup.

sweet—Calad. Iris. Lil-t.

woody—Rut.

TEARING—46.

TEARS—61. Colch. Ip. Kali-p.

hot—Phyt. Rhus-t.

itching, causing—Ars. Senec.

music, Agg.—Grap.

pains—Ban-b.

thick—Tarm

vartish mark, leave—Euphr.
Grap. Nat-m. Petr. Rhus-t.
Thu.

TEETH—68. Plan.

abscessed roots—Calc-c. Hep.
 Kre. Phq. Sil. Stap.
 acids, Agg.—Mur-ac.
 air, Agg.—Rat. Tub.
 biting, Amel.—Caus. Mur-ac.
 Ol-an. Phyt. Pod.
 black—Merc. Stap.
 blunt—Mez. Ran-ac. Rob. Sul-
 ac.
 chatter—Nux-v.
 clenching—Merc-i-f. Phyt.
 coated, as if—Colch. Dio. Pho.
 cold, Agg.—Rhod.
 Amel.—Cof. Pul.
 colds, Agg.—Mag-c.
 crumbling—Plan.
 decay at roots—Flu-ac.
 on sides—Thu.
 dentition—Calc-c. Calc-p. Cham.
 Rhe. Sul. Tub.
 ears, head, etc., to—Merc.
 eating, Amel.—Ign.
 edge, on—Calc-c. Chio. Dig.
 Lyc. Merc-i-f. Rob.
 of gums, at—Am-c. Calc-c.
 Flu-ac. Mez. Syph. Thu.
 heavy—Flu-ac. Ver-a.
 ice water, Amel.—Clem. Cof.
 Fer.
 incisors—Pho.
 into, pains go—Chin. Fer.
 Kali-bi. Merc. Mez. Stap. Thu.
 jammed—Lach. Merc-i-f. Tub.
 lying, Agg.—Rat.
 night—Cham. Lyc. Merc. Rat.
 Sul.
 noise, Agg.—Plan.
 pregnancy, Agg.—Chin. Kali-bi.
 Kre. Sep.

TEETH

pulled—Calc-c.
 quivering—Phys.
 rough—Phys.
 sensitive fangs—Gel. Sul.
 smooth, as if—Æsc. Colch.
 Dio. Pho. Sul-io.
 soft—Med.
 sordes—Bry. Pho. Pho-ac.
 sticky—Arg. Crot-h. Eupl.
 Psor. Sang. Syph.
 sweets, Agg.—Mur-ac.
 tartar—Ars. Asclp. Calend.
 Carb-s. Chin. Epip. Merc. Plb.
 Thu.

temples to—Merc.

worm in—Syph.

TEMPER—50.**TEMPERATURE, change—20.**

high—46. Ver-v.
 oscillations of—Chi-ar. Pyro.
 Sal-ac. Ver-v. Zin.
 sweat, with—Ver-v.

**TEMPESTUOUS action—Aco.
 Glo. Tab.****TEMPLES—55.**

biting, Agg.—Zin.
 burning—Colo. Lyc. Mez. Pho.
 heavy—Zin.
 throb—Bell. Glo. Zin-chr.
 twitch—Psor.
 veins—Ars. Cup. Flu-ac. Glo.
 Ham. Pul. Sang. Vip; Zin.

TENACIOUS—See Sticky.**TENDER—See Delicate, 34.****TENDO ACHILLES—97. Kali-
 bi.****TENDONS—See Fibrous Tissue,
 36.**

TENDONS

injured—Anac.
 pains in—Rhus-t. Sabi.
 sheath of—Bry. Iod. Rhus-t.
 tense, short, etc.—Am-m. Caus.
 Grap. Guai. Nat-m. Ol-j.

TENESMUS—42. 79. 83. Erig.

TENSION—40. 47. Kali-m.
 Mag-p. Senec. Stro. Vis-a.

TERROR—Aco. Spo. Stram.

See Fear.

TESTES—84.

alternately—Rhod.
 crushed, as if—Rhod.
 gripe—Psor.
 inflamed—Clem. Ham. Pul.
 mumps, from—Plb. Pul.
 retracted—Sabal.
 soft—Sul-io.
 swelled—Dul. Spo.
 throb—Ox-ac. Spo.

TETANUS—Bell. Cic. Coccl.
 Cup. Hyd-ac. Hyo. Hypr.
 Nux-v. Petr. Stram. Stry. Tab.

TETANY—Calc-c. Plb. Sol-n.

TETTER—100. Vib.

THICK—33. 47. Canth. Grap.
 Kali-m. Merc-cy. Nat-m. Psor.

THIGHS—97.

bone pains—Euphor. Guai. Rut.
 broken—Rut.
 cold—Berb.
 cramp—Ant-t. Chel. Cup. Men.
 outer—Helo.
 pains into—Cham. Stap. Xantz.
 short, as if—Kre.
 sweat, cold—Caps. Spo.
 twitching—Kali-m.

THIGHS

weak—Eup-p. Gel. Lap. Mur-
 ac. Urt-u.

THIN—43. 44. 47. Flu-ac. Mag-m.
 Mur-ac.

THINKING—29.

Agg.—Par.
 of it, Agg.—Arg-n. Colch.
 Lycps. Nux-m. Thyr.
 difficult—54.

THIRST—73. 74.

chill, before—Carb-v. Chin.
 Eup-p.
 much, large drinks, for—Bry.
 Lil-t. Nat-m.
 eats little—Sep. Sul.
 nightly—Calc-c. Cham.

THIRSTLESS—73. Ant-t. Nux-m.
 Pul. Sele.

THREAD—See Fine, 36.

THROAT—70. 71. 72.

alternating sides—Pul.
 apple core, choke pear, etc.—
 Merc. Nit-ac. Phyt. Plan.
 Ver-a.

bitter—Chin. Con. Kre. Pho.
 Sil. Ver-a.

burning, heat in—Cenan. Phyt.
 Ran-b.

choking—Ign. Laur. Strop.

from water—Bap. Bell.
 Canth. Hyo. Stram. Sumb.

clothes; Agg.—Kali-c. Lach.

cold, Agg.—Lob. Manc. Syph.

Amel.—Kali-m. Merc-d.

crawling—Kali-c. Kali-m.

dark—Phyt.

dry—Sul-io. Thyr.

exertion, Agg.—Caus. Lac-c.

full—Arn.

THROAT

speaking, Agg.—Iod.
 glistening—Lac-c.
 grasps the—See *Larynx*.
 gray—Phyt.
 hair in—See *Fine*, 36.
 hanging in, as if—Berb. Lach.
 Merc. Pho. Saba.
 hawks lumps from—Merc. Sep.
 hollow, empty—Calc-p. Flu-ac.
 Iris. Lach. Lob. Phyt. Rum.
 Sanic. Xantx.
 inflamed—Alu. Am-m. Ap.
 Bar-c. Bro. Bry. Caps. Cham.
 Chin. Coccl. Cof. Dul. Hep.
 Ign. Lach. Mang. Merc. Pho.
 Pul. Rhus-t. Sul. Ver-a.
 itching—Aru-t.
 left—Merc-c. Til.
 in A. M.—Cimi. Rhus-t.
 lump, ball, stick—Naj. Physa.
 hot—Lach. Phyt.
 left—Lach. Sil.
 rises and is swallowed again
 —Asaf. Bar-c. Cam. Chel.
 Con. Lach. Spo.
 and sticks—Calc-c. Lyc.
 menses, at—Bar-c. Lac-c.
 Mag-c.
 odor from—Petr.
 offensive pellets from—Lach.
 painful—Lach. Merc-c.
 paralysis—Caus. Coccl. Gel.
 Lach. Pho.
 pressure toward—Asaf.
 puffy—Arg-n. Phyt.
 raw—Radm.
 red, external—89. Bell. Grap.
 Sul. Ver-a.
 scraping, rough—Nux-v.

THROAT

side, right—Syph.
 cold drinks, Amel.—Ap. Calc-
 c. Merc-d. Merc-i-f. Pho.
 Phyt.
 hot, Amel.—Alu. Lyc. Nux-v.
 to left—Ap. Bell. Calc-c.
 Lyc. Merc-i-f.
 left—Merc-c.
 cold, Agg.—Lac-c. Manc.
 Merc-i-r. Rhus-t. Saba. Sil.
 Amel.—Daph. Lach.
 to right — Lach. Merc-i-r.
 Rhus-t. Saba.
 skin in—See *Hanging*.
 smoking, Agg.—Caps.
 soppy—Sul-ac.
 splinter, stick, etc.—36. Alu.
 Arg-n. Hep. Ign. Kali-c. Nat-
 m. Nit-ac. Phyt. Thyr.
 Comp. Fine.
 speaking, Agg. — Aco. Alu.
 Bar-c. Bry. Dul. Ign. Mang.
 Merc. Pho. Rhus-t. Sul.
 Amel.—Hep.
 spot in—71. Caus.
 left, cough, from — Caus.
 Hep. Lach. Rhus-t.
 right, cough, from — Dros.
 Stan. Stic.
 stick, as of a—Nit-ac. Phyt.
 stiff—Mero-i-r.
 swallowing solids, Amel.—Ign.
 sweets, Agg.—Bad. Lach. Spo.
 taste in—Nux-v. Sil.
 tickling—47.
 vapor in—Ap. Fer. Ol-an. Sul.
 washleather—Phyt.
 weak—Lac-c. Stan.
 winter, Agg.

THROATPIT—Ap. Arg. Cham.
Chlor. Hep. Kali-bi. Pho.
Rum. Sang. Sep. Zin-chr.
pressure—Calc-c.

TROBBING — See **Pulsation**.

TROWS things — Colo. Dul.
Stap. Tub.

THRUSTS—31. 47. 56.

THUMBS, clenched — 96. Cup.

THUNDERSTORMS—20.

THYROID—89.

meneses, before, Agg.—Cimi.

TIBIÆ—97. Cinb.

nodes—Calc-f. Sul-io.

pains in—Lach. Phyt. Stil.
Sul-io.

sticking in—Pul.

syphilis — Merc. Phyt. Stil.
Sul-io.

TIC—Ars. Ran-b.

TIGHTNESS—47. Cact.

all over—Cact.

TIME sense—Alu. Cann.

TIMID, anxious and—54.

TINEA OILIARIS—60. Mag-m.

TINGLING—101. Aco. Kalm.
Sec-c.

Comp. Itching.

TIRED—48. See **Weak**.

of life—50. 53.

TO AND FRO—

See **Alternations**.

TOBACCO—23. 73.

TOES—98.

ache—Zin. (tips).

broken—Lach.

cracked—Saba.

cramp—Zin-chr.

TOES

drawn down — Ars. Colch.
Cup. Hyo.

up—Lach.

glistening—Sabi.

gout—Rhod. Sabi.

inflamed—Sabi. (big).

numb, first — Ars. Calc-c.
Cham. Nat-s.

red—Sabi.

swelled—Led. (big).

thighs to—Nux-v. Thal.

tips—Kali-c.

blisters—Nat-c.

tremor—Arn. Mag-c.

vesicles—Sec-c.

TONGUE—69. 70.

aphthæ—Merc. Thu.

bites the—Ign. Vip.

black, blue, etc.—Ars. Carb-
v. Chin. Crot-h. Mos. Gym.
Lept. Merc. Pho. Radm.

broad—Mag-m. Merc.

burning, tip—Caps.

burnt—Aco. Ars. Calc-p. Ign.
Kali-io. Mur-ac. Nat-s. Sang.
tip—Colo.

catches on teeth — Lach.

center, down — Iris. Malan.
Merc-c.

coated, on one side — Daph.

cold — Cam. Iris.

cracked center — Nit-ac. Syph.

crawling — Plat. Sec-c.

dirty — Cean. Chin. Nat-s.

dotted — Ant-t. Bell. Grap.
Stram.

eruption on — Sars.

filmy — Merc-i-f.

TONGUE

flabby—Merc.
 furry—Merc.
 gray—Kali-m.
 green at base — Caps. Chio.
 yellow—Nat-s.
 hair on — Kali-bi. Nat-m.
 Nat-p. Sil.
 heavy — Glo. Kali-bi.
 indurated — Hyds. Merc-d.
 neuralgia—Crot-t. Mang.
 numb—Old.
 oily—Phys.
 painful—Agar. Caps. Thu. (tip).
 palate, sticks to — Kali-p.
 Nux-m.
 patchy—Syph. Tub.
 pointed—Ip.
 protruded — 29. Cup. Vario.
 raw — Carb-v. Nux-v. Sil.
 red, along center—Ver-v.
 edges and tip — Ap. Sul.
 fiery. — Ap. Pyro. Sang.
 triangle at tip — Arg-n.
 Rhus-t. Sep.
 root—Bap. Kali-io. Nat-s.
 sandy—Ap. Cist.
 shrivelled—Chio.
 slimy—Eucal. Pul.
 smooth, glazed — Ap. Lach.
 Pyro. Sul-io. Terb. Tub.
 sore—Pul.
 edge—Ap. Zin.
 stiff — Bell. Merc-i-r. Mur-ac.
 Rhus-t.
 strawberry—Bell. Terb.
 sripe, widens toward tip —
 Calad.
 swelled — Caus. Polyg. Zin.

TONGUE

tickling—Stan.
 tip—Thyr. Zin.
 tremulous—Sul.
 twitching—Castr.
 ulcer, edge, on — Ap. (l).
 Sil. (r). Thu. (r).
 ulcerated — Arg-n. Bap.
 Carb-v. Merc.
 vesicles, edge — Como. Lach.
 tip — Caus. Kali-c. Lyc.
 Nat-c.
 weak—Bar-c. Caus. Con.
 white at base — Kali-m.
 Nat-l. Sep.
 whitewash—Ant-c.
 wrinkled—Merc-i-r.
 yellow—Hyds. Kali-p.
 at base — Merc-i-f. Nat-p.
 Nat-s. Phyt.

TONSILS—70.

chamois, skin, washleather,
 etc.—Phyt. Rhus-t.
 chronicity — Bar-c. Bar-m.
 Bro. Hep. Kali-io. Lyc.
 Mez. Nat-m. Sul-io. Thu.
 foul — Ail. Bap. Lach. Lyc.
 Merc. Nit-ac.
 glisten—Ap. Lac-c.
 gray—Kali-m. Merc-cy.
 indurated — Alu. Bar-c. Phyt.
 menses, at, Agg.—Lac-c.
 red, bright — Aco. Bell. Phyt.
 dark — Æsc. Bap. Carb-
 ac. Lach.
 throb—Am-m. Phyt.
 ulcers, deep—72. Ail.
 behind—Ars. Merc.

TOPERS—23. Caps. Sul-ac

TORN LOOSE—47. Ol-an.

See Adhesive.

TORPID—47. Op. Sil.

TOSSING ABOUT — Aco.
Bell.

TOUCH—29. 44. Syph.

Agg., hard pressure, Amel.—
Bell. Castr. Chin. Ign. Lach.
Nux-v. Plb.

Amel.—29. Sang. Spi. Stap.

each other, Agg.—Lac-c. Sanic.

Comp. Sensitive.

TOUCHY — 54. Aco. Ant-c.
Ant-t. Cham. Cimi. Sanic.

TOURISTS—Plat.

TOUSY--Bor. Med. Sul.

TRACHEA—88.

TRAIN SICKNESS—29.

TRANQUIL—53.

TREMBLING, quivering — 47.
Con. Jab. Lach. Lycps. Merc-v.
Naj. Ol-an. Plat. Sang. Tub.
Ver-v.delirium, with—Aco. Ap. Ars.
Bell. Bry. Calc-c. Chin. Hyo.
Ign. Nat-m. Op. Phys. Plat.
Pul. Rhus-t. Saba. Samb.
Stram. Sul. Ver-a. Ver-v.

direction, downward—Iod. Merc.

upward—Sil. Spi.

internal—Hep. Stap. Sul-ac.

nervous — Cimi. Cof. Gel.
Mag-p. Pho.

pains, during—Pul. Zin.

senile—Bar-c. Con.

spasmodic—Ign. Nux-v. Saba.

sweat, with—Merc.

waking, on—Ver-a.

weakness from—Chin. Nat-m.
Stan.

TRENCH MOUTH—Merc-c.

TRICKLING—47. Grap. Petros.
Pho. Vario.

TRICKY—Cup.

TRIFLES—44. 54. Thu. Tub.

TRISMUS—67. See Lockjaw.

TUBE, metallic—Merc-c.

TUBERCULOSIS—33. 88.

incipient—Iod. Tub.

TUMID—See Puffy.

TUMORS—46.

erectile—Lyc.

TURGID—67.

TURNING OVER—27. 43.

rises to—Bry. Nux-v.

rotating—Colo.

TWILIGHT, Agg.—29. Berb.
Nat-s.

TWINGES—47.

TWISTING—46. 47. Pul.

TWITCHES—45.

See Spasmodic.

TWO A. M.—19. Kali-p.

TYMPANUM, burning—Ang.

TYPHOID—92. Ars. Bap. Bell.
Bry. Kali-c. Mur-ac. Op. Pho.
Pho-ac. Rhus-t. Sul. Tarx.

aborting—Bap. Pyro.

TYPHUS FEVER—Ars.

UGLY—Buf. Cham. Cina. Nux-v.

ULCER—38. 47. 48. Sul-io. Syph.

areola, dark—Æsc. Lach.

smaller ones—Calc-c. Hep.
Mez. Pho. Rhus-t.

black—Kali-ar.

bleeding—Arn. Bur-p. Carb-v.
Lach. Pho. Sul-ac.

ULCER

bloody water, from—Carb-ac.
Rhus-t.

bluish—Crot-h. Lach. Tarn.
Thu. Vip.

break and heal, recur—Kre.
Vip.

burning—Ars. Sil.

coitus, Agg.—Kre.

cutting—Merc.

deep — Kali-bi. Mez. Radm.
Ran-b. Rat. Tarn.

dotted—Arg-n. Ars. Kali-bi.

dropical persons, in—Ars.
Grap. Hell. Lvc. Merc.
Rhus-t. Squ. Sul.

edge, overhanging—Kali-bi.

flowing—Kali-ar. Kali-s. Nat-s.
Rhus-t. (followed by Lyc.)
Zin-s.

heat, Agg.—Pul.

Amel.—Ars. Olem. Con.
Hep. Lach. Rhus-t. Sil.

honey combed—Cinb.

irregular—Kali-bi. Merc.

rapid, malignant—Arg-n. Ars.
Carb-an. Carb-v. Hyds. Merc-
c. Nit-ac. Sil. Thu.

round—Kali-bi. Merc. Phyt.

scooped out—Vario.

septal—Aur. Kali-bi. Sil.

shallow—Hyds.

small, etc.—Med.

suppressed—Clem. Lach. Sul.

syphilitic—Asaf. Iod. Merc.
Nit-ac.

varicose—Lach. Lyc. Pul.

UNCONSCIOUS—52.

UNCONSCIOUSNESS, prolon-
ged—Cic. Gel. Hydr-ac. Laur.

UNCOUTH—Bar-c. Caps.

UNCOVERING—20. 29.

Amel.—Cam. Sec-c.

least, Agg.—Hep. Nux-v.
Rhus-t. Sil. Comp. Wind.

UNDULATIONS—See Waves.

UNEASY—Verat-v.

UNHAPPY—See Sad.

UNREAL—Med.

URÆMIA—Ap. Ars. Bap. Bell.
Canth. Hyos. Op. Stram. Ver-v.

URETERS—83. Terb.

cramp—Nit-ac. Polyg.

cutting—Ver-v.

sore—Ap. Berb. Hed. Oci.

URETHRA—83.

abscess—Canth. Pul. Rhus-t.
bleeds after urinating—Hep.
Merc-c. Sars.

burning—Canth. Merc-c. Sul.
before urination—Caps.

cutting—Canth. Thu.

discharge persists—Alu. Arg-m.
Kali-bi. Sul.

urinating, after—Sars.

drawing—Flu-ac. Merc.

heavy—Eup-p. Saba. Til.

itching—Rhus-t. Sil. Sul.

riding, Agg.—Stap.

stricture—Nat-s. Pul.

trickling—47. Arg-n. Kali-bi.
Petros. Stap. Thu.

walking, Agg.—Stap.

URGING—Canth. Lil-t. Merc-c.
Sabl. See Pressing Down.

URIC ACID DIATHESIS, lithæ-
mia—Berb. Coc-c. Lyc. Nat-s.
Sep. Urt-u.

URINARY ORGANS — 83. 84.
Aco. Arn. Calc-c. Cam. Dul.

URINARY ORGANS

Hell. Hyo. Op. Par-b. Polyg.
Sil. Squ. Til. Val. Ver-a.

alternating with rheumatic
symptoms—Benz-ac.

URINATION—29. 82.

before, Agg., cries, etc.—Aco.
Bor. Lye. Sanic. Sars.

burning—32. Canth. Merc-s.
Ran-sc. Thu.

close of—29.

 ng, on — Caus. Nat-m.
 Squ. Verb.

cutting—Canth. Sep.

doubling up, Amel.—Canth.
Pru-s.

dribbling—Canth. Clem. Kali-
m. Merc-c. Sele.

 scule—Bar-c. Con. Rhus-ar.

drinking, after—Ap. Arg-n.
Fer-p. Samb.

dysuria, drop by drop—Canth.
Erig. Lil-t. Merc-c. Pru-s.
Saba. Terb.

headache, with—Vib.

hurried, sudden—Petros. Sul.

involuntary, lying Agg.—Bels.
Kre. Lach. Lye. Pic-ac. Pul.
Uva-ur.

by day only—Fer.

rising—Petr.

nervous—Cimi. Ign. Vib.

odd positions, in—Zin.

painful—Canth. Pop-t. Sars.
Stap. Terb.

pains, Agg.—Terb. Thu.

profuse, polyuria, etc. — Gel.
Kre. Lac-d. (pain). Pho-ac.

riding, Amel.—Lyc.

sensation, without—Alu. Caus.
Mag-m.

URINATION

sitting, Agg.—Sars.
Amel.—Zin.

slow—Arn. Caus. Hep. Lye.
Sep.

spurts, in—Clem. Con. Tub.

standing, Amel.—Caus. Con.
Hypr. Sars.

stool, strains, Amel.—Alo. Al^g.
Lil-t. Mur-ac. Tub.

stops and starts, interrupted—
Ap. Clem. Con.

stream, slender—Stap.

uneasy—Verat-v.

weakness, then—Ars. Caus.
Fer. Gel. Nux-v. Pho.

white at close—Pho-ac. Sars.

URINE—82. 83.

acid—Med. Urt-u.

ammoniacal—Med. Pic-ac.

aromatic—Eup-p. Onos.

black—Ars. Kali-c. Merc-c.

bloody—Arn. Ars. Merc-c. Pho.

 Sec-c. Squ. Terb.

dark—Soli.

 flecks, in—Hell.

foul—Soli. Thu.

filamentous—Canth.

frothy—Aur. Scop. Syph.

gassy—Sars.

green—Merc-c.

horse's, like—Benz-ac. Nit-ac.

itching, causing—Urt-u.

milky—Kali-p. Vio-o. Vis-a.

more than drinks—Ap. Merc.
Pho-ac.

oxaluria—Berb. Kali-s. Nit-m-
ac.

pale—Stro.

URINE

pellicle on—Colo.
 profuse—Vib.
 Amel.—Gel. Ign. Sang.
 dropsy, in—Squ.
 hæmorrhage, with—Calc-c.
 Gel. Ign. Lach. Mos. Sars.
 Stram. Sul. Vib.
 headache, Agg.—Mos.
 menses, with—Med. Vib.
 and scanty, alternately—
 Bell. Berb. Dig. Gel. Nit-ac.
 Senec.
 purulent—Bap. Polyg. Sul-io.
 Uva-ur.
 recedes—Pru-s.
 retained, at birth—Aco. Ap.
 saccharine—See Diabetes.
 scanty—Ars. Bry. Chin. Dul.
 Led. Lyc. Pho. Pul. Rhus-t.
 Sep. Soli. Stro. Til. Ver-s.
 then headache—Iod. Ol-an.
 sediment, adherent—Polyg.
 black—Colch. Lach. Terb.
 branny—Ant-t. Merc. Pho.
 Val.
 coarse—Sele.
 coffee grounds—Ap. Hell.
 flaky—Mez.
 gravel—Polyg. Sars.
 limy—Sabal.
 mealy—Ant-t. Ap. Berb.
 Calc-c. Chin. Grap. Merc.
 Nat-m. Pho. Pho-ac. Sul.
 muddy—Terb.
 rosy red—Am-p.
 sand—Led. Sele. Sep. Sul-io.
 (brown). Tarn.
 sticky—Pyro. Tub.
 shreddy—Seneg.

URINE

smoky—Terb. Verb.
 strain, must, at stool to pass—
 Alu.
 stream, small—Eup-p.
 suppressed—Canth. Lyc. Soli.
 turbid, sedimentitious—Chim.
 valerian—Murx.
 URINOUS ODORE—43. Benz-ac.
 Nat-m. Ol-an. Sec-c.
 URTICARIA — 78. 100. Polyg.
 Urt-u.
 ascarides, with—Urt-u.
 liver symptoms, with—Canc-fl.
 Myr. Ptel.
 receding—Strop.
 shell fish, from—Terb. Urt-u.
 UTERUS—84. Arn. Castr. Caul.
 Cimi. Pall. Vib.
 abortus—84. Savi. (3rd month).
 bearing down—85. Frax. Pall.
 burning—Tarn. Terb.
 cancer—Ars. Aur. Bell. Carb-
 an. Chin. Clem. Con. Fer. Iod.
 Kre. Lach. Mag-m. Merc. Plat.
 Pul. Sabi. Sars. Sec-c. Sep.
 Thu.
 cutting—Ip. Sul.
 enlarged—Aur. Con. Helo.
 Mag-m. Plb. Sep.
 fulness—Alo. Helo.
 gnawing—Thyr.
 hæmorrhage—38.
 heavy—Helo. Pall. Pul. Sep.
 inert—Alet. Goss. Helo. Kali-
 c. Plb. Sabi. Sec-c. Sep.
 inflamed—Bell. Rhus-t. Sec-c.
 Sul. Terb.
 motions in—Tarn.
 numb—Phys.
 nursing, Agg.—Arn. Cham. Sil.

UTERUS.

os rigid—Bell. Caul. Gel. Ver-v.
 pain in—Colo. Helo.
 prolapse—36. Cimi. Frax. Pall.
 Plat. Senec. See **Falling**.
 in A. M.—Bell. Nat-m.
 reflexes—Bell. Cimi. Goss.
 Helo. Kali-c. Lil-t. Plat.
 septic—Arn. Ars. Pyro. Rhus-t.
 Sec-c.
 sore—Gel. Lap. Murx. Ust.
 spongy—Ust. (cervix).
 sticking—Sep.
 subinvolution — Arn. Frax.
 Helo. Sep.
 swelled—Aur. Calc-io. Con.
 Lap-a. Lyc. Plat. Sec-c. Sep.
 ulcer—Carb-an. Hyds. Kre.
 Ust.

UVULA—70.

dripping—Cep. Hyds. Merc-c.
 Spi.
 elongated, flaccid—Hyo. Sul.
 cedema—Ap. Kali-bi. Merc-c.
 Phyt. Rhus-t.
 one side, hangs to—Ap. (r).
 Lach. Nat-m. (r).
 swelled—Caps.
 ulcerated—Kali-bi. Merc-sul-cy.

VACCINATION—29. Ars. Hep.
 Kali-m. Malan. Sul.

VACILLATING—54.

VAGINA—84. Fer.

bloody water—Nit-ac.
 cutting—Sil.
 dry—Nat-m. Tarn. Zin-chr.
 flatus—Bro. Lyc. Pho-ac.
 heat—Tarn.
 itches—Carb-ac. Cof. Kre. Plat.
 Sep. Thu.

VAGINA

prolapse—Bur-p. Plat. Pod.
 raw—Tarn.
 scratching, Agg.—Tarn.
 sensitive, painful—Kre. Plb.
 shooting up—Rhus-t. Sabi. Sep.
 spasm—Bell. Mag-p. Plat. Sep.
 urinating, Agg.—Sil.

VALVE—48.

VANITY—See **Pride**.VAPOR—48. See **Smoke**.VARICOSES—92. Calc-c. Calc-fl.
 Lach. Sec-c. Zin.
 insanity, with—Arn. Ars. Flu-
 ac. Lach. Lyc. Sul. Zin.

followed by—Anac. Ant-c.
 Arn. Ars. Bell. Caus. Cup.
 Hyo. Ign. Lach. Lyc. Nux-
 v. Pho. Sep. Sul. Ver-a.

menses, Agg.—Amb.

painful—Ham. Pul. Thu. Zin.
 swelled—Pæon. Pul.

VARNISH like—See **Tears**.VAULTS—21. See **Dampness**.

VEINS, sore—Ham. Pul.

VENOSITY—48.

VERMIN—Stap.

VERTEBRA, absent—Mag-p.

dorsal, upper—Kalm.

heat, Agg.—Agar.

VERTEX—55. Cup. Ver-v.

ache—Ign.

across—Kali-m. Nit-ac. Pall.
 Sabal.

burning, heat, etc.—Frax.
 Grap. Sul.

burst—Cimi. Sil.

cold—Calc-p. Naj. Ver-a.

dry—Ars. Frax.

VERTEX

fly off—57. Bur-p.
 hair, falls—Bar-c.
 lying, Agg.—Manc.
 menses, Agg.—Fer-p.
 numb—Glo.
 pressure, heavy, crushing, etc.,
 on—Alo. Ap. Cast. Fer-p.
 Hypr. Lach. Lyc. Men. Nat-m.
 Pall. Pho-ac. Plb. Zin-chr.
 sides, down—Fer-p. Hypr.
 sore, painful—Chin. Nit-ac. Sul.
 tension—Lob.
 throbs—58. Lach. Pho. Sul.
 Syph. Vis-a.

VERTIGO—54. Cup. Zin-io.

bending back, Amel.—Ol-an.
 blood, rushes, with—Bell. Dig.
 Glo. Hell. Merc. Ver-v.
 eating, Amel.—Nux-v.
 eyes, closing, Agg.—Lach.
 Nat-m.
 faint like—Bry. Coccl. Ther.
 falls backward—Spi.
 left, to—Sil.
 female symptoms, with—Cyc.
 fevers, with—Eucal.
 forehead, in—Arn. Croc.
 Euon. Gel. Pho. Sul.
 headache, with—Calc-ac. Croc.
 Iod. Lac-c.
 heart sym. joms, with—Kali-
 c. Lach. Pho. Ver-a.
 lie down, must—Coccl. Nat-s.
 Pho. Pul. Spi.
 lying, Agg.—Kali-m.
 side l., Agg.—Lac-d. Onos.
 Zin-io.
 r., Agg.—Gel. Rhus-t.

VERTIGO

motion, Agg.—Bry. Con. Dig.
 Kali-bro. Lil-t.
 nose, blowing, Agg.—Codei.
 Culx. Sep.
 occiput, in—Bry. Carb-v. Con.
 Gel. Petr. Sil. Ver-a. Zin.
 pain, Agg.—Cimi.
 pregnancy, Agg.—Alet.
 reeling—Arg-n. Lol-t.
 senile—Amb. Arn. Bar-c. Bels.
 Bry. Con.
 spasm—Tarn. Vis-a.
 stool, Amel.—Cup. Pho. Zin.
 stupor, with—Zin.
 sun, facing, Agg.—Glo. Kali-p.
 sweat, Amel.—Nat-s.
 with—Tab.
 talking, Agg.—Alu.
 tinnitus, with—Chi-s.
 tremulous—Gel. Zin.
 turning, Agg.—Con. Hyds.
 Lach. (r).
 vertex, in—Calc-c. Chel. Lys.
 Med. Scrop.
 vision affected — Cyc. Gel.
 Strop.
 weakness, with—Colch. Sele.
 whirling—Con. Pul.

VESICLES—70. 100. Manc. Urt-u.

VEXATION—22. 49.

VIBRATION—48. Bro.

VICARIOUS—35. 86.

VIGOR—48. Cof. Nat-p.

VIOLENT—48. 50. 51. Merc-c.
 Mez Ox-ac. Spi.

VISE—33.

VISION—61. 62. Jab. Op.
 accommodation—Phys.

VISION

asthenopia—Jab.
 black—Caps. Cyc. Grap. Sep.
 Sul.
 blurred—Cyc. Nat-m.
 bright—Nat-c.
 colors—Osm. Pho.
 coughing, Agg.—Ign. Kali-m.
 crossed—Con. Kali-bi.
 diplopia—62. Pho.
 vertical — Atrop. Kali-bi.
 Rhus-t. Seneg. Stram.
 Syph.
 distances — Cann. Carb-an.
 Onos. Stram.
 drops before—Kali-c.
 eyes, closing, Agg.—Bell. Bry.
 Calc-c. Thu. Ver-v.
 field of—Pho. Thu.
 sees objects beside—Calc-c.
 Cam. Cann. Colo. Grap.
 Ign. Lac-c. Nux-m. Nux-v.
 Stram. Thu.
 glimmering, glittering—Lach.
 Ol-an. Pho. Strop. Syph.
 green—Phyt. Vario.
 hair, as of a—Lach. Plan.
 headache, during—Bell. Iris.
 Pho-ac. Pod. Pul. Zin.
 follows—61. Sil.
 after, Agg. — Caus. Con.
 Lach. Pho. Sil. Sul.
 hemiopia—Chio. Lach.
 illusions—Op.
 large, objects seem — Hyo.
 Nux-m.
 light, artificial, Agg.—Nat-m.
 looking down—Stan. Ver-a.
 luminous—Val.
 menses, before, Agg.—Dic.

VISION

during, Agg.—Cyc. Grap.
 Pul. Sep.
 one eye, using, Amel.—Kali-
 bi. Pho. Phys.
 photopsies—Sec-c. Sep.
 purple—Ver-v.
 red—Hyo. Pho. Rut. Ver-v.
 retina, retains images too long
 —Gel. Lac-c. Nat-m. Pho.
 Tab. Tub.
 rings, of—Calc-c. Elap.
 scintillations—Kali-m.
 shade, Amel.—Con. Pho.
 smaller, objects seem—Plat.
 stooping, Agg.—Ther.
 wavering—Morph. Zin-chr.
 zigzags—Con. Nat-m. Sul-io.

VIVACITY—49.

VOICE—89.

breaks, cracks, fails, changes
 key—Ant-c. Aru-t. Bell. Con.
 Grap. Sep. Stram.
 changeable—Fer.
 colds, Agg.—Sele.
 creaky—Sec-c.
 crowing—Spo. Stram.
 exertion, Agg.—Arn.
 hoarse, croupy — Bell. Cep.
 Dros. Merc-c. Sele.
 evening, in—Carb-v. Pho.
 menses, Agg.—Lac-c.
 morning and evening—Caus.
 lost, aphonia—Kali-bi. Mang.
 loud—Hyo. Nux-ra.
 shrill—Samb.
 singing, Agg.—Arg-n. Sele.
 unsteady—Seneg.

VOICE

weak—Alu. Carb-an. Coccl.
Spo. Stan.

VOICES, hears—63. Aco. Cham.
Chl-hy. Nit-ac.

VOMITING—29. 75. Lob. Strop.
Tab. Ver-v.

Amel.—29. Ant-t. Nux-v.

acrid, scalding, etc. — Ohio.
Kali-c. Kali-m. Kre. Lyc.
Med. Rob. Sang. Sil.

albuminous—Kali-bi.

anxious—Ars. Tab.

bilious, Amel.—Card-m. Sang.

bitter—Eup-p. Kali-bi. Nux-v.

black—Ars. Cad-s. Kre. Mez.

blood—Cad-s. Carb-v. Chin.
Crot-h. Ham. Ip. Pho.

at close of vomiting—Ver-a.

bluish—Kali-c.

brown — Bry. Carb-v. Mez.
Rhus-t.

burning, hot—Med.

chill, after—Eup-p. Nat-m.

continuous — Ars. Hell. Ip.
Merc.

curds — Æth. Calc-c. Nat-p.
Sanic. Sil. Val.

drinking, Agg.—Ant-c. Ars.
Bry. Kali-bi.

after a while—Pho. Pyro.

early—Stan.

easy—Ars. Cham. Ip.

exhausting—Æth. Ant-t. Pod.
Ver-a. Ver-v.

fecal—Rhus-t.

forcible—Ant-t. Apoc. Ver-a.

frothy—Ars. Kre. Led. Mag-c.
Nat-c. Pho. Sil. Ver-a.

green—Ars. Bell. Cham. Chel.

VOMITING

Eup-p. Ip. Merc-d. Nat-s.
Ver-a.

long after meals—Æth. Fer.
Kre. Plat. Pul. Sabi. Sang.

lying 'on l. side, Agg.—Sul-ac.
r. side, Amel.—Ant-t.

milk—Æth. Mag-c.

mother's, anger, after—Val.
nausea, without—Apoc. Arn.
Ars. Chel. Kali-bi. Lyc.
Ver-v. Zin.

at once—Ars.

peritonitis, Agg.—Op.

pregnancy, of—Goss.

purging and—Ap. Arg. Asar.
Bor. Cham. Merc. Seneg.
Sul-ac.

bilious—Eup-p.

blood—Ars. (black). Erig.

septic—Bap. Crot-h. Lach. Vip.
sleep, then—Æth. Ant-t. Cup.
Nat-m.

solids—Arn. Fer. Sep.

sour—Calc-c. Iris. Lyc. Mag-c.
Med. Nat-p. Rob. Sul. Sul-ac.

stomach, from full — Bism.
Grat.

stringy—Croc. Cup. Kali-bi.

sudden, projectile — Ant-t.
Kali-bi. Kali-chl.

sweat, cold, with—Ars. Cup-
ar. Tab. Ver-a.

teeth, sets, on edge—Ohio.

thirst, with—Ars. Canth.

uræmic—Apoc. Ars. Samb.
Scop. Senec.

uterine—Caul. Senec.

violent—Canth. Stan.

yellow, bright—Kali-bi.

VORACITY—73.

VULNERABLE—101.**VULVA—84.**

holds—Sanic.

open—Bov. Sabal. Sec-c. Sep.

sensitive, sore—Plat. Stap. Sul.

sitting, Agg.—Berb. Kre. Stap.
Sul.

swelled—Hep. Pul. Sep.

WAKING—28. 103.

can't sleep again—Nux-v.

confused—Bov. Chin. Petr. Pho.

WALK, Agg.—See Motion.impulse to—Bur-p. Flu-ac.
Merc. Naj. Sep.

late learning—Calc-p. Sil.

must—48. Aur. Calc-c. Dig.
Dio. Iod. Murx. Op. Pæon.
Rut. Stro. Tarn.

on hard pavements—Con.

on rough ground, Agg.—Hyo.
Lil-t.**WANDERING—48. Fer. Kali-n.
Merc-i-r. Plan. Pru-s. Rhus-t.
Thu. Zin-chr.****WARMTH, warm applications
or poultices, Agg.—29. Carb-
v. Crot-h. Cup. Flu-ac. Kali-
io. Lyc. Sabi. Sec-c.**

wet—24. See Humid.

WARTS, flat—100. Merc-i-f.

horny—Ant-c. Sil.

pedunculated—100. Thu.

suppressed—Men. Nit-ac. Stap.
Thu.

ulcerating—Hell.

WASH, impulse to—Psor. Syph.**WASHING, Amel.—20.****WATER—20.**bloody, meat washings, etc.—
81. Calc-c. Fer-p. Kali-io.
Kre. Mang. Merc-e. Nit-ac.**WATER**

chokes him—Stram.

cold, too—Phys. Ther.

running, sound or sight of,
Agg.—Bell. Brom. Canth.
Lys. Stram. Sul.

tastes bad—Aco.

bitter—ARS. Calc-p. Chi-ar.

putrid—Aur. Bell. Nat-m.

WATERBRASH—74.

cold—Caus. Ver-a.

tobacco, Amel.—Ol-an.

**WATERY—38. 40. 43. 44. Grap.
Iris. Kali-io.****WAVES—48. Strop.****WEAK—48. 54. 82. Echi. Merc-
cy. Mur-ac. Pyro. Soli. Sul-io.
Tab. Thy. Tub.**

11 A. M.—Pho. Sul. Zin.

acute diseases, in—Ail.

appetite, increases with—Sec-c.

attacks—See Collapse.

cough, after—Cor-r. Ver-a.

emissions, Agg.—Dios. Kob.

flushes—Dig. Sep.

pains, from—Kali-p. Pic-ac.

restless and — Ars. Rhus-t.
Zin.

sensitive and—Terb.

single parts—Val.

stool, after—Ars. Coccl. Con.
Merc. Tub.

waking, on—Syph.

WEARINESS—48.**WEATHER, change—20.**

clear—21.

cloudy, Ag — Arn. Rhus-t.
Stram. Vic

- WEDGE—42.
 WEeping—30. 54.
 Amel.—30.
 anger, with—Ant-t. Ars. Sul.
 Zin.
 WEIGHT, hanging to part—48.
 Curar. Nit-ac.
 WELL, thinks is—48. Ap. Arn.
 Ars. Cann. Cof. Iod. Op.
 WET—21. Senec. See **Dampness**.
 WHEEZING—86. Seneg.
 WHIMPERING—54.
 WHINING—54.
 WHISPERS—Ol-an.
 WHITE—49.
 chalky—Ant-c. Mez.
 swelling—39.
 turning—Sul-io.
 WHIZZING—38.
 WILFUL—53. See **Stubborn**.
 WIND—30. 49. 58.
 Agg.—30. Colch. Mag-c. Med.
 Rhe. Samb. Squ. Stro. Verb.
 Amel.—30. Fer. Sec-c. Tub.
 as of a—Cam. Chin. Croc. Med.
 Mez. Naj. Nat-m. Petr. Sep.
 Syph. Ther. Thy. Thu.
 WINE—23.
 WINKING—Merc-d.
 WINTER—28.
 WIPING—30.
 WITHERED—102.
 WOOLENS, Agg.—30. Sul.
 WORD hunting—54. Arg-n.
 Lach.
 WORK, dislikes—48. 54. Psor.
 Zin-chr.
- WORMY—81. Art-v. Cup-ox.
 Stan.
 feverish and—Cina.
 WORRY—See **Grief**.
 WRAPS, Amel.—20.
 WRAPS up in summer—Hep.
 Psor.
 WRETCHED—Tab.
 WRIGGLES—Val.
 WRINKLED—102.
 WRISTS—96.
 bruised—Rhod.
 cold—Calc-fl.
 WRITING—22. Sul-ac.
 cramp—22. Arn. Dros. Mag-p.
 mistakes in—Lach. Lyc. Thu.
 WRONG, can't tell what is—
 Thu.
 X-RAY BURNS—Calc-fl.
 YAWNING—102. Zin-val.
 accompaniment, as a—Castor.
 Cina. Kre. Sars.
 chill, with—Thu.
 eating, Agg.—Nat-s. Squ. Sul.
 evening—Arn.
 headache and—Form. Stap.
 sleepy and—Kali-n. Kre.
 tears, with—Stap.
 violent—Stap.
 YELLOW—49. Carb-an. Kali-s.
 Merc-i-f. Nat-s. Ol-j.
 green—Ars-io. Mang. Mere.
 Pul.
 sticky—Hyds. Kali-bi. Sumb.
 ZEALOUS—Nux-v.
 ZIGZAG—Calc-c. Rhod. Sars.
 Sul-io.
 ZOSTER—100. Mez.

LIST OF REMEDIES AND THEIR ABBREVIATIONS.

Serial No.	Name of Remedies.		Abbreviations
1.	<i>Abies Canadensis</i>	...	Ab-c.
2.	<i>Abies Nigra</i>	...	Abies-n.
3.	<i>Abrotanum</i>	...	Abro.
4.	<i>Absinthium</i>	...	Abs.
5.	<i>Acalypha Indica</i>	...	Acaly.
6.	<i>Acetic Acid</i>	...	Acet-ac.
7.	<i>Aconitum Napellus</i>	...	Aco.
8.	<i>Actea Racemosa</i>	...	Act-r.
9.	<i>Actea Spicata</i>	...	Act-sp.
10.	<i>Adonis Vernalis</i>	...	Ado.
11.	<i>Æsculus Hippocastanum</i>	...	Æsc.
12.	<i>Æthusa Cynapium</i>	...	Æth.
13.	<i>Agaricus Muscarius</i>	...	Agar.
14.	<i>Agnus Castus</i>	...	Ag-c.
15.	<i>Ailanthus Glandulosa</i>	...	Ail.
16.	<i>Aletris Farinosa</i>	...	Alet.
17.	<i>Allium Cepa</i>	...	All-c.
18.	<i>Allium Sativum</i>	...	Al-sat.
19.	<i>Aloe Socotrina</i>	...	Alo.
20.	<i>Alumina</i>	...	Alu.
21.	<i>Ambra Grisea</i>	...	Amb.
22.	<i>Ambrosia Artemisiæfolia</i>	...	Ambros.
23.	<i>Ammonium Carbonicum</i>	...	Am-c.
24.	<i>Ammonium Muriaticum</i>	...	Am-m.
25.	<i>Ammonium Phosphoricum</i>	...	Am-p.
26.	<i>Amyl Nitrite</i>	...	Amy-n.
27.	<i>Anacardium Orientale</i>	...	Anac.
28.	<i>Angustura</i>	...	Ang.
29.	<i>Anantherum Muriaticum</i>	...	Anan.
30.	<i>Anthraxin</i>	...	Anthx.
31.	<i>Antimonium Crudum</i>	...	Ant-c.

Serial No.	Name of Remedies.	Abbreviations.
32.	Antimonium Sulphuratum Auratum	Ant-s-au.
33.	Antimonium Tartaricum	Ant-t.
34.	Apis Mellifica	Ap.
35.	Apocynum Cannabinum	Apoc.
36.	Aralia Racemosa	Aral.
37.	Aranea Diadema	Aran.
38.	Argentum Metallicum	Arg.
39.	Argentum Nitricum	Arg-n.
40.	Arnica Montana	Arn.
41.	Arsenicum Album	Ars.
42.	Arsenicum Iodatum	Ars-io.
43.	Artemisia Vulgaris	Art-v.
44.	Arum Triphyllum	Aru-t.
45.	Asafoetida	Asaf.
46.	Asarum Europæum	Asar.
47.	Asclepias Tuberosa	Asclep.
48.	Asterias Rubens	Ast-r.
49.	Atropia Sulphurica	Atrop.
50.	Aurum Metallicum	Aur.
51.	Aurum Muriaticum	Aur-m.
52.	Avena Sativa	Avena.
53.	Badiaga	Bad.
54.	Baptisia Tinctoria	Bap.
55.	Baryta Carbonica	Bar-c.
56.	Baryta Muriatica	Bar-m.
57.	Belladonna	Bell.
58.	Bellis Perennis	Bels.
59.	Benzoic Acid	Benz-ac.
60.	Berberis Vulgaris	Berb.
61.	Bismuthum Metallicum	Bism.
62.	Blatta Orientalis	Blat.
63.	Borax	Bor.
64.	Bothrops Lanceolatus	Both-la.
65.	Bovista	Bov.
66.	Brachyglottis Repens	Brach.
67.	Bromium	Bro.
68.	Bryonia Alba	Bry.
69.	Bufo Sahytiensis	Buf.

Serial No.	Name of Remedies.	Abbreviations.
70.	Bursa Pastoris	... Bur-p.
71.	Cactus Grandiflora	... Cact.
72.	Cadmium Sulphuricum	... Cad-s.
73.	Caladium Seguinum	... Calad.
74.	Calcarea Acetica	... Calc-ac.
75.	Calcarea Arsenicosa	... Calc-ar.
76.	Calcarea Carbonica	... Calc-c.
77.	Calcarea Fluorica	... Calc-f.
78.	Calcarea Hypophosphorica	... Calc-hyp.
79.	Calcarea Iodata	... Calc-io.
80.	Calcarea Phosphorica	... Calc-p.
81.	Calcarea Picrata	... Calc-pic.
82.	Calcarea Sulphurica	... Calc-s.
83.	Calendula Officinalis	... Calend.
84.	Camphora	... Cam.
85.	Cancer Fluviatilis	... Canc-fl.
86.	Cannabis Indica	... Cann-i.
87.	Cannabis Sativa	... Cann.
88.	Cantharis	... Canth.
89.	Capsicum Annuum	... Caps.
90.	Carbo Animalis	... Carb-a.
91.	Carbo Vegetabilis	... Carb-v.
92.	Carbolic Acid	... Carb-ac.
93.	Carboneum Sulphuratum	... Carb-s.
94.	Carduus Marianus	... Card-m.
95.	Castoreum	... Castr.
96.	Caulophyllum Thalictroides	... Caul.
97.	Causticum	... Caus.
98.	Ceanothus Americanus	... Cean.
99.	Cedron	... Ced.
100.	Cenchrus	... Cench.
101.	Cepa	... Cep.
102.	Cereus Bonplandii	... Cere-b.
103.	Chamomilla	... Cham.
104.	Chelidonium Majus	... Chel.
105.	Chenopodium Album	... Chenop.
106.	Chimaphila Umbellata	... Chim.
107.	China Officinalis	... Chin.
108.	Chininum Arsenicum	... Chi-ar.

Serial No.	Name of Remedies.	Abbreviations.
109.	Chininum Sulphuricum	... Chi-s.
110.	Chionanthus Virginica	... Chio.
111.	Chloralum Hydratum	... Chl-hy.
112.	Chloroformum	... Chlorof.
113.	Chlorum	... Chlor.
114.	Cicuta Virosa	... Cic.
115.	Cimex Lectularius	... Cimx.
116.	Cimicifuga Racemosa	... Cimi.
117.	Cina	... Cina.
118.	Cinchona Officinalis	... Cinch.
119.	Cinnabaris	... Cinb.
120.	Cinnamonum	... Cinnam.
121.	Cistus Canadensis	... Cist.
122.	Clematis Erecta	... Clem.
123.	Cobaltum Metallicum	... Cob.
124.	Coca	... Coca.
125.	Cocculus Indicus	... Cocc.
126.	Coccus Cacti	... Coc-c.
127.	Codeinum	... Codei.
128.	Coffea Cruda	... Cof.
129.	Colchicum Autumnale	... Colch.
130.	Collinsonia Canadensis	... Coll.
131.	Colocynthis	... Col.
132.	Comocladia Dentata	... Com.
133.	Condurango	... Cond.
134.	Conium Maculatum	... Con.
135.	Convallaria Majalis	... Conv.
136.	Copaiva Officinalis	... Cop.
137.	Corallium Rubrum	... Cor-r.
138.	Cornus Florida	... Corn.
139.	Cratægus Oxyacantha	... Cratæ.
140.	Crocus Sativus	... Croc.
141.	Crotalus Cascavella	... Crot-c.
142.	Crotalus Horridus	... Crot-h.
143.	Croton Tiglium	... Crot-t.
144.	Cubeba Officinalis	... Cub.
145.	Culex Musca	... Culx.
146.	Cuprum Aceticum	... Cup-ac.
147.	Cuprum Arsenicosum	... Cup-ar.

Serial No.	Name of Remedies.	Abbreviations.
148.	Cuprum Metallicum	Cup.
149.	Cuprum Oxydatum	Cup-ox.
150.	Curare	Cur.
151.	Cyclamen Europæum	Cyc.
152.	Daphne Indica	Daph.
153.	Dictamnus Albus	Dict.
154.	Digitalis Purpurea	Dig.
155.	Dioscorea Villosa	Dios.
156.	Diphtherinum	Diph.
157.	Drosera Rotundifolia	Dros.
158.	Dulcamara	Dulc.
159.	Echinacea Angustifolia	Echi.
160.	Elaps Corallinus	Elap.
161.	Elaterium	Elat.
162.	Epiphegus Virginiana	Epip.
163.	Equisetum Hyemale	Equi.
164.	Erigeron Canadense	Erig.
165.	Eryngium Aquaticum	Eryng.
166.	Eucalyptus Globulus	Eucal.
167.	Eugenia Jambos	Eug.
168.	Euonymus Europæus	Euon.
169.	Eupatorium Perfoliatum	Eup-p.
170.	Eupatorium Purpureum	Eup-pur.
171.	Euphorbium	Euphor.
172.	Euphrasia	Euphr.
173.	Eupion	Eupi.
174.	Fagopyrum Esculentum	Fag.
175.	Ferrum Iodatum	Fer-i.
176.	Ferrum Metallicum	Fer.
177.	Ferrum Phosphoricum	Fer-p.
178.	Ferrum Picricum	Fer-pic.
179.	Fluoric Acid	Flu-ac.
180.	Formica Rufa	Form.
181.	Fraxinus Americana	Frax.
182.	Gambogia	Gamb.
183.	Gelsemium Sempervirens	Gel.
184.	Ginseng	Gins.
185.	Glechonia Hedera	Glech.
186.	Glonoinum	Glo.

Serial No.	Name of Remedies.	Abbreviations.
187.	Gnaphalium Polycephalum	... Gnap.
188.	Gossypium Herbaceum	... Goss.
189.	Granatum	... Gran.
190.	Graphites	... Grap.
191.	Gratiola	... Grat.
192.	Grindelia Robusta	... Grind.
193.	Guaiacum	... Guai.
194.	Gymnocladus Canadensis	... Gym.
195.	Hamamelis Virginica	... Ham.
196.	Hedeoma	... Hed.
197.	Hekla-Lava	... Hekla.
198.	Helianthus Annuus	... Helian.
199.	Helleborus Niger	... Hell.
200.	Heloderma Horridus	... Helod.
201.	Helonias Dioica	... Helo.
202.	Hepar Sulphur	... Hep.
203.	Hippomane Mancinella	... Hipp.
204.	Homarus	... Hom.
205.	Hura Brasiliensis	... Hura.
206.	Hydrastis Canadensis	... Hyds.
207.	Hydrocotyle Asiatica	... Hydroc.
208.	Hydrocyanic Acid	... Hyd-ac.
209.	Hyoscyamus Niger	... Hyo.
210.	Hypericum Perforatum	... Hypr.
211.	Ichthyol	... Ichy.
212.	Ignatia Amara	... Ign.
213.	Indigo	... Indg.
214.	Indium Metallicum	... Indm.
215.	Inula Helenium	... Inul.
216.	Iodum	... Iod.
217.	Iodoform	... Iodof.
218.	Ipecacuanha	... Ip.
219.	Iris Versicolor	... Iris.
220.	Jaborandi	... Jab.
221.	Jacaranda Caroba	... Jac.
222.	Jalapa	... Jal.
223.	Jatropha Curcas	... Jat.
224.	Juglans Regia	... Jug r
225.	Justitia Adhatoda	... Jus.

Serial No.	Name of Remedies.	Abbreviations.
226.	Kali Arsenicosum	... Kali-ar.
227.	Kali Bichromicum	... Kali-bi.
228.	Kali Bromatum	... Kali-bro.
229.	Kali Carbonicum	... Kali-c.
230.	Kali Causticum	... Kali-cau.
231.	Kali Chloricum	... Kali-chl.
232.	Kali Cyanicum	... Kali-cy.
233.	Kali Hydroiodicum	... Kali-io.
234.	Kali Muriaticum	... Kali-m.
235.	Kali Nitricum	... Kali-n.
236.	Kali Permanganicum	... Kali-per.
237.	Kali Phosphoricum	... Kali-p.
238.	Kali Sulphuricum	... Kali-s.
239.	Kalmia Latifolia	... Kalm.
240.	Kaolin	... Kaol.
241.	Kobaltum	... Kob.
242.	Kreosotum	... Kre.
243.	Lac Caninum	... Lac-c.
244.	Lac Defloratum	... Lac-d.
245.	Lachesis Trigonoccephalus	... Lach.
246.	Lachnanthes Tinctoria	... Lachn.
247.	Lactuca Virosa	... Lact.
248.	Lamium Album	... Lam-alb.
249.	Lapis Alba	... Lap.
250.	Lappa Major	... Lapp.
251.	Lathyrus Sativus	... Lath.
252.	Latrodectus Mactans	... Latro.
253.	Laurocerasus	... Laur.
254.	Lecithin	... Lec.
255.	Ledum Palustre	... Led.
256.	Lemna Minor	... Lem.
257.	Leptandra Virginica	... Lept.
258.	Lilium Tigrinum	... Lil-t.
259.	Linaria Vulgaris	... Lina.
260.	Lithium Carbonicum	... Lith-c.
261.	Lobelia Inflata	... Lob.
262.	Lolium Temulentum	... Lol-t.
263.	Lycopodium Clavatum	... Lyc.
264.	Lycopus Virginicus	... Lycps.

Serial No.	Name of Remedies.	Abbreviations.
265.	Lyssin	... Lys.
266.	Macrotin	... Macro.
267.	Magnesia Carbonica	... Mag-c.
268.	Magnesia Muriatica	... Mag-m.
269.	Magnesia Phosphorica	... Mag-p.
270.	Magnesia Sulphurica	... Mag-s.
271.	Magnetis Polus Arcticus	... Mag-p-ar.
272.	Magnetis Polus Australis	... Mag-p-aus.
273.	Magnolia Grandiflora	... Magno.
274.	Malandrinum	... Malan.
275.	Malaria Officinalis	... Malar.
276.	Mancinella	... Manc.
277.	Manganum Metallicum	... Mang.
278.	Marum Verum	... Mar-v.
279.	Medorrhinum	... Med.
280.	Mellilotus Alba	... Mell.
281.	Menispermum Canadense	... Menis.
282.	Mentha Piperita	... Menth.
283.	Menyanthes Trifoliata	... Men.
284.	Mephitis	... Meph.
285.	Mercurius Auratus	... Merc-au.
286.	Mercurius Corrosivus	... Merc-c.
287.	Mercurius Cyanatus	... Merc-cy.
288.	Mercurius Dulcis	... Merc-d.
289.	Mercurius Iodatus Flavus	... Merc-i-f.
290.	Mercurius Iodatus Ruber	... Merc-i-r.
291.	Mercurius Præcipitatus Ruber	... Merc-p-r.
292.	Mercurius Solubilis	... Merc.
293.	Mercurius Sulpho Cyanatus	... Merc-sul-cy.
294.	Mercurius Sulphuricus	... Merc-sul.
295.	Mercurius Vivus	... Merc-v.
296.	Mezereum	... Mez.
297.	Millefolium	... Mill.
298.	Mitchella Repens	... Mitch.
299.	Morphinum	... Morph.
300.	Moschus Tunquinensis	... Mos.
301.	Murex Purpurea	... Murx.
302.	Muriatic Acid	... Mur-ac.
303.	Mygale Lasiodora	... Mygl.

Serial No.	Name of Remedies.	Abbreviations.
304.	Myrica Cerifera	Myri.
305.	Myrtus Communis	Myr.
306.	Naja Tripudians	Naj.
307.	Naphthalin	Naph.
308.	Narcotinum	Narcot.
309.	Natrum Arsenicosum	Nat-ar.
310.	Natrum Carbonicum	Nat-c.
311.	Natrum Muriaticum	Nat-m.
312.	Natrum Nitricum	Nat-nit.
313.	Natrum Phosphoricum	Nat p.
314.	Natrum Sulphuricum	Nat-s.
315.	Niccolum Metallicum	Nic.
316.	Niccolum Sulphuricum	Nic-s.
317.	Nicotinum	Nicot.
318.	Nitric Acid	Nit-ac.
319.	Nitro-muriatic Acid	Nit-m-ac.
320.	Nuphar Luteum	Nuph.
321.	Nux Juglans	Nux-j.
322.	Nux Moschata	Nux-m.
323.	Nux Vomica	Nux-v.
324.	Ocimum Canum	Oci-c.
325.	Oenanthe Crocata	Oenan.
326.	Oleander	Old.
327.	Oleum Animalis	Ol-an.
328.	Oleum Jecoris Aselli	Ol-j.
329.	Onosmodium Virginianum	Onos.
330.	Opium	Op.
331.	Opuntia Vulgaris	Opunt.
332.	Origanum	Orig.
333.	Osmium	Osm.
334.	Oxalic Acid	Ox-ac.
335.	Pæonia Officinalis	Pæon.
336.	Palladium	Pall.
337.	Pareira Brava	Par-b.
338.	Paris Quadrifolia	Par.
339.	Passiflora Incarnata	Passif.
340.	Paulinia Pinnata	Paul.
341.	Petroleum	Petr.
342.	Petroselinum	Petros.

Serial No.	Name of Remedies.	Abbreviation
343.	Phellandrium Aquaticum	... Phel.
344.	Phosphoric Acid	... Pho-ac.
345.	Phosphorus	... Pho.
346.	Physostigma Venenosa	... Phys.
347.	Phytolacca Decandra	... Phyt.
348.	Picric Acid	... Pic-ac.
349.	Picrotoxin	... Picro.
350.	Pilocarpin	... Pilo.
351.	Pinus Palustris	... Pinus-p.
352.	Pinus Sylvestris	... Pinus-s.
353.	Piper Methysticum	... Pip-m.
354.	Pix Liquida	... Pix.
355.	Plantago Major	... Plan.
356.	Platinum Metallicum	... Plat.
357.	Plumbum Metallicum	... Plb.
358.	Podophyllum Peltatum	... Pod.
359.	Polygonum Sagittatum	... Polyg.
360.	Polymnia Uvedalia	... Polym.
361.	Polyporus Officinalis	... Poly-of.
362.	Populus Tremuloides	... Pop-t.
363.	Pothos Foetida	... Poth.
364.	Prunus Spinosa	... Pru-s.
365.	Psorinum	... Psor.
366.	Ptelea Trifoliata	... Ptel.
367.	Pulex	... Pulex.
368.	Pulmo Vulpis	... Pul-v.
369.	Pulsatilla Nigricans	... Pul.
370.	Pyrogenium	... Pyro.
371.	Quassia	... Quas.
372.	Radium Brom.	... Radm-b.
373.	Radium Chlor.	... Radm-c.
374.	Ranunculus Bulbosus	... Ran-b.
375.	Ranunculus Scleratus	... Ran-sc.
376.	Raphanus Sativus Niger	... Raph.
377.	Ratanhia	... Rat.
378.	Rheum	... Rhe.
379.	Rhododendron Chrysanthemum	... Rhod.
380.	Rhus Aromatica	... Rhus-ar.
381.	Rhus Radicans	... Rhus-r.

Serial No.	Name of Remedies.	Abbreviations.
382.	Rhus Toxicodendron	... Rhus-t.
383.	Ricinus Communis	... Ricci.
384.	Robinia Pseudacacia	... Rob.
385.	Rumex Crispus	... Rum.
386.	Ruta Graveolens	... Rut.
387.	Sabadilla	... Saba.
388.	Sabal Serrulata	... Sabal.
389.	Sabina	... Sabi.
390.	Salicylic Acid	... Sal-ac.
391.	Sambucus Nigra	... Samb.
392.	Sanguinaria Canadensis	... Sang.
393.	Sanicula Aqua	... Sanic.
394.	Santoninum	... Sant.
395.	Saponaria Officinalis	... Sap.
396.	Sarracenia Purpurea	... Sarr.
397.	Sarsaparilla	... Sars.
398.	Scilla Maritima	... Scil.
399.	Scoparius Genista	... Scop.
400.	Scutellaria Lateriflora	... Scut.
401.	Secale Cornutum	... Sec-c.
402.	Selenium	... Sele.
403.	Senecio Aureus	... Senec.
404.	Senega	... Seneg.
405.	Senna	... Senna.
406.	Sepia	... Sep.
407.	Serpentaria	... Serp.
408.	Silicea	... Sil.
409.	Sinapis Nigra	... Sinap.
410.	Solanum Nigrum	... Sol-n.
411.	Solidago	... Solid.
412.	Spigelia Anthelmintica	... Spig.
413.	Spongia Tosta	... Spo.
414.	Squilla Maritima	... Squ.
415.	Stannum Metallicum	... Stan.
416.	Staphysagria	... Stap.
417.	Sticta Pulmonaria	... Stic.
418.	Stillingia Sylvatica	... Stil.
419.	Stramonium	... Stram.
420.	Strontiana Carbonica	... Stro.

Serial No.	Name of Remedies.	Abbreviations.
421.	Strophanthus Hispidus	... Strop.
422.	Strychninum	... Stry.
423.	Strychninum Arsenicosum	... Stry-ar.
424.	Strychninum Phosphoricum	... Stry-p.
425.	Sulphur	... Sul.
426.	Sulphur Iodatum	... Sul-io.
427.	Sulphuric Acid	... Sul-ac.
428.	Sumbul	... Sumb.
429.	Symphoricarpus Racemosus	... Sympho.
430.	Symphytum Officinale	... Symp.
431.	Syphilinum	... Syph.
432.	Syzygium Jambolanum	... Syzy.
433.	Tabacum	... Tab.
434.	Tanacetum Vulgare	... Tanac.
435.	Tarentula Cubensis	... Tarn-c.
436.	Tarentula Hispana	... Tarn.
437.	Taraxacum	... Tarx.
438.	Tellurium	... Tell.
439.	Teplitz	... Tep.
440.	Terebinthina	... Terb.
441.	Teucrium Marum Verum	... Teucr.
442.	Thallium Metallicum	... Thal.
443.	Thaspium Aureum	... Thasp.
444.	Thea Chinensis	... Thea.
445.	Theine	... Theine.
446.	Theridion Curassavicum	... Ther.
447.	Thlaspi Bursa Pastoris	... Thlasp.
448.	Thrombidium	... Throm.
449.	Thuja Occidentalis	... Thu.
450.	Thymol	... Thymol.
451.	Thymus Vulgaris	... Thym.
452.	Thyroidin	... Thy.
453.	Tilia Europæa	... Til.
454.	Titanium	... Titan.
455.	Trillium Pendulum	... Tril.
456.	Tuberculinum	... Tub.
457.	Tussilago Farfara	... Tussil.
458.	Uranium Nitricum	... Uran-n.
459.	Urtica Urens	... Urt-u.

Serial No.	Name of Remedies.	Abbreviation
460.	Ustilago Maydis	... Ust.
461.	Uva Ursi	... Uva-u.
462.	Vaccinium	... Vacci.
463.	Valeriana Officinalis	... Val.
464.	Variolinum	... Variol.
465.	Veratrum Album	... Ver-a.
466.	Veratrum Viride	... Ver-v.
467.	Verbascum Thapsus	... Verb.
468.	Vespa Crabro	... Vesp.
469.	Viburnum Opulus	... Vib.
470.	Vinca Minor	... Vinc.
471.	Viola Odorata	... Vio-od.
472.	Viola Tricolor	... Vio-t.
473.	Vipera Torva	... Vip.
474.	Viscum Album	... Vis-a.
475.	Wyethia Helenoides	... Wyeth.
476.	Xanthoxylum Fraxineum	... Xantx.
477.	X-ray	... X-ray.
478.	Yerba Santa	... Yerb.
479.	Yucca	... Yucc.
480.	Zincum Arsenicum	... Zin-ar.
481.	Zincum Chromatum	... Zin-chr.
482.	Zincum Cyanatum	... Zin-cy.
483.	Zincum Iodatum	... Zin-io.
484.	Zincum Metallicum	... Zin.
485.	Zincum Phosphatum	... Zin-ph.
486.	Zincum Sulphuricum	... Zin-s.
487.	Zincum Valerianicum	... Zin-val.
488.	Zingiber	... Zing.
489.	Zizia Aurea	... Ziz.